

Bianchi



P R O F E S S I O N A L
B O O K

A black and white aerial photograph showing a paved road with white dashed lines curving through a dense, dark forest. The road appears to be asphalt with some texture visible. The surrounding terrain is uneven and covered in vegetation.

INDEX

04 INNOVATION

12 ROAD

Racing
Endurance
Dama Bianca
Time Trial / Triathlon
Cyclocross
Pista Fixed Gear
Vintage
All Road

172 MTB

XC CROSS-COUNTRY
Racing
Performance
Off-Road

226 E-BIKE

E-Road
E-MTB
E-Sport
E-City

264 CITY FITNESS

C-Sport
Spillo
City Vintage
Junior

PARTS & ACCESSORIES

IN-STORE BRANDING



BIANCHI

BIANCHI SHOP

1st bianchi shop
in Via Nirone, in Milan



1885

1889

1915

1947

1973

1998

2003

GIAN FERDINANDO TOMMASELLI

Winner of the Gran Prix de Paris,
the first Bianchi's race victory

MILITARY BIKE

the 1st
full-suspension
bike

FAUSTO COPPI

Wins his first Giro
d'Italia
and in 1949
his first tour the
france



Felice Gimondi
World Champion

FELICE GIMONDI

1973

BRUNO ZANCHI

down hill
world champion



MARCO PANTANI

Wins his first Giro
d'Italia
and in 1999
his first tour the
france



JAN ULLRICH

Team Bianchi



JULIEN ABSALON

XCO Olympic Gold
Medallist
in Athens



2004

2010

*The first
OLTRE
is born*



OLTRE XR4

*Introduction of the
Oltre XR4
aero frame
engineered
with Countervail®*



**BIANCHI
FOR SCUDERIA
FERRARI**

*Collaboration
with Ferrari to
develop a new
Scuderia Ferrari
bicycle range*

2017

2013

2015

2016

*Introduction of
the INFINITO CV
engineered with
Countervail®
technology*

**GERHARD
KERSCHAUMER**

XCO U23 World
Champion

**THE
SPECIALISSIMA
IS BORN**

METHANOL CV

*The first MTB
engineered
with Countervail®*



*Opening of the first
Bianchi Café &
Cycles
(Stockholm)*

**BIANCHI CAFÉ
& CYCLES**

Italian creativity since 1885.

COMPOSITE MATERIALS



FIBERS HAVE DIFFERENT MECHANICAL CHARACTERISTICS:

- HIGH MODULUS
- HIGH ELONGATION
- HIGH STRENGTH

MAIN FEATURES TO DESCRIBE THE FIBER:

TENSILE STRENGTH

The tensile strength of a material is the maximum amount of load stress that it can be subjected to before failure.

TENSILE MODULUS


Description of the material's tendency to be deformed elastically (non-permanently) when a force is applied to it. It is a measure of stiffness.

DENSITY G/M³

Ratio between weight and volume.

THE RESULT IN TERMS OF CHARACTERISTICS AND PERFORMANCE OF THE CARBON FRAME DEPENDS ON:

- COMBINATION OF FABRICS (Layers) WITH DIFFERENT CHARACTERISTICS
- DIFFERENT POSITIONING OF THE FABRIC (Orientation 0°/+45°/-45°)
- NUMBER OF LAYERS IN THE DIFFERENT CRITICAL POINTS OF THE FRAME
- PRODUCTION PROCESS (Molding technology and construction)



BIANCHI PRODUCT DEVELOPMENT





01 IDEA

Ideas are the seeds of our continuous innovation process, together with a mix of intuitions, Italian creativity, experience and attention to details.

02 GEOMETRIES

We offer dedicated geometries for all type of riding and different performance. Bianchi is widely known for its race proven geometries.



03 3D

We are expert in frame design and technology. We believe the frame is the heart of the bicycle.

04 RAPID PROTOTYPING

Thanks to our Rapid Prototype Machine we can create and assemble, in house, a resin prototype of every model so that we can check the shape and final look of the frame before starting final production.



05 GRAPHICS

All graphics and color combinations are created by our creative designers, in Treviglio.



06 LAB TEST

All frames are developed and tested inside the Bianchi headquarters in Treviglio (Bergamo, Italy) with innovative and dedicated machines.



07 ROAD TEST

Our team of professional test riders and former pro-cyclists is constantly testing all new products collecting and providing important feedbacks to our engineers with the aim to produce the best bikes in the world.



08 ASSEMBLY PROCESS

We have a unique individual vertical assembly process: each bicycle is built by one person.



REPARTO CORSE

Bianchi has innate connection to the world of racing and we recognize the advantage of testing new products and materials in competitions. with our legendary bianchi reparto corse we have optimized and accelerated the process of innovation through a close collaboration with our professional riders.

reparto corse

PROTOTYPE TESTING



COLLECTING FEEDBACK



DATA ANALYSIS



WIN

Bianchi

t a v o l o z z a

TAILOR-MADE PROGRAM

**AVAILABLE FOR OLTRE XR4, XR4 DISC, SPECIALISSIMA
AND NOW AQUILA CV AND METHANOL CV RS.**

Bianchi Tavolozza is the exclusive web color configurator available for Bianchi CV models engineered with Countervail vibration cancelling technology. All frames personalized with Tavolozza color configurator, including graphics and logos, are hand-painted and decaled in Italy by expert craftsmen, combining Bianchi's timeless skills of tailoring together with advanced technologies.




USER-FRIENDLY AND CREATIVE TAILOR-MADE PROGRAM

By entering www.bianchi.com/tavolozza, you can easily design your own project in a few clicks, meeting any wish. Tavolozza offers an infinity of possible combinations.

FAST AND SOCIAL

After creating the ideal layout for your frame, you can save and download the project, identified by a unique code. Thanks to the online dealer locator, you can find the nearest Bianchi authorized dealer where to order the custom-painted bike.

Tavolozza also gives you the opportunity to immediately share your own project on Facebook.





ENGINEERED WITH



ONE TECHNOLOGY TUNED FOR EVERY NEED

- Patented carbon material with a unique fiber architecture and viscoelastic resin
- Cancels 80% of vibrations
- Tested in NASA aerospace operations
- Countervail® is an exclusive integrated system available only in Bianchi CV models
- Reduces muscular fatigue
- Increased control and performance
- Maximum power output
- One technology tuned for each riding condition





Oltre XR4 **Oltre XR3**

**MAXIMIZE
AERO ADVANTAGE
AND CONTROL**

ROAD | RACING



Specialissima

**PURE POWER
AND CONTROL**

ROAD | RACING



AQUILA CV

**MORE ENERGY
MORE CONTROL**

ROAD | TIME-TRIAL & TRIATHLON



INFINITO CV

**LESS FATIGUE
MORE CONTROL**

ROAD | ENDURANCE



METHANOL CV RS
METHANOL CV S


**AFTER SHOCK
CONTROL**

MTB | XC CROSS-COUNTRY

ROAD

**RACING
ENDURANCE
DAMA BIANCA
TIME TRIAL / TRIATHLON
CYCLOCROSS
PISTA FIXED GEAR
VINTAGE
ALL ROAD**





MATERIAL
TECHNOLOGY



STRUCTURAL
STIFFNESS

▲ B A T ▼
K-VID





PERFORMANCE
TUNING

TRIPLE
HYDROFORMED
TECHNOLOGY

ENGINEERED WITH

COUNTERVAIL®



CANCELS
80%
OF VIBRATIONS

ONE TECHNOLOGY TUNED FOR EVERY NEED

BIANCHI CV INTEGRATED VIBRATION CANCELLING SYSTEM

Bianchi collaborated with **Materials Sciences Corporation** to develop our innovative and exclusive use of the MSC's patented **Countervail®** integrated vibration cancelling system for cycling. Countervail® is a patented carbon material with a unique fiber architecture and viscoelastic resin that cancels **80%** of vibrations while increasing the stiffness and strength of our carbon frames and forks. Countervail® is embedded within the layup of **Bianchi CV** high-performance models.

PROVEN IN NASA AEROSPACE OPERATIONS

Traditional passive damping in frames using superficial rubber inserts and isolators are marginally effective compared to the integrated carbon Countervail® system developed by Bianchi for cycling and proven in the extreme conditions of **NASA** aerospace operations.

Bikes with this technology:

Specialissima, Oltre XR4, Oltre XR3, Infinito CV, Aquila CV


TRIPLE HYDROFORMED TECHNOLOGY

Hydroforming process of the top and head tubes.

Top and head tubes are welded and then fused together into a monocoque structure.

Final hydroforming process.

H Y D R O F O R M I N G P R O C E S S




ADVANTAGES

- Increased rigidity
- Maximized design
- Reduced fatigue

Bikes with this technology:

ALL IMPULSO



▲B A T▼ K-VID

To obtain different stiffness behaviour under different directional forces, without wasting power transfer.

Special lay-up and different material combination (Carbon - kevlar).

Special design.

ADVANTAGES

- Increased shock absorption
- Best adherence
- Reduced fatigue

Bikes with this technology:

INFINITO CV (only BAT)
INTENSO / IMPULSO /
VIA NIRONE 7



ROAD DISC BRAKE SYSTEM

Bianchi designs every disc brake model with road bikes specific thru axle. Oltre XR4, Oltre XR3, Aria, Infinito CV, Impulso Allroad, Aria E-Road, Impulso E-Road, E-Allroad and Edoardo have 12 x 100/142mm thru axle with quick release lever. Both Infinito CV and Intenso Endurance carbon frames feature a lightweight (only 31gr.) 12 x

100/135mm thru axle with removable QR system.
Bikes with this technology:

**OLTRE XR4 / OLTRE XR3 / ARIA / INFINITO
CV / INTENSO / IMPULSO ALLROAD /
VIA NIRONE 7 ALLROAD (only front TA) /
ARIA E-ROAD /IMPULSO E-ROAD / E-ALLROAD
(E-Road) / EDOARDO (E-Sport)**



Improved shock absorption and impact resistance.

Reduced frame weight.

Power transmission is now focused through the chain stays, leaving the seat stays as a compliant support structure.

ADVANTAGES

- Increased shock absorption
- Best adherence
- Reduced fatigue

Bikes with this technology:

**OLTRE XR3 /
SEMPRE PRO**



ROAD RANGE OVERVIEW

	PROFESSIONAL	PERFORMANCE	SPORT
RACING	Specialissima Oltre XR4	Oltre XR3 Sempre Pro Aria	
ENDURANCE	Infinito CV	Intenso Intrepida	Impulso Via Nirone 7
TT/ TRIATHLON	Aquila CV		Pico Alu
CYCLOCROSS	Zolder Pro		Zurigo
FIXED			Pista Sei Giorni Pista Steel
VINTAGE			L'Eroica
ALL ROAD		Impulso All Road Via Nirone 7 All Road Orso	Volpe

BIKE FIT CHART

HANDLEBAR / STEM / CRANKSET

RACING												ENDURANCE RACING			DAMA BIANCA			Road Crankset		Road Lady Crankset									
Specialissima			OltreXR4			OltreXR3			Aria			Sempre Pro			Infinito CV Intenso intrepida Impulso Via Nirone 7			Infinito CV Intenso intrepida Impulso Via Nirone 7			Road Crankset		Road Lady Crankset						
Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Length	Frame Size	Length	Frame Size	Length	Frame Size	Length				
			44	70/ 160	40				44	70	40				44	70	40	44	70	38	44	165/ 170	44	165					
																		46	70	40	46	70	38	46	170	46	165		
47	80	40	47	70/ 100	40	47	90	40	47	90	40	47	90	40	47	70/90	40	47	70	38	47	170	47	165					
																		48	90	40	48	70	38			48	165		
50	90	40	50	90/ 100	40	50	90	40	50	90	40	50	90	40	50	90	40	50	90	40	50	170	50	170					
																		51	100	40	51	90	40			51	170		
53	100	42	53	100/ 110	42	53	100	40	53	100	40	53	100	40	53	90/ 100	40/ 42	53	90	40	53	170	53	170					
																		54	110	42	54	90	40			54	170		
55	110	42	55	110	42	55	110	42	55	110	42	55	110	42	55	100/ 110	42	55	90/ 100	40	55	172,5	55	170					
57	120	42	57	120	42	57	110	42	57	110	42	57	110	42	57	110/ 120	42						57	172,5					
																								58	172,5				
59	120	44	59	120	42	59	120	42	59	120	42	59	120	42	59	110/ 120	42/ 44							59	172,5				
																		60	120										
61	130	44	61	130	44	61	130	44	61	130	44	61	130	44	61	120/ 130	44							61	175				
																		63	130	44						63	175		



MODELS
IN THIS CATEGORY

SPECIALISSIMA

OLTRE XR4 DISC

OLTRE XR4

OLTRE XR3 DISC

OLTRE XR3

ARIA DISC

ARIA

SEMPRE PRO

RACING

Ride beyond limits. The Racing category includes extreme racing performance carbon frames, optimized to achieve the most efficient power transmission with the best rigidity to weight ratio. The ideal bikes for the most expert riders.

PROJECT PHILOSOPHY

- Extreme rigidity for maximum pedalling power transfer
- Super reactive geometry for better handling and responsiveness
- Aero shape
- Super light weight

TARGET CONSUMER

- Those who want a pure speed machine with no compromises
- The rider who has a racing mindset and a competitive attitude

Specialissima

POSITIONING

Ultralight racing frame (780gr*) engineered with the latest evolution of Countervail vibration cancelling technology. Reactive climbing machine with unparalleled control and precision in the descents.

COURSE/TERRAIN

Road, long climbs and descents.

END USE DESTINATION

Pros and expert riders.

Ideal for long marathon events.

KY FEATURES

- Countervail ultralight formula
- Hand painted in Italy
- Tavolozza on-line color configurator
- Sram e-Tap (wi-fi groupset)

PRODUCT FEATURES

- Monocoque carbon hi-modulus frame with Countervail® material
- Tapered headtube 1.1/8" to 1.4" to improve rigidity of the front part, and reduce the weight
- Double compatibility mechanic and electronic groupset
- Internal cable routing
- BB set Press fit 86.5 x 41
- Seatube dimension: 27,2mm
- Full carbon dropout with metal insert
- 7 sizes: 47, 50, 53, 55, 57, 59, 61cm
- Weight: 780gr (*55 size, black color frame, +/- 5%)

LIGHTWEIGHT

10

PRICE

4

DESIGN

7

COMFORT


4

PERFORMANCE

10

GEOMETRY – RACING

MIS-SLP													
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X		
470	440	515	500	400	58	110	579	74.5°	70.5°	495	375		
500	470	525	512	400	58	115	581	74.5°	71.5°	503	383		
530	500	535	523	406	68	130	582	74°	72°	529	383		
550	520	550	537	407	68	145	588	73.5°	72.5°	545	388		
570	540	560	548	407	68	160	593	73.5°	73°	561	393		
590	560	575	562	409	68	180	603	73°	73°	580	397		
610	580	585	570	411	68	200	603	72.5°	73°	601	397		



reparto corse

**THE NEXT COUNTERVAIL®
EVOLUTION:
ULTRALIGHT FORMULA**

**TECHNOLOGY
COUNTERVAIL®**

AERO HEADTUBE

Tapered headtube 1.1/8" to 1.4" to improve rigidity of the front part, and reduce the weight. Aero headtube section inspired by Aquila CV's profiles.



FORK

Full carbon with Counter-vail® material.
Head crown tube with integrated design for perfect head tube connection and straight blade.
Reactive geometry Super LightWeight: 340g

FULL CARBON DROPOUT

Full carbon dropout with metal insert





SPECIALISSIMA - SUPER RECORD 12SP COMPACT



CODE	YOBG9	BRAKE LEVER	included w/shifters
COLOR	1E - Black matt/CK16 glossy 2A - CK16/Black glossy (ON PHOTO) Tavolozza	RIM/WHEELSET	Fulcrum Racing Zero Nite
FRAME	Specialissima super light carbon w/Countervail, 1.4"-1.1/8", PressFit 86,5x41mm BB, Seatpost diam. 27,2mm, sizes 47-50-53-55-57-59-61cm	OPTION WHEELSET1	Campagnolo Bora Ultra 35 Dark tubular w/brake pads BR-BO500
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
SEATPOST CLAMP	Carbon Ti X-Clamp 3, AL7075-T6 machined body and Titanium grade 5 M5 Screw, diam. 31.8mm	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced CorespunK, 320TPI, hand made tubular, black/black
HEADSET	Fsa NO.44/CF-R, 1.1/8">1.1/4" w/alloy bearings, w/carbon cap 8.7mm, for 47mm/52mm OD head tube	STEM	Fsa OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 31.8mm, angle +/-6°, Ext: 80mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61cm
FORK	Bianchi Full Carbon w/Countervail, 1.1/8">1.4"	HANDLEBAR	Fsa K-Force Compact, UD Weave Carbon, diam. 31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
SHIFTER	Campagnolo Super Record Ultra Shift Ergopower 12sp	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
REAR DERAILLEUR	Campagnolo Super Record 12sp	SEATPOST	Fsa K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm, Di2 Battery compatible
FRONT DERAILLEUR	Campagnolo Super Record 12sp braze-on FD w/ chainguard CSD System	SADDLE	Fi'zi:k Antares R1, MicroTex cover, Composite carbon co-injected Nylon shell w/WingFlex , carbon braided 7x9 rail, Integrated Clip System
CRANKSET	Campagnolo Super Record Ultra-Torque CT TI Carbon 50x34T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm	WATER BOTTLE	Bianchi Loli 600ml
CHAIN	Campagnolo Super Record 12sp		
CASSETTE / FREEWHEEL	Campagnolo Super Record 12sp, 11-29T		
Brake	Campagnolo Super Record skeleton, dual pivot front & rear		

SPECIALISSIMA - DURA ACE DI2 11SP 52/36



CODE	YOB6	CASSETTE / FREEWHEEL	Shimano Dura Ace CS-R9100, 11-12-13-14-15-17-19-21-23-25-28T
COLOR	1E- Black matt/CK16 glossy (ON PHOTO) 2A- CK16/Black glossy Tavolozza	BRAKE	Shimano Dura Ace BR-R9100, shoe R55C4
FRAME	Specialissima super light carbon w/Countervail, 1.4"-1.1/8", PressFit 86.5x41mm BB, Seatpost diam. 27.2mm, sizes 47-50-53-55-57-59-61cm	RIM/WHEELSET	Fulcrum Racing Zero Nite
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	OPTION WHEELSET1	Fulcrum Speed 40T, carbon tubular rims, Cult bearings
SEATPOST CLAMP	Carbon Ti X-Clamp 3, AL7075-T6 machined body and Titanium grade 5 M5 Screw, diam. 31.8mm	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
HEADSET	Fsa NO.44/CF-R, 1.1/8">1.1/4" w/alloy bearings, w/carbon cap 8.7mm, for 47mm/52mm OD head tube	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced Corespunk, 320TPI, hand made tubular, black/black
FORK	Bianchi Full Carbon w/Countervail, 1.1/8">1.4"	STEM	Fsa OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 31.8mm, angle +/-6°, Ext: 80mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61cm
SHIFTER	Shimano Dura Ace Di2 ST-R9150 2x11sp	HANDLEBAR	Fsa K-Force Compact, UD Weave Carbon material, diam. 31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
REAR DERAILLEUR	Shimano Dura Ace Di2 RD-R9150 SS 11sp, shadow design, direct attachment, Max 30T	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
FRONT DERAILLEUR	Shimano Dura Ace Di2 FD-R9150-F, braze-on type	SEATPOST	Fsa K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm, Di2 Battery compatible
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1	SADDLE	Fi'zi:k Antares R1, MicroTex cover, Composite carbon co-injected Nylon shell w/WingFlex , carbon braided 7x9 rail, Integrated Clip System
BATTERY / MOUNT	Shimano Battery BT-DN110-1	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Shimano Dura Ace FC-R9100, Hollowtech II, 52x36T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit		
CHAIN	Shimano Dura Ace CN-HG901-11		

SPECIALISSIMA - DURA ACE 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBG7	OPTION WHEELSET1	Fulcrum Speed 40T carbon tubular, Cult bearings
COLOR	1E - Black matt/CK16 glossy 2A - CK16/Black glossy Tavolozza	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
FRAME	Specialissima super light carbon w/Countervail, 1.4"-1.1/8", PressFit 86,5x41mm BB, Seatpost diam. 27,2mm, sizes 47-50-53-55-57-59-61cm	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced CorespunK, 320TPI, hand made tubular, black/black
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	STEM	Fsa OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 31.8mm, angle +/-6°, Ext: 80mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61cm
SEATPOST CLAMP	Carbon Ti X-Clamp 3, AL7075-T6 machined body and Titanium grade 5 M5 Screw, diam. 31.8mm	HANDLEBAR	Fsa K-Force Compact, UD Weave Carbon, diam. 31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
HEADSET	Fsa NO.44/CF-R, 1.1/8">1.1/4" w/alloy bearings, w/carbon cap 8.7mm, for 47mm/52mm OD head tube	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
FORK	Bianchi Full Carbon w/Countervail, 1.1/8">1.4"	SEATPOST	Fsa K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm, Di2 Battery compatible
SHIFTER	Shimano Dura Ace ST-R9100 2x11sp	SADDLE	Fizik Antares R1, MicroTex cover, Composite carbon co-injected Nylon shell w/WingFlex, carbon braided 7x9 rail, Integrated Clip System
REAR DERAILLEUR	Shimano Dura Ace RD-R9100 SS 11sp, shadow design, direct attachment	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
FRONT DERAILLEUR	Shimano Dura Ace FD-R9100 11sp, brazed-on type	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Shimano Dura Ace FC-R9100 Hollowtech II, 50-34T, w/o BB parts, crank length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit Road		
CHAIN	Shimano Dura Ace CN-HG901-11		
CASSETTE / FREEWHEEL	Shimano Dura Ace CS-R9100, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano Dura Ace BR-R9100, shoe R55C4		
RIM/WHEELSET	Fulcrum Racing Zero Nite		

SPECIALISSIMA - RED ETAP 11SP COMPACT



CODE	YOBG6	BRAKE	Sram Red
COLOR	1E - Black matt/CK16 glossy 2A - CK16/Black glossy (ON PHOTO) Tavolozza	RIM/WHEELSET	Fulcrum Racing Zero Nite
FRAME	Specialissima super light carbon w/Countervail, 1.4"-1.1/8", PressFit 86.5x41mm BB, Seatpost diam. 27.2mm, sizes 47-50-53-55-57-59-61cm	OPTION WHEELSET1	Zipp 303 Firecrest tubular w/Brake pad for carbon Platinum Pro Evo
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
SEATPOST CLAMP	Carbon Ti X-Clamp 3, AL7075-T6 machined body and Titanium grade 5 M5 Screw, diam. 31.8mm	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced CorespunK, 320TPI, hand made tubular, black/black
HEADSET	Fsa NO.44/CF-R, 1.1/8"-1.4" Alloy bearings, w/8.7mm Carbon top cap for 47mm/52mm OD head tube	STEM	Fsa OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 31.8mm, angle +/-6°, Ext: 80mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61cm
FORK	Bianchi Full Carbon w/Countervail, 1.1/8">1.4"	HANDLEBAR	Fsa K-Force Compact, UD Weave Carbon, diam. 31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
SHIFTER	Sram Red eTap 2x11sp	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
REAR DERAILLEUR	Sram Red eTap short cage, max 11-28T	SEATPOST	Fsa K-Force Light SB25, UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27.2mm, Di2 Battery compatible
FRONT DERAILLEUR	Sram Red eTap Yaw, brazed-on FD	SADDLE	Fi'zi:k Antares R1, MicroTex cover, composite carbon co-injected nylon shell w/WingFlex, carbon braided 7x9 rail, Integrated Clip System
CHARGER / PWR CABLE	Sram Powerpack eTap II Battery charger, cord, transmitter and plug adapter US, UK, EU. Power Pack required for bicycle assembly	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
CRANKSET	Sram Red 50/34T, carbon crank arms, aluminium chainrings, BB spindle 24mm, BDC110, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	WATER BOTTLE	Bianchi Loli 600ml
BOTTOM BRACKET	Sram BB PFGXP road PressFit 86.5x41mm		
CHAIN	Sram Red22 CN-RED-A1 with power lock chain connector 11sp		
CASSETTE / FREEWHEEL	Sram Red CS-XG-1190-A1 11sp 11-28T		

SPECIALISSIMA - FRAME KIT



2A- CK16/Black full logo- full glossy



1E - Black matt/CK16

CODE	XNB27
COLOR	1E - Black matt/CK16 glossy 2A - CK16/Black full logo- full glossy Tavolozza
FRAME	Specialissima super light carbon w/Countervail, 1.1/8">1.1/4" headset, seatpost 27,2mm, PressFit 86,5x41mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste bianchi w/Bianchi logo
SEATPOST CLAMP	Carbon Ti X-Clamp 3, AL7075-T6 machined body and Titanium grade 5 M5 Screw, diam. 31.8mm
HEADSET	Fsa NO.44/CF-R, 1.1/8">1.1/4" w/alloy bearings, w/carbon cap 8.7mm, for 47mm/52mm OD head tube
FORK	Bianchi Full Carbon w/Countervail, 1.1/8">1.4"

Oltre XR4 DISC

POSITIONING

Super aerodynamic disc bike with rigid frame engineered with Countervail vibration cancelling technology to maximize your aero advantage. The most complete extreme racing disc bike ever created. Now with disc brakes.

COURSE/TERRAIN

Road, flat and downhill segments, hilly and fast courses. Oltre XR4 hydraulic disc brakes are impervious to adverse weather conditions. By developing the new disc brake equipped Oltre XR4, Bianchi allows you to ride perfect lines at the optimum speed – for every single corner, rain or shine.

END USE DESTINATION

Made for everyone who love the thrill of the speed. Ideal for all-round pro riders and for those who're always on the attack and want to keep the best aero position for longer time while achieving maximum braking efficiency.

K Y FEATURES

- CFD designed aero disc full carbon HM monocoque frame and fork
- Countervail technology to reduce muscle fatigue and support the best aero position
- Vision Metron 5D ACR handlebar and dedicated headset
- Full internal disc brake cable housing
- Tavolozza on-line color configurator

LIGHTWEIGHT

8

PRICE

4

DESIGN

10

COMFORT

7

PERFORMANCE

10

reparto corse


**MAXIMIZE
AERO ADVANTAGE
AND CONTROL**

TECHNOLOGY:

 **COUNTERVAIL®**

GEOMETRY - RACING

MIS-SLP														
A1	A	B1	C	D	E	F	G	G1	H	I	X	Y	WB	
470	420	513	410	58	105	579	74.5°	70.5°	43	368	377	490	982	
500	450	523	410	58	110	581	74.5°	71.5°	43	368	385	498	983	
530	480	535	410	68	125	582	74°	72°	43	368	385	524	984	
550	501	550	410	68	140	588	73.5°	72.5°	43	368	390	545	988	
570	520	560	412	68	155	593	73.5°	73°	43	368	395	556	995	
590	540	575	412	68	175	603	73°	73°	43	368	398	575	1005	
610	560	585	414	68	195	607	72.5°	73°	43	368	398	594	1011	





PRECISION AND POWER CONTROL

Disc brakes allow to maintain a clean aero form, while achieving maximum braking efficiency. The key benefit is the modulation of braking power with precision and complete control, in any condition.

ALL WEATHER CONDITIONS

Oltre XR4 hydraulic disc brakes are impervious to adverse weather conditions. By developing the new disc brake equipped Oltre XR4, Bianchi allows you to ride perfect lines at the optimum speed – for every single corner, rain or shine.

PERFECT HANDLING

Thanks to Bianchi CV System, with the use of Countervail carbon material, and the consistent power, precision and modulation of disc brakes, the new Bianchi Oltre XR4 Disc is the perfect-handling, fast, aero road bike - on any road, in any weather.






AERO HANDLEBAR

Aero efficiency is key to the Oltre XR4 Disc, and this extends to the new Metron 5D ACR aero handlebar featuring fully-enclosed cable routing through the handlebar itself and stem - for the hydraulic brake hoses and the gear cables.

The Metron 5D ACR bar and stem gives the Oltre XR4 the cleaner, more aero front end for added speed and efficiency.



DEVELOPED WITH THE PROS

Oltre XR4 Disc has been tested and developed in collaboration with World Tour Team Lotto NL – Jumbo.



CLEARANCE

Oltre XR4 Disc frame and fork are designed to accommodate wider tires. The extra clearance enhances comfort and grip.



OLTRE XR4 DISC - DURA ACE DI2 11SP 52/36



CODE	YOB15	CHAIN	Shimano Dura Ace CN-HG901-11
COLOR	BZ-Black matt/CK16 graphite glossy 1D- CK16 Glossy /Black Glossy (ON PHOTO) Tavolozza	CASSETTE / FREEWHEEL	Shimano Dura Ace CS-R9100, 11-12-13-14-15-17-19-21-23-25-28T
FRAME	Oltre XR4 Disc carbon w/Countervail, mechanical/electronic shifting compatible, headset 1.5", PressFit 86,5x41mm BB, Disc brake internal cable routing, flat mount calipers, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	Brake	Shimano BR-R9170 Hydraulic disc brake, flat mount caliper
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	Brake Lever	included w/shifters
SEATPOST CLAMP	included in the frame	DISC ROTOR	Shimano SM-RT900 Center Lock 160mm
HEADSET	Fsa Orbit, lower 1.5"- top 1.5", 45°- 45 ACB bearings, w/custom carbon top cap specific for Metron ACR integrated handlebar, for 47mm/52mm OD head tube	RIM/WHEELSET	Fulcrum Racing Quattro DB, C17 disc brake carbon clincher rims, thru axle F: 12x100mm R:12x142mm, Center Lock AFS
FORK	Bianchi Full Carbon aero Disc, 1.5" integrated head, Disc Brake internal cable routing, flat mount caliper, thru axle 12x100	OPTION WHEELSET1	DT Swiss ARC 1100 DICUT disc brake, 62mm Full Carbon clincher rims, tubeless ready, 622x17c, thru axle F: 12x100mm R:12x142
SHIFTER	Shimano Dura Ace Di2 ST-R9170 2x11sp hydraulic disc brake	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
REAR DERAILLEUR	Shimano Dura Ace Di2 RD-R9150 SS 11sp, shadow design, direct attachment, Max 30T	STEM	included with handlebar
FRONT DERAILLEUR	Shimano Dura Ace Di2 FD-R9150-F, braze-on type	HANDLEBAR	Vision Metron 5D ACR Disc Integrated Aero bar, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
ELECTRIC CABLE	Shimano Junction A EW-RS910, built-in handlebar type, e-tube port X2, charging port X1	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
BATTERY / MOUNT	Shimano Battery BT-DN110-1	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	SADDLE	Fi'zi:k Arione R1, Thermowelded Microtex cover, Composite carbon co-injected Nylon shell w/ WingFlex , carbon braided 7x9 rails, Integrated Clip System
CRANKSET	Shimano Dura Ace FC-R9100, Hollowtech II, 52x36T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit	WATER BOTTLE	Bianchi Loli 600ml

OLTRE XR4 DISC - DURA ACE 11SP 52/36



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB16	DISC ROTOR	Shimano SM-RT900 Center Lock 160mm
COLOR	BZ-Black matt/CK16 graphite glossy 1D- CK16 Glossy /Black Glossy Tavolozza	RIM/WHEELSET	Fulcrum Racing Quattro DB, C17 disc brake carbon clincher rims, thru axle F: 12x100mm R: 12x142mm, Center Lock AFS
FRAME	Oltre XR4 Disc carbon w/Countervail, mechanical/electronic shifting compatible, headset 1.5", PressFit 86,5x41mm BB, Disc brake internal cable, flat mount caliper, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	OPTION WHEELSET1	DT Swiss ARC 1100 DICUT disc brake, 62mm full Carbon clincher, tubeless ready, 622x17c, thru axle F: 12x100, R: 12x142
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
SEATPOST CLAMP	included in the frame	STEM	included with handlebar
HEADSET	Fsa Orbit, lower 1.5"- top 1.5", 45°- 45 ACB bearings, w/custom carbon top cap specific for Metron ACR integrated handlebar, for 47mm/52mm OD head tube	HANDLEBAR	Vision Metron 5D ACR Disc Integrated Aero bar, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
FORK	Bianchi Full Carbon w/Countervail Disc, 1.5" integrated head, Disc Brake internal cable routing, flat mount caliper, thru axle 12x100	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
SHIFTER	Shimano Dura Ace ST-R9100 2x11sp	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
REAR DERAILLEUR	Shimano Dura Ace RD-R9100 SS 11sp, shadow design, direct attachment	SADDLE	Fi'zi:k Arione R1, thermowelded Microtex cover, Composite carbon co-injected Nylon shell w/ WingFlex , carbon braided 7x9 rails, Integrated Clip System
FRONT DERAILLEUR	Shimano Dura Ace FD-R9100 11sp, brazed-on type	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
CRANKSET	Shimano Dura Ace FC-R9100, Hollowtech II, 52x36T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	WATER BOTTLE	Bianchi Loli 600ml
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit Road		
CHAIN	Shimano Dura Ace CN-HG901-11		
CASSETTE / FREEWHEEL	Shimano Dura Ace CS-R9100, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano BR-R9170 Hydraulic disc brake, flat mount caliper		
BRAKE LEVER	included w/shifters		

OLTRE XR4 DISC - ULTEGRA DI2 11SP 52/36



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB17	CHAIN	Shimano Ultegra CN-HG701-11, 11sp
COLOR	BZ-Black matt/CK16 graphite glossy 1D- CK16 Glossy /Black Glossy Tavolozza	CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T
FRAME	Oltre XR4 carbon w/Countervail, mechanical/electronic shifting compatible, headset 1.5", PressFit 86,5x41mm BB, Disc brake internal cable routing, flat mount caliper, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	BRAKE LEVER	included w/shifters
SEATPOST CLAMP	included in the frame	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
HEADSET	Fsa Orbit, lower 1.5"- top 1.5", 45°- 45 ACB bearings, w/custom carbon top cap specific for Metron ACR integrated handlebar, for 47mm/52mm OD head tube	RIM/WHEELSET	Fulcrum Racing 418 disc brake, aluminium asymmetric rims 622x17c, tubeless ready, profile 34mm, thru axle F: 12x100mm, R: 12x142mm, Center Lock AFS
FORK	Bianchi Full Carbon w/Countervail, 1.5" integrated head, Disc Brake internal cable, flat mount caliper, thru axle 12x100mm	OPTION WHEELSET1	Fulcrum Racing Quattro DB, C17 disc brake carbon clincher, thru axle F: 12x100mm R: 12x142mm, AFS
SHIFTER	Shimano Ultegra Di2 ST-R8070 2x11sp Hydraulic disc brake	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x25, 150TPI, folding, full black
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal shadow design, direct attachment, Max 30T	STEM	Included w/handlebar
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type	HANDLEBAR	Vision Metron 5D ACR Disc Integrated Aero bar, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
ELECTRIC CABLE	Shimano Junction A EW-RS910, built-in handlebar type, e-tube port X2, charging port X1	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
BATTERY / MOUNT	Shimano Battery BT-DN110-1	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	SADDLE	Fi'zi:k Arione R3 k:ium; MicroTex cover, Fiberglass Thermoplastic shell w/WingFlex, k:ium rails, Integrated Clip System
CRANKSET	Shimano Ultegra FC-R8000 52x36T, Hollowtech II, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	WATER BOTTLE	Bianchi Loli 600ml

OLTRE XR.4 DISC - SUPER RECORD 12SP 52/36



CODE	YOB03	BRAKE	Campagnolo Super Record Disc, flat mount caliper
COLOR	BZ-Black matt/CK16 graphite glossy 1D- CK16 Glossy /Black Glossy (ON PHOTO) Tavolozza	BRAKE LEVER	included w/shifters
FRAME	Oltre XR4 carbon w/Countervail, mechanical/electronic shifting compatible, headset 1.5", PressFit BB 86,5x41mm, Disc brake internal cable routing, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	DISC ROTOR	Campagnolo AFS rotors 160mm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	RIM/WHEELSET	Campagnolo Shamal Ultra DB, 2-way fit, thru axle F:12x100mm, R: 12x142mm, AFS rotor
SEATPOST CLAMP	included in the frame	OPTION WHEELSET1	Campagnolo Bora One 50 DB DARK clincher, thru axle F: 12x100, R:12x142mm, AFS rotors
HEADSET	Fsa Orbit, lower 1.5"- top 1.5", 45°- 45 ACB bearings, w/custom carbon top cap specific for Metron ACR integrated handlebar, for 47mm/52mm OD head tube	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
FORK	Bianchi Full Carbon w/Countervail, 1.5" integrated head, Disc Brake internal cable routing, flat mount, thru axle 12x100mm	STEM	Included with handlebar
SHIFTER	Campagnolo Super Record Ergopower 2x12sp	HANDLEBAR	Vision Metron Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, finish black decal Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
REAR DERAILLEUR	Campagnolo Super Record 12sp	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
FRONT DERAILLEUR	Campagnolo Super Record 12sp braze-on w/chain guard CSD System	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
CRANKSET	Campagnolo Super Record 52/36T Ultra-Torque CT, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm	SADDLE	Fi'zi:k Arione R1, cover MicroTex thermowelded, shell Composite carbon co-injected Nylon w/ WingFlex, carbon braided 7x9 rails, Integrated Clip System
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
CHAIN	Campagnolo Super Record 12sp	WATER BOTTLE	Bianchi Loli 600ml
CASSETTE / FREEWHEEL	Campagnolo Super Record 12sp, 11-29T		

OLTRE XR4 DISC - FRAME KIT



CODE	XOB02
COLOR	BZ-Black matt/CK16 graph glossy 1D- CK16 Glossy /Black Glossy Tavolozza
FRAME	Oltre XR4 Disc carbon w/Countervail, mechanical/electronic shifting compatible, headset 1.5", PressFit BB 86,5x41mm, Disc brake internal cable routing, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit lower 1.5"- top 1.5", 45°- 45 ACB bearing w/UD Carbon top cap, specific for Metron DISC integrated handlebar, for 47mm/52mm OD head tube
FORK	Bianchi Full Carbon w/Countervail, 1.5" integrated head, Disc Brake internal cable routing, flat mount, thru axle 12x100mm
STEM	Included with handlebar
HANDLEBAR	Vision Metron Disc Integrated Aero bar, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm

Oltre XR4

POSITIONING

Super aerodynamic bike, with rigid frame engineered with Countervail® vibration cancelling technology to maximize your aero advantage. The most complete extreme racing bike ever created.

COURSE/TERRAIN

Road, flat and downhill segments, hilly and fast courses.

END USE DESTINATION


Made for everyone who love the thrill of the speed. Ideal for all-round pro riders and for those who're always on the attack and want to keep the best aero position for longer time.

KY FEATURES

- CFD designed aero frame, wind tunnel and flow visualization tested
- +20 Watt power gain compared to Oltre XR2
- Countervail technology to reduce muscle fatigue and support the best aero position
- Aero handlebar and dedicated headset
- New CK16 color

PRODUCT FEATURES

- Monocoque carbon hi-modulus frame with Countervail® material
- Aero shape designed with CFD software to reduce the drag (15 to 20watt less compare the XR2)
- EPS mandrel to control the dimension of pre-shape with smooth internal surface for higher strength after molding process
- Silicon mandrel for crucial areas like head tube and BB set provides pressure inside the mold




reparto corse


**MAXIMIZE
AERO ADVANTAGE
AND CONTROL**

TECHNOLOGY
COUNTERVAIL®

GEOMETRY – RACING

MIS-SLP													
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	WB	
440	400	505	480	400	58	95	575	74.5°	70°	479	372	968	
470	420	515	500	400	58	105	579	74.5°	70.5°	490	377	972	
500	450	525	515	406	58	110	581	74.5°	71.5°	499	384	973.5	
530	480	535	525	406	68	125	582	74°	72°	525	385	978.5	
550	500	550	540	407	68	140	588	73.5°	72.5°	541	390	985.5	
570	520	560	550	407	68	155	593	73.5°	73°	557	395	991	
590	540	575	565	409	68	175	603	73°	73°	576	398	1002.5	
610	560	585	575	411	68	195	607	72.5°	73°	495	399	1009	





**FLOW VISUALIZATION
TEST /F1 TECHNOLOGY**



**WIND TUNNEL
TEST**



OLTRE XR4 - SUPER RECORD 12SP COMPACT



CODE	YOB02	BRAKE	Campagnolo Record Skeleton, direct mount
COLOR	BZ-Black matt/CK16 graph glossy 1D- CK16 Glossy /Black Glossy (ON PHOTO) Tavolozza	BRAKE LEVER	included w/shifters
FRAME	Oltre XR4 carbon w/Countervail, mechanical/electronic shifting compatible, head tube 1.4" - 1.1/8", direct mount brakes, PressFit 86,5x41mm BB,sizes 44-47-50-53-55-57-59-61cm	RIM/WHEELSET	Fulcrum Racing Zero C17, black/dark
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	OPTION WHEELSET1	Campagnolo Bora Ultra 50 Dark tubular, w/brake pads BR-BO500
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
HEADSET	Fsa Orbit C-33 Matt UD Carbon 1.1/8">1.1/4", 45°- 45° ACB bearings, w/Carbon custom cap specific for Metron 5D integrated handlebar, for 47mm/52mm OD head tube, NO.44/CF-R/5D	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced Corespunk, 320TPI, hand made tubular, black/black
FORK	Bianchi Full Carbon Aero w/Countervail, 1.1/8>1.4" integrated head	STEM	Included w/handlebar
SHIFTER	Campagnolo Super Record Ultra Shift Ergopower 2x12sp	HANDLEBAR	Vision Metron 5D Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, finish black decal Ext: 100x400mm-44/50cm, 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
REAR DERAILLEUR	Campagnolo Super Record 12sp	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
FRONT DERAILLEUR	Campagnolo Super Record 12sp braze-on w/chain guard CSD System	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
CRANKSET	Campagnolo Super Record 50/34T Ultra-Torque TI, Crank Length: 165mm-44cm; 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm	SADDLE	Fi'zi:k Arione R1, cover MicroTex thermowelded, shell Composite carbon co-injected Nylon w/WingFlex, carbon braided 7x9 rails, Integrated Clip System
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
CHAIN	Campagnolo Super Record 12sp	WATER BOTTLE	Bianchi Loli 600ml
CASSETTE / FREEWHEEL	Campagnolo Super Record 12sp, 11-29T		

OLTRE XR4 - CHORUS 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB99	BRAKE	Campagnolo Direct Mount brake
COLOR	BZ-Black matt/CK16-Graphite glossy 1D- CK16/Black Glossy Tavolozza	BRAKE LEVER	included w/shifters
FRAME	Oltre XR4 carbon w/Countervail, mechanical/electronic shifting compatible, head tube 1.4" - 1.1/8", direct mount brakes, PressFit 86,5x41mm BB, sizes 44-47-50-53-55-57-59-61cm	RIM/WHEELSET	Fulcrum Racing 418, C17 rims
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	OPTION WHEELSET1	Campagnolo Bora Ultra 50 Dark tubular, w/brake pads BR-B0500
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x25, 150TPI, folding, full black
HEADSET	Fsa Orbit C-33, 1.1/8"-1.4", 45°- 45 ACB bearings, w/UD Carbon top cap for normal stem, for 47mm/52mm OD head tube	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced CorespunK, 320TPI, hand made tubular, black/black
FORK	Bianchi Full Carbon Aero w/Countervail, 1.1/8>1.4" integrated head	STEM	Reparto Corse 3D Forged alloy 2014, rise -8°, 1.1/8", Ext: 70mm-47, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61cm
SHIFTER	Campagnolo Chorus Ultra Shift 11sp Ergopower, black option	HANDLEBAR	Reparto Corse Aero Compact, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
REAR DERAILLEUR	Campagnolo Chorus 11sp	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
FRONT DERAILLEUR	Campagnolo Chorus 11sp braze-on front der. w/ chain guard CSD System	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
CRANKSET	Campagnolo Chorus ultra-torque CT Carbon 50/34T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	SADDLE	Fi'zi:k Arione R3 k:ium; MicroTex cover, Fiberglass Thermoplastic shell w/WingFlex, k:ium rails, Integrated Clip System
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
CHAIN	Campagnolo Chorus 11sp	WATER BOTTLE	Bianchi Loli 600ml
CASSETTE / FREEWHEEL	Campagnolo Chorus 11sp, 11-27T		

OLTRE XR4 - DURA ACE DI2 11SP 52/36



CODE	YOBL1	CASSETTE / FREEWHEEL	Shimano Dura Ace CS-R9100, 11-12-13-14-15-17-19-21-23-25-28T
COLOR	BZ - Black matt/CK16-Graphite glossy 1D - CK16/Black Glossy (ON PHOTO) Tavolozza	BRAKE	Shimano Dura Ace BR-R9110 direct mount type, pad R55C4
FRAME	Oltre XR4 carbon w/Countervail, mechanical/electronic shifting compatible, head tube 1.4" - 1.1/8", direct mount brakes, PressFit 86.5x41mm BB, sizes 44-47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	RIM/WHEELSET	Fulcrum Racing Zero C17
SEATPOST CLAMP	included in the frame	OPTION WHEELSET1	Fulcrum Speed 55T Carbon Tubular Dark
HEADSET	Fsa Orbit C-33 Matt UD Carbon 1.1/8">1.1/4", 45°- 45° ACB bearings, w/Carbon custom cap specific for Metron 5D integrated handlebar, for 47mm/52mm OD head tube, NO.44/CF-R/5D	OPTION WHEELSET2	Zipp 404 Firecrest tubular, 58mm rim carbon profile, w/brake pad for carbon Platinum Pro Evo
FORK	Bianchi Full Carbon Aero w/Countervail, 1.1/8>1.4" integrated head	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
SHIFTER	Shimano Dura Ace Di2 ST-R9150 2x11sp	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced CorespunK, 320TPI, hand made tubular, black/black
REAR DERAILLEUR	Shimano Dura Ace Di2 RD-R9150 SS 11sp, shadow design, direct attachment, Max 30T	STEM	Included w/handlebar
FRONT DERAILLEUR	Shimano Dura Ace Di2 FD-R9150-F, braze-on type	HANDLEBAR	Vision Metron 5D Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, finish black decal Ext: 100x400mm-44/50cm, 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
ELECTRIC CABLE	Shimano Junction A EW-RS910, built-in handlebar type, e-tube port X2, charging port X1	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
BATTERY / MOUNT	Shimano Battery BT-DN110-1	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	SADDLE	Fi'zi:k Arione R1, MicroTex cover, Composite carbon co-injected Nylon shell w/WingFlex, carbon braided 7x9 rail, Integrated Clip System
CRANKSET	Shimano Dura Ace FC-R9100, Hollowtech II, 52x36T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit Road	WATER BOTTLE	Bianchi Loli 600ml
CHAIN	Shimano Dura Ace CN-HG901-11		

OLTRE XR4 - FULL DURA ACE 11SP COMPACT



CODE	YOB04	RIM/WHEELSET	Fulcrum Racing Zero C17
COLOR	BZ-Black matt/CK16 graph glossy (ON PHOTO) 1D- CK16 Glossy /Black Glossy Tavolozza	OPTION WHEELSET1	Fulcrum Speed 55T carbon tubular Dark
FRAME	Oltre XR4 carbon w/Countervail, mechanical/electronic shifting compatible, head tube 1.4" - 1.1/8", direct mount brakes, PressFit 86.5x41mm BB, sizes 44-47-50-53-55-57-59-61cm	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced CorespunK, 320TPI, hand made tubular, black/black
SEATPOST CLAMP	included in the frame	STEM	Included w/handlebar
HEADSET	Fsa Orbit C-33 Matt UD Carbon 1.1/8">1.1/4", 45°- 45° ACB bearings, w/Carbon custom cap specific for Metron 5D integrated handlebar, for 47mm/52mm OD head tube, NO.44/CF-R/5D	HANDLEBAR	Vision Metron 5D Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, finish black decal Ext: 100x400mm-44/50cm, 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
FORK	Bianchi Full Carbon Aero w/Countervail, 1.1/8>1.4" integrated head	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
SHIFTER	Shimano Dura Ace ST-R9100 2x11sp	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
REAR DERAILLEUR	Shimano Dura Ace RD-R9100 SS 11sp, shadow design, direct attachment	SADDLE	Fi'zi:k Arione R1, MicroTex thermowelded cover, Composite carbon co-injected Nylon shell w/ WingFlex, carbon braided 7x9 rails, Integrated Clip System
FRONT DERAILLEUR	Shimano Dura Ace FD-R9100 11sp, brazed-on type	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
CRANKSET	Shimano Dura Ace FC-R9100 Hollowtech II, 50-34T, w/o BB parts, crank length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	WATER BOTTLE	Bianchi Loli 600ml
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit Road		
CHAIN	Shimano Dura Ace CN-HG901-11		
CASSETTE / FREEWHEEL	Shimano Dura Ace CS-R9100 11sp, 11-12-13-14-15-17-19-21-23-25-28T		
Brake	Shimano Dura Ace BR-R9110 direct mount type, pad R55C4		
Brake Lever	included w/shifters		

OLTRE XR4 - DURA ACE 11SP COMPACT



CODE	YOBZ6	RIM/WHEELSET	Fulcrum Racing 418, C17 Aluminium rims, profile 35mm
COLOR	BZ - Black matt/CK16 Graphite glossy 1D - CK16 Glossy /Black Glossy (on photo) Tavolozza	OPTION WHEELSET1	Fulcrum Speed 55T carbon tubular
FRAME	Oltre XR4 carbon w/Countervail, mechanical/electronic shifting compatible, head tube 1.4" - 1.1/8", direct mount brakes, PressFit 86.5x41mm BB, sizes 44-47-50-53-55-57-59-61cm	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x25, 150TPI, folding, full black
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced Corespunk, 320TPI, hand made tubular, black/black
SEATPOST CLAMP	included in the frame	STEM	Reparto Corse 3D Forged alloy 2014, rise 8°, 1.1/8", Ext: 70mm-44/47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61cm
HEADSET	Fsa Orbit C-33, 1.1/8"-1.4", 45°- 45 ACB bearings, w/Carbon custom top cap for normal stem, for 47mm/52mm OD head tube	HANDLEBAR	Reparto Corse Aero Compact, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/50cm , 420mm-53/57cm, 440mm-59/61cm
FORK	Bianchi Full Carbon Aero w/Countervail, 1.1/8>1.4" integrated head	OPTION HANDLEBAR	Vision Metron 5D Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-44/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
SHIFTER	Shimano Dura Ace ST-R9100 2x11sp	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
REAR DERAILLEUR	Shimano Dura Ace RD-R9100 SS 11sp, shadow design, direct attachment	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
FRONT DERAILLEUR	Shimano Dura Ace FD-R9100 11sp, brazed-on type	SADDLE	Fi'zi:k Arione R3 k:ium; MicroTex cover, Fiberglass Thermoplastic shell w/WingFlex, k:ium rails, Integrated Clip System
CRANKSET	Fsa SL-K Light Compact 50/34T, BB386 EVO, Hollow Carbon Monocoque Crank arm, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
BOTTOM BRACKET	Fsa Adapter BB386 EVO cranksets on PressFit 86.5x41mm	WATER BOTTLE	Bianchi Loli 600ml
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T		
Brake	Shimano Dura Ace BR-R9110 direct mount type, pad R55C4		
Brake Lever	included w/shifters		

OLTRE XR4 - ULTEGRA DI2 11SP COMPACT



CODE	YOBL9	BRAKE	Shimano Ultegra BR-R8010, direct mount, w/ shoe: R55C4
COLOR	BZ-Black matt/CK16-Graphite glossy 1D- CK16/Black Glossy (ON PHOTO) Tavolozza	BRAKE LEVER	included w/shifters
FRAME	Oltre XR4 carbon w/Countervail, mechanical/electronic shifting compatible, head tube 1.4" - 1.1/8", direct mount brakes, PressFit 86.5x41mm BB, sizes 44-47-50-53-55-57-59-61cm	RIM/WHEELSET	Fulcrum Racing 418, C17 rims
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	OPTION WHEELSET1	Fulcrum Speed 55T Carbon Tubular Dark
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
HEADSET	Fsa Orbit C-33, 1.1/8"-1.4", 45°- 45° ACB bearings w/Carbon top cap for normal stem, for 47mm/52mm OD head tube	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced Corespunk, 320TPI, hand made tubular, black/black
FORK	Bianchi Full Carbon Aero w/Countervail, 1.1/8>1.4" integrated head	STEM	Reparto Corse 3D Forged alloy 2014, rise -8°, 1.1/8", Ext: 70mm-44/47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61cm
SHIFTER	Shimano Ultegra Di2 ST-R8050 2x11sp	HANDLEBAR	Reparto Corse Aero Compact, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm OPTION HANDLEBAR: Vision Metron 5D Integrated Aero bar, UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal shadow design, direct attachment, Max 30T	OPTION HANDLEBAR	Vision Metron 5D Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-44/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
BATTERY / MOUNT	Shimano Battery BT-DN110-1	SADDLE	Fi'zi:k Arione R3 k:ium; MicroTex cover, Fiberglass Thermoplastic shell w/WingFlex, k:ium rails, Integrated Clip System
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	WATER BOTTLE	Bianchi Loli 600ml
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T		

OLTRE XR4 - RED ETAP 11SP COMPACT



CODE	YOBL3	CASSETTE / FREEWHEEL	Sram Red CS-XG-1190-A1 11sp 11-28T
COLOR	BZ - Black matt/CK16-Graphite glossy (ON PHOTO) 1D - CK16/Black Glossy Tavolozza	BRAKE	Sram S900 direct mount
FRAME	Oltre XR4 carbon w/Countervail, mechanical/electronic shifting compatible, head tube 1.4" - 1.1/8", direct mount brakes, PressFit 86.5x41mm BB, sizes 44-47-50-53-55-57-59-61cm	RIM/WHEELSET	Fulcrum Racing Zero C17
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	OPTION WHEELSET1	Fulcrum Speed 55T Carbon Tubular Dark
SEATPOST CLAMP	included in the frame	OPTION WHEELSET2	Zipp 404 Firecrest tubular, 58mm rim carbon profile, brake pad for carbon Platinum Pro Evo
HEADSET	Fsa Orbit C-33 Matt UD Carbon 1.1/8">1.1/4", 45°- 45° ACB bearings, w/Carbon custom cap specific for Metron 5D integrated handlebar, for 47mm/52mm OD head tube, NO.44/CF-R/5D	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
FORK	Bianchi Full Carbon Aero w/Countervail, 1.1/8>1.4" integrated head	TIRE OPTION	Vittoria Corsa G+ Isotech graphene 700x25, 4 compounds, Kevlar reinforced Corespunk, 320TPI, hand made tubular, black/black
SHIFTER	Sram Red eTap 2x11sp	STEM	Included w/handlebar
REAR DERAILLEUR	Sram Red eTap short cage max 11-28T	HANDLEBAR	Vision Metron 5D Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, finish black decal Ext: 100x400mm-44/50cm, 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
FRONT DERAILLEUR	Sram Red eTap, Yaw, brazed-on FD	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
CHARGER / PWR CABLE	Sram Powerpack eTap II Battery charger, cord, transmitter and plug adapter US, UK, EU. Power Pack required for bicycle assembly	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
CRANKSET	Sram Red 50/34T, carbon crank arms, aluminium chainrings, BB spindle 24mm, BDC110, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	SADDLE	Fi'zi:k Arione R1, MicroTex cover, Composite carbon co-injected Nylon shell w/WingFlex, carbon braided 7x9 rail, Integrated Clip System
BOTTOM BRACKET	Sram BB PFGXP road PressFit 86.5x41mm	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
CHAIN	Sram Red22 CN-RED-A1 with power lock chain connector 11sp	WATER BOTTLE	Bianchi Loli 600ml

OLTRE XR4 - FRAME KIT



1D - CK16/Black full glossy



BZ- Black matt/CK16 glossy

CODE	XMB03
COLOR	BZ- Black matt/CK16 glossy, 1D - CK16/Black full glossy, Tavolozza
FRAME	Oltre XR.4 Carbon w/Countervail, mechanical/electronic shifting compatible, headset 1.1/8">1.1/4", direct mount brakes, BB PressFit 86,5x46mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste bianchi w/Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-33 Matt UD Carbon 1.1/8">1.1/4", 45°-45° ACB bearings, w/Carbon custom cap for standard stem, for 47mm/52mm OD head tube , NO.44/CF-R/5D
FORK	Bianchi Full Carbon Aero, 1.1/8>1.1/4" integrated head
SEATPOST	Oltre Full Carbon Aero, clamp with alloy head adjustable and reversible +/-35mm; length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, setback 25mm/+10mm



Oltre XR3 DISC

POSITIONING

Racing disc frame and fork engineered with Countervail vibration cancelling technology, a well-balanced fast road bike with aero profiles, rigidity and handling you would expect from the ultimate Oltre frame platform but more affordable.

COURSE/TERRAIN

Road, flat and downhill segments, hilly and fast courses. Oltre XR3 hydraulic disc brakes are impervious to adverse weather conditions. Ride perfect lines at the optimum speed – for every single corner, rain or shine.

END USE DESTINATION

All-round riders with a true racing soul.
Ideal for race warriors.

KY FEATURES

- Aero shape disc brake frame with integrated fork
- Thru axle 12mm x 100/142mm
- Flat mount calipers system
- Full carbon seatpost, easy to adjust
- Countervail technology to reduce muscle fatigue and support the best aero position
- Best performance-to-price ratio

LIGHTWEIGHT

PRICE

DESIGN

COMFORT

PERFORMANCE

6

9

10

7

8

reparto corse


**MAXIMIZE
AERO ADVANTAGE
AND CONTROL**

TECHNOLOGY

COUNTERVAIL®

GEOMETRY – RACING

MIS-SLP												
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	
470	426	512	496	410	59	110	578	74.5°	70.5°	495	375	
500	454	523	509	410	59	115	580	74.5°	71.5°	503	382	
530	480	534	519	410	68	130	582	74°	72°	529	383	
550	501	549	534	410	68	145	587	73.5°	72.5°	546	388	
570	519	560	544	410	68	160	593	73.5°	73°	561	393	
590	539	575	559	412	68	180	603	73°	73°	580	396	
610	559	586	568	414	68	200	603	72.5°	73.5°	601	397	





DISC BRAKE SYSTEM

- Wider fork blade and rear dropout with flat mount system (Shimano standard)
- Thru axle 12mm x 100/142mm QR50 model with alloy lever
- Compatible with 140mm and 160mm rotor

AERO SEATPOST

- Aero seatpost with integrated look and adjustable head clamp offset (25mm or -10mm)
- Hidden seatpost clamp for perfect aerodynamic design and nice looking



FORK

- Full carbon 1.1/8" to 1.5" with Countervail® material
- Head crown tube 1.5" with integrated design for perfect head tube connection
- Flat mount system (Shimano standard)
- Developed specifically for disc brakes
- Internal hydraulic cable guide housing
- Reactive geometry
- Super rigid
- Light weight
- Weight: 450g

OLTRE XR3 DISC - ULTEGRA DI2 11SP COMPACT



CODE	YOB18	CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T
COLOR	1Z- Black /CK16-Graphite full matt	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
FRAME	Oltre XR3 carbon w/Countervail, mechanical/electronic shifting compatible, UTSS SS, carbon dropout, PressFit 86,5x41mm BB, flat mount caliper, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
SEATPOST CLAMP	included in the frame	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	RIM/WHEELSET	Fulcrum Racing 418 disc brake, aluminium asymetric rims 622x17c, tubeless ready, profile 34mm, thru axle F: 12x100mm R:12x142mm, center lock AFS
FORK	Bianchi Full Carbon w/Countervail, Disc, 1.5" integrated head , flat mount caliper, thru axle 12x100mm	OPTION WHEELSET1	Fulcrum Racing Quattro DB, C17 disc brake carbon clincher rims, AFS, thru axle F: 12x100mm R: 12x142mm
SHIFTER	Shimano Ultegra Di2 ST-R8070 2x11sp hydraulic disc brake	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x28, 150TPI, folding, full black
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal shadow design, direct attachment, Max 30T	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-6°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type, w/SM-AD91 clamp adapter, L-size (34.9mm)	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
BATTERY / MOUNT	Shimano Battery BT-DN110-1	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	SADDLE	Fi'zi:k Antares R7, MicroTex cover, nylon carbon reinforced shell w/WingFlex, S alloy rails, 274x142mm
CRANKSET	Shimano Ultegra FC-R8000 52x36T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Elite Paron Race composit
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	WATER BOTTLE	Bianchi Loli 600ml
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		

OLTRE XR3 DISC - ULTEGRA 11SP COMPACT



CODE	YOBK7	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
COLOR	1Z- Black /CK16-Graphite matt (ON PHOTO) 1D - CK16/Black glossy	BRAKE LEVER	included w/shifters
FRAME	Oltre XR3 Disc carbon w/Countervail, mechanical/electronic shifting compatible, UTSS SS, HT with integrated fork, carbon dropout, PressFit 86,5x41mm BB, flat mount caliper, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Fulcrum Racing 418 disc brake, aluminium asymmetric rims 622x17c, profile 34mm, thru axle F: 12x100mm R: 12x142mm, center lock AFS
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x28, 150TPI, folding, full black
FORK	Bianchi Full Carbon Aero Disc w/Countervail, 1.5"-1.1/8" integrated head , flat mount caliper, thru axle 12x100mm	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-6°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120-59cm, 130-61cm
SHIFTER	Shimano Ultegra ST-R8020 2x11sp hydraulic disc brake	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, band type (34.9mm), 61-66° for 46/53T cl: 43,5mm	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
CRANKSET	Shimano Ultegra FC-R8000 52x36T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	SADDLE	Fi'zi:k Antares R7, MicroTex cover, nylon carbon reinforced shell w/WingFlex, S alloy rail, 274x142mm
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	BOTTLE CAGE	Elite Paron Race composit
CHAIN	Shimano Ultegra CN-HG701-11, 11sp	WATER BOTTLE	Bianchi Loli 600ml
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T		

OLTRE XR3 DISC - 105 11SP COMPACT



CODE	YOB14	BRAKE	Shimano BR-R7070, hydraulic disc brake, flat mount calipers
COLOR	1Z- Black /CK16-Graphite full matt	BRAKE LEVER	included w/shifters
FRAME	Oltre XR3 Disc carbon w/Countervail, mechanical/electronic shifting compatible, UTSS SS, carbon dropout, PressFit 86.5x41mm BB, flat mount caliper, thru axle 12x142, sizes 47-50-53-55-57-59-61cm	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Fulcrum Racing 618 disc brake, asymmetric aluminium rims 622x17, height 26mm, thru axle F:12x100mm R: 12x142mm, Center Lock AFS
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x28, 150TPI, folding, full black
FORK	Bianchi Full Carbon w/Countervail Disc 1.5">1.1/8" integrated head , flat mount caliper, thru axle 12x100	STEM	Reparto Corse 3D Forged alloy 6061, rise +/- 6°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SHIFTER	Shimano 105 ST-R7020 2x11sp Hydraulic disc brake	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31.8mm, reach 74mm, drop 116mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
REAR DERAILLEUR	Shimano 105 RD-R7000 SS, 11sp, top normal shadow design, direct attachment, black	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
CRANKSET	Shimano 105 FC-R7000 52x36T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	SADDLE	Fi'zi:k Antares R7, Microtex cover, nylon carbon reinforced shell w/WingFlex, S alloy rails, 274x142mm
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	BOTTLE CAGE	Elite Paron Race composit
CHAIN	Shimano CN-HG601-11, 11sp	WATER BOTTLE	Bianchi Loli 600ml
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T		

Oltre XR3

POSITIONING

Racing frame and fork engineered with Countervail® vibration cancelling technology, a well-balanced fast road bike with aero profiles, rigidity and handling you would expect from the ultimate Oltre frame platform but more affordable.

COURSE/TERRAIN

Road, flat and downhill segments, hilly and fast courses

END USE DESTINATION


All-round riders with a true racing soul.
Ideal for race warriors.

KY FEATURES

- Aero shape frame with integrated fork
- Full carbon seatpost, easy to adjust
- Countervail® technology to reduce muscle fatigue and support the best aero position
- New color schemes
- Best performance-to-price ratio

PRODUCT FEATURES

- Carbon Monocoque technology
- High strength + medium modulus carbon fibers with Countervail® material
- Unidirectional carbon woven
- Aero shape and design
- Tapered aero headtube 1.1/8" to 1.4", inspired by Oltre XR4 profiles
- Aero seatpost with integrated look and adjustable head clamp offset 25mm or 10mm



reparto corse

**MAXIMIZE
AERO ADVANTAGE
AND CONTROL**


TECHNOLOGY



- Hidden seatpost clamp for perfect aerodynamic design and nice looking
- BB set Press fit 86.5 x 41
- Internal cable routing
- Full carbon dropout with metal insert
- 7 sizes: 47, 50, 53, 55, 57, 59 and 61cm
- Weight in 55 size: 1110g (+/- 5%)

GEOMETRY – RACING


MIS-SLP												
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	
470	420	515	500	400	58	110	578	74.5°	70.5°	495	375	
500	450	525	514	400	58	115	580	74.5°	71.5°	503	383	
530	475	535	523	406	68	130	581	74°	72°	529	383	
550	495	550	538	407	68	145	587	73.5°	72.5°	545	388	
570	515	560	549	407	68	160	593	73.5°	73°	561	393	
590	535	575	563	409	68	180	603	73°	73°	580	397	
610	555	585	572	411	68	200	607	72.5°	73.5°	601	397	





AERO SEATPOST

- Hidden seatpost clamp for perfect aerodynamic design and nice looking



- Aero seatpost with integrated look and adjustable head clamp offset 25mm or 10mm

FORK

- Full carbon 1.1/8" to 1.5" with Countervail material
- Head crown tube 1.5" with integrated design for perfect head tube connection
- Wide blades
- Reactive geometry
- Super rigid
- Light weight
- Weight: 370g



OLTRE XR3 - DURA ACE 11SP COMPACT



CODE	YOBK5	BRAKE	Shimano Dura Ace BR-R9100, shoe R55C4
COLOR	1Z- Black/CK16-Graphite matt	BRAKE LEVER	included w/shifters
FRAME	Oltre XR3 carbon w/Countervail, mechanical/electronic shifting compatible, UTSS seat stays, carbon dropout, PressFit 86,5x41mm, sizes 47-50-53-55-57-59-61cm	RIM/WHEELSET	Fulcrum Racing 418, C17 rims
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x25, 150TPI, folding, full black
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-6°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FORK	Bianchi Full Carbon 1.5">1.1/8" integrated head	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
SHIFTER	Shimano Dura Ace ST-R9100 2x11sp	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
REAR DERAILLEUR	Shimano Dura Ace RD-R9100 SS 11sp, shadow design, direct attachment	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
FRONT DERAILLEUR	Shimano Dura Ace FD-R9100 band type 34.9mm	SADDLE	Fi'zi:k Antares R7, MicroTex cover, nylon carbon reinforced shell w/WingFlex, S alloy rail, 274x142mm
CRANKSET	Fsa SL-K Light Compact 50/34T ABS BB386 EVO, Hollow Carbon, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm , 175mm-61cm	BOTTLE CAGE	Elite Pase Carbon
BOTTOM BRACKET	Fsa Adapter BB386 EVO cranksets on PressFit 86.5x41mm	WATER BOTTLE	Bianchi Loli 600ml
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T		

OLTRE XR3 - ULTEGRA DI2 11SP 52/36



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB17	CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T
COLOR	1Z - Black/CK16-Graphite matt	BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4
FRAME	Oltre XR3 carbon w/Countervail, mechanical/electronic shifting compatible, UTSS seat stays, carbon dropout, PressFit 86,5x41mm, sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Fulcrum Racing 418, C17 rims
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x25, 150TPI, folding, full black
FORK	Bianchi Full Carbon 1.5">1.1/8" integrated head	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-60°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SHIFTER	Shimano Ultegra Di2 ST-R8050 2x11sp	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal shadow design, direct attachment, Max 30T	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/ Bianchi logo
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type w/clamp SM-AD91, L-size (34.9mm)	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1	SADDLE	Fi'zi:k Antares R7, MicroTex cover, nylon carbon reinforced shell w/WingFlex, S alloy rail, 274x142mm
BATTERY / MOUNT	Shimano Battery BT-DN110-1	BOTTLE CAGE	Elite Paron Race composit
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Shimano Ultegra FC-R8000 52x36T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		

OLTRE XR3 - ULTEGRA 11SP 52/36



CODE	YOBK6	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
COLOR	1D - CK16/Black glossy 5C - Black /Red-Graphite glossy (ON PHOTO) 1Z - Black /CK16-Graphite matt	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/ Bianchi logo
FRAME	Oltre XR3 carbon w/Countervail, mechanical/electronic shifting compatible, UTSS seat stays, carbon dropout, PressFit 86,5x41mm, sizes 47-50-53-55-57-59-61cm	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
SEATPOST CLAMP	included in the frame	SADDLE	Fi'zi:k Antares R7, MicroTex cover, nylon carbon reinforced shell w/WingFlex, S alloy rail, 274x142mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	BOTTLE CAGE	Elite Paron Race composit
FORK	Bianchi Full Carbon 1.5">1.1/8" integrated head	WATER BOTTLE	Bianchi Loli 600ml
SHIFTER	Shimano Ultegra ST-R8000 2x11sp		
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double		
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, band type (34.9mm), 61-66° for 46/53T cl: 43,5mm		
CRANKSET	Shimano Ultegra FC-R8000 52x36T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Fulcrum Racing 618, C17 rims		
TIRE	Vittoria Rubino IV 700x25, 60TPI, Folding, SMU G+ black		
STEM	Reparto Corse 3D Forged alloy 6061, rise +/-6°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm		

OLTRE XR3 - 105 11SP 52/36



CODE	YOB13	RIM/WHEELSET	Fulcrum Racing Sport black clincher, 24,3mm aluminium rims, 18-24 spokes
COLOR	1D - CK16/Black full glossy (ON PHOTO) 1Z- Black/CK16-Graphite full matt	TIRE	Vittoria Rubino IV 700x25, 60TPI, Folding, SMU G+, black
FRAME	Oltre XR3 carbon w/Countervail, mechanical/electronic shifting compatible, UTSS seat stays, carbon dropout, PressFit 86,5x41mm, sizes 47-50-53-55-57-59-61cm	STEM	Reparto Corse 3D Forged Alloy 6061, rise +/-6°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SEATPOST CLAMP	included in the frame	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/ Bianchi logo
FORK	Bianchi Full Carbon 1.5">1.1/8" integrated head	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
SHIFTER	Shimano 105 ST-R7000 2x11sp	SADDLE	Fi'zi:k Antares R7, Microtex cover, nylon carbon reinforced shell w/WingFlex, S alloy rails, 274x142mm
REAR DERAILLEUR	Shimano 105 RD-R7000 SS 11sp, top normal shadow design, direct attachment, black	BOTTLE CAGE	Elite Paron Race composit
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Shimano 105 FC-R7000 52x36T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter		
CHAIN	Shimano CN-HG601-11, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano 105 BR-R7000, w/R55C4 pads, black		
BRAKE LEVER	included w/shifters		

OLTRE XR3 - CHORUS 11SP 52/36



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB59	TIRE	Vittoria Rubino IV 700x25, 60TPI, Folding, SMU G+ black
COLOR	1D - CK16/Black full glossy	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-∞, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FRAME	Oltre XR3 carbon w/Countervail, mechanical/electronic shifting compatible, UTSS seat stays, carbon dropout, PressFit 86,5x41mm, sizes 47-50-53-55-57-59-61cm	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
SEATPOST CLAMP	included in the frame	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
FORK	Bianchi Full Carbon 1.5">1.1/8" integrated head	SADDLE	Fi'zi:k Antares R7, Microtex cover, nylon carbon reinforced shell w/WingFlex, S alloy rail, 274x142mm
SHIFTER	Campagnolo Chorus Ultra Shift 11sp Ergopower, black option	BOTTLE CAGE	Elite Paron Race composit
REAR DERAILLEUR	Campagnolo Chorus 11sp	WATER BOTTLE	Bianchi Loli 600ml
FRONT DERAILLEUR	Campagnolo Chorus 11sp braze-on FD w/ diam.35mm clamp		
CRANKSET	Campagnolo Chorus Ultra-Torque CT Carbon 52/36T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm		
CHAIN	Campagnolo Chorus 11sp		
CASSETTE / FREEWHEEL	Campagnolo Chorus 11sp, 11-27T		
BRAKE	Campagnolo Chorus Skeleton brakes (dual pivot front+rear)		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Fulcrum Racing 418, C17 rims		

OLTRE XR3 - POTENZA 11SP 52/36



CODE	YOBA3	TIRE	Vittoria Rubino IV 700x25, 60TPI, Folding, SMU G+ black
COLOR	1D - CK16/Black full glossy	STEM	Reparto Corse 3D Forged alloy 6061, rise +/-6°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FRAME	Oltre XR3 carbon w/Countervail, mechanical/electronic shifting compatible, UTSS seat stays, carbon dropout, PressFit 86,5x41mm, sizes 47-50-53-55-57-59-61cm	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
SEATPOST CLAMP	included in the frame	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
FORK	Bianchi Full Carbon 1.5">1.1/8" integrated head	SADDLE	Fi'zi:k Antares R7, Microtex cover, nylon carbon reinforced shell w/WingFlex, S alloy rail, 274x142mm
SHIFTER	Campagnolo Potenza Power Shift 11sp Ergopower, black	BOTTLE CAGE	Elite Paron Race composit
REAR DERAILLEUR	Campagnolo Potenza short cage 11sp	WATER BOTTLE	Bianchi Loli 600ml
FRONT DERAILLEUR	Campagnolo Potenza black 11sp braze-on front der. w/35mm black clamp for braze-on front derailleur		
CRANKSET	Campagnolo Potenza Ultra-Torque System CT 52x36T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm		
CHAIN	Campagnolo 11sp		
CASSETTE / FREEWHEEL	Campagnolo 11sp 11-27T		
BRAKE	Campagnolo Potenza dual pivot		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Fulcrum Racing 618, C17 rims		



ARIA DISC

POSITIONING

Aerodynamic bike with aero racing shape frame/fork/seatpost. Fast road bike with aero tubes profiles, rigidity and handling you would expect from a true racing bike with affordable price.

COURSE/TERRAIN

Road, flat and downhill segments, hilly and fast courses, Triathlon events.

END USE DESTINATION

All-round riders with a true racing soul.
Ideal for race warriors.

K Y FEATURES


- Aero shape frame with disc brake system and integrated fork
- Full carbon aero seatpost
- Best performance-to-price ratio
- Triathlon ready
- Improved braking power and control, in any condition

PRODUCT FEATURES

- Specific frame and fork Disc compatible
- Flat mount system (Shimano standard)
- Thru axle 12mm front 100mm and rear OLD 142mm specific dimension model QR50 with alloy lever (M12 x P1.5)
- Compatible with 140mm and 160mm rotor
- Chain stay length 410mm
- Internal hydraulic cable guide housing in the frame and fork
- Sizes: 44, 47, 50, 53, 55, 57, 59, 61cm
- Weight in 55 size: 1150g target (+/- 5%)


GEOMETRY – RACING

MIS-SLP												
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	
440	420	505	495	410	58	95	575	75°	70.5°	481	376	
470	440	515	505	410	58	105	581	74.5°	70.5°	490	379	
500	470	525	519	410	58	110	582	74.5°	71.5°	499	387	
530	500	535	528	410	68	125	583	74°	72°	525	385	
550	520	550	541	410	68	140	588	73.5°	72.5°	541	390	
570	540	560	553	410	68	155	593	73.5°	73°	557	395	
590	560	575	567	412	68	175	603	73°	73°	576	397	
610	580	585	576	414	68	195	607	72.5°	73°	595	398	



reparto corse

MASTER
THE ELEMENTS
WITH ARIA





AERO HEADTUBE

- Tapered headtube 1.1/8" to 1.4"

AERO SEATPOST

- Aero seatpost with integrated look and head clamp offset 20mm
- Hidden seatpost clamp for perfect aerodynamic design and nice looking
- Seatpost length:
 - 250mm=44cm
 - 300mm=47>50cm
 - 350mm=53>61cm



DISC BRAKE SYSTEM

- Thru axle 12mm front 100mm and rear OLD 142mm specific dimension model QR50 with alloy lever (M12 x P1.5)
- Compatible with 140mm and 160mm rotor

ARIA DISC - ULTEGRA DI2 11SP COMPACT



CODE	YOB38	CHAIN	Kmc X11-1 EPT finish, 11sp
COLOR	1D - CK16/Black full glossy (ON PHOTO) A3 - Black/CK16/Dark grey full matt	CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T
FRAME	Aria Disc carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, flat mount, thru axle 12x142mm, sizes 44-47-50-53-55-57-59-61cm	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
SEATPOST CLAMP	included in the frame	BRAKE LEVER	included w/shifters
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.1/4", 45°/45° ACB steeel bearings, w/15mm top cap for 47mm/52mm OD head tube	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
FORK	Bianchi Full Carbon 1.4">1.1/8" integrated head, Disc brake flat mount, thru axle 12x100mm	RIM/WHEELSET	Fulcrum Racing 618 disc brake, aluminium asymetric rims 622x17c, profile 26mm, thru axle f:12x100mm r: 12x142mm, center lock AFS
SHIFTER	Shimano Ultegra Di2 ST-R8070 2x11sp hydraulic disc brake	TIRE	Vittoria Rubino IV 700x28, 60TPI, Folding, SMU G+ black
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal shadow design, direct attachment, Max 30T	STEM	Reparto Corse 3D Forged alloy 6061, rise -8°, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FRONT DERAILLEUR	Shimano Ultegra Di2 11sp FD-R8050, brazed-on type	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
BATTERY / MOUNT	Shimano Battery BT-DN110-1	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	SADDLE	Selle Royal Seta S1, steel rail, 278x144mm
CRANKSET	Shimano Ultegra FC-R8000, 52x36T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Elite Paron Race composit
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	WATER BOTTLE	Bianchi Loli 600ml

ARIA DISC - ULTEGRA 11SP COMPACT



CODE	YOB9D	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
COLOR	1D - CK16/Black full glossy (ON PHOTO) A3 - Black/CK16/Dark grey full matt	RIM/WHEELSET	Fulcrum Racing 618 disc brake, aluminium asymmetric rims 622x17c, profile 26mm, thru axle F:12x100mm, R:12x142mm, center lock AFS
FRAME	Aria Disc carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, flat mount, thru axle 12x142mm, sizes 44-47-50-53-55-57-59-61cm	TIRE	Vittoria Rubino IV 700x28, 60TPI, Folding, SMU G+ black
SEATPOST CLAMP	included in the frame	STEM	Reparto Corse 3D Forged alloy 6061, rise -8°, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.1/4", 45°/45° ACB steel bearings, w/15mm top cap for 47mm/52mm OD head tube	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
FORK	Bianchi Full Carbon 1.4">1.1/8" integrated head, Disc brake flat mount, thru axle 12x100mm	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
SHIFTER	Shimano Ultegra ST-R8020 2x11sp hydraulic disc brake	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43,5mm	BOTTLE CAGE	Elite Paron Race composit
CRANKSET	Shimano Ultegra FC-R8000 52x36T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	WATER BOTTLE	Bianchi Loli 600ml
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers		

ARIA DISC - 105 11SP 52/36



CODE	YOB8D	BRAKE LEVER	included w/shifters
COLOR	1D - CK16/Black glossy A3 - Black/CK16-Dark Grey matt (ON PHOTO)	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
FRAME	Aria Disc carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, flat mount, thru axle 12x142mm, sizes 44-47-50-53-55-57-59-61cm	RIM/WHEELSET	Fulcrum Racing 618 disc brake, aluminium asymmetric rims 622x17c, profile 26mm, thru axle F: 12x100mm R:12x142mm, center lock AFS
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Zaffiro Pro Slick 700x28, 60TPI, Folding, black
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.1/4", 45∞/45∞ ACB steel bearings, w/15mm top cap for 47mm/52mm OD head tube	STEM	Reparto Corse 3D Forged alloy 6061, rise -8∞, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FORK	Bianchi Full Carbon 1.4">1.1/8" integrated head, Disc brake flat mount, thru axle 12x100mm	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31.8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
SHIFTER	Shimano 105 ST-R7020 2x11sp Hydraulic disc brake	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/ Bianchi logo
REAR DERAILLEUR	Shimano 105 11sp RD-R7000 SS 11sp, top normal shadow design, direct attachment, black	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, brazed-on type, 61-66∞, max chainring: 46-53T, CL: 43.5mm, black	SADDLE	Selle Royal Seta S1, steel rail, 278x144mm
CRANKSET	Shimano 105 FC-R7000 52x36T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Elite Paron Race composit
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	WATER BOTTLE	Bianchi Loli 600ml
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano BR-RS505, flat mount, hydraulic disc brake		

ARIA

POSITIONING

Aerodynamic bike with aero racing shape frame/fork/seatpost. Fast road bike with aero tubes profiles, rigidity and handling you would expect from a true racing bike with affordable price.

COURSE/TERRAIN

Road, flat and downhill segments, hilly and fast courses, Triathlon events.

END USE DESTINATION

All-round riders with a true racing soul.
Ideal for race warriors.

K Y FEATURES

- Aero shape frame with integrated fork
- Full carbon aero seatpost
- Best performance-to-price ratio
- Triathlon ready

PRODUCT FEATURES

- Tapered headtube 1.1/8" to 1 1/4"
- New seatpost aero with integrated look and adjustable head clamp offset 20mm
- BBset 86.5 x 41 - Internal cable routing
- Double compatibility mechanic and electronic groupset
- Carbon dropout with metal insert
- 8 sizes: 44, 47, 50, 53, 55, 57, 59, 61cm
- Weight in 55 size: 1100g (+/- 5%)

LIGHTWEIGHT

PRICE

DESIGN

COMFORT

PERFORMANCE

6

9

9

6


8


reparto corse

MASTER
THE ELEMENTS
WITH ARIA

GEOMETRY – RACING

MIS-SLP												
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	
440	420	505	495	410	58	95	575	75°	70.5°	481	376	
470	440	515	505	410	58	105	581	74.5°	70.5°	490	379	
500	470	525	519	410	58	110	582	74.5°	71.5°	499	387	
530	500	535	528	410	68	125	583	74°	72°	525	385	
550	520	550	541	410	68	140	588	73.5°	72.5°	541	390	
570	540	560	553	410	68	155	593	73.5°	73°	557	395	
590	560	575	567	412	68	175	603	73°	73°	576	397	
610	580	585	576	414	68	195	607	72.5°	73°	595	398	





ARIA - ULTEGRA DI2 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB40	CHAIN	Kmc X11-1 EPT finish, 11sp
COLOR	1D - CK16/Black Glossy	CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T
FRAME	Aria carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, sizes 44-47-50-53-55-57-59-61cm	BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4
SEATPOST CLAMP	included in the frame	BRAKE LEVER	included w/shifters
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.1/4", 45 ∞ /45 ∞ ACB steeel bearings, w/15mm top cap for 47mm/52mm OD head tube	RIM/WHEELSET	Vision Team 35 Comp, Alloy 35 mm profile clincher rims
FORK	Bianchi Full Carbon Aero 1.4">1.1/8", integrated head	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
SHIFTER	Shimano Ultegra Di2 ST-R8050 2x11sp	STEM	Reparto Corse 3D Forged alloy 6061, rise -8 ∞ , 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
REAR DERAILEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal shadow design, direct attachment, Max 30T	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
FRONT DERAILEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
BATTERY / MOUNT	Shimano Battery BT-DN110-1	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	BOTTLE CAGE	Elite Paron Race composit
CRANKSET	Shimano Ultegra FC-R8000, 52x36T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm	WATER BOTTLE	Bianchi Loli 600ml
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter		

ARIA - ULTEGRA 11SP COMPACT



CODE	YOB47	BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4
COLOR	1D - CK16/Black full glossy A1 - Black/Silver-Chrome full glossy A3 - Black/CK16/Dark grey full matt (ON PHOTO)	BRAKE LEVER	included w/shifters
FRAME	Aria carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, sizes 44-47-50-53-55-57-59-61cm	RIM/WHEELSET	Vision Team 35 Comp, Alloy 35 mm profile clincher rims
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.1/4", 45∞/45∞ ACB steeel bearings, w/15mm top cap for 47mm/52mm OD head tube	STEM	Reparto Corse 3D Forged alloy 6061, rise -8∞, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FORK	Bianchi Full Carbon Aero 1.4">1.1/8", integrated head	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
SHIFTER	Shimano Ultegra ST-R8000 2x11sp	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66∞, max chainring 46/53T, CL: 43,5mm	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
CRANKSET	Shimano Ultegra 11sp FC-R8000 52x36T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Elite Paron Race composit
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	WATER BOTTLE	Bianchi Loli 600ml
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T		

ARIA - 105 11SP 52/36



CODE	YOB46	RIM/WHEELSET	Vision Team 35 Comp, Alloy 35 mm profile clincher rims
COLOR	1D - CK16/Black full glossy A1 - Black/Silver-Chrome full glossy (ON PHOTO) A3 - Black/CK16/Dark grey full matt	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
FRAME	Aria carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, sizes 44-47-50-53-55-57-59-61cm	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SEATPOST CLAMP	included in the frame	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.1/4", 45°/45° ACB steeel bearings, w/15mm top cap for 47mm/52mm OD head tube	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
FORK	Bianchi Full Carbon Aero 1.4">1.1/8", integrated head	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
SHIFTER	Shimano 105 ST-R7000 2x11sp	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
REAR DERAILLEUR	Shimano 105 RD-R7000 SS 11sp, top normal shadow design, direct attachment, black	BOTTLE CAGE	Elite Paron Race composit
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, brazed-on type, 61-66°, max chainring 46-53T, CL: 43.5mm, black	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Shimano 105 FC-R7000 52x36T Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano 105 BR-R7000, w/R55C4 pads, black		
BRAKE LEVER	included w/shifters		

ARIA - POTENZA 11SP 52/36



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB48	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
COLOR	1D - CK16/Black Glossy	STEM	Reparto Corse 3D Forged alloy 6061, rise -8°, , 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FRAME	Aria carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, sizes 44-47-50-53-55-57-59-61cm	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
SEATPOST CLAMP	included in the frame	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.1/4", 45°/45° ACB steeel bearings, w/15mm top cap for 47mm/52mm OD head tube	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
FORK	Bianchi Full Carbon Aero 1.4">1.1/8", integrated head	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
SHIFTER	Campagnolo Potenza Power Shift 11sp Ergopower, black	BOTTLE CAGE	Elite Paron Race composit
REAR DERAILLEUR	Campagnolo Potenza short cage 11sp	WATER BOTTLE	Bianchi Loli 600ml
FRONT DERAILLEUR	Campagnolo Potenza 11sp, brazed-on FD, black		
CRANKSET	Potenza Ultra-Torque System 52x36T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Campagnolo Centaur 11sp 11-29T		
BRAKE	Campagnolo Potenza dual pivot		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Vision Team 35 Comp, Alloy 35 mm clincher rim		

ARIA - CENTAUR 11SP 52/36



CODE	YOB49	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
COLOR	1D - CK16/Black full glossy (ON PHOTO) A1 - Black/Silver-CHROME full glossy	STEM	Reparto Corse Alloy 6061, rise +/- 7°, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FRAME	Aria carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, sizes 44-47-50-53-55-57-59-61cm	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
SEATPOST CLAMP	included in the frame	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.1/4", 45°/45° ACB steeel bearings, w/15mm top cap for 47mm/52mm OD head tube	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
FORK	Bianchi Full Carbon Aero 1.4">1.1/8", integrated head	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
SHIFTER	Campagnolo Centaur Power Shift 11sp Ergopower	BOTTLE CAGE	Elite Paron Race composit
REAR DERAILLEUR	Campagnolo Centaur 11sp medium cage, black	WATER BOTTLE	Bianchi Loli 600ml
FRONT DERAILLEUR	Campagnolo Centaur 11sp, brazed on, black		
CRANKSET	Campagnolo Centaur Ultra-Torque 52/36T, Crank Length: 170mm-44/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Campagnolo Centaur 11sp 11-29T		
BRAKE	Campagnolo Centaur (dual pivot F+R)		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Vision Team 35 Comp, Alloy 35 mm section clincher rim		



SEMPRE pro

POSITIONING

Entry-level full carbon frame, offering a racing bike with accessible price.

COURSE/TERRAIN

Road, mixed courses.

END USE DESTINATION

Sportive riders. Ideal for those who approach road cycling seriously with an aggressive riding position.

K Y FEATURES

- Full carbon frame
- Full carbon fork
- Internal cable routing
- Price point
- New color scheme

PRODUCT FEATURES

- Carbon Monocoque frame with Press Fit 30 and tapered head tube 1.1/8" to 1.5"
- UTSS Ultra Thin Seat Stays to save weight combined together with over sized chain stays for direct power transmission
- Full Carbon fork 1.1/8"-1.5", "straight/bent" blades (for all models)
- Double compatibility mechanical and electronic
- Internal cable routing
- Weight: 990 gr (55 size, +/- 5%)

LIGHTWEIGHT

PRICE

DESIGN

COMFORT

PERFORMANCE

6

9

7

7

8


reparto corse

TECHNOLOGY

UTSS ULTRA THIN SEAT STAY

GEOMETRY – RACING

MIS-SLP													
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X		
470	440	515	499	403	58	110	578	74.5°	70.5°	495	375		
500	470	525	510	405	58	115	583	74.5°	71°	502	382		
530	500	535	521	406	68	130	585	74°	71.5°	528	382		
550	520	550	535	408	68	145	587	73.5°	72.5°	545	388		
570	540	560	546	408	68	160	593	73.5°	73°	561	393		
590	560	575	561	410	68	180	598	73°	73.5°	582	397		
610	580	585	570	410	68	200	603	72.5°	73.5°	601	397		



SEMPRE PRO - ULTEGRA 11SP COMPACT



CODE	YOB07	CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T
COLOR	1D - CK16/Black full glossy	BRAKE	Shimano BR-R561-L, shoes R55CT4, black
FRAME	Sempre Pro carbon monocoque, PF30, UTSS, mechanical and electronic shifting compatible, sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
SEATPOST CLAMP	X Carbon System, diam. 36mm, w/Bianchi logo	RIM/WHEELSET	Shimano WH-RS100
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
FORK	Bianchi Full Carbon, 1.5" head	STEM	Reparto Corse Alloy 6061, rise +/- 7°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SHIFTER	Shimano Ultegra ST-R8000 2x11sp	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T	GRIP / TAPE	Cork w/Bianchi logo
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, band type (34.9mm), 61-66° for 46/53T cl: 43,5mm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, Length 350mm
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-60/63cm	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
BOTTOM BRACKET	Shimano BB-RS500	BOTTLE CAGE	Alloy, black color
CHAIN	Kmc X11-1 EPT finish, 11sp	WATER BOTTLE	Celeste w/Bianchi logo

SEMPRE PRO - 105 11SP COMPACT



CODE	YOB08	CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T
COLOR	1D - CK16/Black full glossy (ON PHOTO) 2J - Black/White-CK16 full glossy	BRAKE	Shimano BR-R561-L, shoes R55CT4, black
FRAME	Sempre Pro carbon monocoque, PF30, UTSS, mechanical and electronic shifting compatible, sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
SEATPOST CLAMP	X Carbon System, diam. 36mm, w/Bianchi logo	RIM/WHEELSET	Shimano WH-RS100
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
FORK	Bianchi Full Carbon, 1.5" head	STEM	Reparto Corse, Alloy 6061, rise +/- 7°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SHIFTER	Shimano 105 ST-R7000 2x11sp	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black	GRIP / TAPE	Cork w/Bianchi logo
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, Length 350mm
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-60/63cm	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
BOTTOM BRACKET	Shimano BB-RS500	BOTTLE CAGE	Alloy black
CHAIN	Kmc X11-1 EPT finish, 11sp	WATER BOTTLE	Celeste w/Bianchi logo

SEMPRE PRO - TIAGRA 10SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB86	Brake	Shimano Tiagra BR-4700 w/shoes R50T5
COLOR	1D - CK16/Black Glossy	Brake Lever	included w/shifters
FRAME	Sempre Pro carbon monocoque, PF30, UTSS, mechanical and electronic shifting compatible, sizes 47-50-53-55-57-59-61cm	RIM/WHEELSET	Shimano WH-R501, clincher, black
SEATPOST CLAMP	X Carbon System, diam. 36mm, w/Bianchi logo	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 90mm-48cm, 100mm-51cm, 110mm-54cm, 120mm-57/60cm
FORK	Bianchi Full Carbon, 1.5" head	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-48/51cm, 420mm-54/57cm, 440mm-60cm
SHIFTER	Shimano Tiagra ST-4700 2x10sp	GRIP / TAPE	La Spirale Bike Ribbon Eolo soft w/carbon look plug w/Bianchi logo
REAR DERAILLEUR	Shimano Tiagra RD-4700 GS direct attachment, compatible with low gear 28-34T for double, 25-32T for triple	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31,6mm, length 350mm
FRONT DERAILLEUR	Shimano Tiagra FD-4700, band type (34.9mm)	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 280x145mm
CRANKSET	Shimano Tiagra FC-4700 50x34T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Alloy black
BOTTOM BRACKET	Fsa BB7420ST, 113MM	WATER BOTTLE	Celeste w/Bianchi logo
CHAIN	Shimano CN-HG54 super narrow HG 10sp		
CASSETTE / FREEWHEEL	Shimano Tiagra CS-HG500-10, 11-12-14-16-18-20-22-25-28-32T		

SEMPRE PRO - CENTAUR 11SP COMPACT



CODE	YOB10	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/53cm,420mm-55/59cm,440mm-61cm
COLOR	1D - CK16/Black full glossy 2J - Black/White-CK16 full glossy (ON PHOTO)	GRIP / TAPE	Cork w/Bianchi logo
FRAME	Sempre Pro carbon monocoque, PF30, UTSS, mechanical and electronic shifting compatible, sizes 47-50-53-55-57-59-61cm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31,6mm, Length 350mm
SEATPOST CLAMP	X Carbon System, diam. 36mm, w/Bianchi logo	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	BOTTLE CAGE	Alloy black
FORK	Bianchi Full Carbon, 1.5" head	WATER BOTTLE	Celeste w/Bianchi logo
SHIFTER	Campagnolo Centaur Power Shift 11sp Ergopower		
REAR DERAILLEUR	Campagnolo Centaur 11sp medium cage, black		
FRONT DERAILLEUR	Campagnolo Centaur 11sp clip-on front der. diam. 35 mm w/35mm Record clamp for braze-on der.		
CRANKSET	Fsa Omega MegaExo Compact 50x34T, Die Cast alloy arm, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Fsa MegaExo BSA Bottom Bracket		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Campagnolo Centaur UD 11sp 12-32T		
BRAKE	Campagnolo Centaur (dual pivot F+R)		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Mavic Aksium, 622x17c		
TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black		
STEM	Reparto Corse, Alloy 6061, rise +/-7°, 1.1/8", Ext: 90mm-50/53cm,100mm-55cm,110mm-57/59cm,120mm-61cm		





MODELS
IN THIS CATEGORY

INFINITO CV DISC

INFINITO CV

INTENSO DISC

INTENSO

INTREPIDA

IMPULSO

VIA NIRONE 7

ENDURANCE

Long distances must be covered in the optimal riding position.
Endurance frames guarantee maximum performance with minimum stress for the riders, thanks to Bianchi's special frame design/geometry and different material combination.

PROJECT PHILOSOPHY

- Specific geometry to improve comfort and stability
- Bianchi Active Technology (BAT)
- Long distance racing

TARGET CONSUMER

- Long distance riders
- Granfondo enthusiasts

POSITIONING

The best high-end endurance road disc bike, providing less muscle fatigue and more control thanks to the specific tuning process of the Countervail carbon material.

COURSE/TERRAIN

Road, rough surfaces, cobblestone sections, extreme braking conditions

END USE DESTINATION

Pro riders, cobblestones specialists in particular. Ideal for granfondo and marathon riders. Perfect for those who love to spend long hours on the saddle. The Infinito CV fully integrated disc brakes delivers uniform power, increased efficiency and precise modulation for strong predictable braking, in any weather conditions.

KY FEATURES

- Countervail vibration cancelling technology
- Higher headtube and longer chainstay
- Disc brake system with thru axle
- 32mm tubular/clincher compatible
- Vision Metron 5D handlebar compatible

LIGHTWEIGHT

PRICE

DESIGN

COMFORT

PERFORMANCE

8

6

10

8

9

reparto corse

LESS FATIGUE,
MORE CONTROL


TECHNOLOGY



GEOMETRY - ENDURANCE

MIS-SLP

A1	A	B1	C	D	E	F	G	G1	H	I	X	Y	WB
470	420	515	415	68	120	581	74.5°	70.5°	43	375	370	521	966
500	450	525	415	68	135	583	74.5°	71.5°	43	375	375	539	988
530	480	535	415	68	150	588	74°	71.5°	43	375	376	553	993
550	500	550	415	68	165	593	73.5°	72°	43	375	381	569	999
570	520	560	415	68	180	599	73.5°	72.5°	43	375	386	585	1004
590	540	575	420	68	195	608	73°	72.5°	43	375	392	599	1018
610	560	585	420	68	210	612	72.5°	72.5°	43	375	392	614	1023






NEW FRAME DESIGN

The Infinito CV Disc, with its re-designed frame shape, has been developed with endurance-specific geometry and thru-axle rear dropouts for optimum integration with disc brakes.

Longer chainstays help smooth the ride, and a taller aero headtube gives the rider a low-stress neck position, enhanced by Countervail's vibration cancelling capacity.

NEW SEATPOST

The new Infinito CV Disc has been engineered to be more aero by using a new integrated-look carbon seatpost. The bike is also compatible with Metron 5D aero handlebar for those who want a special touch to the sleek overall aesthetic of the new model.







FORK

The Infinito CV Disc is fitted with a shallow curved blade, aero, full-carbon fork. Featuring a 1.1/8 -1.5in taper steerer and 12x100mm thru-axle drop outs, for steering stability and precision and braking performance. The fork weighs 390g.

INTEGRATED DISC BRAKE MOUNTS

The Infinito CV Disc frame and fork feature fully-integrated Flat Mount Disc brakes, delivering uniform power, increased efficiency and precise modulation for strong predictable braking, in any weather conditions. Compatible with 140 or 160mm rotors. Cables for brakes and drivetrain are all internally routed.



LARGER VOLUME TYRES

When riding long distances with extended time in the saddle, larger volume tyres are the answer. The Infinito CV Disc is compatible with tyres up to 32mm. High-volume tyres add extra grip, comfort and control, without affecting rolling efficiency, or speed.

INFINITO CV DISC - SUPER RECORD 12SP COMPACT



CODE	YOB78	DISC ROTOR	Campagnolo AFS rotors 160mm
COLOR	2A- CK16/Black glossy	RIM/WHEELSET	Fulcrum Racing 418 disc brake, aluminium asymmetric rims 622x17c, tubeless ready, profile 34mm, thru axle F:12x100mm, R: 12x142mm, center lock AFS
FRAME	Infinito CV Disc Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, 32" tire compatible , 86,5x41mm PressFit BB, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	OPTION WHEELSET1	Fulcrum Racing Quattro DB C17, carbon clincher rims disc brake, thru axle F:12x100mm, R:12x142mm, center lock AFS
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x28, 150TPI, folding, full black
SEATPOST CLAMP	included in the frame	STEM	Reparto Corse 3D Forged alloy 7050, rise +/-7°, 1.1/8", Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	HANDLEBAR	Reparto corse full carbon, diam.31,8mm, reach 76mm, drop 120mm, 4° outward bend, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm
FORK	Bianchi Full Carbon w/Countervail Disc, 1,5" head, flat mount caliper, thru axle 12x100mm, 32" tire compatible	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
SHIFTER	Campagnolo Super Record Ergopower 12sp	SEATPOST	Infinito Full Carbon, clamp with alloy head adjustable and reversible +/- 35mm, length: 350mm-47/57cm, 380mm-59/61cm, Setback 25mm/-10mm
REAR DERAILLEUR	Campagnolo Super Record 12sp	SADDLE	Fi'zi:k Aliante R5 Open Large, Microtex Cover, S-Alloy Rail, 280x152mm, Integrated Clip System
FRONT DERAILLEUR	Campagnolo Super Record 12sp braze-on FD w/ CSD System chain guard	BOTTLE CAGE	Elite Paron Race composit
CRANKSET	Campagnolo Super Record Ultra-Torque 50-34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm	WATER BOTTLE	Bianchi Loli 600ml
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41mm		
CHAIN	Campagnolo Super Record 12sp		
CASSETTE / FREEWHEEL	Campagnolo Super Record 12sp 11-32T		
BRAKE	Campagnolo Hydraulic Disc Brakes, flat mount calipers		
BRAKE LEVER	included w/shifters		

INFINITO CV DISC - DURA ACE DI2 11SP COMPACT



CODE	YOBN3	CASSETTE / FREEWHEEL	SHimano Dura Ace CS-R9100, 11-12-13-14-15-17-19-21-24-27-30T
COLOR	2A- CK16/Black glossy	BRAKE	Shimano BR-R9170 Hydraulic disc brake, flat mount caliper
FRAME	Infinito CV Disc Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, compatible with 32" tire, PressFit 86,5x41 BB, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	DISC ROTOR	Shimano SM-RT900 Center Lock 160mm
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Fulcrum Racing 418 disc brake, aluminium asymmetric rims 622x17c, Profile 34mm, thru axle F: 12x100mm, R: 12x142mm, center lock AFS
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	OPTION WHEELSET1	Fulcrum Racing Quattro DB C17 disc brake carbon clincher AFS, thru axle F: 12x100mm, R: 12x142mm
FORK	Bianchi full carbon Disc w/Countervail, 1,5" head, flat mount caliper, thru axle 12x100mm, compatible with 32" tire	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x28, 150TPI, folding, full black
SHIFTER	Shimano Dura Ace Di2 ST-R9170 2x11sp hydraulic disc brake	STEM	Reparto Corse 3D Forged alloy 7050, rise +/-7°, 1.1/8", Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61cm
REAR DERAILLEUR	Shimano Dura Ace Di2 RD-R9150 SS 11sp, shadow design, direct attachment, Max 30T	HANDLEBAR	Reparto corse full carbon diam. 31,8mm, reach 76mm, drop 120mm, 4J outward bend, Size: 400mm-44/50cm, 420mm-53/57cm, 440mm-59/61cm OPTION HANDLEBAR: Vision Metron 5D Integrated Aero bar, UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
FRONT DERAILLEUR	Shimano Dura Ace Di2 FD-R9150-F, braze-on type	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
ELECTRIC CABLE	Shimano Junction A EW-RS910, built-in handlebar type, e-tube port X2, charging port X1	SEATPOST	Infinito Full Carbon, clamp with alloy head adjustable and reversible +/- 35mm, length: 350mm-47/57cm, 380mm-59/61cm, Setback 25mm/-10mm
BATTERY / MOUNT	Shimano Battery BT-DN110-1	BOTTLE CAGE	Elite Paron Race composit
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Shimano Dura Ace FC-R9100 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit Road		
CHAIN	Shimano Dura Ace CN-HG901-11		

INFINITO CV DISC - ULTEGRA DI2 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBZ5	CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T
COLOR	2A - CK16/Black full glossy	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
FRAME	Infinito CV Disc, Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, compatible with 32" tire, PressFit 86,5x41mm BB, thru axle, 12x142mm, sizes 47-50-53-55-57-59-61cm	BRAKE LEVER	included w/shifters
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Fulcrum Racing 418 disc brake, aluminium asymmetric rims 622x17c, tubeless ready, profile 34mm, thru axle f: 12x100mm r: 12x142mm, Center Lock AFS
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	OPTION WHEELSET1	Fulcrum Racing Quattro DB, C17 disc brake carbon clincher, thru axle f: 12x100mm r: 12x142mm, AFS
FORK	Bianchi Full Carbon w/Countervail Disc, 1,5" head, flat mount, thru axle 12x100mm, compatible with 32" tire	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x28, 150TPI, folding, full black
SHIFTER	Shimano Ultegra Di2 ST-R8070 2x11sp hydraulic disc brake	STEM	Reparto Corse 3D Forged alloy 7050, rise +/-∞, 1.1/8", Ext: 70mm-47, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61/61cm
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 SS 11sp, top normal shadow design, direct attachment, Max 30T	HANDLEBAR	Reparto corse full carbon, diam. 31,8mm, reach 76mm, drop 120mm, 4° outward bend, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
ELECTRIC CABLE	Shimano Junction A EW-RS910, built-in handlebar type, e-tube port X2, charging port X1	SEATPOST	Infinito Full Carbon, clamp with alloy head adjustable and reversible +/- 35mm, length: 350mm-47/57cm, 380mm-59/61cm, Setback 25mm/-10mm
BATTERY / MOUNT	Shimano Battery BT-DN110-1	SADDLE	Fi'zi:k Aliante R5 Open Large, Microtex cover, S-Alloy rails, 280x152mm, Integrated Clip System
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb	BOTTLE CAGE	Elite Paron Race composit
CRANKSET	Shimano Ultegra FC-R8000, 50x34T, Hollowtech II, Crank Length: 170mm-47/55cm, 172.5mm-55/59cm, 175mm-61cm	WATER BOTTLE	Bianchi Loli 600ml
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		

INFINITO CV DISC - ULTEGRA 11SP COMPACT



CODE	YOB54	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
COLOR	2A- CK16/Blackfull glossy	BRAKE LEVER	included w/shifters
FRAME	Infinito CV Disc Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, compatible with 32" tire, PressFit 86,5x41mm, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	RIM/WHEELSET	Fulcrum Racing 518 disc brake, aluminium asymmetric rims 622X17c, tubeless ready, profile 26mm, thru axle f:12x100mm, r: 12x142mm, center lock
SEATPOST CLAMP	included in the frame	OPTION WHEELSET1	Fulcrum Racing Quattro DB, C17 carbon clincher rims, thru axle f:12x100, r: 12x142mm, AFS
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x28, 150TPI, folding, full black
FORK	Bianchi Full carbon w/Countervail Disc, 1.5" head, flat mount, thru axle 12x100mm, compatible with 32" tire	STEM	Reparto Corse 3D Forged alloy 7050, rise +/-7°, 1.1/8", Ext: 70mm-47, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61/61cm
SHIFTER	Shimano Ultegra ST-R8020 2x11sp hydraulic disc brake	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43,5mm	SEATPOST	Infinito Full Carbon, clamp with alloy head adjustable and reversible +/- 35mm, length: 350mm-47/57cm, 380mm-59/61cm, Setback 25mm/-10mm
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172,5mm-55/59cm, 175mm-61cm	SADDLE	Fi'zi:k Aliante R7, nylon carbon reinforced shell w/ WingFlex, Manganese rail, ICS system
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	BOTTLE CAGE	Elite Paron Race composit
CHAIN	Shimano Ultegra CN-HG701-11, 11sp	WATER BOTTLE	Bianchi Loli 600ml
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T		

INFINITO CV DISC - 105 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB19	BRAKE	Shimano BR-RS505, flat mount, hydraulic disc brake
COLOR	2A- CK16/Black full glossy	BRAKE LEVER	included w/shifters
FRAME	Infinito CV Disc Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, compatible with 32" tire, PressFit 86.5x41mm, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo	RIM/WHEELSET	Fulcrum Racing 618 disc brake, aluminium asymmetric rims 622x17c, profile 26mm, thru axle f:12x100mm r:12x142mm, center lock AFS
SEATPOST CLAMP	included in the frame	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x28, 150TPI, folding, full black
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	STEM	Reparto Corse 3D Forged alloy 7050, rise +/-∞, 1.1/8", Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61/61cm
FORK	Bianchi Full Carbon w/Countervail, 1.5" head, Disc Brake, flat mount, thru axle 12x100mm, compatible with 32" tire	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm
SHIFTER	Shimano 105 ST-R7020 2x11sp Hydraulic disc brake	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
REAR DERAILLEUR	Shimano 105 RD-R7000 SS 11sp, top normal shadow design, direct attachment, black	SEATPOST	Infinito Full Carbon, clamp with alloy head adjustable and reversible +/- 35mm, length: 350mm-47/57cm, 380mm-59/61cm, Setback 25mm/-10mm
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, brazed-on type, 61-66∞, Max chainring 46-53T, CL: 43.5mm	SADDLE	Fi'zi:k Aliante R7, nylon carbon reinforced shell w/ WingFlex, Manganese rail, ICS system
CRANKSET	Shimano 105 FC-R7000, 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Elite Paron Race composit
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	WATER BOTTLE	Bianchi Loli 600ml
CHAIN	Shimano CN-HG601-11, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T		

INFINITO CV DISC - FRAME KIT



CODE	XOB24
COLOR	2A- CK16/Blackfull glossy
FRAME	Infinito CV Disc, Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, 32" tire compatible, BBset PressFit 86,5x41mm, thru axle 12x142mm, sizes 44-47-50-53-55-57-59-61-63cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, Celeste w/Bianchi logo
SEATPOST CLAMP	included with the frame
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap
FORK	Bianchi Full Carbon w/Countervail, 1.5" head, Disc, flat mount, thru axle 12x100mm, 32" tire compatible
SEATPOST	Infinito Full Carbon, clamp with alloy head adjustable and reversible +/- 35mm, length: 350mm-47/57cm, 380mm-59/61cm, Setback 25mm/-10mm



POSITIONING

The best high-end endurance road bike, providing less muscle fatigue and more control thanks to the specific tuning process of the Countervail carbon material.

COURSE/TERRAIN

Road, rough surfaces, cobbleston sections.

END USE DESTINATION

Pro riders, cobblestone specialists in particular. Ideal for granfondo and marathon riders. Perfect for those who love to spend long hours on the saddle.

K Y FEATURES

- Countervail vibration cancelling technology
- Higher headtube and longer chainstay
- Thru axle disc brake system available
- 28mm tubular/clincher compatible

PRODUCT FEATURES

- Carbon Monocoque frame with tapered head tube 1.1/8" - 1.5" & PF30 BB (68x46)
- Double compatibility mechanic and electronic groupset
- Down tube dimension optimized for the different sizes
- Full carbon aero fork shape with straight blades
- Higher head tube and longer chain stay
- Internal cable routing
- 28mm tubular/clincher compatible
- Sizes: 47, 50, 53, 55 57, 59, 61, 63cm
- Weight: 990 gr (55 size, +/- 5%)

LIGHTWEIGHT

8

PRICE

7

DESIGN

9

COMFORT

8

PERFORMANCE

9


reparto corse

LESS FATIGUE,
MORE CONTROL

TECHNOLOGY
COUNTERVAIL®
▲ B A T ▼

GEOMETRY – ENDURANCE

MIS-SLP												
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	
470	440	515	499	403	58	110	578	74.5°	70.5°	495	375	
500	470	525	510	405	58	115	583	74.5°	71°	502	382	
530	500	535	521	406	68	130	585	74°	71.5°	528	382	
550	520	550	535	408	68	145	587	73.5°	72.5°	545	388	
570	540	560	546	408	68	160	593	73.5°	73°	561	393	
590	560	575	561	410	68	180	598	73°	73.5°	582	397	
610	580	585	570	410	68	200	603	72.5°	73.5°	601	397	



INFINITO CV - CHORUS 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB21	CASSETTE / FREEWHEEL	Campagnolo Chorus 11sp, 11-29T
COLOR	1D - CK16/Black Glossy	BRAKE	Campagnolo Chorus Skeleton brakes (dual pivot front+rear)
FRAME	Infinito CV Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, compatible with 28" tire, PF30 BBSet, sizes 47-50-53-55-57-59-61-63cm	BRAKE LEVER	included w/shifters
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	RIM/WHEELSET	Fulcrum Racing 418
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x25, 150TPI, folding, full black
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	STEM	Reparto Corse 3D Forged alloy 7050, rise +/-7°, 1.1/8", Ext: 70mm-47, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61/63cm
FORK	Bianchi Full Carbon w/Countervail, 1,5" head	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 2014, diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/63cm
SHIFTER	Campagnolo Chorus Ultra Shift 11sp Ergopower, black option	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
REAR DERAILLEUR	Campagnolo Chorus 11sp	SEATPOST	Reparto Corse full carbon UD w/Alloy clamp, two stainless steel bolt, setback 15mm, diam. 31.6mm, Length 350mm
FRONT DERAILLEUR	Campagnolo Chorus 11sp braze-on front der. + diam. 35 mm black clamp	SADDLE	Fi'zi:k Aliante R5 Open Large, Microtex cover, S-Alloy rail, 280x152mm, ICS system
CRANKSET	Campagnolo Chorus Ultra-Torque CT Carbon 11sp 50-34T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-60/63cm	BOTTLE CAGE	Elite Paron Race composit
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups BB30 68x46mm	WATER BOTTLE	Bianchi Loli 600ml
CHAIN	Campagnolo Chorus 11sp		

INFINITO CV - POTENZA 11SP COMPACT



CODE	YOB22	BRAKE LEVER	included w/shifters
COLOR	1Z- Black /CK16-Graphite matt	RIM/WHEELSET	Fulcrum Racing 500
FRAME	Infinito CV Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, compatible with 28" tire, PF30 BBSet, sizes 47-50-53-55-57-59-61-63cm	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x25, 150TPI, folding, full black
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	STEM	Reparto Corse 3D Forged alloy 7050, rise +/-∞, 1.1/8", Ext: 70mm-47, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61/63cm
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/63cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
FORK	Bianchi Full Carbon w/Countervail, 1,5" head	SEATPOST	Reparto Corse full carbon UD w/Alloy clamp, two stainless steel bolt, setback 15mm, diam. 31.6mm, Length 350mm
SHIFTER	Campagnolo Potenza Power Shift 11sp Ergopower, black	SADDLE	Fizik Aliante R7, nylon carbon reinforced shell w/WingFlex, Manganese rail, ICS system
REAR DERAILLEUR	Campagnolo Potenza short cage 11sp	BOTTLE CAGE	Elite Paron Race composit
FRONT DERAILLEUR	Campagnolo Potenza black 11sp braze-on front der. w/35mm black clamp for braze-on front derailleur	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Campagnolo Potenza Ultra-Torque System CT 50x34T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61/63cm		
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups BB30 68x46mm		
CHAIN	Campagnolo 11sp		
CASSETTE / FREEWHEEL	Campagnolo 11sp 11-27T		
BRAKE	Campagnolo Potenza dual pivot		

INFINITO CV - ULTEGRA 11SP COMPACT



CODE	YOB24	RIM/WHEELSET	Fulcrum Racing 518
COLOR	1D - CK16/Black glossy 1Z- Black /CK16-Graphite matt (ON PHOTO)	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x25, 150TPI, folding, full black
FRAME	Infinito CV Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, compatible with 28" tire, PF30 BBSet, sizes 47-50-53-55-57-59-61-63cm	STEM	Reparto Corse 3D Forged alloy 7050, rise +/-7°, 1.1/8", Ext: 70mm-47, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61/63cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/63cm
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	SEATPOST	Reparto Corse full carbon UD w/Alloy clamp, two stainless steel bolt, setback 15mm, diam. 31.6mm, Length 350mm
FORK	Bianchi Full Carbon w/Countervail, 1,5" head	SADDLE	Fi'zi:k Aliante R7, nylon carbon reinforced shell w/ WingFlex, Manganese rail, ICS system
SHIFTER	Shimano Ultegra ST-R8000 2x11sp	BOTTLE CAGE	Elite Paron Race composit
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 30T	WATER BOTTLE	Bianchi Loli 600ml
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, band type (34.9mm), 61-66° for 46/53T cl: 43,5mm		
CRANKSET	Shimano Ultegra FC-R8000, 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61/63cm		
BOTTOM BRACKET	Shimano SM-BBR60		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T		
BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4		
BRAKE LEVER	included w/shifters		

INFINITO CV - 105 11SP COMPACT



CODE	YOB20	TIRE	Vittoria Rubino IV 700x25, 60TPI, Folding, SMU G+ black
COLOR	1D - CK16/Black Glossy	STEM	Reparto Corse 3D Forged alloy 7050, rise +/-7°, 1.1/8", Ext: 70mm-47, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/59cm, 130mm-61/63cm
FRAME	Infinito CV Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, compatible with 28" tire, PF30 BBSet, sizes 47-50-53-55-57-59-61-63cm	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/63cm
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	SEATPOST	Reparto Corse full carbon UD w/Alloy clamp, two stainless steel bolt, setback 15mm, diam. 31,6mm, Length 350mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	SADDLE	Fi'zi:k Aliante R7, nylon carbon reinforced shell w/WingFlex, Manganese rail, ICS system
FORK	Bianchi Full Carbon w/Countervail, 1,5" head	BOTTLE CAGE	Elite Paron Race composit
SHIFTER	Shimano 105 ST-R7000 2x11sp	WATER BOTTLE	Bianchi Loli 600ml
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black		
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black		
CRANKSET	Shimano 105 FC-R7000, 50x34T, Hollowtech II, Crank lenght: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61/63cm		
BOTTOM BRACKET	Shimano SM-BBR60		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano 105 BR-R7000, w/R55C4 pads, black		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Fulcrum Racing 618		

INFINITO CV - FRAME KIT



Also available in colors:

1Z - Black/CK16-Graphite matt

CODE	XNB01
COLOR	1D - CK16/Black glossy 1Z - Black/CK16-Graphite matt
FRAME	Infinito CV Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, 28" tire compatible, BBset PF30, sizes 47-50-53-55-57-59-61-63cm
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 4pcs, celeste w/Bianchi logo
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap
FORK	Bianchi Full Carbon w/Countervail, 1.1/8">1,5"

intenso *DISC*

POSITIONING

Endurance carbon frame sharing the same family feeling of Infinito CV. Although Intenso doesn't have Countervail, it includes the infusion of vibration damping inserts of Kevlar on the fork ends and seatstays to improve comfort and control.

COURSE/TERRAIN

Road, rough surfaces.

END USE DESTINATION


Sportive riders. Ideal for long distance rides and granfondo events. Perfect for all day riding performance.

K Y FEATURES

- Kevlar inserts
- Higher headtube and longer chainstay
- Di2 compatible (internal cable routing)
- Thru axle disc brake system
- High value product with good price point

PRODUCT FEATURES

- Specific frame and fork Disc compatible
- Flat mount system (Shimano standard)
- Thru axle 12mm front 100mm and rear OLD 135mm specific dimension for disc to increase the rigidity and the wheels stability
- Compatible with 140mm and 160mm rotor
- Chain stay length 415mm
- Internal hydraulic cable guide housing in the frame and fork



reparto corse


TECHNOLOGY



- Sizes: 47, 50, 53, 55, 57, 59, 61, 63cm
- Weight in 55 size: 1150g target (+/- 5%)
- QR thru axle 12mm x 100/135mm
- Material: alloy ergal 7075
- Lock with thread M12 x 1.5
- QR system removable
- Super light weight only 31gr

GEOMETRY – ENDURANCE

MIS-SLP												
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	
440	420	505	491	405	58	110	576	75°	70.5°	495	367	
470	440	515	497	408	68	125	577	74.5°	70.5°	519	368	
500	470	525	507	408	68	140	579	74.5°	71.5°	537	373	
530	500	535	518	409	68	155	586	74°	71.5°	551	375	
550	520	550	532	410	68	170	592	73.5°	72°	567	381	
570	540	560	542	411	68	185	598	73.5°	72.5°	583	386	
590	560	575	556	412	68	200	608	73°	72.5°	598	391	
610	580	585	565	414	68	215	612	72.5°	72.5°	612	392	
630	600	595	575	414	68	230	617	72.5°	73°	628	397	



INTENSO DISC - FULL ULTEGRA 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB6D	RIM/WHEELSET	Fulcrum Racing 618 disc brake, aluminium asymmetric rims 622x17c, profile 26mm, thru axle f:12x100mm, r: 12x135mm, center lock AFS
COLOR	KW - Black/CK16 full matt	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
FRAME	Intenso Disc carbon, 1.1/8"- 1.5", BB shell BSA, internal cable, mechanical and Di2 electronic shifting compatible, thru axle 12x135mm, sizes 44-47-50-53-55-57-59-61-63cm	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61/63cm
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/ Bianchi logo
FORK	Bianchi Full Carbon w/Kevlar, Disc, 1.5" head, dropout 12x100mm thru axle	SEATPOST	Reparto Corse Alloy 2014 shaft, forged alloy head, 15mm offset, length: 300mm-44cm, 350mm-47/63cm
SHIFTER	Shimano Ultegra ST-R8020 2x11sp hydraulic disc brake	SADDLE	Selle Royal SR Asphalt GF, filo rail, soft performance cover, 280x149mm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T	BOTTLE CAGE	Elite Paron Race composit
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, band type (34.9mm), 61-66° for 46/53T cl: 43,5mm	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61/63cm		
BOTTOM BRACKET	Shimano SM-BBR60		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T		
BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm		

INTENSO DISC - FULL 105 11SP COMPACT



CODE	YOB7D	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
COLOR	KW - Black/CK16 full matt	RIM/WHEELSET	Fulcrum Racing 618 disc brake, aluminium asymmetric rims 622x17c, profile 26mm, thru axle F:12x100, R:12z135mm, center lock AFS
FRAME	Intenso Disc carbon, 1.1/8"- 1.5", BB shell BSA, internal cable, mechanical and Di2 electronic shifting compatible, thru axle 12x135mm, sizes 44-47-50-53-55-57-59-61-63cm	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm/44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61/63cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
FORK	Bianchi Full Carbon w/Kevlar, Disc, 1.5" head, dropout 12x100mm thru axle	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/ Bianchi logo
SHIFTER	Shimano 105 ST-R7020 2x11sp Hydraulic disc brake	SEATPOST	Reparto Corse Alloy 2014 shaft, forged alloy head, 15mm offset, length: 300mm-44cm, 350mm-47/63cm
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black	SADDLE	Selle Royal SR Asphalt GF, filo rail, soft performance cover, 280x149mm
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black	BOTTLE CAGE	Elite Paron Race composit
CRANKSET	Shimano 105 FC-R7000 50x34T, Hollowtech II, Crank Length: 170mm-44/53cm, 172.5mm-55/59cm, 175mm-61/63cm	WATER BOTTLE	Bianchi Loli 600ml
BOTTOM BRACKET	Shimano BB-RS500		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano BR-RS505, flat mount, hydraulic disc brake		
BRAKE LEVER	included w/shifters		

INTENSO DISC - ULTEGRA/105 11SP COMPACT



CODE	YOB4D	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
COLOR	KW - Black/CK16 full matt	RIM/WHEELSET	Fulcrum Racing 618 disc brake, aluminium asymmetric rims 622x17c, height 26mm, thru axle f:12x100mm r:12x142mm, center lock AFS
FRAME	Intenso Disc carbon, 1.1/8">1.5" HT, BB shell BSA, internal cable, compatible mechanical and Di2 electronic, rear dropout 12x135mm thru axle, sizes 47-50-53-55-57-59-61-63cm	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61/63cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
FORK	Bianchi Full Carbon w/Kevlar, Disc, 1.5" head, dropout 12x100mm thru axle	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/ Bianchi logo
SHIFTER	Shimano 105 ST-R7020 2x11sp Hydraulic disc brake	SEATPOST	Reparto Corse Alloy 2014 shaft, forged alloy head, 15mm offset, length: 300mm-44cm, 350mm-47/63cm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T	SADDLE	Selle Royal Asphalt GF, filo rail, soft performance cover, 280x149mm
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black	BOTTLE CAGE	Elite Paron Race composit
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm	WATER BOTTLE	Bianchi Loli 600ml
BOTTOM BRACKET	Shimano BB-RS500		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano BR-RS505, flat mount, hydraulic disc brake		
BRAKE LEVER	included w/shifters		

intenso

POSITIONING

Endurance carbon frame which shares the same family feeling of Infinito CV. Although Intenso doesn't have Countervail, it includes the infusion of vibration damping inserts of Kevlar on the fork ends and seatstays to improve comfort and control.

COURSE/TERRAIN

Road, rough surfaces.

END USE DESTINATION

Sportive riders. Ideal for long distance rides and granfondo events. Perfect for all day riding performance.

K-Y FEATURES

- Kevlar inserts
- Higher headtube and longer chainstay
- Di2 compatible (internal cable routing)
- Thru axle disc brake system
- High value product with good price point

PRODUCT FEATURES

- Monocoque carbon frame
- Tapered head tube 1.1/8"-1.5"
- Di2 compatible with Internal cable routing
- BSA bottom bracket
- Full Carbon fork with Kevlar Inserts
- BAT and K-VID Technology with endurance geometry
- Sizes: 44, 47, 50, 53, 55, 57, 59, 61, 63cm
- Weight for 55 size: 1080g

LIGHTWEIGHT

6

PRICE

10

DESIGN

9

COMFORT

9

PERFORMANCE

6


reparto corse

TECHNOLOGY

BAT
K-VID

GEOMETRY – ENDURANCE

MIS-SLP												
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	
440	420	505	491	405	58	110	576	75°	70.5°	495	367	
470	440	515	497	408	68	125	577	74.5°	70.5°	519	368	
500	470	525	507	408	68	140	579	74.5°	71.5°	537	373	
530	500	535	518	409	68	155	586	74°	71.5°	551	375	
550	520	550	532	410	68	170	592	73.5°	72°	567	381	
570	540	560	542	411	68	185	598	73.5°	72.5°	583	386	
590	560	575	556	412	68	200	608	73°	72.5°	598	391	
610	580	585	565	414	68	215	612	72.5°	72.5°	612	392	
630	600	595	575	414	68	230	617	72.5°	73°	628	397	



INTENSO - ULTEGRA 11SP COMPACT



CODE	YOB30	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
COLOR	2A- CK16/BLACK full glossy (ON PHOTO) KW - Black/CK16 full matt	STEM	Reparto Corse Alloy 6061, rise +/- 7°, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61/63cm
FRAME	Intenso carbon, 1.1/8"- 1.5", BSA BB shell, internal cable routing, compatible mechanical and Di2 electronic shifting, sizes 44-47-50-53-55-57-59-61-63cm	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, ext: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	GRIP / TAPE	La Spirale Bike Ribbon Eolo soft w/carbon look plug w/Bianchi logo
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	SEATPOST	Reparto Corse Alloy 2014 shaft, forged alloy head, 15mm offset, length: 300mm-44cm, 350mm-47/63cm
FORK	Bianchi Full Carbon w/Kevlar, 1.5" head	SADDLE	Selle Royal Asphalt GF, filo rail, soft performance cover, 280x149mm
SHIFTER	Shimano Ultegra ST-R8000 2x11sp	BOTTLE CAGE	Elite Paron Race composit
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T	WATER BOTTLE	Bianchi Loli 600ml
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, band type (34.9mm), 61-66° for 46/53T cl: 43,5mm		
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 170mm-47/53cm, 172,5mm-55/59cm, 175mm-60/63cm		
BOTTOM BRACKET	Shimano BB-RS500		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Fulcrum Racing Sport black clincher, 24,3mm aluminium rims, 18-24 spokes		

INTENSO - 105 11SP COMPACT



CODE	YOBV9	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
COLOR	2A- CK16/Black glossy	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm/44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FRAME	Intenso carbon, 1.1/8"- 1.5", BSA BB shell, internal cable routing, compatible mechanical and Di2 electronic shifting, sizes 44-47-50-53-55-57-59-61-63cm	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	GRIP / TAPE	Cork w/Bianchi logo
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	SEATPOST	Reparto Corse Alloy 2014 shaft, forged alloy head, 15mm offset, length: 300mm-44cm, 350mm-47/63cm
FORK	Bianchi Full Carbon w/Kevlar, 1.5" head	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 280x145mm
SHIFTER	Shimano 105 ST-R7000 2x11sp	BOTTLE CAGE	Elite Paron Race composit
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black	WATER BOTTLE	Bianchi Loli 600ml
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black		
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm		
BOTTOM BRACKET	Shimano BB-RS500		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
Brake	Shimano 105 BR-R7000, w/R55C4 pads, black		
Brake Lever	included w/shifters		
RIM/WHEELSET	Fulcrum Racing Sport black clincher, 24,3mm aluminium rims, 18-24 spokes		

INTENSO - CENTAUR 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB85	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61/63cm
COLOR	2A- CK16/Black full glossy	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
FRAME	Intenso carbon, 1.1/8"- 1.5", BSA BB shell, internal cable routing, compatible mechanical and Di2 electronic shifting, sizes 44-47-50-53-55-57-59-61-63cm	GRIP / TAPE	La Spirale Bike Ribbon Eolo soft w/carbon look plug w/Bianchi logo
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	SEATPOST	Reparto Corse Alloy 2014 shaft, forged alloy head, 15mm offset, length: 300mm-44cm, 350mm-47/63cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 280x145mm
FORK	Bianchi Full Carbon w/Kevlar, 1.5" head	BOTTLE CAGE	Elite Paron Race composit
SHIFTER	Campagnolo Centaur Power Shift 11sp Ergopower	WATER BOTTLE	Bianchi Loli 600ml
REAR DERAILLEUR	Campagnolo Centaur 11sp medium cage, black		
FRONT DERAILLEUR	Campagnolo Centaur 11sp clip-on front der. diam. 35 mm w/35mm Record clamp for braze-on der.		
CRANKSET	Gossamer Pro ABS BB386 EVO 50x34T, Crank Length: 170mm-44/53cm, 172.5mm-55/59cm, 175mm-61/63cm		
BOTTOM BRACKET	Fsa MegaEvo BB-EVO8681		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Campagnolo Centaur UD 11sp 12-32T		
Brake	Campagnolo Centaur (dual pivot F+R)		
Brake Lever	included w/shifters		
RIM/WHEELSET	Mavic Aksium 622x17c		
TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black		

intrepida

POSITIONING

Entry-level full carbon frame, offering a more relaxed position and accessible price.

COURSE/TERRAIN

Road, mixed courses.

END USE DESTINATION

Sportive riders. Ideal for those who approach road cycling seriously but without an aggressive riding position.

KEY FEATURES

- Full carbon frame
- Full carbon fork
- Internal cable routing
- Competitive price to enter Bianchi carbon world

PRODUCT FEATURES

- Monocoque carbon frame
- Full carbon fork
- Head tube dimension 11/8" -1.5"
- Dropout in alloy
- Seatpost dimension 31,6mm
- Internal cable routing
- bbset BSA
- Endurance geometry
- Sizes 48, 51, 54, 57, 60cm
- Weight in 54 size: 1230g

LIGHTWEIGHT

PRICE

DESIGN


COMFORT

PERFORMANCE

reparto corse

GEOMETRY – ENDURANCE

MIS-SLP												
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	
480	450	515	500	408	70	125	576	74°	70.5°	518	364	
510	480	535	517	410	70	155	586	73.5°	71°	548	366	
540	510	550	530	413	70	170	586	72.5°	72°	566	387	
570	540	565	545	415	70	195	587	72°	73°	593	372	
600	570	585	567	417	70	215	599	71.5°	73°	613	380	



INTREPIDA - 105 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB25	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 90mm-48cm, 100mm-51cm, 110mm-54cm, 120mm-57/60cm
COLOR	1D - CK16/Black full glossy 2J - Black/White-CK16 glossy	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-48/51cm, 420mm-54/57cm, 440mm-60cm
FRAME	Intrepida Carbon, Endurance geometry, headtube 1.5", sizes 48-51-54-57-60cm	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31,6mm, length 350mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	SADDLE	Selle Royal w/hole, steel rail, cover PU soft touch, 280x145mm
FORK	Bianchi Full Carbon, 1.5" head	BOTTLE CAGE	Alloy black
SHIFTER	Shimano 105 ST-R7000 2x11sp	WATER BOTTLE	Celeste w/Bianchi logo
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black		
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black		
CRANKSET	Shimano FC-RS510 50x34T, Crank length: 170mm-48/51cm, 172.5mm-54/57cm, 175mm-60cm		
BOTTOM BRACKET	Shimano BB-RS500		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano BR-R561-L, shoes R55CT4, black		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Shimano WH-RS100		
TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black		

INTREPIDA - CENTAUR 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB4A	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-48/51cm, 420mm-54/57cm, 440mm-60cm
COLOR	1D - CK16/Black Glossy	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
FRAME	Intrepida carbon, endurance geometry, headtube 1.1/8"-1.5", sizes 48-51-54-57-60cm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31,6mm, length 350mm
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	SADDLE	Selle Royal, w/hole, steel rail, PU soft touch cover, 280x145mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	BOTTLE CAGE	Alloy black
FORK	Bianchi Full Carbon, 1.5" head	WATER BOTTLE	Celeste w/Bianchi logo
SHIFTER	Campagnolo Centaur Power Shift 11sp Ergopower		
REAR DERAILLEUR	Campagnolo Centaur 11sp medium cage, black		
FRONT DERAILLEUR	Campagnolo Centaur 11sp clip-on front der. diam. 35 mm w/35mm Record clamp for braze-on der.		
CRANKSET	Fsa Omega MegaExo Compact 50x34T, Die Cast alloy arm, Crank Length: 170mm-44/53cm, 172.5mm-55/59cm, 175mm-60/63cm		
BOTTOM BRACKET	Fsa MegaExo BSA Bottom Bracket		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Campagnolo Centaur UD 11sp 12-32T		
BRAKE	Campagnolo Centaur (dual pivot F+R)		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Mavic Aksium		
TIRE	Vittoria Zaffiro 25-622, 700x25, 26TPI, rigid, black		
STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 90mm-48cm, 100mm-51cm, 110mm-54cm, 120mm-57/60cm		

INTREPIDA - TIAGRA 10SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB27	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-48/51cm, 420mm-54/57cm, 440mm-60cm
COLOR	2J - Black/White-CK16 full glossy	GRIP / TAPE	Cork w/Bianchi logo
FRAME	Intrepida carbon, endurance geometry, headtube 1.1/8"-1.5", sizes 48-51-54-57-60cm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31,6mm, length 350mm
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 280x145mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	BOTTLE CAGE	Alloy black
FORK	Bianchi Full Carbon, 1.5" head	WATER BOTTLE	Bianchi Loli 600ml
SHIFTER	Shimano Tiagra ST-4700 2x10sp		
REAR DERAILLEUR	Shimano Tiagra RD-4700 GS direct attachment, compatible with low gear 28-34T for double, 25-32T for triple		
FRONT DERAILLEUR	Shimano Tiagra FD-4700, band type (34.9mm)		
CRANKSET	Shimano Tiagra FC-4700 50x34T w/BB (BSA), Crank Length: 170mm-48/51cm , 172.5mm-54/57cm , 175mm-60cm		
BOTTOM BRACKET	Fsa BB7420ST, 113MM		
CHAIN	Shimano CN-HG54 super narrow HG 10sp		
CASSETTE / FREEWHEEL	Shimano Tiagra CS-HG500-10, 11-12-14-16-18-20-22-25-28-32T		
BRAKE	Shimano Tiagra BR-4700 w/shoes R50T5		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Shimano WH-R501, clincher, black		
TIRE	Vittoria Zaffiro 25-622, 700x25, 26TPI, rigid, black		
STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 90mm-48cm, 100mm-51cm, 110mm-54cm, 120mm-57/60cm		

POSITIONING

Endurance aluminum frame with special tubing profile to guarantee best in class rider comfort. Impulso's triple hydroformed top and aero head tube allows for stable, stiff and responsive turn-in when cornering switchback roads.

COURSE/TERRAIN

Road, mixed courses.

END USE DESTINATION

Sportive riders. Aluminum lovers who pay attention to performance but also design and frame shape.

K Y FEATURES

- Light frame
- Triple hydroformed technology
- Alu/carbon fork
- Disc brake system available

PRODUCT FEATURES

- Light weight alloy frame with TRIPLE HYDROFORMED technology
- A4 Aluminium + 6061 Aluminium triple butted
- BAT and K-VID Technology with endurance geometry
- Alu/Carbon fork with straight/bent blades w/1k Kevlar®
- 9 sizes: 44, 46, 50, 53, 55, 57, 59, 61 and 63cm
- Weight in 55 size: 1350g

LIGHTWEIGHT



PRICE



DESIGN



COMFORT



PERFORMANCE



reparto corse

TECHNOLOGY


▲ B A T ▼

K-VID

**TRIPLE
HYDROFORMED
TECHNOLOGY**

GEOMETRY – ENDURANCE

MIS-SLP												
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	
440	420	510	493	406	58	120	578	75°	70.5°	508	371	
460	440	520	503	408	58	125	580	74.5°	71°	515	375	
500	470	525	509	408	68	130	579	74.5°	71.5°	531	376	
530	500	535	520	408	68	145	585	74°	71.5°	546	377	
550	520	550	536	410	68	155	592	73.5°	72°	557	384	
570	540	560	546	410	68	175	602	73.5°	72°	576	388	
590	560	575	561	410	68	185	607	73°	72.5°	587	395	
610	580	585	570	412	68	210	612	72.5°	72.5°	611	393	
630	600	595	581	412	68	220	617	72.5°	73°	622	399	



IMPULSO - 105 11SP COMPACT



CODE	YOB5	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61cm, 130mm-63cm
COLOR	1D - CK16/Black glossy 1Z- Black /CK16-Graphite matt (ON PHOTO)	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
FRAME	Impulso Alloy6061, hydroforming triple butted, size: 44,46,50,53,55,57,59,61,63cm	GRIP / TAPE	Cork w/Bianchi logo
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, 31.6mm, length: 300mm-44/46cm, 350mm-50/63cm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 280x145mm
FORK	Bianchi Alu/Carbon w/Kevlar, 1.1/8"	BOTTLE CAGE	Alloy black
SHIFTER	Shimano 105 ST-R7000 2x11sp	WATER BOTTLE	Celeste w/Bianchi logo
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black		
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black		
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm		
BOTTOM BRACKET	Shimano SM-BBR60		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano BR-R561-L, shoes R55CT4, black		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Shimano WH-RS100		
TIRE	Vittoria Zaffiro 25-622, 700x25, 26TPI, rigid, black		

IMPULSO - CENTAUR 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB28	TIRE	Vittoria Zaffiro 25-622, 700x25, 26TPI, rigid, black
COLOR	1D - CK16/Black Glossy	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61cm, 130mm-63cm
FRAME	Impulso full Alloy 6061, hydroforming triple butted, sizes 44-46-50-53-55-57-59-61-63cm	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plug w/ Bianchi logo
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, 31,6mm, Length: 300mm-44/46cm, 350mm-50/63cm
FORK	Bianchi Alu/Carbon w/Kevlar, 1.1/8"	SADDLE	Selle Royal, w/hole, steel rail, PU soft touch cover, 280x145mm
SHIFTER	Campagnolo Centaur Power Shift 11sp Ergopower	BOTTLE CAGE	Alloy black
REAR DERAILLEUR	Campagnolo Centaur 11sp medium cage, black	WATER BOTTLE	Celeste w/Bianchi logo
FRONT DERAILLEUR	Campagnolo Centaur 11sp clip-on front der. diam. 35 mm w/35mm Record clamp for braze-on der.		
CRANKSET	Fsa Omega MegaExo Compact 50x34T, Crank Length: 170mm-44/53cm, 172.5mm-55/59cm, 175mm-61/63cm		
BOTTOM BRACKET	Fsa MegaExo BSA Bottom Bracket		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Campagnolo Centaur UD 11sp 12-32T		
BRAKE	Campagnolo Centaur (dual pivot F+R)		
BRAKE LEVER	included w/shifters		
FRONT HUB	Formula RB-91 alloy, 2 sealed bearings, 14G*100*108mm, w/qr		
REAR HUB	Formula RB3811C alloy, 4 sealed bearings, 14G*130*140mm, w/qr		
RIM/WHEELSET	Reparto Corse AT470 alloy double wall, 700c 622x17c, 2-14H F/V		



POSITIONING

The address of Edoardo Bianchi's first workshop in Milan was Via Nirone 7. This is a responsive frame in triple-butted aluminum throughout with hydroformed sections to ensure the highest standards of design and performance.

COURSE/TERRAIN

Road, mixed courses.

END USE DESTINATION


Ideal for new cyclists aiming at their first sportive rides.

K-Y FEATURES

- Hydroformed frame at entry level price

PRODUCT FEATURES

- New down tube and top tube shape
- New internal cable routing
- Aluminium triple butted hydroforming to improve the rigidity
- Alu/Carbon fork with "straight/bent" blades and kevlar 1k
- BAT and K-VID Technology



reparto corse


TECHNOLOGY

▲ B A T ▼

K-VID

GEOMETRY – ENDURANCE

MIS-SLP												
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X	
440	420	510	493	406	58	120	578	75°	70.5°	508	371	
460	440	520	502	408	58	125	580	74.5°	71°	515	375	
500	470	525	507	408	68	130	580	74.5°	71.5°	531	376	
530	500	535	519	408	68	145	585	74°	71.5°	546	377	
550	520	550	534	410	68	155	592	73.5°	72°	557	384	
570	540	560	544	410	68	175	602	73.5°	72°	576	388	
590	560	575	559	410	68	185	607	73°	72.5°	587	395	
610	580	585	568	412	68	210	612	72.5°	72.5°	611	392	
630	600	595	578	412	68	220	617	72.5°	73°	622	399	



VIA NIRONE 7 - 105 11SP COMPACT



CODE	YOBW7	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61cm, 130mm-63cm
COLOR	1D - CK16/Black glossy 5C- Black/Red-Graphite glossy (ON PHOTO)	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
FRAME	Via Nirone 7 alu, hydroforming tubing, internal cable routing, seatpost diam 31.6mm, sizes 44-46-50-53-55-57-59-61-63cm	GRIP / TAPE	Cork w/Bianchi logo
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length: 300mm-44/46cm, 350mm-50/63cm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	SADDLE	Selle Royal, steel rail, cover PVC, 280x145mm
FORK	Bianchi Alu/Carbon w/Kevlar, 1.1/8"	1D - CK16/Black glossy	
SHIFTER	Shimano 105 ST-R7000 2x11sp		
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black		
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black		
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm		
BOTTOM BRACKET	Shimano SM-BBR60		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano BR-R561-L, shoes R55CT4, black		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Shimano WH-RS100		
TIRE	Vittoria Zaffiro 25-622, 700x25, 26TPI, rigid, black		

VIA NIRONE 7 - TIAGRA 10SP COMPACT



CODE	YOBG8	REAR HUB	Formula RB-55 alloy, 2 sealed bearings, 14G*130*140mm, 28H, w/qr
COLOR	1D - CK16/Black Glossy	RIM/WHEELSET	Reparto Corse AT470 alloy double wall, 700c 622x17c, 2-14H F/V
FRAME	Via Nirone 7 alu, hydroforming tubing, internal cable routing, seatpost diam 31.6mm, sizes 44-46-50-53-55-57-59-61-63cm	TIRE	Vittoria Zaffiro 25-622, 700x25, 26TPI, rigid, black
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	STEM	Reparto Corse Alloy 6061, rise +/-70°, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61cm, 130mm-63cm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
FORK	Bianchi Alu/Carbon w/Kevlar, 1.1/8"	GRIP / TAPE	Cork w/Bianchi logo
SHIFTER	Shimano Tiagra ST-4700 2x10sp	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, 31,6mm, length: 300mm-44/46cm, 350mm-50/63cm
REAR DERAILLEUR	Shimano Tiagra RD-4700 GS direct attachment, compatible with low gear 28-34T for double, 25-32T for triple	SADDLE	Selle Royal, steel rail, PVC cover, 280x145mm
FRONT DERAILLEUR	Shimano Tiagra FD-4700, band type (34.9mm)	BOTTLE CAGE	Alloy black
CRANKSET	Shimano Tiagra FC-4700 50x34T, Crank Length: 170mm-44/53cm, 172.5mm-55/59cm, 175mm-60/63cm	WATER BOTTLE	Celeste w/Bianchi logo
BOTTOM BRACKET	Shimano SM-BBR60		
CHAIN	Shimano CN-HG54 super narrow HG 10sp		
CASSETTE / FREEWHEEL	Shimano Tiagra CS-HG500-10, 11-12-14-16-18-20-22-25-28-32T		
BRAKE	Reparto Corse RC-476, Forged Alloy Dual-Pivot caliper w/cartridge pad		
BRAKE LEVER	included w/shifters		
FRONT HUB	Formula RB-72 alloy, 2 sealed bearings, 14G*100*108mm, 28H, w/qr		

VIA NIRONE 7 - CLARIS 8SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBK2	RIM/WHEELSET	Tec TRRP220 R-500, alloy 6061,700C 622x14c, 28h, profile 20mm, pair spoke, EN standard
COLOR	1D - CK16/Black Glossy	TIRE	Kenda Kriterium 700x25 25-622, 26TPI, rigid, black
FRAME	Via Nirone 7 alu, hydroforming tubing, internal cable routing, seatpost diam 31.6mm, sizes 44-46-50-53-55-57-59-61-63cm	STEM	Tec Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	HANDLEBAR	Tec Obvius flat top, AL6061, diam. 31.8mm, reach:80mm, drop 130mm, size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	GRIP / TAPE	Cork w/Bianchi logo
FORK	Bianchi Alloy AL6061/Steel, 1.1/8"	SEATPOST	Tec AL2014 shaft, alloy head, 12mm offset, 31.6mm, length: 300mm-44/46cm, 350mm-50/63cm
SHIFTER	Shimano Claris ST-R2000 2x8sp	SADDLE	Tec Unicus, steel rails, D1 base, vinyl cover
REAR DERAILLEUR	Shimano Claris RD-R2000 GS 8sp, direct attachment, max sprocket 34T	BOTTLE CAGE	Alloy black
FRONT DERAILLEUR	Shimano Claris FD-R2000, band-type 34.9mm	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Shimano FC-RS200 50X34T, Crank Length: 170mm-44/57cm, 175mm-59/63cm		
BOTTOM BRACKET	Cartridge bottom bracket, axle:LL111, shell: BSA 68mm		
CHAIN	Kmc Z72 8sp		
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 12-14-16-18-21-24-28-32T		
BRAKE	Alloy Dual-Pivot caliper brakes, w/cartridge pads		
BRAKE LEVER	included w/shifters		
FRONT HUB	Formula RB-51 alloy ball bearings, 28h, OLD 100mm, w/qr		
REAR HUB	Formula RB-52 alloy, ball bearings, 28h, OLD 130mm,w/qr		



**MODELS
IN THIS CATEGORY**

INFINITO CV

INTENSO

INTREPIDA

IMPULSO

VIA NIRONE 7

DAMA BIANCA

PROJECT PHILOSOPHY

- Wide range of models to satisfy the various levels of performance and price required by performance women.
- Sizes and components are adapted to women needs following the Endurance racing philosophy, with new graphics and color combinations.

TARGET CONSUMER

- Performance riders

INFINITO CV DAMA BIANCA - ULTEGRA 11SP COMPACT



CODE	YOBX3	STEM	Reparto Corse 3D Forged alloy 7050, rise +/- 7°, 1.1/8", Ext:70mm-47cm, 90mm-50/53cm, 100mm-55cm
COLOR	7K - CK16/Black White full glossy	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 6061, diam. 31.8mm, reach 70mm, drop 120mm, Size: 380mm 44/47cm, 400mm 50/55cm
FRAME	Infinito CV Dama Bianca Carbon w/Countervail, Mechanical/Electronic Di2/EPS shifting compatible, compatible with 28" tire, PF30 BB, sizes 47-50-53-55cm	GRIP / TAPE	Cork w/Bianchi logo; w/plug
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	SEATPOST	Reparto Corse full carbon UD w/Alloy clamp, two stainless steel bolt, setback 15mm, diam. 31.6mm, Length 350mm
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	SADDLE	Fi'zi:k Vesta mg; w/WingFlex, Manganese rails, ICS system
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	BOTTLE CAGE	Alloy black
FORK	Bianchi Full Carbon w/Countervail, 1,5" head	WATER BOTTLE	Celeste w/Bianchi logo
SHIFTER	Shimano Ultegra ST-R8000 2x11sp		
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 30T		
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, band type (34.9mm), 61-66° for 46/53T cl: 43,5mm		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 165mm-47cm, 170mm-50/55cm		
BOTTOM BRACKET	Shimano SM-BBR60		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T		
BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Fulcrum Racing 518 clincher C17		
TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x25, 150TPI, folding, full black		

INTENSO DAMA BIANCA - ULTEGRA DI2 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBP1	BRAKE LEVER	included w/shifters
COLOR	7F - CK16/Black-White glossy	RIM/WHEELSET	Fulcrum Racing 518, C17 rims
FRAME	Intenso Dama Bianca carbon, 1.1/8">1.5" headset, BB shell BSA, internal cable routing, compatible mechanical and Di2 electronic, sizes 44-47-50-53-55cm	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44/47cm, 90mm-50/55cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 6061, diam. 31.8mm, reach 70mm, drop 120mm, Size: 380mm 44/47cm, 400mm-50/55cm
FORK	Bianchi Full Carbon w/Kevlar, 1.5" head	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
SHIFTER	Shimano Ultegra Di2 ST-R8050 2x11sp	SEATPOST	Reparto Corse UD carbon shaft, forged alloy head, 15mm offset, diam. 31,6mm, length: 300mm-44/47cm, 350mm-50/55cm
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8050 GS 11sp, top normal shadow design, direct attachment, Max 30T	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 275x154mm
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8050, brazed-on type, w/clamp band adapter SM-AD91, L-size (34.9mm)	BOTTLE CAGE	Elite Paron Race composit
ELECTRIC CABLE	Shimano Junction-A SM-EW90-A, Dura-Ace Di2, E-Tube port X3, charging port X1	WATER BOTTLE	Bianchi Loli 600ml
BATTERY / MOUNT	Shimano Battery BT-DN110-1		
CHARGER / PWR CABLE	Shimano Battery charger SM-BCR2, including charging cord for usb		
CRANKSET	Shimano Ultegra FC-R8000 50x34T, Hollowtech II, Crank Length: 165mm-47cm, 170mm-50/55cm		
BOTTOM BRACKET	Shimano SM-BBR60		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-HG800-11, 11-13-15-17-19-21-23-25-27-30-34T		
BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4		

INTENSO DAMA BIANCA - ULTEGRA 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB06	STEM	Reparto Corse, Alloy 6061, rise +/-7°, 1.1/8", Ext:70mm-44/47cm, 90mm-50/55cm
COLOR	7F - CK16/Black-White full glossy	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 6061, diam. 31.8mm, reach 70mm, drop 120mm, Size: 380mm 44/47cm, 400mm 50/55cm
FRAME	Intenso Dama Bianca carbon, 1.1/8">1.5" headset, BB shell BSA, internal cable routing, compatible mechanical and Di2 electronic, sizes 44-47-50-53-55cm	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	SEATPOST	Reparto Corse Alloy 2014 shaft, forged alloy head, 15mm offset, diam. 31,6mm, Length: 300mm-44/47cm, 350mm-50/55cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 275x154mm
FORK	Bianchi Full Carbon w/Kevlar, 1.5" head	BOTTLE CAGE	Elite Paron Race composit
SHIFTER	Shimano Ultegra ST-R8000 2x11sp	WATER BOTTLE	Bianchi Loli 600ml
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T		
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, band type (34.9mm), 61-66° for 46/53T cl: 43,5mm		
CRANKSET	Shimano FC-RS510 50/34T, Crank Length: 165-44/47cm, 170-50/55cm		
BOTTOM BRACKET	Shimano BB-RS500		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-HG70011 11sp, 11-13-15-17-19-21-23-25-27-30-34T		
BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Fulcrum Racing Sport black clincher, 24,3mm aluminium rims, 18-24 spokes		
TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black		

INTENSO DAMA BIANCA - 105 11SP COMPACT



CODE	YOBF1	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 6061, diam. 31.8mm, reach 70mm, drop 120mm, size: 380mm 44/47cm, 400mm 50/55cm
COLOR	7F - CK16/Black-White glossy (ON PHOTO) 9L - Black/CK16-White glossy	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
FRAME	Intenso Damia Bianca carbon, 1.1/8">1.5" headset, BB shell BSA, internal cable routing, compatible mechanical and Di2 electronic, sizes 44-47-50-53-55cm	SEATPOST	Reparto Corse Alloy 2014 shaft, forged alloy head, 15mm offset, Length: 300mm-44/47cm, 350mm-50/55cm
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 275x154mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	BOTTLE CAGE	Elite Paron Race composit
FORK	Bianchi Full Carbon w/Kevlar, 1.5" head	WATER BOTTLE	Bianchi Loli 600ml
SHIFTER	Shimano 105 ST-R7000 2x11sp		
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black		
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66Ω, max chainring: 46-53T, CL:43.5mm, black		
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 165cm-44/47cm, 170cm-50/55cm		
BOTTOM BRACKET	Fsa BB7420ST, 113MM		
CHAIN	Kmc X11-1 EPT finish, 11sp		
BRAKE	Shimano 105 BR-R7000, w/R55C4 pads, black		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Fulcrum Racing Sport black clincher, 24,3mm aluminium rims, 18-24 spokes		
TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black		
STEM	Reparto Corse Alloy 6061, rise +/-7Ω, 1.1/8", Ext:70mm-44/47cm, 90mm-50/55cm		

INTREPIDA DAMA BIANCA - 105 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBX2	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 6061, diam. 31.8mm, reach 70mm, drop 120mm, Size: 380mm 48cm, 400mm 51/54cm
COLOR	7K - CK16/Black White full glossy	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
FRAME	Intrepida Dam Bianca carbon endurance geometry, headtube 1.5", sizes 48-51-54cm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, 31.6mm, Length: 300mm-48cm, 350mm-51/54cm
SEATPOST CLAMP	X Carbon System diam. 35mm, w/Bianchi logo	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 275x154mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	BOTTLE CAGE	Alloy black
FORK	Bianchi Full Carbon, 1.5" head	WATER BOTTLE	Celeste w/Bianchi logo
SHIFTER	Shimano 105 ST-R7000 2x11sp		
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black		
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66∞, max chainring: 46-53T, CL:43.5mm, black		
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 165mm-48cm, 170mm-51/54cm		
BOTTOM BRACKET	Shimano BB-RS500		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-HG70011, 11-13-15-17-19-21-23-25-27-30-34T		
BRAKE	Shimano BR-R561-L, shoes R55CT4, black		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Shimano WH-RS100		
TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black		
STEM	Reparto Corse Alloy 6061, rise +/-7∞, 1.1/8", Ext: 70mm-48cm, 90mm-51/54cm		

IMPULSO DAMA BIANCA - 105 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBQ5	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext:70mm-44/46cm, 90mm-50/55cm
COLOR	7K - CK16/Black-White glossy	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 6061, diam. 31.8mm, reach 70mm, drop 120mm, size: 380mm 44/46cm, 400mm 50/55cm
FRAME	Impulso Dama Bianca full alloy 6061, hydroforming triple butted, sizes 44-46-50-53-55cm	GRIP / TAPE	Cork w/Bianchi logo
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, 31.6mm, length: 300mm-44/46cm, 350mm-50/55cm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 275x154mm
FORK	Bianchi Alu/Carbon w/Kevlar, 1.1/8"	BOTTLE CAGE	Alloy black
SHIFTER	Shimano 105 ST-R7000 2x11sp	WATER BOTTLE	Celeste w/Bianchi logo
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black		
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black		
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 165-44/46cm, 170-50/55cm		
BOTTOM BRACKET	Shimano SM-BBR60		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-HG70011, 11-13-15-17-19-21-23-25-27-30-34T		
BRAKE	Reparto Corse RC-476, Forged Alloy Dual-Pivot caliper w/cartridge pad		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Shimano WH-RS100		
TIRE	Vittoria Zaffiro 25-622, 700x25, 26TPI, rigid, black		

VIA NIRONE 7 DAMA BIANCA - 105 11SP COMPACT



CODE	YOBY3	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext:70mm-44/47cm, 90mm-50/55cm
COLOR	7K - CK16/Black White full glossy (ON PHOTO) 9L - Black/CK16 White full glossy	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 6061, diam. 31.8mm, reach 70mm, drop 120mm, Size: 380mm 44/47cm, 400mm 50/55cm
FRAME	Via Nirone 7 Dama Bianca alu, hydroforming tubing, internal cable, seat post diam. 31.6mm, sizes 44-46-50-53-55cm	GRIP / TAPE	Cork w/Bianchi logo
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, Length: 300mm-44/46, 350mm-50/55cm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	SADDLE	Selle Royal, steel rails, PVC cover, 275x155mm
FORK	Bianchi Alu/Carbon w/Kevlar, 1.1/8" head	BOTTLE CAGE	Alloy black
SHIFTER	Shimano 105 ST-R7000 2x11sp	WATER BOTTLE	Bianchi Loli 600ml
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment		
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black		
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 165-44/46cm, 170-50/55cm		
BOTTOM BRACKET	Fsa BB7420ST, 113MM		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-HG70011, 11-13-15-17-19-21-23-25-27-30-34T		
BRAKE	Shimano BR-R561-L, shoes R55CT4, black		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Shimano WH-RS100		
TIRE	Vittoria Zaffiro 25-622, 700x25, 26TPI, rigid, black		

VIA NIRONE 7 DAMA BIANCA - SORA 9SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBF3	RIM/WHEELSET	Reparto Corse ABR-1, alloy double wall, 700c 622x17c, 2-14H F/V
COLOR	7K - CK16/Black-White glossy 9L - Black/CK16-White glossy (ON PHOTO)	TIRE	Vittoria Zaffiro 25-622, 700x25, 26TPI, rigid, black
FRAME	Via Nirone 7 Dama Bianca alu, hydroforming tubing, internal cable, seat post diam. 31.6mm, sizes 44-46-50-53-55cm	STEM	Reparto Corse, Alloy 6061, rise +/-∞, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/55cm
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 6061, diam. 31.8mm, reach 70mm, drop 120mm, Size: 380mm 44/47cm, 400mm-50/55cm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	GRIP / TAPE	Cork w/Bianchi logo
FORK	Bianchi Alu/Carbon w/Kevlar, 1.1/8"	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, 31.6mm, Length: 300mm-44/46cm, 350mm-50/55cm
SHIFTER	Shimano Sora ST-R3000 2x9sp	SADDLE	Selle Royal, steel rails, PVC cover, 275x155mm
REAR DERAILLEUR	Shimano Sora RD-R3000 GS 9sp, Max 34T	BOTTLE CAGE	Alloy black
FRONT DERAILLEUR	Shimano Sora FD-R3000 9sp, band type 34.9mm	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Shimano FC-R345-L 50x34T Octalink, Crank Length: 170-44/55cm		
BOTTOM BRACKET	Shimano BB-ES300		
CHAIN	Kmc X9 9sp		
CASSETTE / FREEWHEEL	Shimano CS-HG400-9, 11-13-15-17-20-23-26-30-34T		
BRAKE	Reparto Corse RC-476, Forged Alloy Dual-Pivot caliper w/cartridge pad		
BRAKE LEVER	included w/shifters		
FRONT HUB	Formula RB-72 alloy, 2 sealed bearings, 14G*100*108mm, 28H, w/qr		
REAR HUB	Formula RB-55 alloy, 2 sealed bearings, 14G*130*140mm, 28H, w/qr		



MODELS
IN THIS CATEGORY

AQUILA CV

PICO ALU

OLTRE XR4 TRIATHLON

ARIA TRIATHLON

TIME TRIAL / TRIATHLON

PROJECT PHILOSOPHY


- TT & Triathlon bikes are developed to obtain the best performance to win against the clock in professional racing.
- Super aerodynamic shape, lightweight and rigid.

TARGET CONSUMER

- Those who want a pure speed machine with no compromises
- The rider who has a racing mindset and a competitive attitude
- Triathletes

POSITIONING

- Hi-Modulus Carbon fiber Monocoque frame with the innovative Countervail® material technology to cancel vibrations
- Dedicated geometry with the seat tube angle 76.5°, head tube angle 72°
- The horizontal rear adjustable dropouts are built to minimize the distance between the rear wheel and the seat tube, reducing the turbulence between the disc rear wheel and the oversize seat tube
- Compatible mechanics and electronic with fully internal cable routing
- Stiff and light weight : 1.450 gr
- Sizes: XS - S - M - L
- Fork full carbon, straight blades with covered V-brakes




reparto corse

MORE ENERGY
MORE CONTROL

TECHNOLOGY
 COUNTERVAIL®

GEOMETRY – TIME TRIAL & TRIATHLON

MIS	A	B	C	D	E	F	G	G1	Y	X
XS	460	500	398	75	80	563	76.5°	72°	483	378
S	550	530	398	75	90	590	76.5°	72°	492	403
M	580	555	398	75	120	618	76.5°	72°	521	422
L	610	580	398	75	150	645	76.5°	72°	550	440



SUPER AERO HANDLEBAR

Aquila CV features full NACA (National Advisory Committee for Aeronautics) airfoil shape of the handlebar (designed by Bianchi), smoothly integrated into the form of the frontal area of the frame. All cabling and wires are run internal to the bar to exclude them from wind drag.

Three different stem lengths:

- 1 - 90mm
 - 2 - 115mm
 - 3 - 140mm
-



CONCEALED BRAKES

Bianchi's experience in the wind tunnel combined with CFD simulations confirms that the front area of the bicycle is the most important when considering aerodynamic drag. With this in mind, Bianchi engineered a customized front tube cover, made in carbon, to smoothly hide the V-brake system. The rear V-brake is positioned in the bottom-bracket area to minimize the aerodynamic drag.

DOUBLE POSITIONING SEATPOST

The aluminum seatpost clamp of the Aquila CV features 2 different positions to allow road TT and triathlon configuration with +/- 18mm setback.



AQUILA CV - ULTEGRA 11SP 52/36



CODE	Y0BF4	BRAKE LEVER	Shimano Dura Ace BL-TT79 for TT/Triathlon
COLOR	1D - CK16/Black Glossy	RIM/WHEELSET	Fulcrum Racing 418, C17 rims
FRAME	Aquila CV carbon w/Countervail, Mechanical/Electronic shifting compatible, PressFit 86,5x41mm, w/carbon cover, size XS-SM-MD-LG	TIRE	Vittoria Rubino Pro G+ Isotech graphene, 700x25, 150TPI, folding, full black
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 2pcs, celeste color w/Bianchi logo	STEM	included in the handlebar
HEADSET	Fsa No.8-R, 1.1/8" 45/45 SL alloy ACB Alloy bearings	HANDLEBAR	Bianchi Aero Carbon Fully Integrated flat custom handlebar and stem, width 41mm, stem length 90mm-XS/SM, 110mm-MD, 130mm-LG, top cap included, Di2/EPS compatible, w/FSA bar ends length 260mm
FORK	Bianchi Full Carbon w/Countervail, 1.1/8", with pivot V-brake, blades straight with brake covered	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
SHIFTER	Shimano Dura Ace SL-BSR1 2x11sp, Bar end type	SEATPOST	Bianchi Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, Length: 300mm-XS/SM, 350mm-MD/LG
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double	SADDLE	Fi'zi:k Mistica MG, nylon carbon reinforced, carriage kit, extra grip cover, rail S alloy
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43,5mm		
CRANKSET	Shimano Ultegra FC-R8000 52x36T, Hollowtech II, Crank Length: 165mm-XS, 170mm-SM, 172.5mm-MD, 175mm-LG		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter		
CHAIN	Shimano Ultegra CN-HG701-11, 11sp		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Bianchi Aero-860-BI, Alloy Forged and CNC aluminum arms, Individual spring tension screws left and right, Standard replaceable cartridge pads (2pcs), brake pad for alloy rim		

AQUILA CV - FRAME KIT



CODE	XOB28
COLOR	1D - CK16/Black Glossy
FRAME	Aquila CV carbon w/Countervail, Mechanical/Electronic shifting compatible, PressFit 86,5x41mm, w/carbon cover, size XS-SM-MD-LG
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 2pcs, celeste color w/Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No.8-R, 1.1/8" 45/45 SL alloy ACB Alloy bearings
FORK	Bianchi Full Carbon w/Countervail, 1.1/8", with pivot V-brake, blades straight with brake covered
BRAKE	Bianchi Aero-860-BI, Alloy Forged and CNC aluminum arms, Individual spring tension screws left and right, Standard replaceable cartridge pads (2pcs), brake pad for alloy rim
STEM	included in the handlebar
HANDLEBAR	Bianchi Aero Carbon Fully Integrated flat custom handlebar and stem, width 41mm, stem length 90mm-XS/SM, 110mm-MD, 130mm-LG, top cap included, Di2/EPS compatible, w/FSA bar ends length 260mm
SEATPOST	Bianchi Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, lenght 300mm for XS-SM; 350mm for MD-LG

PICO ALU - 105 11SP COMPACT



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB43	HANDLEBAR	Vision Team alloy AL6066TB, internal cable routing, clamp 31.8mm, width: 400mm-51/55cm, 420mm-57/61cm, UCI legal
COLOR	ZT - Black/Celeste White	GRIP / TAPE	Cork w/Bianchi logo
FRAME	Pico Alu TT/Triathlon, sizes: 51-53-55-57-59-61cm	SEATPOST	Bianchi Aero Carbon
HEADSET	Fsa Orbit C ACB 1.1/8"; 45/45∞ Micro Angular Contact bearings, w/cap 25mm	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
FORK	Bianchi Alu/Carbon 1.1/8">1.5", straight blade aero	BOTTLE CAGE	Alloy black
SHIFTER	Shimano Dura Ace SL-BSR1 2x11sp, Bar end type	WATER BOTTLE	Celeste w/Bianchi logo
REAR DERAILLEUR	Shimano 105 RD-R7000 SS 11sp, top normal shadow design, direct attachment, black		
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, brazed-on type, 61-66∞, max chainring: 46-53T, CL :43.5mm, black		
CRANKSET	Shimano FC-RS510 52x36T, Crank Length: 170mm-51/53cm, 172.5mm-55/59cm , 175mm-61cm		
BOTTOM BRACKET	Fsa BB7420ST, 113MM		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano BR-R561-L, shoes R55CT4, black		
BRAKE LEVER	Tektro RX 4.1 forged aluminium lever, designed for 19,6mm ID extension bars, return spring & reach adjustment		
RIM/WHEELSET	Shimano WH-RS100		
TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black		
STEM	Reparto Corse Alloy 6061, rise +/-7∞, 1.1/8", Ext:70mm		

OLTRE XR4 TRIATHLON - DURA ACE 11SP 52/36



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB05	BRAKE LEVER	included w/shifters
COLOR	BZ-Black matt/CK16 graph glossy, 1D- CK16 Glossy /Black Glossy, Tavolozza	RIM/WHEELSET	Zipp 404/808 Firecrest, Carbon Clincher Rim Brake 700c, Profile F: 58mm R:82mm
FRAME	Oltre XR4 carbon w/Countervail, mechanical/electronic shifting compatible, head tube 1.4" - 1.1/8", direct mount brakes, PressFit 86.5x41mm BB, sizes 44-47-50-53-55-57-59-61cm	TIRE	Vittoria Corsa G+ Isotech graphene, 700x25c, 320TPI, Folding, color antracite/black
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	STEM	Vision TriMax Carbon OS stem, 31.8mm, +/-6°, Ext: 80mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61cm
SEATPOST CLAMP	included in the frame	HANDLEBAR	Vision Metron 4D Flat M.A.S w/UD carbon extension lenght: 230-290mm
HEADSET	Fsa Orbit C-33, 1.1/8"-1.4", 45°- 45° ACB bearings, w/Carbon custom cap for normal stem, for 47mm/52mm OD head tube	GRIP / TAPE	Black soft Microfiber tapes w/shockproof Eva-139, size: 200*3cm with 4 line hole and plug
FORK	Bianchi Full Carbon Aero w/Countervail, 1.1/8>1.4" integrated head	SEATPOST	Oltre Full Carbon Aero; clamp with alloy head adjustable and reversible +/- 35mm, length: 250mm-44/47cm, 300mm-50/53cm, 350mm-55/59cm, 380mm-61cm, Setback: 25mm/-10mm
SHIFTER	Shimano Dura Ace ST-R9100 2x11sp	SADDLE	Fi'zi:k Arione TRI2 mg, nylon carbon reinforced shell, S alloy rails, Integrated Clip System
REAR DERAILLEUR	Shimano Dura Ace RD-R9100 SS 11sp, shadow design, direct attachment	BOTTLE CAGE	Reparto Corse Carbon fiber, UD matt finish
FRONT DERAILLEUR	Shimano Dura Ace FD-R9100 11sp, brazed-on type	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Shimano Dura Ace FC-R9100, Hollowtech II, 52x36T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB92-41B, PressFit Road		
CHAIN	Shimano Dura Ace CN-HG901-11		
CASSETTE / FREEWHEEL	Shimano Dura Ace CS-R9100 11sp, 11-12-13-14-15-17-19-21-23-25-28T		
Brake	Shimano Dura Ace BR-R9110 direct mount type, pad R55C4		

ARIA TRIATHLON - ULTEGRA 11SP 52/36



CODE	YOB50	TIRE	Vittoria Zaffiro Pro Slick 700x25c, 60TPI, Folding, black
COLOR	A1 - Black/Silver-Crhome full glossy	STEM	Reparto Corse 3D Forged alloy 6061, rise -8°, 1.1/8", Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
FRAME	Aria carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, sizes 44-47-50-53-55-57-59-61cm	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
SEATPOST CLAMP	included in the frame	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.1/4", 45°/45° ACB steeel bearings, w/15mm top cap for 47mm/52mm OD head tube	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
FORK	Bianchi Full Carbon Aero 1.4">1.1/8", integrated head	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
SHIFTER	Shimano Ultegra ST-R8000 2x11sp	BOTTLE CAGE	Elite Paron Race composit
REAR DERAILLEUR	Shimano Ultegra 11 RD-R8000 SS 11sp, top normal shadow design, direct attachment, max 25-30T for double	WATER BOTTLE	Bianchi Loli 600ml
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43,5mm		
CRANKSET	Shimano Ultegra FC-R8000 52x36T, Hollowtech II, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano Ultegra BR-R8000, w/shoe R55C4		
BRAKE LEVER	included w/shifters		
RIM/WHEELSET	Vision Team 35 Comp, Alloy 35 mm profile clincher rims		



MODELS
IN THIS CATEGORY

ZOLDER PRO

ZURIGO


CYCLOCROSS

PROJECT PHILOSOPHY

Frames developed to obtain the best performance in specific cyclo-cross conditions, combining lightweight and resistance. Carbon and aluminum frames to satisfy the different needs in term of price and performance.

ZOLOIDER pro


reparto corse




GEOMETRY

MIS

A	B1	C	D	E	F	G	G1	H	I	X	Y	WB
480	510	425	53	100	590	75.5°	70.5°	45	400	378	510	1009
500	525	425	58	115	600	75°	70.5°	45	400	383	529	1018
520	535	425	60	125	601	74.5°	71°	45	400	385	542	1019
540	545	425	60	135	602	74°	71.5°	45	400	386	554	1020
560	560	425	62	145	606	73.5°	72°	45	400	391	569	1024
580	575	425	62	160	611	73°	72.5°	45	400	396	583	1028



Zurigo




reparto corse

GEOMETRY

MIS

A	B1	BS	C	D	E	F	G	G1	Y	X
490	525	510	425	65	115	582	74°	71°	530	371
520	535	523	425	65	125	588	74°	71.5°	540	378
550	550	540	425	65	140	595	73.5°	72°	556	384
570	560	551	425	65	155	605	73.5°	72°	570	390
590	575	567	425	65	170	615	73°	72°	585	395
610	585	577	430	65	190	616	72.5°	72.5°	606	396



ZOLDER PRO - ULTEGRA/105 11SP COMPACT HYDR. BRAKE



CODE	YOB51	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
COLOR	1D - CK16/Black full Glossy	RIM/WHEELSET	Shimano WH-RS170, Shimano e-Thru f:12x100mm p:12x142mm, clincher 622x17C
FRAME	Zolder Pro carbon, disc brake flat mount, PressFit 86.5x41 BB, headset 1.5"-1.1/8", thru axle 12x142mm, sizes 48-50-52-54-56-58-cm	TIRE	Vittoria Terreno Mix TNT G+ 33-622/700x33c, nylon 120TPI, foldable
SEATPOST CLAMP	Promax MX-112C Aluminium clamp, light weight, diam. 31,8mm anti-crimp, finish black	STEM	Reparto Corse 3D Forged alloy 2014-T6, rise +/- 6°, 1.1/8", Ext: 90mm-49cm, 100mm-52/54cm, 110mm-56cm, 120mm-58cm, 130mm-60cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-48/50cm, 420mm-52/56cm, 440mm-58cm
FORK	Bianchi Full carbon 1.5"-1.1/8", disc brake flat mount, thru axle 12x100mm	GRIP / TAPE	Cork w/Bianchi logo
SHIFTER	Shimano 105 ST-R7020 2x11sp Hydraulic disc brake	SEATPOST	Reparto Corse carbon UD shaft, forged alloy head, diam 27.2mm, 15mm offset, length 350mm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 SS 11sp, top normal shadow design, direct attachment, Max 25-30T for double	SADDLE	Selle Royal Asphalt GF, filo rail, soft performance cover, 280x149mm
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, brazed-on type, 61-66°, max chainring 46-53T, CL: 43.5mm, black	BOTTLE CAGE	Alloy black
CRANKSET	Shimano FC-RS510 46x36T, Crank Length: 170mm-48/52cm, 172.5mm-54/58cm	WATER BOTTLE	Celeste w/Bianchi logo
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter		
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano BR-R7070 flat mount hydraulic disc brake		
BRAKE LEVER	included w/shifters		

ZOLDER PRO - FRAME KIT



CODE	XOB26
COLOR	1D - CK16 Glossy
FRAME	Zolder Pro carbon, disc, flat mount, PressFit BB 86.5x41mm, headset 1.5"- 1.1/8", thru axle 12x142mm, sizes 48-50-52-54-56-58cm
SEATPOST CLAMP	Promax MX-112C Aluminium clamp, light weight, diam. 31,8mm anti-crimp, finish black
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap
FORK	Bianchi Full carbon 1.5"-1.1/8", disc, flat mount, thru axle 12x100mm

ZURIGO - TIAGRA 10SP COMPACT MECH. BRAKE



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB45	REAR HUB	Formula RX-2611 alloy disc, 6-bolt, J-BEND, 2SB, 32H, 135mm*145mm, w/qr
COLOR	C1 - Celeste/Black	RIM/WHEELSET	Reparto Corse ATD470 AI6061 disc, 700c, 622x17, profile 22mm, 32mm tire compatible, 32 hole, tubeless ready
FRAME	Zurigo cyclocross, Disc Brake, HT 1.1/8">1.5", PF30, seatpost 31.6mm, post mount disc, sizes 49-52-55-57-59-61cm	TIRE	Kenda Happy Medium 700X35c, wire bead, 30 tpi
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext:90mm-49/52cm, 100mm-55cm, 110mm-57/59cm, 120cm-61cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed ACB Bearings 1.1/8" ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes), w/15mm alloy cap	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Size: 420mm-49/52cm, 440mm-55/61cm
FORK	Bianchi AI6061/Carbon post mount disc, 1.1/8">1.5"	GRIP / TAPE	Cork w/Bianchi logo
SHIFTER	Shimano Tiagra ST-4700 2x10sp	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, Length 350mm
REAR DERAILLEUR	Shimano Tiagra RD-4700 GS direct attachment, compatible with low gear 28-34T for double, 25-32T for triple	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 280x145mm
FRONT DERAILLEUR	Shimano Tiagra FD-4700, band type (34.9mm)	BOTTLE CAGE	Alloy black
CRANKSET	Shimano Tiagra FC-4700 50x34T, w/BB (BSA), Crank Length: 170mm-49/52cm, 172.5mm-55/59cm, 175mm-61cm	WATER BOTTLE	Celeste w/Bianchi logo
BOTTOM BRACKET	Fsa BB7420ST, 113MM		
CHAIN	Shimano Tiagra CN-HG500		
CASSETTE / FREEWHEEL	Shimano Tiagra CS-HG500-10, 11-12-14-16-18-20-22-25-28-32T		
BRAKE	Avid BB5 mechanical disc brake, post mount caliper		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Avid G2 160mm, steel, 6 bolt		
FRONT HUB	Formula RX-25 alloy disc, 6-bolt, J-BEND, 2SB, 32H, 100mm*108mm, w/qr		





MODELS
IN THIS CATEGORY

PISTA STEEL

PISTA SEI GIORNI

PISTA FIXED GEAR

PROJECT PHILOSOPHY

In the US the messengers bikes started being a "cool" factor to kids who were growing out of skateboarding. Also in Europe it has become fashionable as life style. Track bikes for track use that are sold for urban use.

PISTA STEEL



CODE	YEBC1	STEM	Alloy AL6061, diam 25.4MM, rise -15° for ext: 90mm-49/51cm, rise -17° for 110mm-53/55cm, rise -7° for 120mm-57/59cm, rise -17° 130mm-61cm
COLOR	CP - Chrome CK - Celeste	HANDLEBAR	Steel, width: 420mm for all sizes, diam. 26mm
FRAME	Bianchi track frame, butted Cr-Mo main tubes w/ PG CrMo rear stays, Tig welded, w/track dropouts, size: 46-49-51-53-55-57-59-61cm	GRIP / TAPE	Cork w/Bianchi logo
SEATPOST CLAMP	M6 bolt Cr-Mo	SEATPOST	Alloy, diam. 27.2mm, L. 250mm
HEADSET	VP-A34C, 1" steel, semi-cartridge sealed	SADDLE	Bianchi, steel satin rail
FORK	Bianchi Cr-Mo Tig Welded 1"	PEDALS	WellGo LU-895, toe-clip compatible
CRANKSET	Fsa Tempo Track 48T, JIS/3/32", crank length: 165mm-49/53cm, 170mm-55/59cm, 172.5mm-61/63cm		
BOTTOM BRACKET	Fsa BB-7420ST, cartridge, seal bearings, steel cup, JIS 68/110.5mm		
CHAIN	Kmc Z-50 1/2x3/32"		
CASSETTE / FREEWHEEL	Shimano SS-7600, 16T fixed sprocket, 1/2"x3/32" + freewheel sprocket 16T assembled on the left side		
BRAKE	RC-452, Alloy dual pivot w/normal pad		
BRAKE LEVER	Tektro RL-721, alloy		
FRONT HUB	Joytech JY-165SBT/A alloy, ball bearing, 36hx14G, OLD 100mm		
REAR HUB	Joytech JY-166SBT/A alloy, flip/flop hub, ball bearing 36hx14G, OLD 120mm		
RIM/WHEELSET	DA-17 Alloy double wall 36hx14G, CNC machined		
TIRE	Vittoria Zaffiro Slick, 25-622, 700x25, 26TPI, rigid, black		

PISTA SEI GIORNI ALU



CODE	YEBC2	STEM	Alloy AL6061, -7°, diam. 26mm, ext: 90mm-49/51cm, 110mm-53/55cm, 120mm-57/61cm
COLOR	KW - Black, graph/CK glossy	HANDLEBAR	Steel, width: 420mm for all size, diam. 26mm
FRAME	Bianchi Pista Alu, size: 49-51-53-55-57-59-61-63cm	GRIP / TAPE	Cork w/Bianchi logo
SEATPOST CLAMP	Alloy clamp, diam 34.9mm		
HEADSET	Fsa Orbit CE Plus, 1.1/8", w/8.7mm carbon top cover, 7075 Alloy Crown race		
FORK	Bianchi 1.1/8" w/alloy steerer and carbon straight aero blade		
CRANKSET	Sram Touro 1.1, 3/32"x 48T, for Power Spline, Crank length: 165mm-49/53cm, 170mm-55/63mm		
BOTTOM BRACKET	Sram Power Spline, cartridge, sealed bearing, 68/108mm		
CHAIN	Kmc Z610H 1/2X3/32"		
CASSETTE / FREEWHEEL	Shimano SS-7600, 16T fixed sprocket, 1/2"x3/32" + freewheel sprocket 16T assembled on the left side		
BRAKE	Reparto Corse RC-471E Forged Alloy Dual-Pivot caliper brake w/cartridge pad (only front)		
BRAKE LEVER	Tektro RL720, Alloy, left side only		
FRONT HUB	Joytech JY-165SBT/A Alloy, ball bearing, 36hx14G, OLD 100mm		
REAR HUB	Joytech JY-166SBT/A Alloy, flip/flop hub, ball bearing, 36hx14G, OLD 120mm		
RIM/WHEELSET	AlexRims ATD550, 700c 622x17		
TIRE	Vittoria Zaffiro Slick, 25-622, 700x25, 26TPI, rigid, black		





MODELS
IN THIS CATEGORY

L'EROICA

VINTAGE

PROJECT PHILOSOPHY

We developed the road steel vintage bikes following Bianchi's historical knowledge and frame construction expertise from the 20th century.

Bianchi L'Eroica®

PRODUCT FEATURES

- Columbus Zona lugged steel frame – Designed and Made in Italy
- Lugged steel fork – Designed and Made in Italy
- Chrome lugged steel finish
- Seatube dimension: 27.2mm
- Lugged head tube 1", down tube shifters, milled seat stay
- Italian BB set, straight dropout with adjuster
- Sizes: 50, 53, 55, 57, 59, 61, 63cm

DESIGNED AND MADE
IN ITALY




THE MODEL IS CERTIFIED BY L'EROICA'S COMMISSION TO RIDE IN ALL EROICA EVENTS.

GEOMETRY

MIS

A1	B1	C	D	E	F	G	G1	Y	X
500	525	412	68	95	580	74.5°	71.5°	512	382
530	535	414	68	100	581	74°	72°	519	385
550	550	415	68	120	589	73.5°	72.5°	539	390
570	560	416	68	140	599	73.5°	72.5°	558	394
590	575	418	68	155	605	73°	73°	574	399
610	585	420	68	175	609	72.5°	73°	593	398
630	595	420	68	195	619	72.5°	73°	612	402



L'EROICA - CAMPAGNOLO 10SP COMPACT



CODE	YLBJ8	REAR HUB	Aluminium 6061, wide flange, sealed bearing, O.L.D. 130mm, 32 hole, Campagnolo cassette body in alloy, silver anodized with qr, with Bianchi old style logo
COLOR	AA - Celeste Bianchi original/chrome, red glossy	RIM/WHEELSET	Ambrosio Montreal 622x13c, aluminium double wall, anodized silver, 32hole, tubular
FRAME	Eroica Steel lugged with Columbus Zona tubing, seatube 27.2mm, head tube 1" lugged chromo finish, down tube for shifter, milled seat stay, BBset ITA, straight dropout with adjuster, Sizes (Center to top): 50-53-55-57-59-61-63cm	OPTION WHEELSET1	Ambrosio Excellence 622x13c, aluminium double wall, anodized silver, 32hole, clincher
HEADSET	Aluminium 6061, diam. 1" 26.4mmx30.2mm, threaded steerer tube, cartridge bearing, silver anodized	TIRE	Vittoria Rally 25mm, 28" tubular para/black
FORK	Bianchi Steel lugged with head chromo finish	TIRE OPTION	Vittoria Zaffiro Pro III 700x25, 60TPI, Folding, para/black
SHIFTER	Dia-Compe W-Shift lever, down tube use, 2x10sp, color silver	STEM	Aluminum cold forged, angle 70°, diam. 26mm, silver buffed anodized, with Bianchi old style logo, ext: 80mm (130mm leg)-46/53cm, 100mm(180mm leg)-55/61cm
REAR DERAILLEUR	Campagnolo Silver vintage 10sp short cage	HANDLEBAR	Classic racing bar, aluminium silver anodized, diam. 26mm, width 380mm (drop 125mm)-400-420mm (drop145mm) size: 380mm-50cm, 400mm-53/57cm, 420mm-59/63cm
FRONT DERAILLEUR	Campagnolo Silver vintage 9/10sp band type 31,8mm w/adapter alloy Fsa from 31,8 to 28,6mm	GRIP / TAPE	Velo Cotton tape with silver cups
CRANKSET	Aluminum arm cold forged, polished finish silver, with Bianchi old style logo, chainring 48/36T, crank length: 165mm-50cm, 170mm-53/63cm	SEATPOST	Aluminium 6061, diam. 27.2mm, silver anodized
BOTTOM BRACKET	Italian 70x116mm	SADDLE	Brooks Team Pro Classic, tubular rivet, chrome rail, 273x160mm, height 67mm
CHAIN	Campagnolo Veloce 10sp	BOTTLE CAGE	Elite Ciussi silver
CASSETTE / FREEWHEEL	Campagnolo Veloce UD 10sp 13-29T	WATER BOTTLE	Celeste w/Bianchi logo
Brake	Dia-Compe Aluminum CNC Machined, dimension 47-61mm, silver anodized	PEDAL	VP-189T barrel polished aluminium, cage ED black, axle 7mm crmo, ball bearing, Toe clip Cp steel length M (size 50-53-55); length L (size 57-59-61-63), Toe strap in leather white color.
Brake Lever	Aluminium bracket diecast, aluminium plate lever silver color, cable adjuster hoods rubber brown color		
Front Hub	Aluminium 6061, wide flange, sealed bearing, O.L.D. 100mm, 32 hole, silver anodized with QR, with Bianchi old style logo		

L'EROICA - FRAME KIT



CODE XLBJ8

COLOR AA - Celeste Bianchi

FRAME Bianchi L'Eroica lugged steel frame with Columbus Zona tubing double butted, seatube diam. 27.2mm, head tube 1", lugged chromo finish, shifters pivot on down tube, milled seat stay, Italian BBSet, straight dropout with adjuster, sizes (Center to top): 50-53-55-57-59-61-63cm

SEATPOST CLAMP Steel heat treated bolt, 8*M6*22mm, with anti-pin and two washer

HEADSET Aluminium 6061, 1", diam. 26.4mmx30.2mm, threaded steerer tube, cartridge bearing, silver

FORK Bianchi Steel lugged fork, head w/chromo finish



**MODELS
IN THIS CATEGORY**

IMPULSO ALLROAD

VIA NIRONE 7 ALLROAD

VOLPE

Lupo

STRADA

ORSO

ALL ROAD

PROJECT PHILOSOPHY

- Designed for the riders who have changed the road racing mentality in something different.
- They want a different bike compared to a “classic” road racing bike
- They want a bike to take part in a Marathon, but to be free to explore the raw finish roads

TARGET CONSUMER

The ALLROAD bike can be used in a Marathon event but also will take you out to explore the rough roads.

POSITIONING

A bike for every cycling experience: road, commuting, multi-days tourism and cyclocross. One bike to rule them all.

COURSE/TERRAIN

Asphalt, gravel roads, mixed terrain.

END USE DESTINATION

Impulso AllRoad has a racing attitude but is projected for those who burned out from monastical racing life and looks for the adventurous side of cycling.

K Y FEATURES

- New Aluminium frame disc brake specific
- Full carbon fork disc brake specific
- Mudguards ready
- 40mm tires compatible
- Handlebar with 16° flare angle to enhance manoeuvrability

PRODUCT FEATURES

- New lightweight Aluminium frame
- QR50 Thru Axle 12x100/142mm with aluminium QR lever (M12 x P1.5)
- BB set PF41 Shimano
- Flat mount (Shimano standard) disc caliper mount
- 40mm tires compatible
- Full carbon fork 1.1/8"
- Mudguards and carriers ready
- 8 sizes: 47, 50, 53, 55, 57, 59, 61, 63cm

LIGHTWEIGHT

PRICE

DESIGN

COMFORT

PERFORMANCE

6

9

7

6

8


TECHNOLOGY

▲ B A T ▼

TRIPLE HYDROFORMED TECHNOLOGY

GEOMETRY – ENDURANCE

A1	AS	B1	BS	C	D	E	F	G	G1	Y
470	450	515	500	437	68	120	74.5°	70°	538	366
500	470	525	509	437	68	125	74.5°	71°	546	374
530	500	535	518	440	68	130	74°	71.5°	553	377
550	520	550	534	440	68	145	73.5°	71.5°	567	382
570	540	560	544	440	68	155	73.5°	72°	578	389
590	570	575	559	443	68	175	73°	72°	597	392
610	580	585	568	443	68	185	72.5°	72.5°	610	393
630	610	595	578	443	68	210	72.5°	72.5°	632	369



IMPULSO ALLROAD - 105 11SP COMPACT HYDR. BRAKE



CODE	YOB8C	BRAKE LEVER	included w/shifters
COLOR	1D - CK16/Black full glossy (ON PHOTO) KW - Black/CK16-Graphite full matt	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
FRAME	Impulso Allroad Alu, 1.1/8" HT, seatpost diam. 31.6mm, thru axle 12x142mm, flat mount, PF41 SHIMANO, compatible with 40mm tire, mudguard and rear carrier ready, sizes 47-50-53-55-57-59-61-63cm	FRONT HUB	Formula CL-712 road disc, Center Lock, J-bend spokes, Thru axle 12x100mm, 2SB bearings
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	REAR HUB	Formula RXC-142S road disc, center lock, J-bend, thru axle 12x142mm, 4SB bearings
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	RIM/WHEELSET	Reparto Corse CDX22 disc 700c, 622-17, profile 22mm, 32hole, tubeless ready
FORK	Bianchi Full Carbon 1.1/8", flat mount caliper, thru axle 12x100mm	TIRE	Kenda Flintridge 700x35, 60TPI, black
SHIFTER	Shimano 105 ST-R7020 2x11sp Hydraulic disc brake	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 90mm-47/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black	HANDLEBAR	Reparto Corse Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120mmx40cm and 130mmx42/46cm, size: 40cm-47/53cm, 42cm-55/59cm, 44cm-61/63cm
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 34.9mm band type, 61-66°, max chainring: 46-53T, CL:43.5mm, black	GRIP / TAPE	Cork w/Bianchi logo
CRANKSET	Shimano FC-RS510 50x34T, Crank Length: 170mm-44/53cm, 172.5mm-55/59cm, 175mm-61/63cm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, 31.6mm, length: 300mm-47cm, 350mm-50/63cm
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 280x145mm
CHAIN	Kmc X11-1 EPT finish	BOTTLE CAGE	Alloy black
CASSETTE / FREEWHEEL	Shimano 105 CS-HG70011, 11-13-15-17-19-21-23-25-27-30-34T	WATER BOTTLE	Celeste w/Bianchi logo
BRAKE	Shimano BR-RS505, flat mount, hydraulic disc brake		

IMPULSO ALL ROAD - TIAGRA 10SP COMPACT MECH. BRAKE



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB1C	FRONT HUB	Formula CL-712 road disc, Center Lock, J-bend spokes, Thru axle 12x100mm, 2SB bearings
COLOR	1D - CK16/Black Glossy	REAR HUB	Formula RXC-142S road disc, center lock, J-bend, thru axle 12x142mm, 4SB bearings
FRAME	Impulso Allroad Alu, 1.1/8" HT , seatpost diam. 31.6mm, thru axle 12x142mm, flat mount, PF41 SHIMANO, compatible with 40mm tire, mudguard and rear carrier ready, sizes 47-50-53-55-57-59-61-63cm	RIM/WHEELSET	Reparto Corse CDX22 disc 700c, 622-17, profile 22mm, 32hole, tubeless ready
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	TIRE	Kenda Kwick Tendril 700x35c 35-622 , 60TPI, SRC compound, Iron Cap protection, wire bead , black
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 90mm-47/53cm, 100mm-55cm, 110mm-57/59cm,120mm-61/63cm
FORK	Bianchi Full Carbon 1.1/8", flat mount caliper, thru axle 12x100mm	HANDLEBAR	Reparto Corse, alloy 6061 diam. 31,8mm, reach 70mm, flare angle 16°, drop c/c 120-40cm, drop 130mm42/46cm, size: 40cm-47/53cm, 42cm-55/59cm, 44cm-61/63cm
SHIFTER	Shimano Tiagra ST-4700 2x10sp	GRIP / TAPE	Cork w/Bianchi logo
REAR DERAILLEUR	Shimano Tiagra RD-4700 GS direct attachment, compatible with low gear 28-34T for double, 25-32T for triple	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam 31.6mm, Length: 300mm-47cm, 350mm-50/63cm
FRONT DERAILLEUR	Shimano Tiagra FD-4700, band type (34.9mm)	SADDLE	Selle Royal, w/hole, steel rail, PU soft touch cover, 280x145mm
CRANKSET	Shimano FC-RS400 50x34T, Crank length: 170mm-47/57cm, 175mm-59/63cm		
BOTTOM BRACKET	Shimano Tiagra BB-RS500-PB, PressFit		
CHAIN	Shimano CN-HG54 10sp		
CASSETTE / FREEWHEEL	Shimano Tiagra CS-HG500-10, 11-13-15-17-19-21-23-26-30-34T		
BRAKE	Shimano BR-RS305, cable disc brake, resin pad		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT64, Center Lock, 160mm		

POSITIONING

The entrance door for every riding experience: road, commuting, cyclocross and tourism.

COURSE/TERRAIN

Asphalt, gravel roads, mixed terrain.

END USE DESTINATION

Via Nirone 7 AllRoad has a racing attitude but is projected for those who burned out from monastical racing life and looks for the adventurous side of cycling.

K Y FEATURES

- New aluminium frame disc brake specific
- Alu/carbon fork disc brake specific
- Mudguards ready
- 40mm tires compatible
- Handlebar with 16° flare angle to enhance manoeuvrability

PRODUCT FEATURES

- New aluminium frame with hydroforming tubing
- 68mm BSA BB set
- Flat mount system (Shimano standard)
- 40mm tires compatible
- Alu/carbon fork 1.1/8" with 12x100mm thru axle
- Mudguards and carriers ready
- 8 sizes: 47, 50, 53, 55, 57, 59, 61, 63cm

LIGHTWEIGHT

PRICE

DESIGN

COMFORT

PERFORMANCE


TECHNOLOGY

▲ B A T ▼

K-VID

GEOMETRY

A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
470	450	515	499	437	68	120	588	74.5°	70°	538	355
500	470	525	509	437	68	125	589	74.5°	71°	546	374
530	500	535	514	440	68	130	590	74°	71.5°	553	377
550	520	550	534	440	68	145	600	73.5°	71.5°	567	382
570	540	560	544	440	68	155	605	73.5°	72°	578	389
590	560	575	558	443	68	175	614	73°	72°	597	392
610	580	585	566	443	68	185	615	72.5°	72.5°	609	393
630	600	595	578	443	68	210	624	72.5°	72.5°	632	396



VIA NIRONE 7 ALLROAD - SORA 9SP COMPACT MECH. BRAKE



CODE	YOB2C	REAR HUB	Formula CL-26 alloy disc, 2 sealed bearing, 32h, 135mm*145mm, w/qr
COLOR	KW - Black matt/ck/titan outline glossy	RIM/WHEELSET	Reparto Corse ATD470 AL6061 disc, 700c, 622x17, profile 22mm, 32mm tire compatible, 32 hole, tubeless ready
FRAME	Via Nirone 7 Allroad alloy, hydroforming tubing, internal cable routing, seatpost: 31.6mm, flat mount disc brake, OLD 135mm, QR, compatible with 40mm tire, rack & fender ready, downtube underside bottle cage ready, sizes 47-50-53-55-57-59-61-63cm	TIRE	Kenda Kwick Tendril 700x32, 32-622, 60TPI, compound SRC, Iron Cap protection, wire bead, black
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61cm, 130mm-63cm
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	HANDLEBAR	Reparto Corse Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120mmx40cm and 130mmx42/46cm, size: 40cm-47/53cm, 42cm-55/59cm, 44cm-61/63cm
FORK	Bianchi Carbon 1.1/8", Disc, flat mount caliper, thru axle 12x100mm	GRIP / TAPE	Cork w/Bianchi logo
SHIFTER	Shimano Sora ST-R3000 2x9sp	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, 31,6mm, Length 350mm
REAR DERAILLEUR	Shimano Sora RD-R3000 GS 9sp, direct attachment, Max 34T	SADDLE	Selle Royal, w/hole, steel rail, PU soft touch cover, 280x145mm
FRONT DERAILLEUR	Shimano Sora FD-R3000 9sp, band type 34.9mm		
CRANKSET	Shimano FC-R345-L 50x34 Octalink, Crank Length: 170mm-47/57cm, 175mm - 59/63cm		
BOTTOM BRACKET	Shimano BB-ES300		
CHAIN	Kmc X9 9sp		
CASSETTE / FREEWHEEL	Shimano CS-HG400-9, 11-13-15-17-20-23-26-30-34T		
BRAKE	Shimano BR-RS305, cable disc brake, resin pad		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT64, Center Lock, 160mm		
FRONT HUB	Formula CL-712 road disc, Center Lock, J-bend spokes, Thru axle 12x100mm, 2SB bearings		

VIA NIRONE 7 ALLROAD - CLARIS 8SP COMPACT MECH. BRAKE




THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB6C	FRONT HUB	Formula CL-712 road disc, Center Lock, J-bend spokes, Thru axle 12x100mm, 2SB bearings
COLOR	KW - Black/CK16 Graphite matt	REAR HUB	Formula CL-26 alloy disc, 2 sealed bearing, 32h, 135mm*145mm, w/qr
FRAME	Via Nirone 7 Allroad alloy, hydroforming tubing, internal cable routing, seatpost: 31.6mm, flat mount disc brake, OLD 135mm, QR, compatible with 40mm tire, rack & fender ready, downtube underside bottle cage ready, sizes 47-50-53-55-57-59-61-63cm	RIM/WHEELSET	Reparto Corse ATD470 AL6061 disc, 700c, 622x17, profile 22mm, 32mm tire compatible, 32 hole, tubeless ready
SEATPOST CLAMP	MX-112C Aluminium clamp, diam. 35mm	TIRE	Kenda Kwick Tendril 700x32, 32-622, 60TPI, compound SRC, Iron Cap protection, wire bead, black
HEADSET	Fsa NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/15mm Top cover for 46mm/50 OD head tube	STEM	Reparto Corse Alloy 6061, rise +/-7°, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61cm, 130mm-63cm
FORK	Bianchi Carbon Disc, 1.1/8", flat mount caliper, thru axle 12x100mm	HANDLEBAR	Reparto Corse Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120mmx40cm and 130mmx42/46cm, size: 40cm-47/53cm, 42cm-55/59cm, 44cm-61/63cm
SHIFTER	Shimano Claris ST-R2000 2x8sp	GRIP / TAPE	Cork w/Bianchi logo
REAR DERAILLEUR	Shimano Claris RD-R2000 GS 8sp, direct attachment, max sprocket 34T	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, 31.6mm, Length 350mm
FRONT DERAILLEUR	Shimano Claris FD-R2000, band-type 34.9mm	SADDLE	Selle Royal, w/hole, steel rail, PU soft touch cover, 280x145mm
CRANKSET	Shimano FC-RS200 50X34T, Crank Length: 170mm-44/57cm, 175mm-59/63cm		
BOTTOM BRACKET	Shimano BB-UN26, cartridge bottom bracket, axle: 110mm, shell: BSA 68mm		
CHAIN	Kmc Z72 8sp		
CASSETTE / FREEWHEEL	Shimano CS-HG50, 11-13-15-18-21-24-28-34T		
BRAKE	Shimano BR-RS305, cable disc brake, resin pad		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT64, Center Lock, 160mm		

GEOMETRIES


GEOMETRY – VOLPE

A	B1	BS	C	D	E	F	G	G1
460	510	494	425	68	105	586	75°	70.5°
490	520	504	425	68	115	597	74.5°	71°
510	525	511	425	68	120	594	74.5°	71°
530	535	522	425	68	130	595	74°	71.5°
550	550	537	425	68	140	600	73.5°	72°
570	560	548	430	68	155	610	73.5°	72.5°
590	575	563	430	68	170	620	73°	72.5°
610	585	573	430	68	185	620	72.5°	72.5°
630	595	585	430	68	200	630	72.5°	72.5°




GEOMETRY – LUPO

A	B1	BS	C	D	E	F	G	G1
460	510	494	425	68	105	586	75°	70.5°
490	520	504	425	68	115	597	74.5°	71°
510	525	511	425	68	120	594	74.5°	71°
530	535	522	425	68	130	595	74°	71.5°
550	550	537	425	68	140	600	73.5°	72°
570	560	548	430	68	155	610	73.5°	72.5°
590	575	563	430	68	170	620	73°	72.5°
610	585	573	430	68	185	620	72.5°	72.5°
630	595	585	430	68	200	630	72.5°	72.5°




GEOMETRY – STRADA

A	B1	BS	C	D	E	F	G	G1
460	510	494	425	68	105	586	75°	70.5°
490	520	504	425	68	115	597	74.5°	71°
510	525	511	425	68	120	594	74.5°	71°
530	535	522	425	68	130	595	74°	71.5°
550	550	537	425	68	140	600	73.5°	72°
570	560	548	430	68	155	610	73.5°	72.5°
590	575	563	430	68	170	620	73°	72.5°
610	585	573	430	68	185	620	72.5°	72.5°
630	595	585	430	68	200	630	72.5°	72.5°



GEOMETRY – ORSO

A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
460	430	510	496	430	75	100	588	75°	70.5°	542	365
490	460	520	505	430	75	110	594	74.5°	70.5°	551	367
510	480	525	511	435	75	115	599	74.5°	70.5°	556	371
530	500	535	520	435	75	125	600	74°	71°	567	372
550	520	550	534	440	75	135	601	73.5°	72°	581	378
570	540	560	544	440	75	150	610	73.5°	72°	595	384
590	560	575	559	440	75	165	619	73°	72°	609	389
610	580	590	573	440	75	180	623	72.5°	72.5°	626	393



VOLPE - TIAGRA 10SP



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	Y0BC3	RIM/WHEELSET	AlexRims Xc23 Alloy 6061, V-Shape rim profile, 16mm wide, for V-brakes, 700c, 622x16c, compatible with tire 32mm, 32 hole
COLOR	C1 - CK/Black matt	TIRE	Kenda Kwick Tendril, 700x35c 35-622, 60TPI, compound SRC, protection Iron Cap, wire bead , black
FRAME	Bianchi Steel Frame Tig Welded, Butted CR-MO main tubes with PG CR-MO rear stays, sizes: 46-49-51-53-55-57-59-61cm	STEM	3D Forged Alloy, rise 7°, diam.31,8mm, ext: 70mm-46cm, 90mm-49/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61cm
SEATPOST CLAMP	CR-MO bolt w/nut and washer	HANDLEBAR	AL6061 DB flat top, diam. 31.8mm, size: 400mm-46/53cm, 420mm-55/59cm, 440mm-61cm
HEADSET	VP-A51AE, 1.1/8", Alloy, w/Alloy cap	GRIP / TAPE	Cork w/Bianchi logo
FORK	Bianchi Cr-Mo Tig-Welded, 1.1/8"	SEATPOST	AL2014 shaft, alloy head, 12 mm offset, diam. 27.2 mm, Length 350mm
SHIFTER	Shimano Tiagra ST-4703 3x10sp	SADDLE	Wtb Speed V with Comfort Zone, steel rails
REAR DERAILLEUR	Shimano Tiagra RD-4700 GS 10sp, direct attachment, low gear 25-30T for triple		
FRONT DERAILLEUR	Shimano Tiagra FD-4703, band type 31.8mm w/28.6mm adapter for triple		
CRANKSET	Shimano Tiagra FC-4703, Hollowtech II style with solid crank, 50x39x30T w/BB(BSA), crank length: 170mm-46/55cm, 172.5mm-57/59cm, 175mm-61cm		
BOTTOM BRACKET	Fsa BB7420ST, 113MM		
CHAIN	Shimano CN-Hg54		
CASSETTE / FREEWHEEL	Shimano Tiagra CS-HG500-10, 11-32T		
BRAKE	Shimano BR-CX50, cantilever brakes w/R50T2 shoe		
BRAKE LEVER	Included w/shifters		
FRONT HUB	Shimano HB-RS400-S, W/QR, 14Gx32Hx100mm, Alloy		
REAR HUB	Shimano FH-RS400-S, W/QR, QR: 163MM, 14Gx32Hx130mm, Alloy		

ORSO - 105 11SP COMPACT HYDR. BRAKE



CODE	YOB7E	BRAKE LEVER	included w/shifters
COLOR	3Z - Military green/Red glossy	DISC ROTOR	Shimano SM-RT70, Center Lock, with Ice Technology, diam. 160mm
FRAME	Orso steel, 1.4" - 1.1/8" headset, seatpost diam. 27.2mm, flat mount disc, thru axle 12x142mm, bbset BSA, compatible with 42mm tire, mudguard and rear carrier ready, sizes 46-49-51-53-55-57-59-61cm	FRONT HUB	Formula CL-712 road disc, Center Lock, J-bend spokes, Thru axle 12x100mm, 2SB bearings
SEATPOST CLAMP	Cr-Mo bolt, silver	REAR HUB	Formula RXC-142S road disc, center lock, J-bend, thru axle 12x142mm, 4SB bearings
HEADSET	Fsa NO.11AGY/NO.12B/47-2, 1.1/4" - 1.1/8" semi-cartridge bearings type upper, ABS bearings type lower 45°x45°, 1,5mm alloy Top cover, tapered 46mm/52 OD head tube	RIM/WHEELSET	AlexRims ATD500 road disc, tubeless ready, 622x19
FORK	Bianchi Alu/Carbon 1.4" - 1.1/8", flat mount disc brake, thru axle 12x100mm	TIRE	Kenda Flintridge 700x40, 60TPI, black
SHIFTER	Shimano 105 ST-R7020 2x11sp Hydraulic disc brake	STEM	3D Forged Alloy, rise 7°, 31.8mm, ext: 70mm-46cm, 90mm-49/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61cm
REAR DERAILLEUR	Shimano 105 RD-R7000 GS 11sp, top normal shadow design, direct attachment, black	HANDLEBAR	Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 in size 40cm and 130mm in size 42-44cm, 31.8mm, Size: 400mm-46/53cm, 420mm-55/59cm, 440mm-61cm
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, 31.8mm band type (w/28.6mm adapter), 61-66°, max chainring 46-53T, CL:43.5mm, black	GRIP / TAPE	Cork w/Bianchi logo
CRANKSET	Shimano 105 FC-R7000 50x34T, Hollowtech II, Crank Length: 170mm-46/55cm, 172.5mm-57/59cm, 175mm-61cm	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 27.2mm, Length: 300mm-46cm, 350mm-49/61cm
BOTTOM BRACKET	Shimano SM-BBR60	SADDLE	Wtb Speed V Sport SE
CHAIN	Kmc X11-1 EPT finish, 11sp		
CASSETTE / FREEWHEEL	Shimano 105 CS-HG70011, 11-13-15-17-19-21-23-25-27-30-34T		
BRAKE	Shimano BR-R7070 hydraulic disc brake, flat mount calipers		

ORSO - SORA 9SP COMPACT MECH. BRAKE



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.


CODE	YOB9E	DISC ROTOR	Tektro TR-160-35, Center Lock, 160mm
COLOR	KP - Graphite/Black-CK16 glossy	FRONT HUB	Formula CL-712 road disc, Center Lock, J-bend spokes, Thru axle 12x100mm, 2SB bearings
FRAME	Orso steel, 1.4" - 1.1/8" headset, seatpost diam. 27.2mm, flat mount disc, thru axle 12x142mm, BSA, compatible with 42mm tire, mudguard and rear carrier ready, sizes 46-49-51-53-55-57-59-61cm	REAR HUB	Formula CL-400 disc, center lock, 2 sealed bearings, J-bend spokes, thru axle 12x142mm
SEATPOST CLAMP	Cr-Mo bolt, silver	RIM/WHEELSET	AlexRims ATD500 disc, tubeless ready, 622x19
HEADSET	Fsa NO.11AGY/NO.12B/47-2, 1.1/4" - 1.1/8" semi-cartridge bearings type upper, ABS bearings type lower 45°x45°, 1.5mm alloy Top cover, tapered 46mm/52 OD head tube	TIRE	Kenda Happy Medium 700x40, 60TPI, black
FORK	Bianchi Cr-Mo, 1.4"-1.1/8", flat mount disc brake, thru axle 12x100mm	STEM	3D Forged Alloy, rise 7°, 31.8mm, ext: 70mm-46cm, 90mm-49/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
SHIFTER	Shimano Sora ST-R3000 2x9sp	HANDLEBAR	Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 in size 40cm and 130mm in size 42-44cm, Size: 400mm-46/53cm, 420mm-55/59cm, 440mm-61/63cm
REAR DERAILLEUR	Shimano Sora RD-R3000 GS 9sp, direct attachment, Max 34T	GRIP / TAPE	Cork w/Bianchi logo
FRONT DERAILLEUR	Shimano Sora FD-R3000, band type 34.9mm w/28.6mm adapter	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 27.2mm, Length: 300mm-46cm, 350mm-49/61cm
CRANKSET	Shimano Sora FC-R3000 50x34T, Crank Length: 165mm-46/50cm, 170mm-53/57cm, 172.5mm-59/61cm	SADDLE	Bianchi, steel rails
BOTTOM BRACKET	Fsa BB7420ST, 113MM		
CHAIN	Kmc X9 9sp		
CASSETTE / FREEWHEEL	Shimano CS-HG400-9, 11-13-15-17-20-23-26-30-34T		
BRAKE	Tektro MD-C510, mechanical disc brake, flat mount caliper		
BRAKE LEVER	included w/shifters		



MTB

XC CROSS-COUNTRY





MATERIAL
TECHNOLOGY



STRUCTURAL
STIFFNESS




PERFORMANCE
TUNING

ASYMMETRICAL
REAR STAYS

BOOST STANDARD
148/141

ENGINEERED WITH

COUNTERVAIL®



CANCELS
80%
OF VIBRATIONS

ONE TECHNOLOGY TUNED FOR EVERY NEED

BIANCHI CV INTEGRATED VIBRATION CANCELLING SYSTEM

Bianchi collaborated with **Materials Sciences Corporation** to develop our innovative and exclusive use of the MSC's patented **Countervail®** integrated vibration cancelling system for cycling. Countervail® is a patented carbon material with a unique fiber architecture and viscoelastic resin that cancels **80%** of vibrations while increasing the stiffness and strength of our carbon frames and forks. Countervail® is embedded within the layup of **Bianchi CV** high-performance models.

PROVEN IN NASA AEROSPACE OPERATIONS

Traditional passive damping in frames using superficial rubber inserts and isolators are marginally effective compared to the integrated carbon Countervail® system developed by Bianchi for cycling and proven in the extreme conditions of **NASA** aerospace operations.

Bikes with this technology:

Methanol CV RS, Methanol CV S





Reinforcement carbon ribs embedded into the main tube profiles torsional stiffness of the head tube and the Bottom Bracket area.
The crank-frame interface becomes stronger.



ADVANTAGES

- Increased torsional rigidity

Bikes with this technology:

METHANOL FS

ASYMMETRICAL REAR STAYS

Optimized rear stays design to obtain a very compact and reactive rear triangle without sacrificing on chainline clearance. It fits different chainrings combinations and it is optimized to improve power transmission on the driveside.



ADVANTAGES

- Increased power reactivity
- Increased pedalling performance

Bikes with this technology:

ALL METHANOL


BOOST STANDARD 148 / 141

Boost is a new wheel and drivetrain specification.

ADVANTAGES

- Increased wheel stiffness and durability
- Better riding efficiency and bike handling precision
- Improved frame geometry with shorter chain stays

- Wider range of chainring options
- More clearance for bigger tires




148


Bikes with this technology:
METHANOL CV RS
METHANOL CV S
NITRON
GRIZZLY 9.1
AVENGER FS
AVENGER HT (E-MTB)

141

Bikes with this technology:
GRIZZLY 9.2
GRIZZLY 9.3
MAGMA



MTB RANGE OVERVIEW



BIKE FIT CHART

HANDLEBAR / STEM / CRANKSET SIZE

The Bike Fit Chart table provides a detailed comparison of handlebar, stem, and crankset sizes for various models across different frame sizes. The columns represent the following models: Methanol 29 FS, Methanol 29 CV/RS/S, Nitron, Grizzly, Magma, and Duel 27/29. The rows represent frame sizes of 15", 17", 19", and 21". Each cell contains the specific handlebar width, stem size, and crankset length.

CROSS COUNTRY			Methanol 29 FS			Methanol 29 CV/RS/S			Nitron			Grizzly			Magma			Duel 27/29			MTB Crankset	
Frame Size	Stem Size	Handle-bar Width	Frame Size	Stem Size	Handle-bar Width	Frame Size	Stem Size	Handle-bar Width	Frame Size	Stem Size	Handle-bar Width	Frame Size	Stem Size	Handle-bar Width	Frame Size	Stem Size	Handle-bar Width	Frame Size	Stem Size	Handle-bar Width	Frame Size	Length
			15"	70	700 720	15	70	720	15"	80	720	15	80	720	15"	80	720	15"	80	720	15"	170
17"	90	700 720	17"	80/ 90	700 720	17	80	720	17"	80	720	17	80	720	17"	80	720	17"	80	720	17"	170 175
19"	100	700 720	19"	90	700 720	19	90	720	19"	90	720	19	90	720	19"	90	720	19"	90	720	19"	170 175
21"	100	700 720	21"	90/ 100	700 720	21	90	720	21"	90	720	21	90	720	21"	90	720	21"	90	720	21"	175

RACING

PROJECT PHILOSOPHY

- Extreme rigidity for maximum power transmission
- Super reactive geometry for better handling and responsiveness
- Light weight

TARGET CONSUMER

- Those who want a pure speed machine with no compromises
- The rider who has a racing mindset and a competitive attitude

MODELS IN THIS CATEGORY: METHANOL CV RS / METHANOL CV S / METHANOL FS

PERFORMANCE

PROJECT PHILOSOPHY

- Stiffness/suppleness optimized ratio
- Reactive geometry for race-ready handling and responsiveness
- Reliability at still a light weight

TARGET CONSUMER

- Those who want a very versatile bike which can still be raced on
- Any sporty people who want a premium quality bike for every kind of riding

MODELS IN THIS CATEGORY: GRIZZLY / NITRON

OFF-ROAD

PROJECT PHILOSOPHY

- Comfortable bike for on and off road leisure riding
- Geometry optimized for a comfortable handling and riding position
- Ready for commute/trekking accessories

TARGET CONSUMER

- Those who want a very polivalent bike
- Any beginner or junior who wants a premium quality bike with a Pure Italian Design

MODELS IN THIS CATEGORY: KUMA / DUEL



**MODELS
IN THIS CATEGORY**

METHANOL CV RS

METHANOL CV S

METHANOL FS

NITRON

GRIZZLY

MAGMA

DUEL

XC CROSS COUNTRY

PROJECT PHILOSOPHY

- Fast, light and aggressive.
- The XC Bianchi frames are built to offer maximum power transfer combined with stability and precise handling.

TARGET CONSUMER

Our Cross Country bikes are designed to offer optimal performance for professional racers and anyone who wants to enjoy a thrilling ride in the woods.

POSITIONING

XCO racing machine engineered with Countervail carbon material. With Methanol CV RS rider can tame the trail faster, more smoothly, in greater control and with more energy to attack and hold more aggressive lines. The best racing machine without price compromises.

COURSE/TERRAIN

Fast modern XCO races and technical XCM events.

END USE DESTINATION

For professional racers and expert riders looking for a fast, light and aggressive bike.

KY FEATURES

- Countervail vibration cancelling technology
- 12x148mm Boost thru axle
- Di2 compatible, dropper seatpost compatible w/ internal cable routing
- Updated geometry w/longer reach and slacker HT angle
- Weight 940g (+/-5%, size 17", MN color)
- 4 size available (15, 17, 19 & 21")
- avolozza on-line color configurator

LIGHTWEIGHT

10

PRICE

7

HANDLING

10

COMFORT

9

REACTIVITY

10

reparto corse

AFTER SHOCK CONTROL

TECHNOLOGY




BOOST STANDARD

148

GEOMETRY – RACING

SIZE

	A	B1	C	D	E	F	G	G1	H	I	X	Y	WB
S	15"	380	575	430	60	90	660	74°	69.5°	51	504	401	599 1084
M	17"	430	600	430	60	100	685	74°	69.5°	51	504	423	609 1109
L	19"	470	625	430	60	110	710	74°	69.5°	51	504	445	618 1134
XL	21"	520	650	430	60	120	736	74°	69.5°	51	504	467	627 1160





CLEARANCE

Improved clearance in the chainstays allows to accomodate larger tyres up to 58mm width in wet, muddy conditions.

DRIVE TRAIN

The Methanol CV RS is now 1x drivetrain specific.



NEW FRAME SHAPE AND GEOMETRY

The new frame shape and structure saves weight, improves steering response and accuracy. Geometry has been optimized to respond to the new faster, rougher race tracks by adding a longer reach and a slacker head tube angle. This creates a more confident feel for the rider at speed and a greater ability to attack the trail, especially in corners and steep descents.

AFTER SHOCK CONTROL

OPTIMIZED TO OUTPERFORM

Engineered with Bianchi CV System, using Countervail®'s unique carbon fiber architecture and viscoelastic resin, Methanol CV RS and S deliver total "After-Shock Control" by eliminating vibrations that pass through the suspension after impact and from trail buzz. "After-Shock Control" delivers an entirely new level of ride quality, with increased accuracy, reduced muscular fatigue and total performance.

REDUCED FATIGUE

Bianchi CV System reduces vibration and dissipates trail buzz more quickly and more effectively than any other material technology – 80% more. Less trail vibrations reach you, reducing muscular fatigue so you've more energy to attack the trails a significant performance advantage.

DEVELOPED IN
COOPERATION WITH
TEAM BIANCHI
COUNTERVAIL

GREATER TRAIL CONTROL

Improved traction delivers more control under braking, sprinting, cornering, climbing and beyond.

MAXIMUM POWER DELIVERY

Countervail® frame, wide-stanced bb92 bottom bracket and short chainstays combine to create an optimally stiff and direct pedalling platform for maximum power transfer.

Bianchi
t a v o l o z z a

By entering www.bianchi.com/tavolozza, you can easily design your own project in a few clicks, meeting any wish. Tavolozza offers an infinity of possible combinations.

TAILOR-MADE PROGRAM
AVAILABLE FOR **METHANOL CV RS**



METHANOL 9.1 CV RS - XX1 EAGLE 1X12SP



CODE	YOB73	CASSETTE / FREEWHEEL	Sram XG-1295 EAGLE 10-12-14-16-18-21-24-28-32-36-42-50T
COLOR	2A - CK16/Black full glossy (ON PHOTO) MN - Carbon UD - CK16 Decals Tavolozza	BRAKE	Sram Level Ultimate, aluminium caliper, carbon lever w/MatchmakerX clamp
FRAME	Methanol CV RS 29" carbon HM monocoque w/ Countervail, 1.5" tapered HT, Pressfit BB92 (41x92mm), 1x drivetrain only, 27.2mm seatpost, PM 160mm carbon dropout 12x148mm BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"	DISC ROTOR	Sram Centerline X, F:180mm, R:160mm, 2-pieces, 6 hole
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/ Bianchi & Carbon-Ti logo	RIM/WHEELSET	DT Swiss XR1501 Spline 29" 25mm, thru axle F: 15x110mm, R: 12x148mm, XD body, TL-ready rim w/tubeless band and valve, 25mm inner width
SEATPOST CLAMP	diam. 31,8mm	OPTION WHEELSET1	DT Swiss XRC 1200 Spline 29" Carbon 25mm, F: 15x110TA, R: 12x148TA w/XD driver body, TL-ready rim w/o eyelets including tubeless band and valve, 25mm inner width
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/ Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
FORK	Fox 32 SC 29" Factory Kashima remote, 100mm travel, FIT4 2 position remote w/open mode adj, 1.5" ALU Tapered HT, 15x110mm axle	STEM	Fsa K-Force Light OS-100 CSI, 3D forged/ machined AL7050 w/AL2014/Carbon faceplate, 1.1/8", diam. 31,8mm, +/-12°, ext: 70mm-15", 80mm-17" and 90mm-19/21"
SHIFTER	Sram XX1 Eagle 12sp trigger	HANDLEBAR	Fsa K-Force Light flat UD carbon/Kevlar composite, width 700mm, diam. 31.8mm, backsweep 6°, upsweep 0°
REAR DERAILLEUR	Sram XX1 Eagle 12sp long cage	GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
CRANKSET	Sram XX1 Eagle DUB 32T, carbon arms, 52mm chainline 148 BOOST compatible, 168mm Q-Factor, direct mount, crank length 170mm-15", 175mm 17-21"	SEATPOST	Fsa K-Force Light UD carbon monocoque w/2-bolts MTC head, diam. 27.2mm, 25mm offset, Di2 compatible, length: 350mm-15", 400mm-17/21"
OPTION CRANKSET	Rotor Rex 1.1 InPower 32T, alloy arms, 52mm chainline BOOST 148mm, 163mm Q-Factor, BCD76, crank length: 170mm-15" & 175mm- 17/21"	SADDLE	Fi'zi:k Tundra M3, carbon braided rail, 290x125mm
BOTTOM BRACKET	Sram DUB PressFit BB92, 41x92mm	BOTTLE CAGE	Elite Cannibal
CHAIN	Sram PC-XX1 Eagle 12sp w/PowerLock	WATER BOTTLE	Elite Corsa 550ml, Team Replica

METHANOL 9.2 CV RS - XTR 1X12SP



CODE	YOB74	DISC ROTOR	Shimano RT86 6-Bolt type w/Ice Tech, 180mm front and 160mm rear
COLOR	2A - CK16/Black decals MN - Carbon UD/CK16 decals (ON PHOTO) Tavolozza	RIM/WHEELSET	DT Swiss XR 1501 Spline 29" 25mm, thru axle F: 15x110mm, R: 12x148mm TL-ready rim w/ tubeless band and valve, 25mm inner width
FRAME	Methanol CV RS 29" carbon HM monocoque w/ Countervail, 1.5" tapered HT, Pressfit BB92 (41x92mm), 1x drivetrain only, 27.2mm seatpost, PM 160mm carbon dropout 12x148mm BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"	OPTION WHEELSET1	DT Swiss XRC 1200 Spline 29" Carbon 25mm, thru axle F: 15x110mm, R: 12x148mm, TL-ready rim w/tubeless band and valve, 25mm inner width
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/ Bianchi & Carbon-Ti logo	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
SEATPOST CLAMP	diam. 31,8mm	STEM	Fsa SL-K 3D Forged/CNC AL2014 w/UD Carbon faceplate, +/-12°, 1.1/8", diam. 31,8mm, ext: 70mm-15", 80mm-17", 90mm-19/21"
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap	HANDLEBAR	Fsa SL-K flat AL6066 w/carbon wrap, width 700mm, diam. 31.8mm, backsweep 9°, upsweep 4°
FORK	Fox 32 SC 29" Factory Kashima remote, 100mm travel, FIT4 2 position remote w/open mode adj, 1.5" ALU Tapered HT, 15x110mm axle	GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
SHIFTER	Shimano XTR SL-M9100IR 1x12sp	SEATPOST	Fsa SL-K, UD Carbon shaft, Forged alloy ITC, diam. 27,2mm, 0-15 mm seatback, length: 350mm-15", 400mm-17/21"
REAR DERAILLEUR	Shimano XTR RD-M9100 SGS Shadow+ Design 12sp, top normal, direct attachment, Max 10-51T	SADDLE	Fi'zi:k Taiga, S-alloy rails
CRANKSET	Shimano XTR FC-M9100-1 34T, Hollowtech II, 162mm Q-Factor, 52mm chain line, crank lenght: 170mm-15", 175mm-17/21"	BOTTLE CAGE	Elite Paron composit
BOTTOM BRACKET	Shimano SM-BB94-41A for BB92	WATER BOTTLE	Elite Corsa 550ml, Team Replica
CHAIN	Shimano CN-M9100, 12sp		
CASSETTE / FREEWHEEL	Shimano CS-M9100-12, 10-12-14-16-18-21-24-28-33-39-45-51T		
BRAKE	Shimano XTR M9100, w/180mm front adapter, resin pad		

METHANOL 9.3 CV RS - X01 EAGLE 1X12SP



CODE	Y0BR1	BRAKE	Shimano XT BR-M8000, w/180mm adaptor for front, resin pad w/o fin
COLOR	2A - CK16/Black glossy MN - Carbon UD/CK16 decals (ON PHOTO) Tavolozza	DISC ROTOR	Shimano RT-76, 6 bolts type, 180mm front and 160mm rear
FRAME	Methanol CV RS 29" carbon HM monocoque w/ Countervail, 1.5" tapered HT, Pressfit BB92 (41x92mm), 1x drivetrains only, 27,2mm seatpost, PM 160mm carbon dropout 12x148mm BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"	RIM/WHEELSET	Crankbrothers Cobalt 2 29, aluminium UST tubeless 23mm rims, thru axle F:15x110mm, R:12x148mm
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/ Bianchi & Carbon-Ti logo	OPTION WHEELSET1	DT Swiss XR1501 Spline 29" 25mm, thru axle: F: 15x110mm, R: 12x148mm, XD body, TL-ready rim w/tubeless band and valve, 25mm inner width
SEATPOST CLAMP	diam. 31,8mm	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 50-622
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap	STEM	Tec Cursus 3D forged AL7050-T6, +/-7°, 1.1/8", 31.8mm, ext: 70mm-15", 80mm-17" and 90mm-19/21"
FORK	Fox 32 SC 29" Performance remote, 100mm travel, GRIP 2 position remote, 1.5" Tapered HT, 15x110mm axle	HANDLEBAR	Tec Cursus flat, double butted AL2014-T6, width 720mm, diam. 31,8mm, backsweep 9°
SHIFTER	Sram X01 Eagle 1x12sp trigger	GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
REAR DERAILLEUR	Sram X01 Eagle 12sp long cage	SEATPOST	Tec Cursus Carbon, carbon UD shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm-15", 400mm-17/21"
CRANKSET	Sram X1 Carbon DUB 32T, carbon arms, direct mount, 52mm chainline BOOST compatible, crank length: 170mm-15", 175mm-17/21"	SADDLE	Fi'zi:k Taiga, S-alloy rails
OPTION CRANKSET	Rotor Rex 1.1 InPower 32T, alloy arms, 52mm chainline BOOST 148mm, 163mm Q- Factor, BCD76, crank length: 170mm-15" & 175mm-17/21"	BOTTLE CAGE	Elite Paron composit
BOTTOM BRACKET	Sram DUB PressFit BB92, 41x92mm	WATER BOTTLE	Bianchi Loli 600ml custom
CHAIN	Sram GX Eagle 12sp		
CASSETTE / FREEWHEEL	Sram XG-1275 12sp, 10-12-14-16-18-21-24-28-32-36-42-50T		

METHANOL CV RS - FRAME KIT



CODE	XOB58
COLOR	2A - CK16/Black glossy MN - Carbon UD/CK16 decals Tavolozza
FRAME	Methanol CV RS 29" full carbon w/Countervail, high modulus monocoque, 1.5" tapered HT, Pressfit BB92 (41x92), 1x drivetrains only, 27,2mm seatpost, PM 160mm carbon dropout 12x148 BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/Bianchi & Carbon-Ti logo
SEATPOST CLAMP	diam. 31,8mm
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap

INTRODUCING THE NEW

METHANOL | CV

ENGINEERED WITH  COUNTERVAIL®



Bianchi renews the Methanol CV range with the introduction of the new RS and S versions, both engineered with Bianchi CV System and designed to be a new advantage in cross country mountain bike racing.

Methanol CV RS has been engineered to be the best XCO and XCM racing machine, without compromises.

With Methanol CV S version, Bianchi extends the availability of the world-famous Methanol frame platform, engineered with Bianchi CV System. The Methanol CV in its S version share the same family feeling of the RS model, designed for the most demanding bikers.

POSITIONING

With Methanol CV S, Bianchi extends the availability of the world-famous Methanol frame platform, engineered with Bianchi CV System. The Methanol CV in its S version share the same family feeling of the RS model that is designed for the most demanding bikers.

COURSE/TERRAIN

Fast modern XCO races and technical XCM events.

END USE DESTINATION

Methanol CV RS is dedicated to performing riders looking for an aggressive race-ready model with a less-extreme approach.

K Y FEATURES

- Countervail vibration cancelling technology
- 12x148mm Boost thru axle
- Di2 compatible, dropper seatpost compatible w/ internal cable routing
- 2x drivetrain compatible
- 4 size available (15, 17, 19 & 21")

LIGHTWEIGHT

9

PRICE

8

HANDLING

10

COMFORT

9

REACTIVITY

10

reparto corse

AFTER SHOCK CONTROL

TECHNOLOGY

 COUNTERVAIL®


BOOST STANDARD

148

GEOMETRY – RACING


SIZE

	A	B1	C	D	E	F	G	G1	H	I	X	Y	WB
S	15"	380	570	430	60	90	645	74°	70°	46	500	395	601 1067
M	17"	430	580	430	60	100	654	74°	71°	46	500	410	615 1077
L	19"	470	615	430	60	110	679	74°	71°	46	500	433	625 1102
XL	21"	520	635	430	60	120	699	74°	71°	46	500	450	635 1122



CLEARANCE

Like the RS version, Methanol CV S frame is designed to accomodate larger tyres up to 58mm width.



NEW PAINT JOB

CK16 Celeste to black fade



METHANOL 9.1 CV S - X0/GX EAGLE 1X12SP



CODE	YOB12	DISC ROTOR	Shimano RT-66, 6 bolts type, F:180mm & R:160mm
COLOR	2A - CK16/Black glossy	RIM/WHEELSET	Crankbrothers Cobalt 1 29, alu UST tubeless 21mm rims, thru axle F: 15x110mm, R: 12x148mm, XD body
FRAME	Methanol CV 29" carbon HM monocoque w/ Countervail, 1.5" tapered HT, Pressfit BB92 (41x92mm), High direct mount, bottom pull, 27.2mm seatpost, PM 160mm carbon dropout 12x148mm BOOST Shimano thru axle, internal cable routing Di2 compatible, sizes 15,17,19,21"	OPTION WHEELSET1	DT Swiss XR1501 Spline 29" 25mm, thru axle: F: 15x110mm, R: 12x148mm, XD body, TL-ready rim w/tubeless band and valve, 25mm inner width
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/ Bianchi & Carbon-Ti logo	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
SEATPOST CLAMP	diam. 31,8mm	STEM	Tec Cursus 3D forged AL7050-T6, +/-7°, 1.1/8", 31.8mm, ext: 70mm-15", 90mm-17/19", 100mm-21"
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap	HANDLEBAR	Tec Cursus flat, double butted AL2014-T6, width 720mm, diam. 31,8mm, backsweep 9°
FORK	Fox 32 SC 29" Performance remote, 100mm travel, GRIP 2 position remote, 1.5" Tapered HT, 15x110mm axle	GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
SHIFTER	Sram GX Eagle 1x12sp trigger	SEATPOST	Tec Cursus Carbon, carbon UD shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm-15", 400mm-17/21"
REAR DERAILLEUR	Sram X01 Eagle 12sp long cage	SADDLE	Fi'zi:k Taiga, S-alloy rails
CRANKSET	Sram GX Eagle DUB 32T, 7000 alu series arms, DIRECT MOUNT, 52mm chainline BOOST compatible, crank length: 170mm-15", 175mm-17/21"	BOTTLE CAGE	Elite Paron composit
BOTTOM BRACKET	Sram DUB PressFit BB92, 41x92mm	WATER BOTTLE	Bianchi Loli 600ml custom
CHAIN	Sram GX Eagle 12sp		
CASSETTE / FREEWHEEL	Sram XG-1275 12sp, 10-12-14-16-18-21-24-28-32-36-42-50T		
BRAKE	Shimano XT BR-M8000, w/180mm adaptor for front, resin pad w/o fin		

METHANOL 9.2 CV S - GX EAGLE 1X12SP



CODE	YOB64	BRAKE	Shimano XT BR-M8000, w/180mm adaptor for front, resin pad w/o fin
COLOR	2A - CK16/Black full glossy	DISC ROTOR	Shimano RT-66, 6 bolts type, F:180mm & R:160mm
FRAME	Methanol CV S 29" carbon HM monocoque w/ Countervail, 1.5" tapered HT, Pressfit BB92 (41x92mm), High direct mount, bottom pull, 27,2mm seatpost, PM 160mm carbon dropout 12x148mm BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"	RIM/WHEELSET	Fulcrum Red Zone 700 29, Boost, Afs, thru axle f:15x110mm r:12x148mm, XD body
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/ Bianchi & Carbon-Ti logo	OPTION WHEELSET1	Crankbrothers Cobalt 2 29, alu UST tubeless 23mm rims, thru axle f: 15x110mm, r: 12x148mm, XD body
SEATPOST CLAMP	diam. 31,8mm	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/ Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap	STEM	Tec Cursus 3D forged AL7050-T6, +/-7°, 1.1/8", 31.8mm, ext: 70mm-15", 90mm-17/19", 100mm-21"
FORK	Rock Shox Sid RL 29" Solo Air 100mm w/OneLoc remote, 1.5" alu HT, 15x110mm Maxle Ultimate, 32mm stanchions, magnesium lowers, PM 160mm disc mount	HANDLEBAR	Tec Cursus flat, double butted AL2014-T6, width 720mm, diam. 31,8mm, backsweep 9°
SHIFTER	Sram GX Eagle 1x12sp trigger	GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
REAR DERAILLEUR	Sram GX Eagle 12sp, long cage carbon, Type2.1	SEATPOST	Tec Cursus Carbon, carbon UD shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm-15", 400mm-17/21"
FRONT DERAILLEUR	Shimano XT FD-M8020-D High Direct mount, 11sp, Side swing, 66/69°, for 34/38T w/10T capacity	SADDLE	Fi'zi:k Taiga, S-alloy rails
CRANKSET	Sram GX Eagle DUB 32T, 7000 Alu series arms, direct mount, 52mm chainline BOOST compatible, crank lenght: 170mm-15", 175mm-17/21"	BOTTLE CAGE	Elite Paron composit
BOTTOM BRACKET	Sram DUB PressFit BB92, 41x92mm	WATER BOTTLE	Bianchi Loli 600ml custom
CHAIN	Sram GX Eagle 12sp		
CASSETTE / FREEWHEEL	Sram XG-1275 12sp, 10-12-14-16-18-21-24-28-32-36-42-50T		

METHANOL 29 FS

POSITIONING

XCO/XCM full suspension racing machine. The frame is designed for the best pedal efficiency with great stiffness and handling.

COURSE/TERRAIN

Fast modern XCO races and technical XCM events.

END USE DESTINATION

For professional and competitive riders looking for more control and great handling on technical descents and rock gardens.

KY FEATURES

- FS 29 frame with 4-Bar Suspension w/Horst link,
- 12x142mm thru axle
- Internal cable routing Di2 compatible, internal cable routing for dropper seatpost compatible, Shimano side-swing FD compatible

PRODUCT FEATURES

- 100mm Horst link 4-bar design FS frame
- Internal cable routing Di2 compatible
- SKF fully CNC housed bearings
- Methanol 29" geometry tuned to a dual suspension bike behaviour
- Tapered HT 1.1/8" > 1.5"
- 12x142 Shimano E-Thru QR
- PM 160mm brake mount
- PF30 73mm bottom bracket
- HDM/D-Mount type FD, bottom pull or SS

LIGHTWEIGHT

7

PRICE

6

HANDLING

10

COMFORT

10

REACTIVITY

9

reparto corse

TECHNOLOGY




ASYMETRICAL
REAR STAYS

GEOMETRY – RACING

SIZE

	A	B1	BS	C	D	E	G	G2	G1	Y	X
M	17"	430	580	554	442	50	110	74°	71°	70.5°	617
L	19"	480	600	572	442	50	115	74°	71°	70.5°	622
XL	21"	530	620	589	442	50	120	74°	71°	70.5°	627



METHANOL 9.1 FS - XX1 EAGLE 1X12SP



CODE	Y0BS7	BRAKE	Sram Level Ultimate, aluminium caliper, carbon lever, w/ matchmakerX clamp
COLOR	2A - CK16/Black glossy	DISC ROTOR	Sram Centerline X, 180mm front, 160mm rear, 2-pieces, 6 holes
FRAME	Methanol FS 100mm 29" full carbon monocoque HM, 4-bar linkage, 1.5" tapered HT, PF30, ERC, HDM FD, PM 160mm carbon dropout, 12x142 Shimano e-thru, internal cable routing, seatpost 31,6mm, shock lenght/travel 165/38mm w/ eyelets 22,2mm x diam.8mm, sizes 17,19,21"	RIM/WHEELSET	DT Swiss XR1501 Spline 29" 25mm, thru axle: 15x110mm, 12x142mm, XD body, TL-ready rim w/tubeless band and valve, 25mm inner width
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti logo (2pcs)	OPTION WHEELSET1	DT Swiss XRC1200 Spline 29" Carbon 25mm, thru axle 15x110mm, 12x142mm, XD body, TL-ready rim w/tubeless band and valve, 25mm inner width
REARSHOCK	Fox Float DPS Factory Kashima Remote, 165/38mm, SV, Evol, 2 position Remote, w/ eyelets 22,2mmx diam.8mm	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
SEATPOST CLAMP	X Carbon System 35mm w/Bianchi logo	STEM	Fsa K-Force Light OS-100 CSI, 3D forged/machined AL7050 w/Ti bolts sculpted AL2014/Carbon faceplate, +/-12°, 1.1/8", 31.8mm, ext: 90mm-17", 100mm-19/21"
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap	HANDLEBAR	Fsa K-Force Light flat UD carbon/Kevlar composite, width 700mm, diam. 31.8mm, backsweep 6°, upsweep 0°
FORK	Fox 32 SC 29" Factory Kashima remote, 100mm travel, FIT4 2 position remote w/open mode adj, 1.5" ALU Tapered HT, 15X110 axle	GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
SHIFTER	Sram XX1 Eagle 12sp trigger	SEATPOST	Fsa K-Force Light UD carbon monocoque w/2-bolts MTC head, 31.6mm, 25mm seatback, Di2 compatible, length: 400mm-17/21"
REAR DERAILLEUR	Sram XX1 Eagle 12sp long cage	SADDLE	Fi'zi:k Tundra M3, carbon braided rail, 290x125mm
CRANKSET	Sram XX1 Eagle DUB 32T, carbon arms, 49mm chainline, 168mm Q- Factor, Direct Mount, crank length: 175mm-17/21"	BOTTLE CAGE	Elite Cannibal
BOTTOM BRACKET	Sram DUB PF30, 68-92	WATER BOTTLE	Elite Corsa 550ml, Team Replica
CHAIN	Sram PC-XX1 EAGLE 12sp		
CASSETTE / FREEWHEEL	Sram XG-1295 Eagle 10-12-14-16-18-21-24-28-32-36-42-50T		

METHANOL 9.2 FS - X01/X1 EAGLE 1X12SP



CODE	YOBP6	CASSETTE / FREEWHEEL	Sram XG-1275 12sp, 10-12-14-16-18-21-24-28-32-36-42-50T
COLOR	2A - CK16/Black glossy	BRAKE	Shimano XT BR-M8000, w/180mm adaptor for front, resin pad w/o fin
FRAME	Methanol FS 100mm 29" full carbon monocoque HM, 4-bar linkage, 1.5" tapered HT, PF30, ERC, HDM FD, PM 160mm carbon dropout, 12x142 Shimano e-thru, internal cable routing, seatpost 31,6mm, shock lenght/travel 165/38mm w/ eyelets 22,2mm x diam.8mm, sizes 17,19,21"	DISC ROTOR	Shimano RT-76, 6 bolts type, 180mm front and 160mm rear
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti logo (2pcs)	RIM/WHEELSET	Crankbrothers Cobalt 2 29, alu UST tubeless 23mm rim profile, thru axle F: 15x110mm, R:12x142mm, XD body
REARSHOCK	Fox Float DPS Performance Elite Remote, 165/38mm, SV, EVOL, 2 position Remote, w/ eyelets 22,2mmx diam.8mm	OPTION WHEELSET1	DT Swiss XR1501 Spline 29" 25mm, thru axle: 15x110mm, 12x142mm, XD body, TL-ready rim w/tubeless band and valve, 25mm inner width
SEATPOST CLAMP	X Carbon System 35mm w/Bianchi logo	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap	STEM	Tec Cursus, 3D forged AL7050-T6 w/forged alloy 4-bolt faceplate, +/-7°, 1.1/8", 31.8mm size: 90mm-17", 100mm-19/21"
FORK	Fox 32 SC 29" Performance remote, 100mm travel, GRIP 2 position remote, 1.5" Tapered HT, 15x110mm axle	HANDLEBAR	Tec Cursus flat, double butted AL2014-T6, width 720mm, diam. 31,8mm, backsweep 9°
SHIFTER	Sram GX Eagle 1x12sp trigger	GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
REAR DERAILLEUR	Sram X01 Eagle 12sp long cage	SEATPOST	Tec Cursus Carbon UD shaft with forged head, 31.6mm, 20mm seatback, length:400mm-17/21"
CRANKSET	Sram X1 Carbon DUB 32T, carbon arms, direct mount, 49mm chainline, crank length: 175mm-17/21"	SADDLE	Fi'zi:k Taiga, S-alloy rails
OPTION CRANKSET	Rotor Rex 1.1 InPower 32T, alloy arms, 49mm chainline, 163mm Q- Factor, BCD76, crank length 175mm-17/21"	BOTTLE CAGE	Elite Cannibal
BOTTOM BRACKET	Sram DUB PF30	WATER BOTTLE	Elite Corsa 550ml, Team Replica
CHAIN	Sram GX Eagle 12sp		

METHANOL 9.3 FS - GX EAGLE 1X12SP



CODE	Y0BS8	BRAKE	Shimano XT BR-M8000, w/180mm adaptor for front, resin pad w/o fin
COLOR	2A - CK16/Black glossy	DISC ROTOR	Shimano RT-66, 6 bolts type, F:180mm & R:160mm
FRAME	Methanol FS 100mm 29" full carbon monocoque HM, 4-bar linkage, 1.5" tapered HT, PF30, ERC, HDM FD, PM 160mm carbon dropout, 12x142 Shimano e-thru, internal cable routing, seatpost 31,6mm, shock lenght/travel 165/38mm w/ eyelets 22,2mm x diam.8mm, sizes 17,19,21"	RIM/WHEELSET	DT Swiss X1700 Spline two 29" 25mm, thru axle 15x110mm, 12x142mm, XD body, TL-ready rim w/tubeless band and valve
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti logo (2pcs)	OPTION WHEELSET1	DT Swiss XR1501 Spline 29" 25mm, thru axle 15x110mm, 12x142mm, XD body, TL-ready rim w/tubeless band and valve, 25mm inner width
REARSHOCK	Fox Float DPS Performance Elite Remote, 165/38mm, SV, EVOL, 2 position Remote, w/ eyelets 22,2mmx diam.8mm	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
SEATPOST CLAMP	X Carbon System 35mm w/Bianchi logo	STEM	Tec Cursus, 3D forged AL7050-T6 w/forged alloy 4-bolt faceplate, +/-7°, 1.1/8", 31.8mm size: 90mm-17", 100mm-19/21"
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap	HANDLEBAR	Tec Cursus flat, double butted AL2014-T6, width 720mm, diam. 31,8mm, backsweep 9°
FORK	Fox 32 SC 29" Performance remote, 100mm travel, GRIP 2 position remote, 1.5" Tapered HT, 15x110mm axle	GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
SHIFTER	Sram GX Eagle 1x12sp trigger	SEATPOST	Tec Cursus Carbon UD shaft with forged head, 31.6mm, 20mm seatback, length:400mm-17/21"
REAR DERAILLEUR	Sram GX Eagle 12sp long cage carbon Type2.1	SADDLE	Fi'zi:k Taiga, S-alloy rails
CRANKSET	Sram GX Eagle DUB 32T, 7000 alu series arms, DIRECT MOUNT, 49mm chainline, crank length: 175mm-17/21"	BOTTLE CAGE	Elite Paron composit
BOTTOM BRACKET	Sram DUB PF30	WATER BOTTLE	Elite Corsa 550ml, Team Replica
CHAIN	Sram GX Eagle 12sp		
CASSETTE / FREEWHEEL	Sram XG-1275 12sp, 10-12-14-16-18-21-24-28-32-36-42-50T		

METHANOL 9.4 FS - GX EAGLE MIX 1X12SP



CODE	Y0BS9	DISC ROTOR	Shimano RT-56, 6 bolts type, 180mm front & 160mm rear
COLOR	2A - CK16/Black glossy	FRONT HUB	Formula DC-711, 6 bolts, 32h 15x110mm TA, 2 sealed bearings
FRAME	Methanol FS 100mm 29" full carbon monocoque HM, 4-bar linkage, 1.5" tapered HT, PF30, ERC, HDM FD, PM 160mm carbon dropout, 12x142 Shimano e-thru, internal cable routing, seatpost 31,6mm, shock lenght/travel 165/38mm w/ eyelets 22,2mm x diam.8mm, sizes 17,19,21"	REAR HUB	Formula DCL-360, 6 Bolts, 32h 12x142mm, 4 sealed bearings
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti logo (2pcs)	RIM/WHEELSET	Wtb KOM light i25 29, 622x25, 32 hole
REARSHOCK	Fox Float DPS Performance, 165/38mm, SV, EVOL, 2 position remote, w/eyelets 22,2mmx diam.8mm	OPTION WHEELSET1	Crankbrothers Cobalt 2 29, thru axle 15x110mm, 12x142mm, XD body, alu UST tubeless 23mm rim profile
SEATPOST CLAMP	X Carbon System 35mm w/Bianchi logo	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap	STEM	Tec Cursus, 3D forged AL7050-T6 w/forged alloy 4-bolt faceplate, +/-7°, 1.1/8", 31.8mm size: 90mm-17", 100mm-19/21"
FORK	Fox 32 Rythm 29" remote, 100mm travel, GRIP 2 position remote, 1.5" Tapered HT, 15x110mm BOOST axle	HANDLEBAR	Tec Cursus flat, double butted AL2014-T6, width 720mm, diam. 31,8mm, backsweep 9°
SHIFTER	Sram GX Eagle 1x12sp trigger	GRIP / TAPE	T-One T-GP43X, Silicone grips, length 130mm
REAR DERAILLEUR	Sram GX Eagle 12sp long cage carbon Type2.1	SEATPOST	Tec Cursus Carbon UD shaft with forged head, 31.6mm, 20mm seatback, length:400mm-17/21"
CRANKSET	Sram Descendant Eagle DUB 32T, 6000 alu series arms, DIRECT MOUNT, 49mm chainline, crank length: 175mm-17/21"	SADDLE	Fi'zi:k Taiga, S-alloy rails
BOTTOM BRACKET	Sram DUB PF30	BOTTLE CAGE	Elite Paron composit
CHAIN	Sram NX Eagle 12sp	WATER BOTTLE	Bianchi Loli 600ml custom
CASSETTE / FREEWHEEL	Sram XG-1275 12sp, 10-12-14-16-18-21-24-28-32-36-42-50T		
BRAKE	Shimano BR-MT501, w/180mm front adapter, resin pad, I-SPEC II compatible		

METHANOL 29 FS - FRAME KIT



CODE	XOB59
COLOR	2A - CK16/Black full glossy
FRAME	Methanol FS 100mm 29" full carbon monocoque HM, 4-bar linkage, 1.5" tapered HT, PF30, ERC, HDM FD, PM 160mm carbon dropout, 12x142 Shimano e-thru, internal cable routing, seatpost 31,6mm, shock lenght/travel 165/38mm w/eyelets 22,2mm x diam.8mm, sizes 17,19,21"
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti white logo
REAR SHOCK	Fox Float DPS Factory Kashima Remote, 165/38mm, SV, Evol, 2 position Remote, w/eyelets 22,2mm x diam. 8mm
SEATPOST CLAMP	X Carbon System 35mm w/Bianchi logo
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm top cap

NITRON

POSITIONING

Race ready platform with the DNA of the worldwide winning Methanol line.

COURSE/TERRAIN

XCO/XCM events.

END USE DESTINATION

For expert riders looking for a race oriented bike with top model features and best performance/price ratio.

KY FEATURES

- Race ready 29" geometry w/4 sizes available (15, 17, 19 & 21inches)
- 12x148mm Boost thru axle
- Internal cable routing for dropper seatpost compatible, Shimano side-swing FD compatible
- 429mm chain stay length

LIGHTWEIGHT

PRICE

HANDLING

COMFORT

REACTIVITY

7

10

10

7

9

reparto corse

TECHNOLOGY


BOOST STANDARD

148

GEOMETRY – RACING

SIZE

	AB	1B	SC	DE	GG	1Y	XW
S	15"	380	570	557	429	60	90
M	17"	430	600	574	429	60	100
L	19"	480	625	598	429	60	110
XL	21"	530	645	619	429	60	120





EQUIPPED FOR SPEED

Fork with matched graphics add style and lightweight pro-level bump taming performance. With 100mm of travel and a remote lockout switch, the Nitron is ready to descend fast on trails and attack the climbs, at the riders command.

PRECISION COMPONENTS

The Nitron features ultra-reliable race ready drivetrain components. The versatile component specification includes internal routing for the 2x Shimano side-swing front derailleur. Choose to run it 1x or 2x according to your preferences; you'll never miss a gear.



SUBLIME RIDER CONTROL

Constructed using our advanced carbon fibre lay-up technology, the Nitron frame uses highly-tuned tube profiles, from the head tube to the dropouts. Achieving an outstanding stiffness to weight ratio, pinpoint steering and sublime levels of rider comfort for long hours in the saddle and available in four sizes 15, 17, 19 and 21 inches. Every rider can achieve a perfect fit.

BB92 bottom bracket, tapered head tube, Boost 148 standard and 429mm short chainstays work together to create a direct pedalling platform and achieve the best power transfer.

NITRON 9.1 - GX EAGLE 1X12SP



CODE	YOBP7	REAR HUB	Formula CL-1481 for Centerlock, 32h, 12X148mm OLD, XD body, 4 sealed bearings, j-bend spokes
COLOR	6N - CK16/Black-Yellow fluo glossy (ON PHOTO) N3 - Red/Black-White glossy	RIM/WHEELSET	Wtb KOM light i25 29", 622x25, 32 hole
FRAME	Nitron 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam. 27,2mm, HDM FD, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
SEATPOST CLAMP	MX-112C diam. 31,8mm	STEM	Tec Cursus 3D forged AL7050-T6, +/-7°, 1.1/8", diam.31.8mm, ext:70mm-15", 80mm-17", 90mm-19/21"
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap	HANDLEBAR	Tec Cursus flat, double butted AL2014-T6, width 720mm, diam. 31,8mm, backsweep 9°
FORK	Rock Shox SID RL 29" Solo Air 100mm w/OneLoc remote, 1.5 alu HT, 15X110mm Maxle Ultimate, 32mm stanchions, magnesium lowers, PM 160mm disc mount	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SHIFTER	Sram GX Eagle 1x12sp trigger	SEATPOST	Tec Obvius, Al2014 shaft with forged head, 27.2mm, 20mm setback, length: 350mm-15", 400mm-17/21"
REAR DERAILLEUR	Sram GX Eagle 12sp long cage carbon Type2.1	SADDLE	Selle Royal Seta S1, manganese rail, 277x144mm
CRANKSET	Sram GX Eagle DUB 32T, 7000 alu series arms, DIRECT MOUNT, 52mm chainline BOOST compatible, crank length: 170mm-15", 175mm-17/21"		
BOTTOM BRACKET	Sram DUB PressFit BB92, 41x92mm		
CHAIN	Sram GX Eagle 12sp		
CASSETTE / FREEWHEEL	Sram XG-1275 12sp, 10-12-14-16-18-21-24-28-32-36-42-50T		
Brake	Shimano BR-MT501, w/180mm front adapter, resin pad, I-SPEC II compatible		
DISC ROTOR	Shimano SM-RT54 CL 180mm & 160mm, Center Lock		
FRONT HUB	Formula CL-811 for Center Lock, 32h, 15mmTA, sealed bearings		

NITRON 9.2 - XT/SLX 2X11SP



CODE	YOBP4	REAR HUB	Formula CL-148S for Center Lock, 32h, BOOST 12x148mm, Shimano freewheel body, 4 sealed bearings, j-bend spokes
COLOR	8N - Black/CK16-Orange fluo matt	RIM/WHEELSET	Wtb KOM light i25 29", 622x25, 32 hole
FRAME	Nitron 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam. 27,2mm, HDM FD, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
SEATPOST CLAMP	MX-112C diam. 31,8mm	STEM	TEC Obvius 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31,8mm, size 70mm-15", 80mm-17", 90mm-19/21"
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep
FORK	Fox 32 SC 29" Performance remote, 100mm travel, GRIP 2 position remote, 1.5" Tapered HT, 15x110mm axle	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SHIFTER	Shimano SLX SL-M7000-I 2x11sp	SEATPOST	Tec Obvius, Al2014 shaft with forged head, 27.2mm, 20mm seatback, length: 350mm-15", 400mm-17/21"
REAR DERAILLEUR	Shimano XT RD-M8000-GS Shadow + Design 11sp, top normal, direct attachment, max 11-42T	SADDLE	Selle Royal Seta S1, manganese rail, 277x144mm
FRONT DERAILLEUR	Shimano SLX FD-M7020-D High Direct mount, Sideswing, 66/69°, for 34/38T w/10T capacity		
CRANKSET	Shimano FC-MT600-B2, 36/26T, crank length: 170mm-15", 175mm-17/21"		
BOTTOM BRACKET	Shimano BB-MT800-PA PressFit 41x92mm		
CHAIN	Kmc X11 EPT finish 11sp		
CASSETTE / FREEWHEEL	Shimano CS-M7000-11, 11sp, 11-42T		
Brake	Shimano BR-MT501, w/180mm front adapter, resin pad, I-SPEC II compatible		
DISC ROTOR	Shimano SM-RT54 CL 180mm & 160mm, Center Lock		
FRONT HUB	Formula CL-811 for Center Lock, 32h, 15mmTA, sealed bearings		

NITRON 9.3 - NX EAGLE 1X12SP



CODE	YOBP5	REAR HUB	Formula CL-148S for Center Lock, 32h, BOOST 12x148mm, Shimano freewheel body, 4 sealed bearings, j-bend spokes
COLOR	6N - CK16/Black/Yellow fluo glossy (ON PHOTO) 8N - Black/CK16/Orange fluo matt	RIM/WHEELSET	Wtb KOM light i25 29", 622x25, 32 hole
FRAME	Nitron 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam. 27,2mm, HDM FD, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"	TIRE	Kenda Honey Badger XC Pro 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
SEATPOST CLAMP	MX-112C diam. 31,8mm	STEM	Tec Obvius 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31,8mm, ext: 70mm-15", 80mm-17", 90mm-19/21"
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep
FORK	Fox 32 Rythm 29" remote, 100mm travel, GRIP 2 position remote, 1.5" Tapered HT, 15x110mm BOOST axle	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SHIFTER	Sram NX EAGLE 1x12sp trigger	SEATPOST	Tec Obvius, Al2014 shaft with forged head, 27.2mm, 20mm seatback, length: 350mm-15", 400mm-17/21"
REAR DERAILLEUR	Sram NX Eagle 12sp long cage	SADDLE	Selle Royal Seta S1, manganese rail, 277x144mm
CRANKSET	Sram NX Eagle DUB 32T, 6000 alu series arms, DIRECT MOUNT, 52mm chainline BOOST compatible, crank length: 170mm-15", 175mm-17/21"		
BOTTOM BRACKET	Sram DUB PressFit BB92, 41x92mm		
CHAIN	Sram NX Eagle 12sp		
CASSETTE / FREEWHEEL	Sram PG1230 12sp, 11-50T		
BRAKE	Shimano BR-MT501, w/180mm front adapter, resin pad, I-SPEC II compatible		
DISC ROTOR	Shimano SM-RT54 CL 180mm & 160mm, Center Lock		
FRONT HUB	Formula CL-811 for Center Lock, 32h, 15mmTA, sealed bearings		

NITRON 9.4 - NX EAGLE 1X12SP



CODE	YOBO7	TIRE	Kenda Honey BadgerXC Pro 29x2.20, DTC/ Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 50-622
COLOR	6N - CK16/Black-Yellow fluo glossy N3 - Red/Black-White glossy (ON PHOTO)	STEM	Tec Obvius 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31.8mm, ext: 70mm-15", 80mm-17", 90mm-19/21"
FRAME	Nitron 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam. 27.2mm, HDM FD, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31.8mm, 9° backsweep
SEATPOST CLAMP	MX-112C diam. 31,8mm	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm cap	SEATPOST	Tec Obvius, Al2014 shaft with forged head, 27.2mm, 20mm seatback, length: 350mm-15", 400mm-17/21"
FORK	Rock Shox Judy Gold RL 29" Solo Air 100mm w/ OneLoc remote, 1.5 Tapered HT, 15x110mm BOOST Maxle Lite, 30mm stanchions, magnesium lowers, PM 160mm disc mount	SADDLE	Selle Royal Seta S1, manganese rail, 277x144mm
SHIFTER	Sram NX EAGLE 1x12sp trigger		
REAR DERAILLEUR	Sram NX Eagle 12sp long cage		
CRANKSET	Sram NX Eagle DUB 32T, 6000 alu series arms, DIRECT MOUNT, 52mm chainline BOOST compatible, crank length: 170mm-15", 175mm- 17/21"		
BOTTOM BRACKET	Sram DUB PressFit BB92 41x92mm		
CHAIN	Sram NX Eagle 12sp		
CASSETTE / FREEWHEEL	Sram PG1230 12sp, 11-50T		
Brake	Shimano BR-MT200 w/180mm front adapter, resin pad		
DISC ROTOR	Shimano SM-RT10 CL, 180mm front & 160mm rear, Center Lock, for resin pad only		
FRONT HUB	Formula CL-811 for Center Lock, 32h, 15mmTA, sealed bearings		
REAR HUB	Formula CL-1248 for CenterLock, 32h 12X148mm BOOST OLD, 2 sealed bearings, j-bend spokes		
RIM/WHEELSET	Wtb KOM light i25 29", 622x25, 32 hole		

NITRON 9.4 B - SHIMANO DEORE 2X10



CODE	YNBO1	REAR HUB	Formula CL-1248 for CenterLock, 32h 12x148mm BOOST, 2 sealed bearings, j-bend spokes
COLOR	6N - CK16/Black-Yellow Fluo glossy, N3 - Red/Black-White glossy (ON PHOTO)	RIM/WHEELSET	Wtb KOM i23 29", 32 holes , 622x23c
FRAME	Nitron 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam. 27,2mm, HDM FD, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"	TIRE	Kenda Honey BadgerXC Pro - 29x2.20, DTC/Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 50-622
SEATPOST CLAMP	MX-112C diam. 31.8mm	STEM	Tec Obvius 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31.8mm, ext: 70mm-15", 90mm-17/19", 100mm-21"
HEADSET	Fsa Orbit C-40, NO.42/ACB-A, 1.1/8"-1.5" w/4.3mm top cap	HANDLEBAR	Tec Obvius flat top, DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep
FORK	Rock Shox Judy Gold RL 29" Solo Air 100mm w/ OneLoc remote, 1.5 Tapered HT, 15x110mm BOOST Maxle Lite, 30mm stanchions, magnesium lowers, PM 160mm disc mount	GRIP / TAPE	T-One Rock T-GP34 w/aluminium clamp
SHIFTER	Shimano Deore SL- M6000 2x10sp	SEATPOST	Tec Obvius, Al2014 shaft with forged head, diam 27.2mm, seatback 20mm, length: 350mm-15", 400mm-17/21"
REAR DERAILLEUR	Shimano Deore RD-M6000-GS Shadow Plus Design 10sp, direct attachment, max 11-42T	SADDLE	Selle Royal Seta S1, manganese rail, 277x144mm
FRONT DERAILLEUR	Shimano Deore FD-M6020-D, high direct mount, 10sp, SIDE SWING, 66/69°, for 34/38T w/10T capacity	PEDALS	included
CRANKSET	Shimano FC-MT500-B2, 36/26T, crank lenght: 170mm-15", 175mm-17/21"	6N - CK16/Black-Yellow Fluo glossy,	
BOTTOM BRACKET	Shimano BB-MT500-PA Pressfit 41x92mm		
CHAIN	Kmc X10 EPT finish, 10sp		
CASSETTE / FREEWHEEL	Shimano CS-HG500-10, 10sp, 11-13-15-18-21-24-28-32-37-42T		
BRAKE	Shimano Br-M315, resin pad, w/180mm front adapter		
DISC ROTOR	Shimano SM-RT10 CL, 180mm front & 160mm rear, resin pad only		
FRONT HUB	Formula CL-811 for Center Lock, 32h, 15mm TA, sealed bearings		



GRIZZLY

POSITIONING

An affordable race ready machine inspired by Bianchi's carbon range models.

COURSE/TERRAIN

From leisure rides to amateur competitive events.

END USE DESTINATION

For anyone who wants a reliable and lightweight aluminum bike with a price that doesn't break the bank.

KY FEATURES

- Alu Triple butted frame in 29" wheels and 4 sizes
- 12x148mm Thru Axle or QR 9x141mm

PRODUCT FEATURES

- 29" performance frame geometry
- Tapered HT 1.1/8">1.5"
- Low brake PM 160mm
- Internal cable routing
- Pressfit 41x92mm bottom bracket
- HDM FD side swing

LIGHTWEIGHT

6

PRICE

10

HANDLING

10

COMFORT

6

REACTIVITY

6

reparto corse


TECHNOLOGY

BOOST STANDARD
148/141

GEOMETRY – RACING

SIZE

	A"	A	B1	BS	C	D	E	G	G1	G2	Y	X	W	
S	15"	15"	380	570	552	429	60	90	74°	72°	69.5°	596	389	1069
M	17"	17"	430	590	562	429	60	100	74°	72°	69.5°	605	406	1089
L	19"	18.5"	480	615	586	429	60	110	74°	72°	69.5°	614	428	1114
XL	21"	20.5"	530	635	608	429	60	120	74°	72°	69.5°	624	445	1135



GRIZZLY 9.1 - NX EAGLE 1X12SP



CODE	YOBA4	FRONT HUB	Formula CL-811 for Center Lock, 32h, 15x110mm TA, sealed bearings
COLOR	CN - CK16/Black-Graphite glossy	REAR HUB	Formula CL-1248 for CenterLock, 32h, 12x148mm BOOST, 2 sealed bearings, j-bend spokes
FRAME	Grizzly 29" Alu, 1.5" tapered HT, PF 41x92mm, seatpost diam. 27,2mm, HDM Front Derailleur, bottom pull, PM 160mm, 12x148mm BOOST, internal cable routing inside DT, sizes 15,17,19,21"	RIM/WHEELSET	Wtb XC25 TCS rim Tubeless Ready 29", AL6061-T6, 622x25, 32 hole
SEATPOST CLAMP	MX-112C diam. 31,8mm	TIRE	Kenda Honey Badger XC Sport 29x2.20, DTC compound, 60Tpi, ETRTO 56-622
HEADSET	Fsa Orbit 1.5E ZS #57E, internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/5,3mm top cap	STEM	Tec Obvius 3D forged alloy 6061 anodized sandblasted, +/-7°, 1.1/8", diam. 31.8mm, lenght: 80mm-15/17", 90mm-19/21"
FORK	Rock Shox Judy Gold RL 29" Solo Air 100mm w/ OneLoc remote, 1.5" Tapered HT, 15x110mm BOOST Maxle Lite, 30mm stanchions, magnesium lowers, PM 160mm disc mount	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep
SHIFTER	Sram NX Eagle 1x12sp trigger	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
REAR DERAILLEUR	Sram NX Eagle 12sp long cage	SEATPOST	Tec Obvius, AL2014 shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm-15/17", 400mm-19/21"
CRANKSET	Sram Descendant 6K Eagle DUB 32T, 6000 alu series arms, Direct Mount, 52mm chainline BOOST compatible, crank length: 170mm-15", 175mm-17/21"	SADDLE	Tec, carbon steel rail
BOTTOM BRACKET	Sram DUB PressFit BB92 (41x92)		
CHAIN	Sram NX Eagle 12sp		
CASSETTE / FREEWHEEL	Sram PG1230, 12sp, 11-50T		
BRAKE	Shimano BR-MT400, w/180mm front adapter, resin pad		
DISC ROTOR	Shimano SM-RT30 CL 180mm front & 160mm rear, Center Lock, for resin pad only		

GRIZZLY 9.2 - NX EAGLE 1X12SP



CODE	YOB95	RIM/WHEELSET	Wtb XC25 TCS rim Tubeless Ready 29", AL6061-T6, 622x25, 32 hole
COLOR	EN - Black/Grey-CK16 full matt	TIRE	Kenda Honey Badger XC Sport 29x2.20, DTC compound, 60Tpi, ETRTO 56-622
FRAME	Grizzly 29" alu, 1.5" tapered HT, PF 41x92mm, seatpost diam.27.2mm, HDM Front Derailleur, bottom pull, PM 160mm, QR141mm BOOST dropout , internal cable routing inside DT, sizes 15,17,19,21"	STEM	Tec Obvius 3D forged alloy 6061 anodized sandblasted, +/-∞, 1.1/8", diam. 31.8mm, lenght: 80mm-15/17", 90mm-19/21"
SEATPOST CLAMP	MX-112C diam. 31,8mm	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9∞ backsweep
HEADSET	Fsa Orbit 1.5E ZS #57E, internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/5,3mm top cap	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
FORK	Rock Shox Recon RL 29" Solo Air 100mm w/ OneLoc remote, 1.5 Tapered HT, 15x110mm BOOST Maxle Lite, 32mm stanchions, magnesium lowers, PM 160mm disc mount	SEATPOST	Tec Obvius, AL2014 shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm-15/17", 400mm-19/21"
SHIFTER	Sram NX Eagle 1x12sp trigger	SADDLE	Tec, carbon steel rail
REAR DERAILLEUR	Sram NX Eagle 12sp long cage		
CRANKSET	Sram Descendant 6K Eagle DUB 32T, 6000 alu series arms, DIRECT MOUNT, 52mm chainline BOOST compatible, crank length: 170mm-15", 175mm-17/21"		
BOTTOM BRACKET	Sram DUB PressFit BB92 (41x92)		
CHAIN	Sram NX Eagle 12sp		
CASSETTE / FREEWHEEL	Sram PG1230, 12sp, 11-50T		
BRAKE	Shimano BR-MT400, w/180mm front adapter, resin pad		
DISC ROTOR	Shimano SM-RT30 CL 180mm front & 160mm rear, Center Lock, for resin pad only		
FRONT HUB	Formula CL-811 for Center Lock, 32h 15x110mm TA, sealed bearings		
REAR HUB	Formula CL-2641 for Center Lock, 32h 141mm OLD BOOST, 2 sealed bearings, axle length 151mm, w/QR		

GRIZZLY 9.3 - DEORE 2X10SP



CODE	YNBQ7	FRONT HUB	Formula CL-25 for Center Lock, 32h, 100mm OLD, sealed bearings, j-bend spokes, 108mm axle, w/ QR
COLOR	T4 - CK16/Black-Graphite matt GG - Grey-Black-Red glossy (ON PHOTO)	REAR HUB	Formula CL-2641 for Center Lock, 32h 141mm OLD BOOST, 2 sealed bearings, axle length 151mm, w/QR
FRAME	Grizzly 29" alu, 1.5" tapered HT, PF 41x92mm, seatpost diam.27.2mm, HDM Front Derailleur, bottom pull, PM 160mm, QR141mm BOOST dropout , internal cable routing inside DT, sizes 15,17,19,21"	RIM/WHEELSET	Wtb XC25 TCS rim Tubeless Ready 29", AL6061-T6, 622x25, 32 hole
SEATPOST CLAMP	MX-112C diam. 31,8mm	TIRE	Kenda Honey Badger XC Sport 29x2.20, DTC compound, 60Tpi, ETRTO 56-622
HEADSET	Fsa Orbit 1.5E ZS #57E, internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/5,3mm top cap	STEM	Tec Obvius 3D forged alloy 6061 anodized sandblasted, +/-7°, 1.1/8", diam. 31.8mm, lenght: 80mm-15/17", 90mm-19/21"
FORK	Rock Shox 30 Silver TK 29" SoloAir 100mm w/ PopLoc Remote, 1.5" Alu HT, 9mm QR, 30mm stanchions, magnesium lowers, PM 160mm	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep
SHIFTER	Shimano Deore SL-M6000 2x10sp	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
REAR DERAILLEUR	Shimano Deore RD-M6000-GS Shadow Plus Design 10sp, direct attachment, max 11-42T	SEATPOST	Tec Obvius, AL2014 shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm-15/17", 400mm-19/21"
FRONT DERAILLEUR	Shimano Deore FD-M6020-D, HDM FD, Side-Swing, 66/69°, for 34/38T w/10T capacity	SADDLE	Tec, carbon steel rail
CRANKSET	Shimano FC-M6000-B2, 36/26T, crank length: 170mm-15", 175mm-17/21"	T4 - CK16/Black-Graphite matt	
BOTTOM BRACKET	Shimano BB-MT500-PA PressFit		
CHAIN	Kmc X10 EPT finish		
CASSETTE / FREEWHEEL	Shimano CS-HG500-10, 11-13-15-18-21-24-28-32-37-42T		
BRAKE	Shimano BR-M396, resin pad		
DISC ROTOR	Shimano SM-RT30 180mm front & 160mm rear, Center Lock, for resin pad only		



POSITIONING

The entrance door to the Bianchi off road world with the unique Italian style and design.

COURSE/TERRAIN

Asphalt, non-extreme climbs or descents, gravel or fire roads.

END USE DESTINATION

All round model for beginners or young riders. For anyone who wants to switch from sport, commuting or multi-day travelling.

PRODUCT FEATURES

- Alu frame with 29in wheels
- Leisure dedicated geometry in 29
- Two frame versions for 29" (BOOST QR 141mm & 135mm QR)
- Low brake PM 160mm
- Lock, carrier and mud-guards ready
- HDM side swing (BOOST QR 141mm version)
- Low clamp FD bottom pull (135mm QR version)
- AL6061 frame

LIGHTWEIGHT

6

PRICE

10

HANDLING

8

COMFORT

10

REACTIVITY

7

TECHNOLOGY


BOOST STANDARD

141

GEOMETRY

SIZE

	A	B1	C	D	E	F	G	G1	H	I	X	Y	WB
S	15"	380	570	460	60	100	658	74°	69.5°	51	500	394	609 1112
M	17"	430	590	460	60	110	672	73.5°	69.5°	51	500	407	616 1126
L	19"	480	615	460	60	120	698	73.5°	69.5°	51	500	430	626 1152
XL	21"	530	635	460	60	130	719	73.5°	69.5°	51	500	447	635 1172



MAGMA 9S - XT/DEORE 2X10SP ROCK SHOX FORK



CODE	YOB1	REAR HUB	Formula FH-MT200-B for Center Lock, 32h, 141mm OLD BOOST
COLOR	N3 - Red/Black-White glossy	RIM/WHEELSET	AlexRims DP2.5, 622x25c, 32h, Presta valve hole
FRAME	Magma 29 alu, 1.1/8" HT, BSA 68mm, seatpost diam. 27,2mm, HDM bottom pull or Side-Swing, PM 160mm, BOOST 9x141mm QR, internal cable routing, sizes 15-17-19-21"	TIRE	Kenda Honey Badger XC 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever	STEM	Tec Obvius 3D forged alloy 6061 anodized sandblasted, +/-7°, 1.1/8", diam. 31.8mm, lenght: 80mm-15/17", 90mm-19/21"
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep
FORK	Rock Shox 30 Silver TK 29" coil 100mm w/PopLoc remote, 1.1/8" Steel HT, 9mm QR axle, 30mm stanchions, magnesium lowers, PM 160mm disc mount	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
SHIFTER	Shimano Deore SL-M6000 2x10sp	SEATPOST	Tec Obvius Al2014 shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm
REAR DERAILLEUR	Shimano XT RD-M781 SGS Shadow Design 10sp, top normal, direct attachment, for 11-36T max	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
FRONT DERAILLEUR	Shimano Deore FD-M617-D HDM, Side-Swing, 66/69°, for 36/38T w/14T capacity		
CRANKSET	Shimano FC-M627-B, 36/22T, crank length: 170mm-15/17", 175mm-19/21"		
BOTTOM BRACKET	Shimano SM-BB52		
CHAIN	Kmc X10 EPT finish		
CASSETTE / FREEWHEEL	Shimano HG50-10sp, 11-13-15-17-19-21-24-28-32-36T		
BRAKE	Shimano BR-MT201, resin pad		
DISC ROTOR	Shimano SM-RT10 160mm, Center Lock, resin pad only		
FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR		

MAGMA 9S - XT/DEORE 2X10SP - RS FORK SPECIFIC FOR ASIA



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOB1C	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR
COLOR	N3 - Red/Black-White glossy	REAR HUB	Formula CL-1422 for Center Lock, 32h, 135mm OLD, loose balls, axle length 145mm, w/QR
FRAME	Magma 29" alu, 1,1/8" HT, BSA 68mm, seatpost diam. 27,2mm, low clamp FD diam. 31,8mm bottom pull or Side-Swing, PM 160mm, dropouts 9x135mm QR, internal cable routing, sizes 15-17-19-21"	RIM/WHEELSET	AlexRims DP2.5, 622x25c, 32h, Presta valve hole
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever	TIRE	Kenda Honey Badger XC 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap	STEM	Tec Obvius 3D forged alloy 6061 anodized sandblasted, +/-7°, 1,1/8", diam. 31.8mm, lenght: 80mm-15/17", 90mm-19/21"
FORK	Rock Shox 30 Silver TK 29" coil, 100mm w/PopLoc remote, 1,1/8" Steel HT, 9mm QR axle, 30mm stanchions, magnesium lowers, PM 160mm disc mount	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep
SHIFTER	Shimano Deore SL-M6000 2x10sp	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
REAR DERAILLEUR	Shimano XT RD-M781 SGS Shadow Design 10sp, top normal, direct attachment, for 11-36T max	SEATPOST	Tec Obvius Al2014 shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm
FRONT DERAILLEUR	Shimano Deore FD-M618-L, low clamp w/31.8mm adapter, down pull, 66/69°, for 36/38T w/14T capacity	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
CRANKSET	Shimano FC-M627 36/22T, crank length: 170mm-15/17", 175mm-19/21"		
BOTTOM BRACKET	Shimano SM-BB52		
CHAIN	Kmc X10 EPT finish		
CASSETTE / FREEWHEEL	Shimano HG50-10sp, 11-13-15-17-19-21-24-28-32-36T		
BRAKE	Shimano BR-MT201, resin pad		
DISC ROTOR	Shimano SM-RT10 160mm, Center Lock, resin pad only		

MAGMA 9.0 - DEORE 2X10SP



CODE	Y0BR9	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR
COLOR	MK - CK16/Black-Yellow fluo glossy	RIM/WHEELSET	AlexRims DP2.5, 622x25c, 32h, Presta valve hole
FRAME	Magma 29 alu, 1.1/8" HT, BSA 68mm, seatpost diam. 27,2mm, HDM bottom pull or Side-Swing, PM 160mm, BOOST 9x141mm QR, internal cable routing, sizes 15-17-19-21"	STEM	Tec Obvius 3D forged alloy 6061 anodized sandblasted, +/-7°, 1.1/8", diam. 31.8mm, lenght: 80mm-15/17", 90mm-19/21"
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
FORK	SR Suntour XCR32 RL-R DS 29" 100mm w/ Remote Lockout, 1,1/8" steel HT, alloy crown, coil spring w/pre-load adjust, steel 32mm stanchions, magnesium lowers w/PM 160mm disc mount, 9mm QR	SEATPOST	Tec Obvius Al2014 shaft with forged head, diam. 27.2mm, 20mm setback, length: 350mm
SHIFTER	Shimano Deore SL-M6000 2x10sp	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
REAR DERAILLEUR	Shimano Deore RD-M6000-GS Shadow Plus Design 10sp, direct attachment, max 11-42T		
FRONT DERAILLEUR	Shimano Deore FD-M6020-D, HDM, Side-Swing, 66/69°, for 34/38T w/10T capacity		
CRANKSET	Shimano FC-MT500-B2 36/26T, crank length: 170mm-15/17", 175mm-19/21"		
BOTTOM BRACKET	Shimano SM-BB52		
CHAIN	Kmc X10 EPT finish		
CASSETTE / FREEWHEEL	Shimano CS-HG500-10, 11-13-15-18-21-24-28-32-37-42T		
BRAKE	Shimano BR-MT200, resin pad		
DISC ROTOR	Shimano SM-RT10, 160mm front & rear, Center Lock, for resin pad only		

MAGMA 9.0 - SHIMANO DEORE 2X10SP SPECIFIC FOR ASIA



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	Y0BR9C	DISC ROTOR	Shimano SM-RT10, 160mm front & rear, Center Lock, for resin pad only
COLOR	MK - CK16/Black-Yellow fluo glossy	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR
FRAME	Magma 29" alu, 1,1/8" HT, BSA 68mm, seatpost diam. 27,2mm, low clamp FD diam. 31,8mm bottom pull or Side-Swing, PM 160mm, dropouts 9x135mm QR, internal cable routing, sizes 15-17-19-21"	REAR HUB	Formula CL-1422 for Center Lock, 32h, 135mm OLD, loose balls, axle length 145mm, w/QR
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever	RIM/WHEELSET	AlexRims DP2.5, 622x25c, 32h, Presta valve hole
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap	TIRE	Kenda Honey Badger XC 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
FORK	SR Suntour XCR32 RL-R DS 29" 100mm w/ Remote Lockout, 1.1/8" steel HT, alloy crown, coil spring w/pre-load adjust, steel 32mm stanchions, magnesium lowers w/PM 160mm disc mount, 9mm QR	STEM	Tec Obvius 3D forged alloy 6061 anodized sandblasted, +/-7°, 1.1/8", diam. 31.8mm, lenght: 80mm-15/17", 90mm-19/21"
SHIFTER	Shimano Deore SL-M6000 2x10sp	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep
REAR DERAILLEUR	Shimano Deore RD-M6000-GS Shadow Plus Design 10sp, direct attachment, max 11-42T	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
FRONT DERAILLEUR	Shimano Deore FD-M6025-L low clamp w/ diam.31,8mm adapter, down pull, 66/69°, for 34/38T w/10T capacity	SEATPOST	Tec Obvius Al2014 shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm
CRANKSET	Shimano FC-MT500-2 36/26T, crnk length: 170mm-15/17", 175mm-19/21"	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
BOTTOM BRACKET	Shimano SM-BB52		
CHAIN	Kmc X10 EPT finish		
CASSETTE / FREEWHEEL	Shimano CS-HG500-10, 11-13-15-18-21-24-28-32-37-42T		
BRAKE	Shimano BR-MT200, resin pad		

MAGMA 9.1 - DEORE MIX 2X9SP



CODE	YOBW1	TIRE	Kenda Honey Badger XC 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
COLOR	MK - CK16/Black/Yellow fluo glossy MB - Black/Silver/Yellow fluo matt (ON PHOTO)	STEM	Tec Obvius 3D forged alloy 6061 anodized sandblasted, +/-7°, 1.1/8", diam. 31.8mm, lenght: 80mm-15/17", 90mm-19/21"
FRAME	Magma 29 alu, 1.1/8" HT, BSA 68mm, seatpost diam. 27,2mm, HDM bottom pull or Side-Swing, PM 160mm, BOOST 9x141mm QR, internal cable routing, sizes 15-17-19-21"	HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap	SEATPOST	Tec Obvius Al2014 shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm
FORK	SR Suntour XCR32 RL-R DS 29" 100mm w/ Remote Lockout, 1.1/8" steel HT, alloy crown, coil spring w/pre-load adjust, steel 32mm stanchions, magnesium lowers w/PM 160mm disc mount, 9mm QR	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
SHIFTER	Shimano SL-M3000 2x9sp		
REAR DERAILLEUR	Shimano Deore RDM592 SGS Shadow Design 9sp, top-normal, direct attachment, for 11-36T max		
FRONT DERAILLEUR	Shimano FD-M4020-D, HDM FD, Side-Swing, 66/69°, for 36T w/18T capacity		
CRANKSET	Shimano FC-MT210-B2, 36/22T, crank length: 170mm-15/17", 175mm-19/21"		
BOTTOM BRACKET	Shimano SM-BB52		
CHAIN	Kmc HV900 9sp		
CASSETTE / FREEWHEEL	Shimano HG200-9, 11-13-15-17-20-23-26-30-36T		
BRAKE	Shimano BR-MT200, resin pad		
DISC ROTOR	Shimano SM-RT10, 160mm front & rear, Center Lock, for resin pad only		
FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR		
REAR HUB	Formula FH-MT200-B for Center Lock, 32h, 141mm OLD BOOST		
RIM/WHEELSET	AlexRims DP2.5, 622x25c, 32h, Presta valve hole		

MAGMA 9.1 - DEORE MIX 2X9SP SPECIFIC FOR ASIA



CODE	YOBW1C	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
COLOR	MK - CK16/Black/Yellow fluo glossy (ON PHOTO) MB - Black/Silver/Yellow fluo matt	SEATPOST	Tec Obvius AI2014 shaft with forged head, diam. 27.2mm, 20mm seatback, length: 350mm
FRAME	Magma 29" alu, 1,1/8" HT, BSA 68mm, seatpost diam. 27,2mm, low clamp FD diam. 31,8mm bottom pull or Side-Swing, PM 160mm, dropouts 9x135mm QR, internal cable routing, sizes 15-17-19-21"	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever		
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap		
SHIFTER	Shimano SL-M2000 3x9sp		
REAR DERAILLEUR	Shimano Deore RDM592 SGS Shadow Design 9sp, top-normal, direct attachment, for 11-36T max		
BOTTOM BRACKET	Shimano BB-UN26, LL 68/113mm		
CHAIN	Kmc HV900 9sp		
CASSETTE / FREEWHEEL	Shimano HG200-9, 11-13-15-17-20-23-26-30-36T		
DISC ROTOR	Shimano SM-RT10, 160mm front & rear, Center Lock, for resin pad only		
FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR		
REAR HUB	Formula CL-1422 for Center Lock, 32h, 135mm OLD, loose balls, axle length 145mm, w/QR		
RIM/WHEELSET	AlexRims DP2.5, 622x25c, 32h, Presta valve hole		
STEM	Tec Obvius 3D forged alloy 6061 anodized sandblasted, +/-7°, 1.1/8", diam. 31.8mm, length: 80mm-15/17", 90mm-19/21"		
HANDLEBAR	Tec Obvius flat DB Alloy 6061-T6, width 720mm, diam. 31,8mm, 9° backsweep		

MAGMA 9.2 - ALIVIO/ALTUS 3X9SP



CODE	YOBW2	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR
COLOR	MK - CK16/Black-Yellow fluo glossy (ON PHOTO) N3 - Red/Black/White glossy	REAR HUB	Formula CL-1422 for Center Lock, 32h, 135mm OLD, loose balls, axle length 145mm, w/QR
FRAME	Magma 29" alu, 1,1/8" HT, BSA 68mm, seatpost diam. 27,2mm, low clamp FD diam. 31,8mm bottom pull or Side-Swing, PM 160mm, dropouts 9x135mm QR, internal cable routing, sizes 15-17-19-21"	RIM/WHEELSET	AlexRims DP2.5, 622x25c, 32h, Presta valve hole
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever	TIRE	Kenda Honey Badger XC 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap	STEM	Tec 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31.8mm, ext: 80mm-15/17", 90mm-19/21"
FORK	SR Suntour XCM HLO DS 29" 100mm, w/HLO Hydraulic lockout, 1.1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm, QR 9mm	HANDLEBAR	Tec PG Alloy 6061, width 720mm, diam. 31,8mm, rise 15mm, backsweep 9°
SHIFTER	Shimano SL-M2000 3x9sp	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
REAR DERAILLEUR	Shimano Alivio RD-M4000-SGS 9sp, top-normal shadow design, direct attachment, for 36T max	SEATPOST	Tec, Al2014 shaft, alloy head, diam. 27,2mm, 12mm offset, length 350mm
FRONT DERAILLEUR	Shimano FD-M2000 low clamp diam. 31,8mm, dual pull, 66/69°, for 40T w/18T capacity, CL 50mm	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
CRANKSET	Shimano FC-MT100 40/30/22T, crank length: 170mm-15/17", 175mm-19/21"		
BOTTOM BRACKET	Shimano BB-UN100, Axle LL123 (122,5mm)		
CHAIN	Kmc HV900 9sp		
CASSETTE / FREEWHEEL	Shimano HG200-9, 11-13-15-17-20-23-26-30-36T		
BRAKE	Shimano BR-MT200, resin pad		
DISC ROTOR	Shimano SM-RT10, 160mm front & rear, Center Lock, for resin pad only		

DUEL

POSITIONING

The entrance door to the Bianchi off road world with the unique Italian style and design.

COURSE/TERRAIN

Asphalt, non-extreme climbs or descents, gravel or fire roads.

END USE DESTINATION

All round model for beginners or young riders.
For anyone who wants to switch from sport, commuting or multi-day travelling.

K Y FEATURES

- New semi-integrated Headset (same as Kuma)
- 27.5" & 29" sport-leisure geometry
- IS standard disc mount

PRODUCT FEATURES

- Aluminium frame in 27.5" and 29"
- BSA 68mm bottom bracket
- QR 135mm
- Carrier and mud-guards ready
- Low clamp FD/top pull

LIGHTWEIGHT

6

PRICE

10

HANDLING

8

COMFORT


10

REACTIVITY

7

GEOMETRY – 27.5"

SIZE	A	B1	BS	C	D	E	G	G1	Y	X	
XS	13"	340	535	539	440	50	110	73.5°	70°	591	360
S	15"	380	560	552	440	50	110	73.5°	71°	595	384
M	17"	430	580	563	440	50	120	73.5°	71°	605	401
L	19"	480	605	582	440	50	125	73.5°	71°	609	424
XL	21"	530	625	601	440	50	130	73.5°	71°	614	443



GEOMETRY – 29"

SIZE	A	B1	BS	C	D	E	G	G1	Y	X	
XS	15"	380	565	560	460	60	100	74°	70°	601	393
S	17"	430	590	574	460	60	110	73.5°	71°	615	408
M	19"	480	610	588	460	60	120	73.5°	71°	625	425
L	21"	530	630	605	460	60	130	73.5°	71°	634	442

DUEL 29S - ACERA/ALTUS 3X9SP HYDR. BRAKE



CODE	Y0BC8	DISC ROTOR	Shimano SM-RT10, 160mm front & rear, Center Lock, for resin pad only
COLOR	HD - CK16/Black-White glossy HE - Black/CK16-White matt (ON PHOTO) HB - Black/Red-White glossy	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR
FRAME	Duel 29" alu, 1.1/8" HT, BSA 68mm, seatpost diam. 27,2mm, seat tube diam. 31,8mm, FD top pull, INTL 160mm disc mounting dropouts 9x135mm QR, external cable routing under TT, sizes 15-17-19-21"	REAR HUB	Formula CL-1422 for Center Lock, 32h, 135mm OLD, loose balls, axle length 145mm, w/QR
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever	RIM/WHEELSET	AlexRims DP2.5, 622x25c, 32h, Presta valve hole
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap	TIRE	Kenda Honey Badger XC 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
FORK	SR Suntour XCM HLO DS 29" 100mm, w/HLO Hydraulic lockout, 1.1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm, QR 9mm	STEM	Tec 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31.8mm, ext: 80mm-15/17", 90mm-19/21"
SHIFTER	Shimano SL-M2000 3x9sp	HANDLEBAR	Tec PG Alloy 6061, width 720mm, diam. 31,8mm, rise 15mm, backsweep 9°
REAR DERAILLEUR	Shimano Acera RD-M3000 9sp, top-normal, direct attachment, max 11-36T	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
FRONT DERAILLEUR	Shimano FD-M2000 low clamp diam. 31,8mm, dual pull, 66/69°, for 40T w/18T capacity, CL 50mm	SEATPOST	Tec Al2014 shaft, alloy head, diam. 27,2mm, 12mm offset, length: 300mm-15", 350mm-17/21"
CRANKSET	Shimano FC-MT100 40x30x22T, crank length: 170mm-15/17", 175mm- 19/21"	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
BOTTOM BRACKET	Shimano BB-UN100, Axle LL123 (122,5mm)		
CHAIN	Kmc HV900 9sp		
CASSETTE / FREEWHEEL	Shimano HG200-9, 11-13-15-17-20-23-26-30-36T		
BRAKE	Shimano BR-MT200 w/160mm IS rear adapter		

DUEL 29.0 - ACERA/ALTUS 3X8SP HYDR. BRAKE



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBC9	DISC ROTOR	Shimano SM-RT10, 160mm front & rear, Center Lock, for resin pad only
COLOR	HD - CK16/Black-White glossy HE - Black/Ck16-White matt	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR
FRAME	Duel 29" alu, 1.1/8" HT, BSA 68mm, seatpost diam. 27,2mm, seat tube diam. 31,8mm, FD top pull, INTL 160mm disc mounting dropouts 9x135mm QR, external cable routing under TT, sizes 15-17-19-21"	REAR HUB	Formula CL-1422 for Center Lock, 32h, 135mm OLD, loose balls, axle length 145mm, w/QR
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever	RIM/WHEELSET	AlexRims DP2.5, 622x25c, 32h, Presta valve hole
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap	TIRE	Kenda Honey Badger XC 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
FORK	SR Suntour XCT30 HLO DS 29" 100mm, with HLO Hydraulic lockout, 1.1/8" head tube, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR	STEM	Tec 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31.8mm, ext: 80mm-15/17", 90mm-19/21"
SHIFTER	Shimano ST-EF505 3x8sp	HANDLEBAR	Tec PG Alloy 6061, width 720mm, diam. 31,8mm, rise 15mm, backsweep 9°
REAR DERAILLEUR	Shimano Acera RD-M360 top-normal, direct attachment, for 11-34T max	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
FRONT DERAILLEUR	Shimano FD-TY700-TS6, low clamp diam. 31,8mm, dual pull, 66/69°, for 42T w/18T capacity, CL 50mm	SEATPOST	Tec, Al2014 shaft, alloy head, diam. 27,2mm, 12mm offset, length: 300mm-15", 350mm-17/21"
CRANKSET	Shimano FC-TY501 42/34/24T w/chainguard, crank length: 170mm-15/17", 175mm-19/21"	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
BOTTOM BRACKET	Shimano BB-UN100 , Axle 122,5MM (D-NL)	PEDALS	Fasten NW-91K
CHAIN	Kmc HV800 8sp		
CASSETTE / FREEWHEEL	Shimano HG31-8s, 11-13-15-18-21-24-28-32T		
BRAKE	Shimano BR-MT200		

DUEL 27S - ACERA/ALTUS 3X9SP HYDR. BRAKE



CODE	YOBC7	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR
COLOR	HD - CK16/Black-White glossy (ON PHOTO) HE - Black/CK16-White matt HB - Black/Red-White glossy	REAR HUB	Formula CL-1422 for Center Lock, 32h, 135mm OLD, loose balls, axle length 145mm, w/QR
FRAME	Duel 27,5" alu, 1.1/8" HT, BSA 68mm, seatpost diam. 27,2mm, seat tube diam. 31,8mm, FD top pull, INTL 160mm disc mounting dropouts 9x135mm QR, ST w/V-Brake studs, external cable routing under TT, sizes 15-17-19-21"	RIM/WHEELSET	AlexRims DP2.5, 584x25c, 32h, Presta valve
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever	TIRE	Kenda Honey Badger XC 27,5x2.20, DTC compound, 30Tpi, wire, ETRTO 56-584
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap	STEM	Tec 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31.8mm, ext: 80mm-15/17", 90mm-19/21"
FORK	SR Suntour XCM HLO DS 27,5" 100mm, with HLO Hydraulic Lockout, 1.1/8" HT, alloy crown, coil spring w/preload adjust, steel 30mm stanchions, alloy lowers w/PM 160mm, 9mm QR	HANDLEBAR	Tec PG Alloy 6061, width 720mm, diam. 31,8mm, rise 15mm, backsweep 9°
SHIFTER	Shimano SL-M2000 3x9sp	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
REAR DERAILLEUR	Shimano Acera RD-M3000 9sp, top-normal, direct attachment, max 11-36T	SEATPOST	Tec, Al2014 shaft, alloy head, diam. 27,2mm, 12mm offset, length: 300mm-15", 350mm-17/21"
FRONT DERAILLEUR	Shimano FD-M2000 low clamp diam. 31,8mm, dual pull, 66/69°, for 40T w/18T capacity, CL 50mm	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
CRANKSET	Shimano FC-MT100 40x30x22T, crank length: 170mm-15/17", 175mm-19/21"	HB - Black/Red-White glossy	
BOTTOM BRACKET	Shimano BB-UN100, Axle LL123 (122,5mm)		
CHAIN	Kmc HV900 9sp		
CASSETTE / FREEWHEEL	Shimano HG200-9, 11-13-15-17-20-23-26-30-36T		
BRAKE	Shimano BR-MT200 w/160mm IS rear adapter, resin pad		
DISC ROTOR	Shimano SM-RT10, 160mm front & rear, Center Lock, for resin pad only		



DUEL 27.0 - ACERA/ALTUS 3X8SP HYDR. BRAKE



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBW4	DISC ROTOR	Shimano SM-RT10, 160mm front & rear, Center Lock, for resin pad only
COLOR	HD - CK16/Black-White glossy (ON PHOTO) HE - Black/CK16-White matt	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, w/QR
FRAME	Duel 27,5" alu, 1.1/8" HT, BSA 68mm, seatpost diam. 27,2mm, seat tube diam. 31,8mm, FD top pull, INTL 160mm disc mounting dropouts 9x135mm QR, ST w/V-Brake studs, external cable routing under TT, sizes 15-17-19-21"	REAR HUB	Formula CL-1422 for Center Lock, 32h, 135mm OLD, loose balls, axle length 145mm, w/QR
SEATPOST CLAMP	339QX diam. 31,8mm, alloy clamp & lever	RIM/WHEELSET	AlexRims DP2.5, 584x25c, 32h, Presta valve
HEADSET	Fsa TH888 forged steel cups ID diam.34mm, stack height 12,8+11=23,8mm, w/15mm cap	TIRE	Kenda Honey Badger XC 27,5x2.20, DTC compound, 30Tpi, wire, ETRTO 56-584
FORK	SR Suntour XCT30 HLO DS 27,5" 100mm, with HLO Hydraulic lockout, 1.1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR	STEM	Tec 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31.8mm, ext: 80mm-15/17", 90mm-19/21"
SHIFTER	Shimano ST-EF505 3x8sp	HANDLEBAR	Tec PG Alloy 6061, width 720mm, diam. 31,8mm, rise 15mm, backsweep 9°
REAR DERAILLEUR	Shimano Acera RD-M360 top-normal, direct attachment, for 11-34T max	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm
FRONT DERAILLEUR	Shimano FD-TY700-TS6, low clamp diam.31,8mm, dual pull, 66/69°, for 42T w/18T capacity, CL 50mm	SEATPOST	Tec Al2014 shaft, alloy head, diam. 27,2mm, 12mm seatback, length: 300mm-15", 350mm-17/21"
CRANKSET	Shimano FC-TY501 42/34/24T w/chainguard, crank length: 170mm-15/17", 175mm-19/21"	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
BOTTOM BRACKET	Shimano BB-UN100 , Axle 122,5MM (D-NL)	PEDALS	Fasten NW-91K
CHAIN	Kmc HV800 8sp		
CASSETTE / FREEWHEEL	Shimano HG31-8s, 11-13-15-18-21-24-28-32T		
BRAKE	Shimano BR-MT200, resin pad		



E-BIKES

E-ROAD

E-MTB

E-SPORT

E-CITY



ADVANTAGES OF BIANCHI E-BIKES

A traditional bike works according to the amount of force you put on the pedals. Instead, Bianchi's E-bikes power-assist your pedal stroke up to a speed of 25km/hr. Choose the level of assistance that's best for you and how you're feeling, whether it be a light or intense boost. In any case, you will be the winner.

POWER AND PERFORMANCE

With a Bianchi e-bike, your cycling performance is improved because every pedalling effort you make can be assisted. The power unit can easily be controlled to give a little help or a lot of help, so every journey you make you get there faster, and using less effort.



ECO-FRIENDLY

Travelling by Bianchi e-bike you're reducing pollution levels and making a positive environmental contribution that benefits everyone. On your e-bike you can cruise past stressful congested traffic, avoid producing harmful emissions. Just as your assisted pedaling efforts are far more sustainable, investing in an e-bike is an environmentally sustainable, intelligent choice for an ecologically-conscious cyclist.

HEALTH & WELLBEING

Our e-bikes are able to enhance your level of fitness and open up a wealth of new riding possibilities. Because you're still pedaling, and can select the amount of assistance you receive at any time, riding an e-bike lets you enjoy all the health and wellness benefits of a conventionally powered bicycle. Your heart rate rises, your muscles get a gentle allover workout and your lungs work better than ever. Getting fitter, enjoying the open air, taking back control and meeting your challenges feed a new level of mental and emotional wellbeing.



MAXIMUM EFFICIENCY

Riding an e-bike will save you the stress and will see you arriving fresh and relaxed at your destination. No more time wasted queueing or searching for parking spaces – take back control of every journey. Now you're free to run your own schedule and plan your own time. Maintenance is also easy. All you need is your e-bike and away you go.

 AVENGER FULL
 AVENGER HARDTAIL

BOSCH | PERFORMANCE LINE CX

- Central Motor Unit 36V, 250W, 75Nm Max (4Kg). A compact performance motor unit.
- **500Wh** Down Tube mounted Battery (2,7Kg)
- Torque sensor, speed sensor, cadence sensor
- Charging Time 3.5h
- LCD multifunction display

WALK ASSIST
0-6 km/h.

AUTONOMY
Battery 500Wh
60Km Avg

ASSISTANCE (%)
Eco 50%
Tour 120%
E-mtb 120-300%
Turbo 300%



 MANHATTAN
 E-BROOKLIN

SHIMANO | STEPS E-6000

- Central Motor Unit 36V, 250W, 50Nm (3,2Kg). Specific for E-Sport and E-City Bikes
- **418Wh** Down Tube mounted Battery (2,66Kg)
- Torque sensor, speed sensor, cadence sensor
- Charging Time 4h (80% 2h).
- LCD multifunction display

WALK ASSIST
0-6 km/h

AUTONOMY
Eco 125Km
Standard 85Km
High 60K

ASSISTANCE (%)
Eco 70%
Standard 150%
High 230%



 ARIA E-ROAD

ebikemotion® | X35

- Rear hub integrated M1 motor unit 36V, 250W, 40Nm
- 250Wh Down tube integrated battery
- Frame integrated PAS sensor
- Top tube integrated iWok One remote control
- 3,5Kg complete system
- Dedicated smartphone App (iOS and Android)
- Charging time 3.5/4h

AUTONOMY
Up to 1.200 meters of elevation gain*

ASSISTANCE (%)
Eco (Green) 30%
Comfort (Orange) 60%
Power (Red) 100%



 IPD V2
Inner Power Drive

*Autonomy could be increased with 250W Xtra Power external battery

E-DOARDO



FAZUA | EVATION

- Motor Unit 36V, 250W
Designed for urban use.
- **250Wh** Down Tube integrated Battery
- Torque sensor, speed sensor, cadence sensor
- Charging Time 2,5h
- 4Kg complete system
- Two bikes in one

WALK ASSIST
0-6 km/h

AUTONOMY
55Km

MAX POWER
Breeze (Green) 125W
River (Blue) 250W
Rocket (Pink) 400W

ASSISTANCE (%)
Breeze (Green) 75%
River (Blue) 150%
Rocket (Pink) 240%

IMPULSO E-ROAD IMPULSO E-ALLROAD

E-ROAD SYSTEM



polini | E-P3

- Central Motor Unit brushless 36V, 250W, 70Nm (2,85Kg). Specific for road racing bikes. Single and double chainrings compatible.
- **500Wh** Down Tube integrated Battery (2,54Kg)
- Torque sensor, speed sensor, cadence sensor
- Charging Time 4h
- LCD multifunction display

WALK ASSIST
0-6 km/h.

AUTONOMY
(1) 200Km
(2) 160Km
(3) 120Km
(4) 90Km
(5) 70Km

ASSISTANCE (%)
(1) 30%
(2) 60%
(3) 120%
(4) 250%
(5) 350%

METROPOL-E DANCE



EGOING SYSTEM | PHONIC WHEEL


- Hub integrated motor unit 36V, 250W. Specific for E-City Bikes
- **400Wh** battery
- Speed sensor
- Charging Time 4,5h
- Presa USB

WALK ASSIST
0-6 km/h

AUTONOMY
Eco 75Km
Standard 60Km
High 45Km

ASSISTANCE
Eco 15Km/h
Standard 20Km/h
High 25Km/h

LONG ISLAND



BAFANG | PHONIC WHEEL

- Central motor unit 36V, 250W Specific for E-City Bikes
- **400Wh** Rear carrier mounted battery
- Speed sensor
- Charging Time 4,5h
- Presa USB

WALK ASSIST
0-6 km/h

ASSISTANCE
(1) 12,5Km/h
(2) 17,5Km/h
(3) 21Km/h
(4) 23Km/h
(5) 25Km/h



MODELS
IN THIS CATEGORY

ARIA E-ROAD

IMPULSO E-ROAD

IMPULSO E-ALLROAD

E-ROAD

PROJECT PHILOSOPHY

- The E-ROAD/E-ALLROAD range is perfect for the active cyclist.
- With a long-lasting battery range that reaches 200km, you can go beyond the limits of a traditional road bike while staying relaxed and enjoying the scenery.
- You can ride further and higher than ever. See more places and meet more people along the way.

e-road ARIA

POWER WHEN YOU NEED IT

THE ULTIMATE E-ROAD BIKE

The new Aria e-Road aero carbon bike, engineered with Bianchi's **Inner Power Drive system**, is the perfect solution to the demands of genuine road riders the world over: to have the look and feel of traditional, pure high-performance, race-bred road riding, with powerful electrical assistance in the background - when you need it.



Bianchi engineers integrated the iWOC One flush-fit power and battery level controls unobtrusively into the Aria e-Road's aero top tube.




The X35 V.2 M1 motor is powered by a slim, 40mm wide 250W battery, positioned inside the downtube of the Aria e-Road frame.



Nestled between the rear cassette sprockets and the rear disc brake rotor, the motor is virtually hidden.

GEOMETRY - RACING

A1	AS	B1	BS	C	D	E	G	G1	W
470	450	515	497	437	68	120	74.5°	70°	1016
500	470	525	508	437	68	125	74.5°	70.5°	1022
520	490	535	519	440	68	130	74°	70.5°	1030
550	520	550	534	440	68	145	73.5°	71.5°	1031
570	540	560	546	440	68	155	73.5°	72°	1036
590	570	575	562	443	68	175	73°	72°	1049
610	590	585	572	443	68	185	72.5°	72.5°	1049
630	610	595	581	443	68	210	72.5°	72.5°	1058



AUTONOMY - Battery 250Wh

Up to 1.200 meters of elevation gain. Autonomy could be increased with 250W Xtra Power external battery



CHARGING TIME

Complete 3.5/4h



ASSISTANCE (%)

Eco (Green) 30%
Comfort (Orange) 60%
Power (Red) 100%



POWERED BY

IPD V2
Inner Power Drive

ARIA E-ROAD - ULTEGRA 11SP COMPACT



CODE	YOBN8	BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers
COLOR	2A - CK16/Black Glossy	BRAKE LEVER	included w/shifters
FRAME	Aria E-Road Disc carbon, mechanical/electronic shifting compatible, PressFit 86,5x41mm BB, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, flat mount, QR system, OLD 135mm, sizes 47-50-53-55-57-59-61cm	DISC ROTOR	Shimano SM-RT86, 6-bolts, 160mm
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Vision Trimax alloy disc w/Ebikemotion motor unit rear hub
HEADSET	Fsa Orbit C-33, NO.44E, 1.1/8">1.1/4", 45°/45° ACB steeel bearings, w/15mm top cap for 47mm/52mm OD head tube	TIRE	Vittoria Rubino IV 700x28, 60TPI, Folding, SMU G+ black
FORK	Bianchi Full Carbon 1.4">1.1/8" integrated head, Disc brake flat mount, thru axle 12x100mm	STEM	Reparto Corse 3D Forged alloy 6061, rise -8°, 1.1/8", Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SHIFTER	Shimano Ultegra ST-R8020 2x11sp	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-47/53cm
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T	GRIP / TAPE	La Spirale Ribbon cork w/carbon look plugs w/ Bianchi logo
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down swing, brazed-on type, 61-66°, max chainring 46/53T, CL: 43,5mm	SEATPOST	Aria Full Carbon Aero, clamp with alloy head adjustable and reversible +/- 35mm; length: 250mm-44cm, 300mm-47/50cm, 350mm-53/61cm
BATTERY / MOUNT	Ebikemotion X35 integrated battery 250Wh	SADDLE	Selle Royal Seta S1, steel rails, 278x144mm
CRANKSET	Shimano Ultegra FC-R8000 52x36T, Hollowtech II, crank length: 170mm-47/53cm, 172.5mm-55/59cm, 175mm-61cm	BOTTLE CAGE	Elite Paron Race composit
BOTTOM BRACKET	Shimano SM-BB72-41B, PressFit for road, right & left adapter	WATER BOTTLE	Bianchi Loli 600ml
CHAIN	Shimano Ultegra CN-HG701-11, 11sp	MOTOR UNIT	Ebikemotion X35 system: 250W rear hub motor unit, 250Wh integrated battery and iWOC One remote control
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		



A NEW EXPERIENCE

NO MORE LIMITS WITH BIANCHI E-ROAD
AND E-ALLROAD

Take on the big passes like Stelvio, Gavia, and Pordoi or challenge yourself with a nice, long ride on the legendary "strade bianche". Dreaming big is possible with the new Bianchi E-Road and E-Allroad. Light and powerful, with setups for every need and type of terrain, the Bianchi E-Road and E-Allroad have a front derailleur with two front chainrings. The frame was specifically designed for a similar saddle positioning to that of a traditional bike. The **Bianchi E-Road System** is engineered and produced in Italy, is one of the least bulky in its category.

AUTONOMY - Battery 500Wh

- (1) 200Km
- (2) 160Km
- (3) 120Km
- (4) 90Km
- (5) 70Km



CHARGING TIME

Complete 4h



ASSISTANCE (%)

- (1) 30%
- (2) 60%
- (3) 120%
- (4) 250%
- (5) 350%




**POWERED BY
E-ROAD SYSTEM**



GEOMETRY

A1	AS	B1	BS	C	D	E	G	G1	W
470	450	515	497	437	68	120	74.5°	70°	1016
500	470	525	508	437	68	125	74.5°	70.5°	1022
520	490	535	519	440	68	130	74°	70.5°	1030
550	520	550	534	440	68	145	73.5°	71.5°	1031
570	540	560	546	440	68	155	73.5°	72°	1036
590	570	575	562	443	68	175	73°	72°	1049
610	590	585	572	443	68	185	72.5°	72.5°	1049
630	610	595	581	443	68	210	72.5°	72.5°	1058



IMPULSO E-ROAD - ULTEGRA 2X11SP HYDR. BRAKE



CODE	YOBN6	RIM/WHEELSET	Fulcrum Racing 718 Disc Brake, R700 aluminium asymmetric 622x19c, profile 22mm, thru axle F: 12x100mm, R: 12x142mm, center lock AFS
COLOR	3A - Black/CK16-Graphite matt	TIRE	Vittoria Zaffiro Pro G+ 700x32, 32-622", 60TPI, Folding, black
FRAME	Impulso E-Road Alu Triple Hydroforming Technology. Integrated headset 1.1/8", 700C OLD 142mm, thru axle, flat mount disc, size: 47-50-53-55-57-59-61-63cm	STEM	Reparto Corse 3D Forged alloy 7050, rise +/-7°, 1.1/8", Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57/59cm, 130mm-61/63cm
SEATPOST CLAMP	MX-112C alloy, diam. 35mm	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77,4mm, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/63cm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm	GRIP / TAPE	La Spirale Bike Ribbon Eolo soft w/carbon look plug w/Bianchi logo
FORK	Bianchi Full carbon Disc, 1.1/8", thru axle 12x100mm, flat mount caliper	SEATPOST	Reparto Corse full carbon UD w/Alloy clamp, two stainless steel bolt, setback 15mm, diam. 31.6mm, Length 350mm
SHIFTER	Shimano Ultegra ST-R8020 2x11sp	SADDLE	Fi'zi:k Aliante R7, nylon carbon reinforced shell w/ WingFlex, Manganese rail, ICS system
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T	BOTTLE CAGE	bottlecage w/EP3 brackets
FRONT DERAILLEUR	Shimano Ultegra FD-R8000, down-swing, 61-66°, for 46/53T CL:43.5mm	WATER BOTTLE	Bianchi Loli 600ml
CRANKSET	Fsa Alloy 50x34, crank length: 170mm-47/57cm, 175mm-59-63cm	MOTOR UNIT	Polini EP3, w/battery pack 500W - 36V - 13,6Ah, EP3 display, magnet and wheel sensor
BOTTOM BRACKET	included w/motor unit		
CHAIN	Kmc X11eS EPT finish		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano BR-R8070 Hydraulic disc brake, flat mount calipers		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT800 Center Lock, diam. 160mm		

IMPULSO E-ALLROAD - ULTEGRA/105 2X11SP HYDR. BRAKE



CODE	YOBN7	TIRE	Kenda Flintridge 700x40, 60TPI, black
COLOR	3B - Black/Graphite-CK16 matt	STEM	Reparto Corse 3D forged Alloy6061 , 7°, 31.8mm, 1.1/8", ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
FRAME	Impulso E-Road Alu Triple Hydroforming Technology. Integrated headset 1.1/8", 700C OLD 142mm, thru axle, flat mount disc, size: 47-50-53-55-57-59-61-63cm	HANDLEBAR	Reparto Corse, alloy 6061 diam. 31,8mm, reach 70mm, flare angle 16°, drop c/c 120-40cm, drop 130mm42/46cm, size: 40cm-47/53cm, 42cm-55/59cm, 44cm-61/63cm
SEATPOST CLAMP	MX-112C alloy, diam. 35mm	GRIP / TAPE	La Spirale Bike Ribbon Eolo soft w/carbon look plug w/Bianchi logo
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm	SEATPOST	Reparto Corse AL6061 shaft, alloy head, 15mm offset, diam. 31,6mm, length: 350mm
FORK	Bianchi Full Carbon Disc 1.1/8", thru axle 12x100mm, flat mount	SADDLE	Selle Royal w/hole, steel rail, PU soft touch cover, 280x145mm
SHIFTER	Shimano 105 ST-R7020 2x11sp Hydraulic disc brake	BOTTLE CAGE	bottle cage w/EP3 brackets
REAR DERAILLEUR	Shimano Ultegra RD-R8000 GS 11sp, top normal shadow design, direct attachment, compatible with low gear 28-34T	WATER BOTTLE	Bianchi Loli 600ml
FRONT DERAILLEUR	Shimano 105 FD-R7000-L, down-swing, brazed-on type, 61-66°, max chainring: 46-53T, CL: 43.5mm, black	MOTOR UNIT	Polini EP3, w/battery pack 500W - 36V - 13,6Ah, EP3 display, magnet and wheel sensor
CRANKSET	Fsa Alloy 50x34, crank length: 170mm-47/57cm, 175mm-59-63cm		
BOTTOM BRACKET	included w/motor unit		
CHAIN	Kmc X11eS EPT finish		
CASSETTE / FREEWHEEL	Shimano 105 CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Included w/shifters		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT70, diam. 160mm		
RIM/WHEELSET	Fulcum Racing 718 disc brake, aluminium asymmetric rims 622x19c, profile 22mm, Center Lock AFS, thru axle F: 12x100mm, R: 12x142mm		



MODELS
IN THIS CATEGORY

AVENGER FS

AVENGER HT

E-MTB

PROJECT PHILOSOPHY

- If you're looking to get out on the trails and become one with nature, the Bianchi E-MTB range will take you to explore new and extraordinary peaks.
- Climbing those impossible mountains is now a reality and the most difficult trails are now the most fun.
- With a power-assisted mountain bike your rides will not only become longer as you can also bike to higher places and push harder than before, allowing yourself to try many new trails, sceneries, challenges, and experiences.
- You can nearly fly to the top of the climbs, go distances that you never imagined possible, and ride more often with your well-trained friends: all you have to do is adjust the assistance level according to where you're riding and who you're riding with.
- And naturally, what goes up must come down, there's always the descent to enjoy as well!

AVENGER

PURE PERFORMANCE

OFF-ROADING FOR SPORT LOVERS

Geometries for all kinds of terrain and suspensions created for any frame and setup with travel ranging from 100, 120, and 140mm together with 27.5" plus wheels or 29". The Bianchi Avengers are powered by the mighty Bosch Performance CX motor, engineered to give an incredible push on the off-road sections. This dedicated Bianchi geometry and the greater power from the motor give a smooth pedaling sensation on any trail.

AUTONOMY - Battery 500Wh

60Km Avg



CHARGING TIME

Complete 3,5h



ASSISTANCE (%)

Eco 50%
Tour 120%
E-mtb 120-300%
Turbo 300%




POWERED BY

 **BOSCH**

GEOMETRY - FS

SIZE


	A	B1	C	D	E	F	G	G1	H	I	X	Y	WB
S	15"	390	575	480	5	105	704	73.5°	67°	51	552	400	590 1183
M	17"	430	600	480	5	115	730	73.5°	67°	51	552	423	599 1209
L	19"	480	620	480	5	125	751	73.5°	67°	51	552	440	608 1230
XL	21"	530	640	480	5	135	773	73.5°	67°	51	552	457	617 1252



GEOMETRY - HT

SIZE

	A	B1	C	D	E	F	G	G1	H	I	X	Y	WB
S	15"	395	570	485	60	100	676	73.5°	67.5°	51	525	386	620 1155
M	17"	430	600	485	60	100	706	73.5°	67.5°	51	525	416	620 1185
L	19"	480	625	485	60	110	732	73.5°	67.5°	51	525	438	630 1211
XL	21"	530	645	485	60	120	753	73.5°	67.5°	51	525	455	639 1232



AVENGER FS 7.1 - XT/SLX 11SP



CODE	YOB02	BRAKE	Shimano XT M8002, 4 pistons caliper, w/203mm front & rear adapter, resin pad
COLOR	AV - CK16/Black-Acid Yellow glossy AS - Black/White-Red glossy (ON PHOTO)	DISC ROTOR	Shimano SM-RT64 CL, diam. 203mm, CenterLock
FRAME	Avenger FS alu 6061 triple butted, 140mm, 27,5"PLUS, 1.5" tapered HT, compatible w/Bosch CX, seatpost diam. 31,6mm, seat clamp diam. 34,9, PM 160mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 38,43,48,53	FRONT HUB	Formula CL-811 Center Lock, 32h, 15x110mm TA, 2 sealed bearings
REAR SHOCK	Fox Float DPS Performance, Trunnion 185/50mm, SV, EVOL, 3 position Lever, w/lower eyelet 23,88mm x diam.8mm	REAR HUB	Formula CL-148S for Center Lock, 32h, Boost 12x148mm, 4 sealed bearings, j-bend spokes
SEATPOST CLAMP	MX-112C, alloy, diam. 34,9mm	RIM/WHEELSET	Wtb Scraper i40 27.5", WT-69 Series Alloy, 40mm inner width, 32 hole, Disc Only
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap	TIRE	Kenda Havoc Pro 27,5x2.8, 60tpi Tubeless Race, folding
FORK	Fox 34 Float 29" Performance Elite, specific E-bike tuning, 140mm travel, FIT4 Damper 3 Pos w/open mode Adj Lever, 1.5" tapered HT, 15x110mm BOOST axle	STEM	Tec Cursus, rise +/-0°, 1.1/8", diam. 35mm, ext: 60mm
SHIFTER	Shimano SL-M7000-11-I, I-spec II 11sp	HANDLEBAR	Tec Cursus rise, double butted AL7050, width 780mm, diam. 35mm, rise 20mm, backsweep 9°
REAR DERAILLEUR	Shimano XT RD-M8000-GS Shadow + Design 11sp, top normal, direct attachment, max 11-42T	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
CRANKSET	Fsa forged AL6061-T6 crank w/15T sprocket, Boost 148 compatible, cranklength: 170 mm	SEATPOST	KS Lev Integra, diam. 31,6mm, internal remote cable routing, w/remote control, length: 392mm, travel 125mm
BOTTOM BRACKET	Included w/motor unit	SADDLE	Selle San Marco Seta S1, manganese rail, 277x144mm
CHAIN	Kmc X11eT EPT finish	PEDALS	Fasten NW-91K
CASSETTE / FREEWHEEL	Shimano CS-M7000-11, 11-46T	MOTOR UNIT	Bosch Performance CX line 250w w/500Wh Li-ion Powertube and Purion display. w/speed sensor and magnet

AVENGER FS 7.2 - XT/SLX 11SP



CODE	YOBO3	DISC ROTOR	Shimano SM-RT64 CL, diam. 203mm, CenterLock
COLOR	AV - CK16/Black-Acid Yellow glossy (ON PHOTO) AS - Black/White-Red glossy	FRONT HUB	Formula CL-811 Center Lock, 32h, 15x110mm TA, 2 sealed bearings
FRAME	Avenger FS alu 6061 triple butted, 140mm, 27,5"PLUS, 1.5" tapered HT, compatible w/Bosch CX, seatpost diam. 31,6mm, seat clamp diam. 34,9, PM 160mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 38,43,48,53	REAR HUB	Formula CL-148S for Center Lock, 32h, Boost 12x148mm, 4 sealed bearings, j-bend spokes
REAR SHOCK	Fox Float DPS Performance, Trunnion 185/50mm, SV, EVOL, 3 position Lever, w/lower eyelet 23,88mm x diam. 8mm	RIM/WHEELSET	Wtb Scraper i40 27.5", WT-69 Series Alloy, 40mm inner width, 32 hole, Disc Only
SEATPOST CLAMP	MX-112C, alloy, diam. 34,9mm	TIRE	Kenda Havoc Pro 27,5x2.8, 60tpi Tubeless Race, folding
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap	STEM	Tec Cursus, rise +/-0°, 1.1/8", diam. 35mm, ext: 60mm
FORK	Fox 34 Float 29" Performance, specific E-bike tuning, 140mm travel, FIT4 Damper 3 Position w/Micro Adj Lever, 1.5" tapered HT, 15x110mm BOOST axle	HANDLEBAR	Tec Cursus rise, double butted AL7050, width 780mm, diam. 35mm, rise 20mm, backsweep 9°
SHIFTER	Shimano SL-M7000-11-I, I-spec II 11sp	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
REAR DERAILLEUR	Shimano XT RD-M8000-GS Shadow + Design 11sp, top normal, direct attachment, max 11-42T	SEATPOST	KS Lecv Integra Si, diam. 31,6mm, internal remote cable routing w/remote control, length: 395mm, travel 125mm
CRANKSET	Fsa forged AL6061-T6 crank w/15T sprocket, Boost 148 compatible, cranklength: 170 mm	SADDLE	Selle San Marco Seta S1, manganese rail, 277x144mm
BOTTOM BRACKET	Included w/motor unit	PEDALS	Fasten NW-91K
CHAIN	Kmc X11eS EPT finish	MOTOR UNIT	Bosch Performance CX line 250w w/500Wh Li-ion Powertube and Purion display. w/speed sensor and magnet
CASSETTE / FREEWHEEL	Shimano CS-M7000-11, 11-46T		
BRAKE	Shimano BL-MT520 w/203mm front & rear adapter, I-SPEC II compatible, resin pad		

AVENGER HT PLUS 7.1 - XT/SLX 11SP



CODE	YOBO4	FRONT HUB	Formula CL-811 Center Lock, 32h, 15x110mm TA, 2 sealed bearings
COLOR	AV - CK16/Black-Yellow Fluo glossy AE - Black/Red-Grey glossy (ON PHOTO)	REAR HUB	Formula CL-148S for Center Lock, 32h, Boost 12x148mm, 4 sealed bearings, j-bend spokes
FRAME	Avenger HT, alu 6061 triple butted, 1.5" tapered HT, compatible w/Bosch CX, seatpost diam. 31,6mm, seat clamp diam. 34,9, PM 160mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 38,43,48,53	RIM/WHEELSET	Wtb Scraper i40 27.5", WT-69 Series Alloy, 40mm inner width, 32 hole, Disc Only
SEATPOST CLAMP	MX-95RT alloy diam. 35mm	TIRE	Kenda Havoc Pro 27,5x2.8, 60tpi Tubeless Race, folding
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap	STEM	Tec Obvius 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31.8mm, ext: 60mm-15/19", 70mm-21"
FORK	Fox 34 Float 29" Rhythm, 120mm travel, GRIP Damper 3 Position Remote, 1.5" tapered HT, 15x110mm BOOST axle	HANDLEBAR	Tec rise, DB Alloy 6061-T6, width 740mm, diam. 31,8mm, 9° backsweep
SHIFTER	Shimano SL-M7000-11-I, I-spec II 11sp	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
REAR DERAILLEUR	Shimano XT RD-M8000-GS Shadow + Design 11sp, top normal, direct attachment, max 11-42T	SEATPOST	Tec Obvius, Al2014 shaft with forged head, diam. 31,6mm, 20mm seatback, length: 350mm-15/17", 400mm-19/21"
CRANKSET	Fsa forged AL6061-T6 crank w/15T sprocket, Boost 148 compatible, cranklength: 170 mm	SADDLE	Tec, carbon steel rail
BOTTOM BRACKET	Included w/motor unit	MOTOR UNIT	Bosch Performance CX line 250w w/500Wh Li-ion Powertube and Purion display. w/speed sensor and magnet
CHAIN	Kmc X11eS EPT finish		
CASSETTE / FREEWHEEL	Shimano CS-M7000-11, 11-46T		
Brake	Shimano BR-M7000, w/203mm front & 180mm rear adapter, I-SPEC II compatible, resin pad		
DISC ROTOR	Shimano SM-RT64 CL, 203mm front & 180mm rear, CenterLock		

AVENGER HT PLUS 7.2 - XT/SLX 11SP



CODE	YOB05	REAR HUB	Formula CL-148S for Center Lock, 32h, BOOST 12x148mm, Shimano freewheel body, 4 sealed bearings, j-bend spokes
COLOR	AV - CK16/Black-Yellow fluo glossy (ON PHOTO) AE - Black/Red-Grey glossy	RIM/WHEELSET	Wtb Scraper i40 27.5", WT-69 Series Alloy, 40mm inner width, 32 hole, Disc Only
FRAME	Avenger HT, alu 6061 triple butted, 1.5" tapered HT, compatible w/Bosch CX, seatpost diam. 31,6mm, seat clamp diam. 34.9mm, PM 160mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 38,43,48,53	TIRE	Kenda Havoc Pro 27,5x2.8, 60tpi Tubeless Race, folding
SEATPOST CLAMP	MX-95RT alloy diam. 35mm	STEM	Tec Obvius 3D forged alloy 6061, rise +/-7°, 1.1/8", diam.31.8mm, ext: 60mm-15/19", 70mm-21"
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap	HANDLEBAR	Tec rise DB Alloy 6061-T6, width 740mm, diam. 31,8mm, 9° backsweep
FORK	Rock Shox Judy Silver 29" Solo Air, 120mm w/ PopLoc remote, 1.1/5" Alu HT, 15x110 BOOST TA, 30mm stanchions, magnesium lowers, PM 160mm disc mount	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SHIFTER	Shimano SL-M7000-11-I, I-spec II 11sp	SEATPOST	Tec Obvius Al2014 shaft with forged head, diam. 31,6mm, 20mm seatback, length: 350mm-15/17", 400mm-19/21"
REAR DERAILLEUR	Shimano XT RD-M8000-GS Shadow + Design 11sp, top normal, direct attachment, max 11-42T	SADDLE	Tec, carbon steel rail
CRANKSET	Fsa forged AL6061-T6 crank w/15T sprocket, Boost 148 compatible, cranklength: 170 mm	MOTOR UNIT	Bosch Performance CX line 250w w/500Wh Li-ion Powertube and Purion display. w/speed sensor and magnet
BOTTOM BRACKET	Included w/motor unit		
CHAIN	Kmc X11eS EPT finish		
CASSETTE / FREEWHEEL	Shimano CS-M7000-11, 11sp, 11-42T		
Brake	Shimano BR-MT500, w/180mm adapter front & rear, I-SPEC II compatible, resin pad		
DISC ROTOR	Shimano SM-RT54 CL, diam. 180mm, Center Lock, resin pad only		
FRONT HUB	Formula CL-811 Center Lock, 32h, 15x110mm TA, 2 sealed bearings		

AVENGER HT 9.1 - XT/SLX 11SP



CODE	YOBO6	REAR HUB	Formula CL-148S for Center Lock, 32h, BOOST 12x148mm, Shimano freewheel body, 4 sealed bearings, j-bend spokes
COLOR	AV - CK16/Black-Acid Yellow full glossy (ON PHOTO) AE - Black/Red-Grey glossy	RIM/WHEELSET	Wtb XC25 TCS rim Tubeless Ready 29", AL6061-T6, 622x25, 32 hole
FRAME	Avenger HT, alu 6061 triple butted, 1.5" tapered HT, compatible w/Bosch CX, seatpost diam. 31,6mm, seat clamp diam. 34,9, PM 160mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 38,43,48,53cm	TIRE	Kenda Slant Six Sport 29x2.35, DTC compound, 60Tpi, ETRTO 60-622
SEATPOST CLAMP	MX-95RT alloy diam. 35mm	STEM	Tec Obvius 3D forged alloy 6061, +/-7°, 1.1/8", diam. 31.8mm, ext: 60mm-15/19", 70mm-21"
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap	HANDLEBAR	Tec Rise DB Alloy 6061-T6, width 740mm, diam. 31.8mm, 9° backsweep
FORK	Rock Shox Judy Silver 29" Solo Air, 120mm w/ PopLoc remote, 1.1/5" Alu HT, 15x110 BOOST TA, 30mm stanchions, magnesium lowers, PM 160mm disc mount	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
SHIFTER	Shimano SL-M7000-11, 11sp	SEATPOST	Tec Obvius AL2014 shaft with forged head, diam. 31.6mm, 20mm seatback, length: 350mm-15/17", 400mm-19/21"
REAR DERAILLEUR	Shimano XT RD-M8000-GS Shadow + Design 11sp, top normal, direct attachment, max 11-42T	SADDLE	Tec Rector, 140mm width, Steel rails, Pvc soft touch cover
CRANKSET	Fsa forged AL6061-T6 crank w/15T sprocket, Boost 148 compatible, cranklength: 170 mm	MOTOR UNIT	Bosch Performance CX line 250w w/500Wh Li-ion Powertube and Purion display. w/speed sensor and magnet
BOTTOM BRACKET	Included w/motor unit		
CHAIN	Kmc X11eS EPT finish		
CASSETTE / FREEWHEEL	Shimano CS-M7000-11, 11sp, 11-42T		
Brake	Shimano BR-M425, w/180mm adapter front & rear, resin pad		
DISC ROTOR	Shimano SM-RT30 CL, diam. 180mm, Center Lock, resin pad only		
FRONT HUB	Formula CL-811 Center Lock, 32h, 15x110mm TA, 2 sealed bearings		





**MODELS
IN THIS CATEGORY**

E-DOARDO

MANHATTAN

E-SPORT

PROJECT PHILOSOPHY

- The E-SPORT range is ideal for fitness and tourism, and for exploring new cities and places. Routes that once seemed too long and too difficult are now the ideal rides for you. The Bianchi E-SPORT range gives the extra power needed to your rides, whether you're alone or with family and friends, while you explore new places, enjoy your vacation or free time, and get in better shape without focusing too much on your personal performance.

E·DOARDO

THE MOST NATURAL WAY TO RIDE

THANKS TO A REVOLUTIONARY
POWER-ASSISTANCE SYSTEM

The innovative Bianchi E-doardo has a completely integrated and light system that makes you feel like you are riding a traditional bike, eliminating the friction sensation during use. E-doardo is two bikes in one: it can be used as an e-bike or as a traditional bike by taking out the motor.

It's a multi-purpose e-bike for the city or for extended touring. It's special for its integrated designed, attractiveness and value.

AUTONOMY - Battery 250Wh

55Km



CHARGING TIME

Complete 2,5h



ASSISTANCE (%)

Breeze (Green) 75%
River (Blue) 150%
Rocket (Pink) 240%




POWERED BY



GEOMETRY

SIZE

	A	B1	BS	C	D	E	G	G1	W
S	450	540	521	440	68	140	74°	70°	1041
M	500	565	545	440	68	160	74°	71°	1057
L	550	590	572	440	68	180	74°	71°	1083



E-DOARDO - METREA 1X11SP DISC



CODE	YOBM8	HANDLEBAR	Shimano Pro H-type bar, width 42cm, diam 31.8mm
COLOR	BP - Pearl white/Pearl black-CK16 glossy	GRIP / TAPE	Cork w/Bianchi logo
FRAME	Edoardo Alu triple hydroforming technology, integratd tapered headset 1,5", 700C, OLD 142mm thru axle, flat mount Disc, size: 45-50-55cm	SEATPOST	Carbon UD shaft, forged alloy head, 15mm offset, length: 300-350mm, diam.31,6mm
SEATPOST CLAMP	339QX, diam. 35mm, alloy clamp & lever	SADDLE	Selle Royal Looking Athletic, steel rail, w/Royalgel included
HEADSET	Fsa Orbit C-40-ACB, NO.42/ACB-A w/15mm top cap	PEDALS	
FORK	Bianchi Edoardo Full carbon, 700c, OLD 100mm thru axle, flat mount disc	MOTOR UNIT	Fazua Evation 1.0 Drive Pack, 250Wh Battery, w/ remote control and speed sensor
SHIFTER	Shimano Metrea ST-U5060 11sp		
REAR DERAILLEUR	Shimano Metrea RD-U5000 SS 11sp, direct attachment		
CRANKSET	Fsa crank w/38T chainring, crank length: 170mm		
BOTTOM BRACKET	Included in the Evation motor unit		
CHAIN	Kmc X11eS EPT finish		
CASSETTE / FREEWHEEL	Shimano CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T		
BRAKE	Shimano Metrea BR-U5000, resin pad		
BRAKE LEVER	Included w/Metrea shifters		
DISC ROTOR	Shimano Metrea SM-RT500, diam 140mm		
RIM/WHEELSET	Shimano Metrea WH-U5000, clincher 622-17C, Shimano E-Thru F:12x100mm, R:12x142mm		
TIRE	Vittoria Revolution 700x38c, 40-622		
STEM	3D forged AL6061, rise 7°, diam. 31,8mm, 1.1/8", ext: 60mm		

E-DOARDO - DEORE 10SP DISC



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBM7	RIM/WHEELSET	Tec Sport Edition ATD470 disc, alloy, 700c 622x17, 32H, pair spoke 2x16, EN standard
COLOR	BP - Pearl white/Pearl black-CK16 glossy	TIRE	Vittoria Revolution 700x38, 40-622c
FRAME	Edoardo Alu triple hydroforming technology, integratd tapered headset 1,51, 700C, OLD 142mm thru axle, flat mount Disc, size: 45-50-55cm	STEM	3D forged Alloy 6061, rise 700, diam. 31,8mm, 1.1/8", Ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
SEATPOST CLAMP	339QX, diam. 35mm, alloy clamp & lever	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 900 bend, 31.8mm
HEADSET	Fsa Orbit C-40-ACB, NO.42/ACB-A w/15mm top cap	GRIP / TAPE	Carbon PU w/Gel
FORK	Bianchi Edoardo Full carbon, 700c, OLD 100mm thru axle, flat mount disc	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length 350mm
SHIFTER	Shimano SL-M6000 10sp	SADDLE	Bianchi, steel rail, high density foam
REAR DERAILLEUR	Shimano XT RD-M781 SGS Shadow+ design 10sp top normal, direct attachent	PEDALS	included
CRANKSET	Fsa crank w/38T chainring, crank length: 170mm	MOTOR UNIT	Fazua Evation 1.0 Drive Pack, 250Wh Battery, w/ remote control and speed sensor
BOTTOM BRACKET	Included in the Evation motor unit		
CHAIN	Kmc X10eS EPT finish		
CASSETTE / FREEWHEEL	Shimano HG50-10sp, 11-13-15-17-19-21-24-28-32-36T		
Brake	Shimano BR-UR300, resin pad		
Brake Lever	included w/shifters		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Formula CL-712 Disc, Center Lock, J-Bend spokes, thru axle 12x100mm		
REAR HUB	Formula CL-400 for CenterLock, 32h 12x142mm TA, Shimano freewheel body, 2 sealed bearings, j-bend spokes		

MANHATTAN

THE BIKE FOR A PERFECT DAY

RIDE FARTHER USING LESS OF YOUR ENERGY

The light and simple Bianchi Manhattan is the perfect bike for your day-to-day errands.

Thanks to the Shimano STePS E-6000 motor, that integrates the control unit around the bottom bracket, the center of gravity becomes lower giving you better control of the bike.

The frame and components have an urban-sport style for a fast, yet relaxing bike fit, allowing you to go long distances with a consistently smooth pedal stroke.

The Bianchi Manhattan represents the perfect balance between battery range, performance, lightness, and noise reduction.

AUTONOMY - Battery 418Wh

Eco 125Km
Standard 85Km
High 60Km



CHARGING TIME

Complete 4h
80% 2h



ASSISTANCE (%)

Eco 70%
Standard 150%
High 230%




POWERED BY

SHIMANO®



GEOMETRY

SIZE	A	B1	BS	C	D	E	G	G1	Y	X	W
XS	17"	430	540	526	460	68	130	73.5°	70.5°	554	376 1050
S	18.5"	470	560	547	460	68	140	73.5°	71°	565	393 1066
M	20"	510	580	562	460	68	160	73.5°	71°	584	407 1087
L	21.5"	550	600	580	460	68	190	73.5°	71.5°	614	418 1103
XL	23"	590	620	597	460	68	215	73.5°	71.5°	638	431 1124



MANHATTAN UNISEX - XT 10SP HYDR. BRAKE




CODE	YNBG1	GRIP / TAPE	Tec Ergonomic Double density, kraton, w/Gel, length 130mm
COLOR	GS - Stone Grey/Mamba-Silver matt	SEATPOST	Alloy AL2014, two piece, 12mm offset, 27.2x350mm
FRAME	Manhattan Unisex Alu Disc, 700c, Old 135mm, size: 43-47-51-55-59	SADDLE	Spectra Activus Gent, steel rail
SEATPOST CLAMP	MX-112C, 31.8mm alloy	PEDALS	included
HEADSET	Fsa Orbit C-40-ACB; NO.42/ACB, Sealed ACB bearings 1.1/8" Top, 1.5" ACB Btm (for 46/56mm Head Tubes); w/15mm cap	KICKSTAND	Fixed on chain stay
FORK	Bianchi Alu, tapered HT 1.5", postmount disc	MOTOR UNIT	Shimano Steps Motor Unit DU-E6001, max speed 25km/h w/speed sensor and magnet for speed, w/chainring SM-CRE60 38T, w/cyclecomputer SC-E6010, w/SE-E6000 switch for assistance (stock settings), SEIS Shift compatible (setting w/E-Tube Project), Down tube battery BT-E6010
SHIFTER	Shimano Deore SL-M610 10sp		
REAR DERAILLEUR	Shimano XT RD-M781 SGS Shadow+ design 10sp top normal, direct attachent		
CRANKSET	Shimano Steps FC-E6000, crank length: 170mm		
BOTTOM BRACKET	Included w/motor unit		
CHAIN	Shimano CN-E6090-10		
CASSETTE / FREEWHEEL	Shimano CS-HG50-10, 11-13-15-17-19-21-24-28-32-36T		
Brake	Shimano BR-M315, resin pad		
Brake Lever	Shimano BL-M315		
DISC ROTOR	Shimano SM-RT30 160mm, Center Lock, for resin pad only		
Front Hub	Shimano HB-M3050, 32h, OLD 100mm, Axle:108mm, Center Lock		
Rear Hub	Shimano FH-M3050, Center Lock, 32h, Shimano freewheel body, OLD 135mm, Axle 146mm w/QR		
RIM/WHEELSET	Tec Sport Edition ATD470 disc, alloy, 700c 622x17, 32H, pair spoke 2x16, EN standard		
TIRE	Vittoria Revolution 700x38, 40-622		
STEM	3D forged Alloy6061, rise 17°, 31.8mm, 1.1/8", Ext: 80mm-43cm, 100mm-47/51cm, 110mm-55/59cm		
HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9° bend, 31.8mm		

MANHATTAN UNISEX - ALFINE 8SP HYDR. BRAKE



CODE	YNBG2	GRIP / TAPE	Tec Ergonomic Double density, kraton, w/Gel, length 130mm
COLOR	SR - Silver/Graphite-Red glossy	SEATPOST	Alloy AL2014, two piece, 12mm offset, 27.2x350mm
SEATPOST CLAMP	MX-112C, 31.8mm alloy	SADDLE	Wtb Speed V-Sport
HEADSET	Fsa Orbit C-40-ACB; NO.42/ACB, Sealed ACB bearings 1.1/8" Top, 1.5" ACB Btm (for 46/56mm Head Tubes); w/15mm cap	PEDALS	included
FORK	Bianchi Alu, 1.5" tapered head tube, Disc w/post mount	KICKSTAND	Fixed on chain stay
SHIFTER	Shimano Alfine SL-S7000-8, 8sp	MOTOR UNIT	Shimano Steps Motor Unit DU-E6001, max speed 25km/h w/speed sensor and magnet for speed, w/ chainring SM-CRE60 38T, w/cyclecomputer SC-E6010, w/SE-E6000 switch for assistance (stock settings), SEIS Shift compatible (setting w/E-Tube Project), Down tube battery BT-E6010
CRANKSET	Shimano Steps FC-E6000, crank length: 170mm		
BOTTOM BRACKET	Included w/motor unit		
CHAIN	Shimano CN-E6090-10		
CASSETTE / FREEWHEEL	Sprocket 20T for internal gear hub		
Brake	Shimano BR-M315, resin pad		
Brake Lever	Shimano BL-M315		
DISC ROTOR	Shimano SM-RT30 160mm, Center Lock, for resin pad only		
FRONT HUB	Shimano HB-M3050, 32h, OLD 100mm, Axle:108mm, Center Lock		
REAR HUB	Shimano Alfine SG-S7001-8, internal gear hub, 8sp, Disc, 32h, 135x187mm		
RIM/WHEELSET	Wtb XC21 27.5", 32 holes		
TIRE	Wtb Horizon Tcs 650Bx47c, wire bead		
STEM	3D forged Alloy6061, rise 17°, 31.8mm, 1.1/8", Ext: 80mm-43cm, 100mm-47/51cm, 110mm-55/59cm		
HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9° bend, 31.8mm		





**MODELS
IN THIS CATEGORY**

E-BROOKLIN

METROPOL-E

DANCE

LONG ISLAND

E-CITY

PROJECT PHILOSOPHY

- With a comfortable, yet efficient fit, the Bianchi E-CITY bikes are perfect for moving around the city or commuting to work. Flow with the traffic with power-assisted pedaling, and skip the lines thanks to easy and flexible steering. Getting to your office or meeting your friends has never been easier.

If you're looking for smart mobility with style, you're on the right track. Our E-CITY range will get you to your destination more quickly and easily, and in the most reliable way you could imagine.

e-BROOKLYN

THE QUEEN OF THE CITY

PERFECT CONTROL IN RUSH HOUR TRAFFIC

E-Brooklyn is your ideal friend for daily errands and shopping in the city.

Elegant, yet casual, Brooklyn is setup with fenders, racks, lights, and an adjustable handlebar stem allowing you to find the best steering position for you.

With the powerful Shimano STePS E-6000 motor, E-Brooklyn gives you constant support to all your urban transfers.

AUTONOMY - Battery 418Wh

Eco 125Km
Standard 85Km
High 60Km



CHARGING TIME

Complete 4h
80% 2h



ASSISTANCE (%)

Eco 70%
Standard 150%
High 230%




POWERED BY

SHIMANO®


GEOMETRY - LADY

SIZE									
A	B1	BS	C	D	E	G	G1	W	
430	555	542	462	70	165	74°	70°	1081	
470	570	557	462	70	180	73.5°	70°	1092	
510	580	567	462	70	200	73°	70°	1097	



GEOMETRY - GENT

SIZE									
A	B1	BS	C	D	E	G	G1	W	
430	555	543	462	70	150	74°	70°	1080	
470	565	549	462	70	165	73.5°	70°	1085	
510	575	552	462	70	180	73°	70°	1091	
550	595	568	462	70	200	72.5°	70°	1106	



BROOKLYN GENT - DEORE 9SP DISC



CODE	YNBJ3	STEM	3D forged Alu, Adjustable stem 0-90°, 1.1/8", 31.8mm, ext:90mm
COLOR	GB - Black/Green-Cream	HANDLEBAR	diam. 31.8mm, width:630mm, Rise 34mm, Backsweep 41°
FRAME	Brooklyn Gent alu, 700C, OLD 135mm Post Mount Disc, size:43-47-51-55cm	GRIP / TAPE	Bianchi Kraton w/gel
SEATPOST CLAMP	339QX alloy clamp and lever, diam. 31,8mm	SEATPOST	Alloy AL2014, two piece, 12mm offset, 27.2x350mm
HEADSET	Fsa NO.11P 1-1/8" semi-cartridge bearing type, w/25mm cap, Cromoly cups, Stack height 27,5+3=30,5mm, Semi-integrated for HT 50*44mm	SADDLE	Bianchi, steel rails
FORK	Bianchi Steel 1.1/8", Disc	PEDALS	VP polished aluminum with PP cage and reflectors
SHIFTER	Shimano Alivio SL-M4000 9sp	FRONT LIGHT	Kendo Led 36V w/bracket
REAR DERAILLEUR	Shimano Deore RD-M591-L SGS 9sp, Top normal, direct attachment	REAR LIGHT	Led 36V for E-Bike
CRANKSET	Shimano Steps FC-E6000, crank length: 170mm	REAR CARRIER	Alloy, double stay
BOTTOM BRACKET	included w/motor unit	KICKSTAND	Fixed on chain stay
CHAIN	Kmc Z-99	MUDGUARD	Palstic width: 50mm w/v style stainless stays
CASSETTE / FREEWHEEL	Shimano CS-HG200-9, 11-13-15-17-19-21-24-28-32T	MOTOR UNIT	Shimano Steps Drive unit, DU-E6001 w/Battery, BT-E6010, w/Chainring 38T, W/Spedd sensor and magnet for speed, w/Cycle computer and remote control
BRAKE	Shimano BR-M315, resin pad		
BRAKE LEVER	Shimano BL-M315		
DISC ROTOR	Shimano SM-RT30 160mm, Center Lock, for resin pad only		
FRONT HUB	Shimano HB-M3050, OLD:100mm AXLE:108mm, Center Lock, 32H, QR		
REAR HUB	Shimano FH-M3050, Center Lock, 32h, Shimano freewheel body, OLD 135mm, Axle 146mm w/QR		
RIM/WHEELSET	Tec Sport Edition ATD470 disc, alloy, 700c 622x17, 32H, pair spoke 2x16, EN standard		
TIRE	Cst Xpedium 700x38, 60TPI, w/anti-puncture insert, w/reflective insert		

BROOKLYN LADY - DEORE 9SP DISC



CODE	YNBJ4	HANDLEBAR	Rise bar, diam. 31.8mm, width 630mm, rise 34mm, backsweep 41°
COLOR	GB - Black/Green-Cream	GRIP / TAPE	Bianchi Kraton w/gel
FRAME	Brooklyn Lady alu, 700C, OLD 135mm, post mount Disc, size:43-47-51cm	SEATPOST	Alloy AL2014, two piece, 12mm offset, 27.2x350mm
SEATPOST CLAMP	339QX alloy clamp and lever, diam. 31,8mm	SADDLE	Bianchi, steel rails
HEADSET	Fsa NO.11P 1-1/8" semi-cartridge bearing type, w/25mm cap, Cromoly cups, Stack height 27,5+3=30,5mm, Semi-integrated for HT 50*44mm	PEDALS	VP polished aluminum with PP cage and reflectors
FORK	Bianchi Steel 1.1/8", Disc	FRONT LIGHT	Kendo Led 36V w/bracket
SHIFTER	Shimano Alivio SL-M4000 9sp	REAR LIGHT	Led 36V for E-Bike
REAR DERAILLEUR	Shimano Deore RD-M591-L SGS 9sp, Top normal, direct attachment	REAR CARRIER	Alloy, double stay
CRANKSET	Shimano Steps FC-E6000, crank length: 170mm	KICKSTAND	Fixed on chain stay
BOTTOM BRACKET	included w/motor unit	MUDGUARD	Palstic width: 50mm w/v style stainless stays
CHAIN	Kmc Z-99	MOTOR UNIT	Shimano Steps Drive unit, DU-E6001 w/Battery, BT-E6010, w/Chainring 38T, W/Spedd sensor and magnet for speed, w/Cycle computer and remote control
CASSETTE / FREEWHEEL	Shimano CS-HG200-9, 11-13-15-17-19-21-24-28-32T		
BRAKE	Shimano BR-M315, resin pad		
BRAKE LEVER	Shimano BL-M315		
DISC ROTOR	Shimano SM-RT30 160mm, Center Lock, for resin pad only		
FRONT HUB	Shimano HB-M3050, OLD:100mm AXLE:108mm, Center Lock, 32H, QR		
REAR HUB	Shimano FH-M3050, Center Lock, 32h, Shimano freewheel body, OLD 135mm, Axle 146mm w/QR		
RIM/WHEELSET	Tec Sport Edition ATD470 disc, alloy, 700c 622x17, 32H, pair spoke 2x16, EN standard		
TIRE	CST Xpedium 700x38, 60Tpi, w/Anti-puncture insert, w/reflective insert		
STEM	3D forger Alu, adjustable stem 0-90°, 1.1/8", 31.8mm, ext:90mm		

METROPOL-e

WORLD-CLASS CITIZEN, FOR YOUR URBAN CHALLENGES

AVAILABLE IN BOTH MEN AND WOMEN MODELS,
WITH THE RIGHT SETUP FOR ANY OCCASION

The suspended model allows you to take on the cobbled
and gravel streets with ease.

The Metropol-e has fenders, racks, lights, and it's backed
up by a tonewheel system with a motor in the rear hub.
The battery is positioned along the downtube for better
weight distribution.

The tonewheel system is easy and immediate to use.

AUTONOMY - Battery 400Wh

Eco 75Km
Standard 60Km
High 45Km



CHARGING TIME

Complete 4,5h



ASSISTANCE (%)

Eco 15Km/h
Standard 20Km/h
High 25Km/h




POWERED BY

EGOING SYSTEM


GEOMETRY - LADY

SIZE								
A	B1	BS	C	D	E	G	G1	W
430	555	543	462	70	165	74°	70°	1081
470	570	557	462	70	180	73.5°	70°	1091
510	580	572	462	70	200	73°	70°	1097



GEOMETRY - LADY

SIZE								
A	B1	BS	C	D	E	G	G1	W
430	555	543	462	70	150	74°	70°	1080
470	565	549	462	70	165	73.5°	70°	1085
510	575	552	462	70	180	73°	70°	1091
550	595	568	462	70	200	72.5°	70°	1105



METROPOL-E GENT - DEORE 1X9SP DISC



CODE	YOBD5	TIRE	700x38 30Tpi w/antipuncture insert, w/reflective insert
COLOR	1D - CK16/Black glossy	STEM	Alloy Adjustable, 1.1/8", Ext:105mm
FRAME	Metropol-E, Alu, Disc, 700c, OLD 135mm, Post mount caliper, size:43,47,51,55cm	HANDLEBAR	Aluminium, length 590mm, rise, 26mm, diam. 25,4 mm, back sweep 33°
SEATPOST CLAMP	339QX alloy clamp and lever, diam. 31,8mm	GRIP / TAPE	Spectra rubber, 130mm
HEADSET	Fsa NO.11P 1-1/8" semi-cartridge bearing type, w/25mm cap, Cromoly cups, Stack height 27,5+3=30,5mm, Semi-integrated for HT 50*44mm	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 27,2mm, length 350mm
FORK	SR Suntour NEX E25 Disc, 63mm travel, 1.1/8", 700C, OLD 100mm, mudguard ready	SADDLE	Bianchi, steel rail
SHIFTER	Shimano Alivio SL-M4000 9sp	PEDALS	Included
REAR DERAILLEUR	Shimano Deore RD-M591-L SGS 9sp, Top normal, direct attachment	FRONT LIGHT	Led light 36V w/bracket
CRANKSET	Alloy crank 39T, crank length: 170mm	REAR LIGHT	Led 36V for E-Bike
BOTTOM BRACKET	Steel 70/123.5mm	REAR CARRIER	Alloy, double stay
CHAIN	Kmc Z-99	KICKSTAND	Fixed on chain stay
CASSETTE / FREEWHEEL	Shimano CS-HG200-9, 11-13-15-17-19-21-24-28-32T	MUDGUARD	Plastic width: 50mm w/v style stainless stays
BRAKE	Shimano Altus BR-MT200, resin pad	MOTOR UNIT	E-Going system 250W, 12A, 35Nm w/36V lithium battery, w/controller and pedal sensor, w/Led display and remote control. 5 levels of assistance and walk assist
BRAKE LEVER	Shimano Altus BL-MT200		
DISC ROTOR	Shimano SM-RT30 160mm, Center Lock, for resin pad only		
FRONT HUB	Formula CL-1420 Center lock, 36hole, 14G, OLD 100mm Axle 108mm with QR		
REAR HUB	E-Going Motor Unit 250W		
RIM/WHEELSET	Alex Rim ATD470 disc, alloy, 700c 622x17 36H, pair spoke 2x16		

METROPOL-E LADY - DEORE 9SP DISC



CODE	YOBD6	TIRE	700x38 30Tpi w/anti puncture insert, w/reflective insert
COLOR	1D - CK16-Black glossy	STEM	Alloy adjustable, 1.1/8", ext:105mm
FRAME	Metropol-E Lady Alu, Disc, 700C OLD 135mm, Post mount caliper, size: 47,51cm	HANDLEBAR	Aluminium, length 590mm, rise, 26mm, diam. 25,4 mm, back sweep 33°
SEATPOST CLAMP	33QX alloy clamp and lever, diam. 31,8mm	GRIP / TAPE	Spectra rubber, 130mm
HEADSET	Fsa NO.11P 1-1/8" semi-cartridge bearing type, w/25mm cap, Cromoly cups, Stack height 27,5+3=30,5mm, Semi-integrated for HT 50*44mm	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 27,2mm, length 350mm
FORK	SR Suntour NEX E25 Disc, 63mm travel, 1.1/8", 700C, OLD 100mm, mudguard ready	SADDLE	Bianchi, steel rail
SHIFTER	Shimano Alivio SL-M4000 9sp	PEDALS	Included
REAR DERAILLEUR	Shimano Deore RD-M591-L SGS 9sp, Top normal, direct attachment	FRONT LIGHT	Led light 36V w/bracket
CRANKSET	Alloy crank 39T, crank length: 170mm	REAR LIGHT	Led 36V for E-Bike
BOTTOM BRACKET	Steel, 70/123.5mm	REAR CARRIER	Alloy, double stay
CHAIN	Kmc Z-99	KICKSTAND	Fixed on chain stay
CASSETTE / FREEWHEEL	Shimano CS-HG200-9, 11-13-15-17-19-21-24-28-32T	MUDGUARD	Plastic width: 50mm w/v style stainless stays
BRAKE	Shimano Altus BR-MT200, resin pad	MOTOR UNIT	E-Going system 250W, 12A, 35Nm w/36V lithium battery, w/controller and pedal sensor, w/Led display and remote control. 5 levels of assistance and walk assist
BRAKE LEVER	Shimano Altus BL-MT200		
DISC ROTOR	Shimano SM-RT30 160mm, Center Lock, for resin pad only		
FRONT HUB	Formula CL-1420 Center lock, 36hole, 14G, OLD 100mm, Axle 108mm with QR		
REAR HUB	E-Going Motor Unit 250W		
RIM/WHEELSET	AlexRims ATD470 disc, alloy, 700c 622x17 36H, pair spoke 2x16		

DANCE BY Bianchi

TURN UP THE MUSIC

WITH DANCE BY BIANCHI

THE MODERN E-BIKE, OLD SCHOOL STYLE

The retro design has thinner tubes and a double tube for the step-through section of the frame.

The City geometry assures a relaxed steering position while guaranteeing perfect control in day-to-day traffic.

The leather-colored components along with the chainguard, the internal gears, and roller brakes by Shimano give a classic touch to this modern bike.

Finished off with a tonewheel system and front hub motor, with the battery positioned on the posterior bike racks, Bianchi Dance by Bianchi has an LCD display so you can keep your riding controlled just the way you like.

AUTONOMY - Battery 400Wh

Eco 75Km
Standard 60Km
High 45Km



CHARGING TIME

Complete 4,5h



ASSISTANCE (%)

Eco 15Km/h
Standard 20Km/h
High 25Km/h




POWERED BY

 **EGOING SYSTEM**

GEOMETRY - LADY

SIZE


A	B	C	D	E	G	G1	W
470	555	462	68	110	73	71	1064
510	570	462	68	130	73	71	1073
550	580	462	68	140	73	71	1089



GEOMETRY - GENT

SIZE

A	B1	BS	C	D	E	G	G1	W
510	565	552	462	65	110	75°	71°	1089
550	579	569	462	65	130	75°	71°	1105
590	591	584	462	65	160	75°	71°	1119



E-DANCE GENT - NEXUS 7SP



CODE	YMB927	SEATPOST	Alloy, 27.2x350mm
COLOR	KW- Black	SADDLE	Bianchi, brown top cover, steel rails, w/bumpers
FRAME	Bianchi Alloy 6061 Classic frame Gent, 700c, size: 51-55-59cm	PEDALS	VP, alloy body w/Non-slip thread
SEATPOST CLAMP	diam 31.8mm, alloy clamp	FRONT LIGHT	Spanninga w/bracket
HEADSET	Diam. 25.4mm, Semi-Integrated w/17mm alloy cone	REAR LIGHT	Integrated w/battery
FORK	Bianchi 700c, Oval straight tapered blades for roller brakes	REAR CARRIER	Alloy, w/SF-03 battery holder, 700C, w/clip
SHIFTER	Shimano Nexus SL-7S31 7sp	KICKSTAND	Alloy, central type, adjustable
CRANKSET	Prowheel sand polish crank, 38T, w/chain guard, crank length: 170mm	MUDGUARD	700x50mm, w/tails
BOTTOM BRACKET	Integrated w/Speed sensor	MOTOR UNIT	E-Going system front hub motor unit 250W 37V, OLD100mm, 25km/h speed limit w/speed sensor, w/Hall sensor & RPM sensor, for roller-brake. w/Lithium battery Panasonic 18650 2.9AH CELL, 14.5AH, w/LCD display and 3 assistance level remote control
CHAIN	Kmc		
CASSETTE / FREEWHEEL	Sprocket for internal gear hub 16T		
BRAKE	Shimano Nexus Roller Brake BR-C3010		
BRAKE LEVER	Tektro cast Alu w/integrated bell		
FRONT HUB	E-Going system motor unit		
REAR HUB	Shimano Nexus SG-C3000-7R internal gear hub, 7sp, for roller brake, 36h, 130x182mm		
RIM/WHEELSET	Alloy double wall, 700c, 1.75*36H*13G		
TIRE	Cst 700x38c, 60TPI, w/antipuncture insert, w/ reflective insert		
STEM	Alloy, Diam. 25.4mm, ext:85mm, quill: 180mm, Adjustable		
HANDLEBAR	Alloy width 600mm, back sweep 5°, rise 40mm		
GRIP / TAPE	Spectra, length 130mm		

E-DANCE LADY - NEXUS 7SP



CODE	YMB937	GRIP / TAPE	Spectra, length 130mm
COLOR	KW- Black	SEATPOST	Alloy, 27.2x350mm
FRAME	Bianchi Alloy 6061 Classic frame Lady, 700c, size: 47-51-55cm	SADDLE	Bianchi, brown top cover, steel rails, w/bumpers
SEATPOST CLAMP	diam 31.8mm, alloy clamp	PEDALS	VP, alloy body w/Non-slip thread
HEADSET	Diam 25.4mm, Semi-integrated, w/17mm alloy cone	FRONT LIGHT	Spanninga w/bracket
FORK	Bianchi 700c, Oval straight tapered blades for roller brakes	REAR LIGHT	Integrated w/battery
SHIFTER	Shimano Nexus SL-7S31 7sp	REAR CARRIER	Alloy, w/SF-03 battery holder, 700C, w/clip
CRANKSET	Prowheel sand polish crank, 38T, w/chain guard, crank length: 170mm	KICKSTAND	Alloy, central type, adjustable
BOTTOM BRACKET	Integrated w/Speed sensor	MUDGUARD	700x50mm, w/tails
CHAIN	Kmc	MOTOR UNIT	E-Going system front hub motor unit 250W 37V, OLD100mm, 25km/h speed limit w/speed sensor, w/Hall sensor & RPM sensor, for roller-brake. w/Lithium battery Panasonic 18650 2.9AH CELL,14.5AH, w/LCD display and 3 assistance level remote control
CASSETTE / FREEWHEEL	Sprocket for internal gear hub 16T		
BRAKE	Shimano Nexus Roller Brake BR-C3010		
BRAKE LEVER	Tektro cast Alu w/integrated bell		
FRONT HUB	E-Going system motor unit		
REAR HUB	Shimano Nexus SG-C3000-7R internal gear hub, 7sp, for roller brake, 36h, 130x182mm		
RIM/WHEELSET	Alloy double wall, 700c, 1.75*36H*13G		
TIRE	Cst 700x38c, 60TPI, w/antipuncture insert, w/reflective insert		
STEM	Alloy, Diam. 25.4mm, ext:85mm, quill: 180mm, Adjustable		
HANDLEBAR	Alloy width 600mm, back sweep 5°, rise 40mm		

LONG ISLAND



THE ENTIRE CITY IN ONE SHOT

MODERN COMMUTING AT ITS BEST

Long Island, with its unisex frame and 5 level of assistance given by the motor unit, is the city bike that made commuting easy.

Riding comfort comes from riser handlebar, adjustable stem and suspension seatpost. Fenders and chainguards then protect in bad weather or when dressed with formal wear. Rear carrier holds the battery and can accept bicycle bags, baskets and child bike seats. Lights are motor unit battery-powered and for those who need to stay connected even when moving, the bike has a usb port to charge the smartphone battery.

AUTONOMY - Battery 400Wh

- (1) 75Km
- (2) 69Km
- (3) 63Km
- (4) 52Km
- (5) 37Km



CHARGING TIME

Complete 4,5h



ASSISTANCE (%)

- (1) 12,5Km/h
- (2) 17,5Km/h
- (3) 21Km/h
- (4) 23Km/h
- (5) 25Km/h




POWERED BY

BAFANG

GEOMETRY

SIZE	A	B1	C	D	E	F	G	G1	H	I	X	Y	WB	
S	17"	430	607	470	60	180	679	75,5°	72°	45	412	431	603	1142
M	19"	470	636	470	60	180	679	73°	72°	45	412	431	603	1142



LONG ISLAND - ALTUS 9SP HYDR. BRAKE



CODE	YOBZ7	SEATPOST	Alloy w/suspension, diam 27.2mm, length: 350mm
COLOR	1D - CK16-Black glossy	SADDLE	Selle Royal
FRAME	Long Island, Alloy 6061, 700c, size 47-51cm	PEDALS	Included
SEATPOST CLAMP	MX27 Alloy, diam. 31.8mm	FRONT LIGHT	One led light, 20 Lux, 36V, for E-Bike
HEADSET	Threadless, semi-integrated, w/16.7mm top cap	REAR LIGHT	Included w/battery
FORK	Bianchi Steel Disc	REAR CARRIER	Alloy, with Battery cover insert
SHIFTER	Shimano Altus SL-M2000 9sp	KICK TAND	Alloy, adjustable
REAR DERAILLEUR	Shimano Altus RD-M2000 SGS 9sp	MUDGUARD	width: 50mm
CRANKSET	Alloy crank arm w/38T steel chainring, crank length: 170mm	MOTOR UNIT	Bafang Central Motor Unit 250W 36V, w/integrated speed sensor and cadence sensor, w/SF03 Lithium Battery 36V 11AH, w/Digital display
BOTTOM BRACKET	Integrated w/Drive unit		
CHAIN	Kmc Z99		
CASSETTE / FREEWHEEL	Shimano CS-HG200-9, 11-13-15-17-20-23-26-30-36T		
Brake	Shimano BR-M315, resin pad		
Brake Lever	Shimano BL-M315		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
Front Hub	Formula CL-1420 Alloy, M9x100mmx36h, Center Lock		
Rear Hub	Formula CL-1422 Alloy, M10x135mmx36h, Center Lock		
RIM/WHEELSET	Alloy 700Cx1.75x36hx13GxA/V		
TIRE	700x40 30Tpi, w/antipuncture insert, w/reflective line		
STEM	Adjustable rise: 0-60°, ext: 105mm		
HANDLEBAR	Alloy, width:610mm, rise:30mm, backsweep: 48°		
GRIP / TAPE	Selle Royal 130mm		

CITY FITNESS

C•SPORT
SPILLO
VINTAGE
JUNIOR





IDEAL FOR FITNESS-BUILDING AND
TOURING, PERFECT FOR CITY EXPLORING
OR COMMUTING TO WORK.





**MODELS
IN THIS CATEGORY**

C•SPORT

C•SPORT CROSS

C•SPORT

PROJECT PHILOSOPHY

- Designed for those who are looking for a bike with strong character: solid like a mountain-bike, light and smooth like a road bike. Versatile bike, fast, reliable. Light weight and easy to carry.


TARGET CONSUMER

- C-Sport bikes can find their natural habitat in the city as well in the countryside. The perfect bikes to improve your fitness and take a spin on a weekend getaway.

GEOMETRIES


GEOMETRY – C-SPORT SPORT GENT. DISC BRAKE

SIZE	A	B1	BS	C	D	E	G	G1
S	430	525	507	435	68	125	74.5°	71°
M	470	545	525	435	68	135	74°	71°
L	510	565	544	435	68	155	73.5°	71.5°
XL	550	585	563	435	68	185	73°	72°
XXL	590	605	585	435	68	210	73°	72°




GEOMETRY – C-SPORT SPORT LADY DISC BRAKE

SIZE	A	B1	BS	C	D	E	G	G1
S	430	525	508	435	68	125	74.5°	71°
M	470	545	524	435	68	135	74°	71°
L	510	565	542	435	68	155	73.5°	71.5°




GEOMETRY – C-SPORT CROSS GENT. DISC BRAKE

SIZE	A	B1	BS	C	D	E	G	G1
S	430	565	545	455	65	140	73°	70°
M	470	575	550	455	65	140	73°	70°
L	510	590	564	455	65	150	73°	70°
XL	550	605	580	455	65	170	73°	70°



GEOMETRY – C-SPORT CROSS LADY DISC BRAKE

SIZE	A	B1	BS	C	D	E	G	G1
S	430	565	562	455	65	140	73°	70°
M	470	575	573	455	65	140	73°	70°



C-SPORT 5 - DEORE 3X10SP HYDR. DISC



CODE	YOB58	RIM/WHEELSET	AlexRims ATD470 disc, alloy, 700c 622x17 32H, pair spoke 2x16
COLOR	C1 - CK16/Black-White full matt (ON PHOTO) KW - Black/White-CK16 full matt	TIRE	Kenda Eurotrek 700x35, 30TPI w/KShield antipuncture insert, black
FRAME	C-Sport Gent alu disc, 700C Old 135mm, integrated cable routing, Smooth welding, 1.1/8" headtube (semi-integrated down HT tube and integrated in top HT tube). Seat tube 31.6mm, size: 43,47,51,55,59cm	STEM	3D forged Alloy 6061y, rise 7°, diam. 31,8mm, 1.1/8", Ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
SEATPOST CLAMP	MX-112C alloy, diam. 35mm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9° bend, 31.8mm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm	GRIP / TAPE	Ergonomic Double density
FORK	Bianchi Alu/Carbon, 1-1/8" disc, post mount disc	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length 350mm
SHIFTER	Shimano Deore SL-T6000 3x10sp	SADDLE	Bianchi, steel rail, w/high density foam
REAR DERAILLEUR	Shimano Deore RD-T6000 SGS 10sp, shadow design, direct attachment, black	PEDALS	included
FRONT DERAILLEUR	Shimano Deore FD-T6000-L-3, top-swing, dual pull, 34.9 band type, 63-66°, max chainring 44-48T, CL:50mm		
CRANKSET	Shimano FC-T521-L 44x32x24T, crank length: 170mm-43-47cm, 175mm-51/59cm		
BOTTOM BRACKET	Shimano BB-ES300-AK		
CHAIN	Kmc X10 EPT finish		
CASSETTE / FREEWHEEL	Shimano Deore CS-HG50-10, 11-13-15-17-19-21-24-28-32-36T		
BRAKE	Shimano Altus BR-MT200, post mount, resin pad		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock, for resin pad only		
FRONT HUB	Formula CL-1420 Center Lock, 32 hole, OLD. 100mm Axle 108mm with QR		
REAR HUB	Formula CL-1422 Center lock, 32hole, OLD 135mm Axle 145mm, Shimano freewheel body, with QR		

C-SPORT 3 - ALIVIO 27SP HYDR. BRAKE



CODE	YOB55	RIM/WHEELSET	AlexRims ATD470 disc, alloy, 700c 622x17, 32h, pair spoke 2x16
COLOR	C1 - CK16/Black-White full matt KW - Black/White-CK16 full matt (ON PHOTO)	TIRE	Kenda Eurotrek 700x35, 30TPI w/KShield antipuncture insert, black
FRAME	C-Sport Gent alu disc, 700C Old 135mm, integrated cable routing, Smooth welding, 1.1/8" headtube (semi-integrated down HT tube and integrated in top HT tube). Seat tube 31.6mm, size: 43,47,51,55,59cm	STEM	3D forged Alloy 6061y, rise 7°, diam. 31,8mm, 1.1/8", Ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
SEATPOST CLAMP	MX-112C alloy, diam. 35mm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9° bend, 31.8mm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm	GRIP / TAPE	Ergonomic Double density
FORK	Bianchi Alu Disc, 1.1/8", Post mount, max tire size 700x40c	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length 350mm
SHIFTER	Shimano Alivio SL-M4000 3x9sp	SADDLE	Bianchi, steel rail, w/high density foam
REAR DERAILLEUR	Shimano Alivio RD-T4000-SGS 9sp, top normal, direct attachment	PEDALS	included
FRONT DERAILLEUR	Shimano Alivio FD-T4000, Top Swing, Dual pull, Band Type (w/31.8mm adapter), 63-66°, for 44/48T, CL: 50mm		
CRANKSET	Shimano FC-T4010 44x32x22T, crank length: 170mm-43/47cm, 175mm-51/59cm		
BOTTOM BRACKET	Shimano BB-ES300		
CHAIN	Kmc Z-99		
CASSETTE / FREEWHEEL	Shimano CS-HG400-9, 11-12-14-16-18-21-24-28-32T		
BRAKE	Shimano Altus BR-MT200, post mount, resin pad		
BRAKE LEVER	Shimano Altus BL-MT200		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Formula CL-1420 Center Lock, 32 hole, OLD. 100mm Axle 108mm with QR		
REAR HUB	Formula CL-1422 Center lock, 32hole, OLD 135mm Axle 145mm, Shimano freewheel body, with QR		

C-SPORT 3 DAMA - ALIVIO 27SP HYDR. BRAKE



CODE	YOB56	REAR HUB	Formula CL-1422 Center lock, 32hole, OLD 135mm Axle 145mm, Shimano freewheel body, with QR
COLOR	C1 - Ck16/Black-White full matt (ON PHOTO) KW - Black/White-CK16 full matt	RIM/WHEELSET	AlexRims ATD470 disc, alloy, 700c 622x17 32H, pair spoke 2x16
FRAME	C-Sport Lady alu disc, 700C Old 135mm, integrated cable routing, Smooth welding, 1.1/8" head tube (semi-integrated down HT tube and integrated in top HT tube). Seat tube 31.6mm, size: 43,47,51,55cm	TIRE	Kenda Eurotrek 700x35, 30TPI w/KShield antipuncture insert, black
SEATPOST CLAMP	MX-112C alloy, diam. 35mm	STEM	3D forged 6061 Alloy, rise 7°, diam. 31,8mm, ext: 70mm-43cm, 100mm-47cm/51cm, 120mm-55cm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9° bend, 31.8mm
FORK	Bianchi Alu Disc, 1.1/8", Post mount, max tire size 700x40c	GRIP / TAPE	Ergonomic Double density
SHIFTER	Shimano Alivio SL-M4000 3x9sp	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length 350mm
REAR DERAILLEUR	Shimano Alivio RD-T4000-SGS 9sp, top normal, direct attachment	SADDLE	Bianchi, steel rail, w/high density foam
FRONT DERAILLEUR	Shimano Alivio FD-T4000, Top Swing, Dual pull, Band Type (w/31.8mm adapter), 63-66°, for 44/48T, CL: 50mm	PEDALS	included
CRANKSET	Shimano FC-T4010 44x32x22T, crank length: 170mm-43/47cm, 175mm-51/55cm		
BOTTOM BRACKET	Shimano BB-ES300		
CHAIN	Kmc Z-99		
CASSETTE / FREEWHEEL	Shimano CS-HG400-9, 11-12-14-16-18-21-24-28-32T		
BRAKE	Shimano Altus BR-MT200, post mount, resin pad		
BRAKE LEVER	Shimano Altus BL-MT200		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Formula CL-1420 Center Lock, 32 hole, OLD. 100mm Axle 108mm with QR		

C-SPORT 2.5 - ACERA 24SP HYDR. BRAKE



CODE	YOBD3	REAR HUB	Formula CL-1422 Center lock, 32hole, OLD 135mm Axle 145mm, Shimano freewheel body, with QR
COLOR	C1 - CK16/Black-White matt (ON PHOTO) KW - Black/White-CK16 matt	RIM/WHEELSET	Alex Rim ATD470 disc, alloy, 700c 622x17 32H, pair spoke 2x16
FRAME	C-Sport Gent alu disc, 700C Old 135mm, integrated cable routing, Smooth welding, 1.1/8" headtube (semi-integrated down HT tube and integrated in top HT tube). Seat tube 31.6mm, size: 43,47,51,55,59cm	TIRE	Kenda Eurotrek 700x35, 30TPI w/KShield antipuncture insert, black
SEATPOST CLAMP	MX-112C alloy, diam. 35mm	STEM	3D forged Alloy 6061y, rise 7°, diam. 31,8mm, 1.1/8", Ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9° bend, 31.8mm
FORK	Bianchi Alu Disc, 1.1/8", Post mount, max tire size 700x40c	GRIP / TAPE	Ergonomic Double density
SHIFTER	Shimano ST-EF505 3x8sp	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length 350mm
REAR DERAILLEUR	Shimano Acera RD-M360-L SGS 8sp, direct attachment	SADDLE	Bianchi, steel rail, w/high density foam
FRONT DERAILLEUR	Shimano Tourney FD-TY700-TS3, Top swing, dual pull, band type 34.9mm, 63-66°, for 42T, CL: 47.5/50mm	PEDALS	included
CRANKSET	Shimano FC-TY301 42x34x24T, crank length: 170mm-43/47cm, 175mm-51/59cm		
BOTTOM BRACKET	Shimano BB-UN100, Asse:122.5mm(D-NL), Shell:BSA 68mm		
CHAIN	Kmc Z-72		
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 12-14-16-18-21-24-28-32T		
BRAKE	Shimano BR-M315, Resin pad		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Formula CL-1420 Center Lock, 32 hole, OLD. 100mm Axle 108mm with QR		

C-SPORT 2.5 DAMA - ACERA 24SP HYDR. BRAKE



CODE	YOBD9	REAR HUB	Formula CL-1422 Center lock, 32hole, OLD 135mm Axle 145mm, Shimano freewheel body, with QR
COLOR	C1 - CK16/Black-White matt KW - Black/White-CK16 (ON PHOTO)	RIM/WHEELSET	Alex Rim ATD470 disc, alloy, 700c 622x17 32H, pair spoke 2x16
FRAME	C-Sport Lady alu disc, 700C Old 135mm, integrated cable routing, Smooth welding, 1.1/8" head tube (semi-integrated down HT tube and integrated in top HT tube). Seat tube 31.6mm, size: 43,47,51,55cm	TIRE	Kenda Eurotrek 700x35, 30TPI w/KShield antipuncture insert, black
SEATPOST CLAMP	MX-112C alloy, diam. 35mm	STEM	3D forged Alloy 6061, rise 7°, diam. 31.8mm, ext: 70mm-43cm, 100mm-47cm/51cm, 120mm-55cm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9° bend, 31.8mm
FORK	Bianchi Alu Disc, 1.1/8", Post mount, max tire size 700x40c	GRIP / TAPE	Ergonomic Double density
SHIFTER	Shimano ST-EF505 3x8sp	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length 350mm
REAR DERAILLEUR	Shimano Acera RD-M360-L SGS 8sp, direct attachment	SADDLE	Bianchi, steel rail, w/high density foam
FRONT DERAILLEUR	Shimano Tourney FD-TY700-TS3, Top swing, dual pull, band type 34.9mm, 63-66°, for 42T, CL: 47.5/50mm	PEDALS	included
CRANKSET	Shimano FC-TY301 42x34x24T, crank length: 170mm-43/47cm, 175mm-51/55cm		
BOTTOM BRACKET	Shimano BB-UN100, Asse:122.5mm(D-NL), Shell:BSA 68mm		
CHAIN	Kmc Z-72		
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 12-14-16-18-21-24-28-32T		
BRAKE	Shimano BR-M315, Resin pad		
BRAKE LEVER	Shimano BL-M315		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Formula CL-1420 Center Lock, 32 hole, OLD. 100mm Axle 108mm with QR		

C-SPORT 1 - 24SP MECH. BRAKE



CODE	YOB69	RIM/WHEELSET	Alex Rim ATD470 disc, alloy, 700c 622x17 32H, pair spoke 2x16
COLOR	C1 - CK16/Black-White full matt KW - Black/White-CK16 full matt (ON PHOTO)	TIRE	Kenda Eurotrek 700x35, 30TPI w/KShield antipuncture insert, black
FRAME	C-Sport Gent alu disc, 700C Old 135mm, integrated cable routing, Smooth welding, 1.1/8" headtube (semi-integrated down HT tube and integrated in top HT tube). Seat tube 31.6mm, size: 43,47,51,55,59cm	STEM	3D forged Alloy 6061y, rise 7∞, diam. 31,8mm, 1.1/8", Ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
SEATPOST CLAMP	MX-112C alloy, diam. 35mm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9∞ bend, 31.8mm
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm	GRIP / TAPE	Ergonomic Double density
FORK	Bianchi Alu Disc, 1.1/8", Post mount, max tire size 700x40c	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length 350mm
SHIFTER	Shimano ST-EF500 3x8sp	SADDLE	Bianchi, steel rail, w/high density foam
REAR DERAILLEUR	Shimano Acera RD-M360-L SGS 8sp, direct attachment	PEDALS	included
FRONT DERAILLEUR	Shimano Tourney FD-TY700-TS3, Top swing, dual pull, band type 34.9mm, 63-66∞, for 42T, CL: 47.5/50mm		
CRANKSET	Shimano FC-TY301 42x34x24T, crank length: 170mm-43/47cm, 175mm-51/59cm		
BOTTOM BRACKET	Shimano BB-UN100, Asse:122.5mm(D-NL), Shell:BSA 68mm		
CHAIN	Kmc Z-72		
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 12-14-16-18-21-24-28-32T		
BRAKE	DSK-300 Mechanical disc brake		
BRAKE LEVER	Included w/shifters		
DISC ROTOR	diam. 160mm		
FRONT HUB	Formula DC-1420 Disc, 6bolts, 32hole, 14G, Old 100mm, Axle 108mm, with QR		
REAR HUB	Formula DC-1422 disc, 6 bolts, 32 hole, 14G, Old 135mm, Axle 145mm, with QR		

C-SPORT DAMA 1 - ACERA 24SP MECH. BRAKE



CODE	YOB63	TIRE	Kenda Eurotrek 700x35, 30TPI w/KShield antipuncture insert, black
COLOR	C1 - CK16/Black-White full matt (ON PHOTO) KW - Black/White-CK16 full matt	STEM	3D forged 6061 Alloy, rise 7°, 31.8mm, ext: 70mm-43cm, 100mm-47cm/51cm, 120mm-55cm
FRAME	C-Sport Lady alu disc, 700C Old 135mm, integrated cable routing, Smooth welding, 1.1/8" head tube (semi-integrated down HT tube and integrated in top HT tube). Seat tube 31.6mm, size: 43,47,51,55cm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9° bend, 31.8mm
SEATPOST CLAMP	MX-112C alloy, diam. 35mm	GRIP / TAPE	Ergonomic Double density
HEADSET	Fsa No.8B/ZS4D 1.1/8" Semi-Integrated lower part + Integrated upper part, w/cap 15mm	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length 350mm
FORK	Bianchi Alu Disc, 1.1/8", Post mount, max tire size 700x40c	SADDLE	Bianchi, steel rail, w/high density foam
SHIFTER	Shimano ST-EF500 3x8sp	PEDALS	included
REAR DERAILLEUR	Shimano Acera RD-M360-L SGS 8sp, direct attachment		
FRONT DERAILLEUR	Shimano Tourney FD-TY700-TS3, Top swing, dual pull, band type 34.9mm, 63-66°, for 42T, CL: 47.5/50mm		
CRANKSET	Shimano FC-TY301 42x34x24T, crank length: 170mm-43/47cm, 175mm-51-55cm		
BOTTOM BRACKET	Shimano BB-UN100, Asse:122.5mm(D-NL), Shell:BSA 68mm		
CHAIN	Kmc Z-72		
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 12-14-16-18-21-24-28- 32T		
BRAKE	DSK-300 Mechanical disc brake		
BRAKE LEVER	Included w/shifters		
DISC ROTOR	diam. 160mm		
FRONT HUB	Formula DC-1420 Disc, 6 bolts, 32hole, 14G, OLD 100mm, Axle108mm, with QR		
RIM/WHEELSET	Alex Rim ATD470 disc, alloy, 700c 622x17 32H, pair spoke 2x16		

C-SPORT CROSS 2.5 GENT - ACERA 24SP HYDR. BRAKE



CODE	YOB2	RIM/WHEELSET	Alex Rim ATD470 disc, alloy, 700c 622x17 32H, pair spoke 2x16
COLOR	1Z - Black/CK16-Graphite full matt	TIRE	Kenda 700x35 w/Kshield 3mm antipuncture insert, 30TPI, black
FRAME	C-Sport Cross Gent Alu Disc, 700C OLD 135mm, integrated cable routing, Smooth welding, 1.1/8" semintegrated headset, seat tube diam. 31.6mm, size:43,47,51,55cm	STEM	3D forged Alloy 6061y, rise 7°, diam. 31,8mm, 1.1/8", Ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
SEATPOST CLAMP	339QX alloy clamp & lever, diam. 35mm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9° bend, 31.8mm
HEADSET	Fsa NO.8B/ZS4D 1-1/8", w/15mm cap, Semi-integrated lower part and integrated upper part	GRIP / TAPE	Ergonomic Double density
FORK	SR Suntour Nex HLO DS 63mm, 700C, 1.1/8", steel stanchions, Alloy lowers, Post mount disc, w/ lock out	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length 350mm
SHIFTER	Shimano ST-EF505 3x8sp	SADDLE	Bianchi, steel rail, w/high density foam
REAR DERAILLEUR	Shimano Acera RD-M360-L SGS 8sp, direct attachment	PEDALS	included
FRONT DERAILLEUR	Shimano Tourney FD-TY700-TS3, Top swing, dual pull, band type 34.9mm, 63-66°, for 42T, CL: 47.5/50mm		
CRANKSET	Shimano FC-TY301 42x34x24T, crank length: 170mm-43/47cm, 175mm-51/59cm		
BOTTOM BRACKET	Shimano BB-UN100, Asse:122.5mm(D-NL), Shell:BSA 68mm		
CHAIN	Kmc Z-72		
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 12-14-16-18-21-24-28-32T		
BRAKE	Shimano BR-M315, Resin pad		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Formula CL-1420 Center Lock, 32 hole, OLD. 100mm Axle 108mm with QR		
REAR HUB	Formula CL-1422 Center lock, 32hole, OLD 135mm Axle 145mm, Shimano freewheel body, with QR		

C-SPORT CROSS 2.5 LADY - ACERA 24SP HYDR. BRAKE



CODE	YOBB3	REAR HUB	Formula CL-1422 Center lock, 32hole, OLD 135mm Axle 145mm, Shimano freewheel body, with QR
COLOR	1Z - Black/CK16-Graphite full matt	RIM/WHEELSET	Alex Rim ATD470 disc, alloy, 700c 622x17 32H, pair spoke 2x16
FRAME	C-Sport Cross Lady Alu Disc, 700C, OLD 135mm, integrated cable routing, Smooth welding, 1.1/8" semintegrated headset. Seat tube diam. 31.6mm, size:43,47,51cm	TIRE	Kenda 700x35 w/3mm Kshield antipuncture insert, 30TPI, black
SEATPOST CLAMP	339QX alloy clamp & lever, diam. 35mm	STEM	3D forged 6061 Alloy, rise 7°, diam 31,8mm, Ext: 70mm-43cm, 100mm-47/51cm
HEADSET	Fsa NO.8B/ZS4D 1-1/8", w/15mm cap, Semi-integrated lower part and integrated upper part	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9° bend, 31.8mm
FORK	SR Suntour Nex HLO DS 63mm, 700C, 1.1/8", Steel stanchions, alloy lowers, Post mount Disc, w/lockout	GRIP / TAPE	Ergonomic Double density
SHIFTER	Shimano ST-EF505 3x8sp	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 31.6mm, length 350mm
REAR DERAILLEUR	Shimano Acera RD-M360-L SGS 8sp, direct attachment	SADDLE	Bianchi, steel rail, w/high density foam
FRONT DERAILLEUR	Shimano Tourney FD-TY700-TS3, Top swing, dual pull, band type 34.9mm, 63-66°, for 42T, CL: 47.5/50mm	PEDALS	included
CRANKSET	Shimano FC-TY301 42x34x24T, crank length: 170mm-43/47cm, 175mm-51/59cm		
BOTTOM BRACKET	Shimano BB-UN100, Asse:122.5mm(D-NL), Shell:BSA 68mm		
CHAIN	Kmc Z-72		
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 12-14-16-18-21-24-28-32T		
BRAKE	Shimano BR-M315, Resin pad		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Formula CL-1420 Center Lock, 32 hole, OLD. 100mm Axle 108mm with QR		

C-SPORT SE - 21SP V-BRAKE



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBK3	STEM	3D forged Alloy 6061y, rise 7°, diam. 31,8mm, 1.1/8", Ext: 80mm-43cm, 100mm-47/51cm, 110mm-55/59cm
COLOR	KK - Black glossy	HANDLEBAR	Tec Alloy 6061 DB, flat bar, width: 620mm, 5° bend, 31.8mm
FRAME	C-Sport Alu, V-Brake, 700C OLD 135mm, Smooth welding for HT and ST only, AL6061 DB in Top Tube and Down Tube, size: 43-47-51-55-59cm	GRIP / TAPE	Eva black, length:92mm
SEATPOST CLAMP	MX-112C alloy, diam. 31,8mm	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 27,2mm, length 350mm
HEADSET	Fsa No.11P 1.1/8" semi-cartridge bearings, cromoly cups, w/25mm top cap	SADDLE	Selle Royal Siam
FORK	Bianchi Alloy blades, Cr-Mo head tube, 700c	PEDALS	included
SHIFTER	Shimano Tourney SL-RS36 3x7sp		
REAR DERAILLEUR	Shimano Tourney RD-TY500 7sp, direct attachment		
FRONT DERAILLEUR	Shimano Tourney FD-TY500-TS3, Top Swing, Dual pull, Band Type (w/31.8mm adapter), 63-66°, for 42T, CL: 47.5/50mm		
CRANKSET	Shimano FC-TY301 42x34x24T, crank length: 170mm-43/47cm, 175mm-51/59cm		
BOTTOM BRACKET	Shimano BB-UN100		
CHAIN	Kmc HV700 7sp		
CASSETTE / FREEWHEEL	Shimano Tourney MF-TZ31, 14-16-18-20-22-24-34T		
BRAKE	Tektro RX1 V-Brake		
BRAKE LEVER	Tektro RX1.0, 3 fingers aluminium lever		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Alloy, 36 hole, OLD. 100mm Axle 108mm with QR		
REAR HUB	Alloy, 36hole, OLD 135mm Axle 145mm, with QR		
RIM/WHEELSET	Alloy Double wall, 700c, 14Gx36H		
TIRE	Kenda 700x35, 27Tpi, w/Black Skinwall, steel bead		

LUNA 3 LADY - ALIVIO 27SP HYDR. BRAKE



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBM9	RIM/WHEELSET	Alex Rim ATD470 disc, alloy, 700c 622x17 32H, pair spoke 2x16
COLOR	1H - CK16 Glossy	TIRE	Kenda Kwick Tendril 700x35, 30TPI, black
FRAME	C-Sport Luna Alu, 700c, OLD 135mm, smooth welding for HT and ST, AL6061 DB in Top & Down tube, size:38-42-46-50-54cm	STEM	3D forged AL6061, 12 ∞ , 31.8mm, 1.1/8", Ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
SEATPOST CLAMP	MX-112C alloy, diam. 31,8mm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9 ∞ bend, 31.8mm
HEADSET	Fsa NO.11P 1-1/8" semi-cartridge bearing type, w/25mm cap, Cromoly cups, Stack height 27,5+3=30,5mm, Semi-integrated for HT 50*44mm	GRIP / TAPE	Ergonomic Double density
FORK	Bianchi Alu/Carbon, 1-1/8" disc, post mount disc	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 27,2mm, length 350mm
SHIFTER	Shimano Alivio SL-M4000 3x9sp	SADDLE	Wtb Speed She, steel rail, w/Bianchi logo
REAR DERAILLEUR	Shimano Alivio RD-T4000-SGS 9sp, top normal, direct attachment	PEDALS	included
FRONT DERAILLEUR	Shimano Alivio FD-T4000, Top Swing, Dual pull, Band Type (w/31.8mm adapter), 63-66 ∞ , for 44/48T, CL: 50mm		
CRANKSET	Shimano Alivio FC-T4060 44X32X22T w/GG, crank lenght: 170mm-43/47cm, 175mm-51/59cm		
BOTTOM BRACKET	Fsa BB7420ST, 113MM		
CHAIN	Kmc Z-99		
CASSETTE / FREEWHEEL	Shimano CS-HG400-9, 11-12-14-16-18-21-24-28-32T		
BRAKE	Shimano Altus BR-MT200, resin pad		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Formula CL-1420 Center Lock, 32 hole, OLD. 100mm Axle 108mm with QR		
REAR HUB	Formula CL-1422 Center lock, 32hole, OLD 135mm Axle 145mm, Shimano freewheel body, with QR		

LUNA 2 LADY - ACERA 24SP HYDR. BRAKE



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBM2	REAR HUB	Formula CL-1422 Center lock, 32hole, OLD 135mm Axle 145mm, Shimano freewheel body, with QR
COLOR	WG - Pearl white glossy	RIM/WHEELSET	Alex Rim ATD470 disc, alloy, 700c 622x17 32H, pair spoke 2x16
FRAME	C-Sport Luna Alu, 700c, OLD 135mm, smooth welding for HT and ST, AL6061 DB in Top & Down tube, size:38-42-46-50-54cm	TIRE	Kenda Kwick Tendril 700x35, 30TPI, black
SEATPOST CLAMP	MX-112C alloy, diam. 31,8mm	STEM	3D forged AL6061, 12ø, 31.8mm, 1.1/8", Ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
HEADSET	Fsa NO.11P 1-1/8" semi-cartridge bearing type, w/25mm cap, Cromoly cups, Stack height 27,5+3=30,5mm, Semi-integrated for HT 50*44mm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9ø bend, 31.8mm
FORK	Bianchi Alu Disc, 1.1/8", Post mount, max tire size 700x40c	GRIP / TAPE	Ergonomic Double density
SHIFTER	Shimano ST-EF505 3x8sp	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 27,2mm, length 350mm
REAR DERAILLEUR	Shimano Acera RD-M360-L SGS 8sp, direct attachment	SADDLE	Wtb Speed She, steel rail, w/Bianchi logo
FRONT DERAILLEUR	Shimano Tourney FD-TY700-TS3, Top Swing, Dual Pull, Band type (w/31.8mm adapter), 63-66ø, for 42T, CL: 47.5/50mm	PEDALS	included
CRANKSET	Shimano FC-TY301 42x34x24T, crank length: 170mm-43/47cm, 175mm-51/59cm		
BOTTOM BRACKET	Shimano BB-UN100, Asse:122.5mm(D-NL), Shell:BSA 68mm		
CHAIN	Kmc Z-72		
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 12-14-16-18-21-24-28-32T		
BRAKE	Shimano BR-M315, Resin pad		
BRAKE LEVER	included w/shifters		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Formula CL-1420 Center Lock, 32 hole, OLD. 100mm Axle 108mm with QR		

LUNA 1 LADY - ALTUS 24SP MECH. BRAKE



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

CODE	YOBM3	REAR HUB	Formula CL-1422 Center lock, 32hole, OLD 135mm Axle 145mm, Shimano freewheel body, with QR
COLOR	KW - Black matt	RIM/WHEELSET	Tec Sport Edition MD17 disc 622x17c, 32H, pair spoke 2x16
FRAME	C-Sport Luna Alu, 700c, OLD 135mm, smooth welding for HT and ST, AL6061 DB in Top & Down tube, size:38-42-46-50-54cm	TIRE	Kenda Kwick Tendril 700x35, 30TPI, black
SEATPOST CLAMP	MX-112C alloy, diam. 31,8mm	STEM	3D forged AL6061, 12 ∞ , 31.8mm, 1.1/8", Ext: 70mm-43cm, 100mm-47/51cm, 120mm-55/59cm
HEADSET	Fsa NO.11P 1-1/8" semi-cartridge bearing type, w/25mm cap, Cromoly cups, Stack height 27,5+3=30,5mm, Semi-integrated for HT 50*44mm	HANDLEBAR	Alloy 6061 DB, flat bar, width: 620mm, 9 ∞ bend, 31.8mm
FORK	Bianchi Alu Disc, 1.1/8", Post mount, max tire size 700x40c	GRIP / TAPE	Ergonomic Double density
SHIFTER	Shimano ST-EF500 3x8sp	SEATPOST	AL6061 shaft, alloy head, 15mm offset, diam. 27,2mm, length 350mm
REAR DERAILLEUR	Shimano Altus RD-M310-L, 7/8sp, Direct Attachment	SADDLE	Wtb Speed She, steel rail, w/Bianchi logo
FRONT DERAILLEUR	Shimano Tourney FD-TY700-TS3, Top Swing, Dual Pull, Band type (w/31.8mm adapter), 63-66 ∞ , for 42T, CL: 47.5/50mm	PEDALS	included
CRANKSET	Shimano FC-TY301 42x34x24T, crank length: 170mm-43/47cm, 175mm-51/59cm		
BOTTOM BRACKET	Shimano BB-UN100, Asse:122.5mm(D-NL), Shell:BSA 68mm		
CHAIN	Kmc Z-72		
CASSETTE / FREEWHEEL	Shimano CS-HG200-8, 12-14-16-18-21-24-28-32T		
BRAKE	Shimano BR-M375, mechanical disc brake, resin pad		
BRAKE LEVER	Included w/shifters		
DISC ROTOR	Shimano SM-RT10, 160mm, Center Lock , for resin pad only		
FRONT HUB	Formula CL-1420 Center Lock, 32 hole, OLD. 100mm Axle 108mm with QR		





MODELS
IN THIS CATEGORY

TOPAZIO

ONICE

RUBINO

TURCHESE

SPILLO


PROJECT PHILOSOPHY

Hybrid bicycles, ideal for urban commuting and trekking.

GEOMETRIES


GEOMETRY - SPILLO TOPAZIO GENT

MIS.					
A	B1	BS	D	E	G
470	575	551	68	150	73.5°
510	585	562	68	150	73.5°
530	600	577	68	170	73.5°




GEOMETRY - SPILLO TOPAZIO LADY

MIS.					
A	B1	BS	D	E	G
430	555	532	68	150	73.5°
470	565	542	68	150	73.5°




GEOMETRY - SPILLO ONICE - RUBINO - TURCHESE GENT

MIS.					
A1	B1	BS	D	E	G
470	575	550	70	130	73°
510	590	566	70	150	73°
550	605	583	70	170	73°



GEOMETRY - SPILLO ONICE - RUBINO - TURCHESE LADY

MIS.					
A1	B1	BS	D	E	G
430	565	540	70	150	73°
470	575	549	70	150	73°
510	590	565	70	170	73°



SPILLO TOPAZIO MAN - ACERA 24SP DYNAMO HUB



CODE	YEBA4	SADDLE	Selle Royal Ariel Man Gel, steel rails
COLOR	9J - black red line 9T - Titan matt white/dec blue (PHOTO)	PEDALS	Xerama w/aluminium body, steel axle, no slip
FRAME	Spillo Man, Hydroformed aluminium, 1.1/8" head tube, internal cable routing, sizes: 47, 51, 55cm	FRONT LIGHT	Basta Sprint led, 2.4w, with on/off switch
SEATPOST CLAMP	Aluminium diam 31.8mm w/QR	REAR LIGHT	Herrmans H-Vision w/battery
HEADSET	steel, 1.1/8" semi integrated	REAR CARRIER	Aluminium, w/spring
FORK	Bianchi Aluminium 1.1/8"	KICKSTAND	Alluminio, adjustable 24">28"
SHIFTER	Shimano ST-EF51 3x8sp	MUDGUARD	48mm, w/closing clip griptape w/rear mud flap, black
REAR DERAILLEUR	Shimano Acera RD-M360 SGS 8sp		
FRONT DERAILLEUR	Shimano FD-M191 band type 31.8mm, for 48T		
CRANKSET	Shimano FC-M131 48/38/28T, crank length 170mm		
BOTTOM BRACKET	Bsa 68-122mm		
CHAIN	Kmc Z72 1/2"x 3/32"		
CASSETTE / FREEWHEEL	Shimano CS-HG31 8sp, 11-32T		
BRAKE	V-Brake aluminium		
FRONT HUB	Shimano DH-2N35-DL, aluminium w/dynamo 6V/24.W, 36holes		
REAR HUB	Shimano aluminium, 36h, 9x135mm, Shimano freewheel, w/QR		
RIM/WHEELSET	Airline-1, Aluminium double wall, 36h, 28/622x19 w/safety line		
TIRE	Cst 700X38 37-622, w/reflector		
STEM	for 1.1/8" headtube, adjustable, length 100mm, black		
HANDLEBAR	Aluminium, length 590mm, rise, 26mm, diam. 25,4 mm, back sweep 33°		
GRIP / TAPE	Herrmans DD08B double density, L.120mm		
SEATPOST	Aluminium w/suspension L. 300mm, diam. 27.2mm		

SPILLO TOPAZIO LADY - ACERA 24SP DYNAMO HUB



CODE	YEBA5	SEATPOST	Aluminium w/suspension L. 300mm, diam. 27.2mm
COLOR	9J - black red line (PHOTO) 9T - Titan matt white/dec blue	SADDLE	Selle Royal Ariel Lady Gel, steel rails
FRAME	Spillo Lady, Hydroformed aluminium, 1.1/8" headtube, internal cable routing, sizes 43, 47cm	PEDALS	Xerama w/aluminium body, steel axle, no slip
SEATPOST CLAMP	Aluminium diam 31.8mm w/QR	FRONT LIGHT	Basta Sprint led, 2.4w, with on/off switch
HEADSET	steel, 1.1/8" semi integrated	REAR LIGHT	Herrmans H-Vision w/battery
FORK	Bianchi Aluminium 1.1/8"	REAR CARRIER	Aluminium, w/spring
SHIFTER	Shimano ST-EF51 3x8sp	KICKSTAND	Alluminio, adjustable 24">28"
REAR DERAILLEUR	Shimano Acera RD-M360 SGS 8sp	MUDGUARD	48mm, w/closing clip griptype w/rear mud flap, black
FRONT DERAILLEUR	Shimano FD-M191 band type 31.8mm, for 48T	9T - Titan matt white/dec blue	
CRANKSET	Shimano FC-M131 48/38/28T, crank length 170mm		
BOTTOM BRACKET	Bsa 68-122mm		
CHAIN	Kmc Z72 1/2"x 3/32"		
CASSETTE / FREEWHEEL	Shimano CS-HG31 8sp, 11-32T		
BRAKE	V-Brake aluminium		
FRONT HUB	Shimano DH-2N35-DL, aluminium w/dynamo 6V/24.W, 36holes		
REAR HUB	Shimano aluminium, 36h, 9x135mm, Shimano freewheel, w/QR		
RIM/WHEELSET	Airline-1, Aluminium double wall, 36h, 28/622x19 w/safety line		
TIRE	Cst 700X38 37-622, w/reflector		
STEM	for 1.1/8" headtube, adjustable, length 100mm, black		
HANDLEBAR	Aluminium, length 590mm, rise, 26mm, diam. 25,4 mm, back sweep 33°		
GRIP / TAPE	Herrmans DD08B double density, L.120mm		

SPILLO ONICE MAN - 21SP V-BRAKE



CODE	YEBA1	SADDLE	Selle Royal Wave Man, steel rails
COLOR	9N - black matt/celeste line 9P - Artic silver green line (PHOTO)	PEDALS	Xerama w/pp body, steel axle
FRAME	Spillo Man aluminium, 1.1/8" head tube, sizes 47, 51, 55cm	FRONT LIGHT	Spanninga Optimo w/battery, with on/off switch
SEATPOST CLAMP	Aluminium diam 31.8mm w/QR	REAR LIGHT	Basta Spark Red w/battery with on/off switch
HEADSET	Steel 1.1/8"	REAR CARRIER	Steel w/spring
FORK	SR Suntour NEX P-700C, travel 63mm, 1.1/8"	KICKSTAND	aluminium, black
SHIFTER	Shimano ST-EF51 3x7sp	MUDGUARD	48mm, w/closing clip griptype w/rear mud flap, black
REAR DERAILLEUR	Shimano RD-TY500 7sp		
FRONT DERAILLEUR	Shimano TY500, band type 31.8mm, dual pull, for 48T		
CRANKSET	Chainrings 48/38/28T, steel crank, length: 170mm		
BOTTOM BRACKET	Bsa 68-122mm		
CHAIN	Kmc Z51 1/2"x 3/32"		
CASSETTE / FREEWHEEL	Shimano TZ21 7sp, 14-28T		9N - black matt/celeste line
BRAKE	V-Brake aluminium		
FRONT HUB	Aluminium, 36h, 9x100mm, w/QR		
REAR HUB	Aluminium, 36h, 9x135mm, Shimano freewheel body, w/QR		
RIM/WHEELSET	Freeway, Aluminium double wall, 36holes		
TIRE	Cst 700x35 37-622		
STEM	Aluminium adjustable, 1.1/8", length 90mm, diam. 25.4mm, black		
HANDLEBAR	Aluminium, length 590mm, rise, 26mm, diam. 25.4 mm, back sweep 33°		
GRIP / TAPE	Herrmans DD08B double density, L. 120mm		
SEATPOST	Aluminium w/suspension, L.350mm, diam. 27.2mm		



SPIULLO ONICE LADY - 21SP V-BRAKE



CODE	YEBA0	SADDLE	Selle Royal Wave Lady, steel rails
COLOR	9N - black matt/celeste line (PHOTO) 9P - Artic silver green line	PEDALS	Xerama w/pp body, steel axle
FRAME	Spillo Lady, Aluminium, 1.1/8" head tube, sizes 43, 47, 51cm	FRONT LIGHT	Spanninga Optimo w/battery, with on/off switch
SEATPOST CLAMP	Aluminium diam 31.8mm w/QR	REAR LIGHT	Basta Spark Red w/battery with on/off switch
HEADSET	Steel 1.1/8"	REAR CARRIER	Steel w/spring
FORK	SR Suntour NEX P-700C, travel 63mm, 1.1/8"	KICKSTAND	Aluminium, black
SHIFTER	Shimano ST-EF51 3x7sp	MUDGUARD	48mm, w/closing clip griptape w/rear mud flap, black
REAR DERAILLEUR	Shimano RD-TY500 7sp		
FRONT DERAILLEUR	Shimano FD-TY500, band type 31.8mm, dual pull, for 48T		
CRANKSET	Chainrings 48/38/28T, steel crank, length: 170mm		
BOTTOM BRACKET	Bsa 68-122mm		
CHAIN	Kmc Z51 1/2"x 3/32"		
CASSETTE / FREEWHEEL	Shimano TZ21 7sp, 14-28T		
BRAKE	V-Brake aluminium		9P - Artic silver green line
FRONT HUB	Aluminium, 36h, 9x100mm, w/QR		
REAR HUB	Aluminium, 36h, 9x135mm, Shimano freewheel body, w/QR		
RIM/WHEELSET	Freeway, Aluminium double wall, 36holes		
TIRE	Cst 700x35 37-622		
STEM	Aluminium adjustable, 1.1/8", length 90mm, diam. 25.4mm, black		
HANDLEBAR	Aluminium, length 590mm, rise, 26mm, diam. 25.4 mm, back sweep 33°		
GRIP / TAPE	Herrmans DD08B double density, L.90mm		
SEATPOST	Aluminium w/suspension, L.350mm, diam. 27.2mm		



SPILLO RUBINO DELUXE GENT - 21SP V-BRAKE



CODE	YNB5L	SADDLE	Selle Royal Rio, steel rails
COLOR	LK - Celeste Vintage	PEDALS	Included
FRAME	Spillo Rubino Man Alu, 1.1/8" HT, size: 47-51-55cm	FRONT LIGHT	Spanninga Illico, w/bracket w/battery
SEATPOST CLAMP	Aluminium, diam 31.8mm w/QR	REAR LIGHT	Basta Spark Red w/battery with on/off switch
HEADSET	1.1/8" Steel	FRONT CARRIER	Steel
FORK	Bianchi Steel, 1.1/8"	REAR CARRIER	Steel
SHIFTER	Shimano ST-EF500 3x7sp	KICKSTAND	Aluminium, adjustable 20-28"
REAR DERAILLEUR	Shimano TY500 7sp	MUDGUARD	Rapido 46mm, silver plastic, w/zinc coated bridge, w/rear mud protection spoiler
FRONT DERAILLEUR	Shimano TY500 Top Swing, 31.8mm band type, dual pull, max 48T, 63-66°		
CRANKSET	Steel 48x38x28T w/chainguard		
BOTTOM BRACKET	Bsa 68mm L:127mm		
CHAIN	KMC Z51 7sp		
CASSETTE / FREEWHEEL	Shimano TZ500 7sp 14-28T		
BRAKE	V-Brake, aluminium body		
BRAKE LEVER	Included w/shifters		
FRONT HUB	Alloy body, 36h, 9x100mm, w/Qr		
REAR HUB	Aluminium, 36h, 9x135mm, Shimano freewheel body, w/QR		
RIM/WHEELSET	Freeway, Aluminium double wall, 36holes		
TIRE	Chaoyang 700x35c		
STEM	Aluminium, Adjustable, Ext: 90mm, diam: 25.4mm, quill length 180mm		
HANDLEBAR	Aluminium, width: 590mm, rise 26mm, diam 25.4mm, backsweep 33°		
GRIP / TAPE	Herrmans double density DD08B L:120mm		
SEATPOST	Aluminium, diam 27.2mm, length 350mm		

SPILLO RUBINO DELUXE LADY - 21SP V-BRAKE



CODE	YNB5M	SADDLE	Selle Royal Rio, steel rails
COLOR	LK - Celeste Vintage	PEDALS	Included
FRAME	Spillo Rubino Lady Alu, 1.1/8" HT, size 43-47-51cm	FRONT LIGHT	Spanninga Illico, w/bracket w/battery
SEATPOST CLAMP	Aluminium, diam 31.8mm w/QR	REAR LIGHT	Basta Spark Red w/battery with on/off switch
HEADSET	1.1/8" steel	FRONT CARRIER	Steel
FORK	Bianchi Steel w/light bracket, 1.1/8"	REAR CARRIER	Steel
SHIFTER	Shimano ST-EF500 3x7sp	KICKSTAND	Aluminium, adjustable 20-28"
REAR DERAILLEUR	Shimano TY500 7sp	MUDGUARD	Rapido 46mm, silver plastic, w/zinc coated bridge, w/rear mud protection spoiler
FRONT DERAILLEUR	Shimano TY500, top swing, band type 31.8mm, dual pull, max 48T, 63-66°		
CRANKSET	Steel 48x38x28T w/chainguard		
BOTTOM BRACKET	Bsa 68mm L:127mm		
CHAIN	KMC Z51 7sp		
CASSETTE / FREEWHEEL	Shimano TZ500 7sp 14-28T		
BRAKE	V-Brake, aluminium body		
BRAKE LEVER	Included w/shifters		
FRONT HUB	Aluminium body, 36h, 9x100mm, w/QR		
REAR HUB	Aluminium, 36h, 9x135mm, Shimano freewheel body, w/QR		
RIM/WHEELSET	Freeway, Aluminium double wall, 36holes		
TIRE	Chaoyang 700x35c		
STEM	Aluminium, Adjustable, Ext: 90mm, diam: 25.4mm, quill length 180mm		
HANDLEBAR	Aluminium, width: 590mm, rise 26mm, diam 25.4mm, backsweep 33°		
GRIP / TAPE	Herrmans double density DD08B L:120mm		
SEATPOST	Aluminium, diam 27.2mm, length 350mm		

SPILLO RUBINO MAN - 21 SP V-BRAKE



CODE	YEBA8	SADDLE	Selle Royal Wave Man, steel rails
COLORE	9J - black red line 9T - Titan matt white/dec blue (PHOTO)	PEDALS	Xerama w/pp body, steel axle
FRAME	Spillo Man aluminium, 1.1/8" head tube, sizes 47, 51, 55cm	FRONT LIGHT	Spanninga Optimo w/battery, with on/off switch
SEATPOST CLAMP	Aluminium diam 31.8mm w/QR	REAR LIGHT	Basta Spark Red w/battery with on/off switch
HEADSET	Steel 1.1/8"	REAR CARRIER	Steel w/spring
FORK	Bianchi steel 1.1/8"	KICKSTAND	Aluminium, black
SHIFTER	Shimano ST-EF51 3x7sp	MUDGUARD	48mm, w/closing clip griptape w/rear mud flap, black
REAR DERAILLEUR	Shimano TY500 7sp		
FRONT DERAILLEUR	Shimano TY500, band type 31.8mm, dual pull, for 48T		9J - black red line
CRANKSET	Chainrings 48/38/28T, steel crank, length: 170mm		
BOTTOM BRACKET	Bsa 68-122mm		
CHAIN	Kmc Z51 1/2"x 3/32"		
CASSETTE / FREEWHEEL	Shimano TZ21 7sp, 14-28T		
BRAKE	V-Brake aluminium		
FRONT HUB	Aluminium, 36h, 9x100mm, w/QR		
REAR HUB	Aluminium, 36h, 9x135mm, Shimano freewheel body, w/QR		
RIM/WHEELSET	Freeway, Aluminium double wall, 36holes		
TIRE	Cst 700x35 37-622		
STEM	Aluminium adjustable, 1.1/8", length 90mm, diam. 25.4mm, black		
HANDLEBAR	Aluminium, length 590mm, rise, 26mm, diam. 25.4 mm, back sweep 33°		
GRIP / TAPE	Herrmans DD08B double density, L. 120mm		
SEATPOST	Aluminium, L.350mm, diam. 27.2mm		



SPILLO RUBINO LADY - 21SP V-BRAKE



CODE	YEBA9	SADDLE	Selle Royal Wave Lady, steel rails
COLOR	9J - Black red line 9M - Pearl white (PHOTO)	PEDALS	Xerama w/pp body, steel axle
FRAME	Spillo Lady, Aluminium, 1.1/8" head tube, sizes 43, 47, 51cm	FRONT LIGHT	Spanninga Optimo w/battery, with on/off switch
SEATPOST CLAMP	Aluminium diam 31.8mm w/QR	REAR LIGHT	Basta Spark Red w/battery with on/off switch
HEADSET	Steel 1.1/8"	FRONT CARRIER	Steel, w/spring
FORK	Bianchi steel 1.1/8"	REAR CARRIER	Steel w/spring
SHIFTER	Shimano ST-EF51 3x7sp	KICKSTAND	Aluminium, black
REAR DERAILLEUR	Shimano TY500 7sp	MUDGUARD	48mm, w/closing clip griptape w/rear mud flap, black
FRONT DERAILLEUR	Shimano TY500, band type 31.8mm, dual pull, for 48T		
CRANKSET	Chainrings 48/38/28T, steel crank, length: 170mm		
BOTTOM BRACKET	Bsa 68-122mm		
CHAIN	Kmc Z51 1/2"x 3/32"		
CASSETTE / FREEWHEEL	Shimano TZ21 7sp, 14-28T		
BRAKE	V-Brake aluminium		
FRONT HUB	Aluminium, 36h, 9x100mm, w/QR		
REAR HUB	Aluminium, 36h, 9x135mm, Shimano freewheel body, w/QR		
RIM/WHEELSET	Freeway, Aluminium double wall, 36holes		
TIRE	Cst 700x35 37-622		
STEM	Aluminium adjustable, 1.1/8", length 90mm, diam. 25.4mm, black		
HANDLEBAR	Aluminium, length 590mm, rise, 26mm, diam. 25,4 mm, back sweep 33°		
GRIP / TAPE	Herrmans DD08B double density, L.90mm		
SEATPOST	Aluminium, L.350mm, diam. 27.2mm		

9J - black red line



SPILLO TURCHESE DS GENT - 6SP V-BRAKE



CODE	YMB5E	FRONT LIGHT	Spanninga Illico, w/bracket w/battery
COLOR	YZ - Black/CK16	REAR LIGHT	Basta Spark Red w/battery with on/off switch
FRAME	Spillo Turchese Alu, 1.1/8" HT, size 51cm	REAR CARRIER	Steel
SEATPOST CLAMP	Aluminium diam 31.8mm w/QR	KICKSTAND	Alloy Adjustable 20-28"
HEADSET	1.1/8", steel	MUDGUARD	Rapido 46mm, black plastic w/zinc coated bridge w/mud protection spoiler
FORK	Bianchi Steel, 1.1/8"		
SHIFTER	Shimano SL-RS36 6sp		
REAR DERAILLEUR	Shimano TY300 6sp		
CRANKSET	Steel w/42T chainring, crank length: 170mm w/chaincover		
BOTTOM BRACKET	Bsa 68mm, 124,5mm		
CHAIN	YBN S50 6sp		
CASSETTE / FREEWHEEL	Shimano TZ50 6sp, 14-28T		
BRAKE	V-Brake, aluminum body		
BRAKE LEVER	V-Brake lever 4 finger		
FRONT HUB	Steel body, 36h, 9x100mm, w/QR		
REAR HUB	Steel body, 36h, 9x130mm w/QR		
RIM/WHEELSET	Freeway, Aluminium double wall, 36holes		
TIRE	Chaoyang 700x35c		
STEM	Aluminium, length 80mm, rise 25mm, diam. 25.4mm		
HANDLEBAR	Steel, width 595mm, diam. 25.4mm		
GRIP / TAPE	Kraton L: 90mm/120mm, diam. 22mm		
SEATPOST	Steel diam. 27.2mm, length:300mm		
SADDLE	Selle Royal One, steel rails		
PEDALS	Included		

SPILLO TURCHESE DS LADY - 6SP V-BRAKE



CODE	YMB5F	FRONT CARRIER	Steel
COLOR	YZ - Black/CK16	REAR CARRIER	Steel
FRAME	Spillo Turchese Lady Alu, 1.1/8" HT, size 43cm	KICKSTAND	Alloy Adjustable 20-28"
SEATPOST CLAMP	Aluminium diam 31.8mm w/QR	MUDGUARD	Rapido 46mm, black plastic w/zinc coated bridge w/mud protection spoiler
HEADSET	1.1/8", steel		
FORK	Bianchi Steel, 1.1/8"		
SHIFTER	Shimano SL-RS36 6sp		
REAR DERAILLEUR	Shimano TY300 6sp		
CRANKSET	Steel w/42T chainring, crank length: 170mm w/chaincover		
BOTTOM BRACKET	Bsa 68mm, 124,5mm		
CHAIN	YBN S50 6sp		
CASSETTE / FREEWHEEL	Shimano TZ50 6sp, 14-28T		
BRAKE	V-Brake, aluminuim body		
BRAKE LEVER	V-Brake lever 4 finger		
FRONT HUB	Steel body, 36h, 9x100mm, w/QR		
REAR HUB	Steel body, 36h, 9x130mm w/QR		
RIM/WHEELSET	Freeway, Aluminium double wall, 36holes		
TIRE	Chaoyang 700x35c		
STEM	Aluminium, length 80mm, rise 25mm, diam. 25.4mm		
HANDLEBAR	Steel, width 595mm, diam. 25.4mm		
GRIP / TAPE	Kraton L: 90mm/120mm, diam. 22mm		
SEATPOST	Steel diam. 27.2mm, length:300mm		
SADDLE	Selle Royal One, steel rails		
FRONT LIGHT	Spanninga Illico, w/bracket w/battery		
REAR LIGHT	Basta Spark Red w/battery with on/off switch		

YARD 26" - 6SP V-BRAKE



CODE	YEB554	FRONT LIGHT	Spanninga Optimo w/battery, with on/off switch
COLOR	9M - Pearl White/Black-Orange 6T - Lilla/Black-White PC - Pearl White/CK-Grey	REAR LIGHT	Basta Spark Red w/battery with on/off switch
FRAME	Yard Alloy 26", 1.1/8" HT, size: 43cm	FRONT CARRIER	Specific for 26" wheels
SEATPOST CLAMP	Aluminium diam 31.8mm w/QR	REAR CARRIER	Steel w/adjustable stays w/spring
HEADSET	Steel 1.1/8"	KICKSTAND	Aluminium, black
FORK	Bianchi Steel 26", 1.1/8"	MUDGUARD	53mm, with rear flap, silver
SHIFTER	Shimano SL-RS36 6sp		
REAR DERAILLEUR	Shimano Tourney RD-TX35B 6sp		
CRANKSET	Aluminium crank w/42t chainring, crank length: 170mm		
BOTTOM BRACKET	Bsa 68-122mm		
CHAIN	Kmc Z50 1/2"x 3/32"		
CASSETTE / FREEWHEEL	Shimano TZ20 6v, 14-28T		
BRAKE	V-Brake, Aluminium body		
BRAKE LEVER	V-Brake lever 4 finger		
FRONT HUB	Aluminium, 36h, 9x100mm, w/QR		
REAR HUB	Alloy, 36h, 126mm		
RIM/WHEELSET	Freeway 26", alloy double wall, 36h		
TIRE	26X1.50		
STEM	Aluminium, length 80mm, rise 25mm, diam. 25.4mm		
HANDLEBAR	Steel, width 595mm, diam. 25.4mm		
GRIP / TAPE	Kraton, L.90/120mm, diam 22mm		
SEATPOST	Aluminium, L. 300mm, diam. 27.2mm		
SADDLE	Selle Royal Country Lady, w/elastomers		
PEDALS	Xerama w/pp body, steel axle		





MODELS
IN THIS CATEGORY

VENEZIA

VINTAGE

PROJECT PHILOSOPHY

- Based on old Bianchi drawings
- Steel or aluminum frame and fork
- Gent and Lady version

TARGET CONSUMER

- Designed for those who love timeless Italian style and tradition

VENEZIA LADY - NEXUS 3SP



CODE	YMBZ3	SADDLE	Selle Royal Svezia, steel rail, cover Acttex brown antique
COLOR	CK- Celeste, (PHOTO) HY - Cream, WB - White/Azzurro	PEDALS	VP classic traditional pedals w/reflector
FRAME	Venezia steel frame Lady Hi ten/down tube CrMo, size 45-49-53cm	KICKSTAND	Alloy central 28"
SEATPOST CLAMP	alloy diam. 28.6mm	MUDGUARD	Steel fenders with U stays and stainless steel braces
HEADSET	Alloy top/steel base, Thread 1" 30x27mm		
FORK	Bianchi steel 1", Hi-Ten/CrMo blades		
SHIFTER	Shimano Nexus SL-3S41E		
CRANKSET	Prowheel 46T, alloy silver crank, steel chainring, crank length: 170mm		
BOTTOM BRACKET	Steel, cartridge BB w/sealed bearings, 68/116mm		
CHAIN	Shimano CN-NX10		
CASSETTE / FREEWHEEL	Shimano sprocket for internal gear hub, 22T		
BRAKE	Alloy dual pivot caliper brakes		
BRAKE LEVER	For caliper brakes, 4 fingers lever		
FRONT HUB	Alloy, nut type, 36 holes, OLD 100mm, axle length 140mm, M9		
REAR HUB	Shimano Nexus SG-3R40 3sp, 36 holes, Roller brakes compatible, 120x170mm		
RIM/WHEELSET	Alloy 6061-T6 double wall, 700c, 36 holes		
TIRE	Cst 700x35c, black with Reflective Sidewall Stripe		
STEM	Alloy, ext: 80mm, quill length 180mm, 30° rise, diam. 25,4mm quill dia.22,2mm		
HANDLEBAR	City series, diam. 25.4mm, width: 570mm, 43°, rise 66mm		
GRIP / TAPE	Selle Royal Soft grip, antique brown		
SEATPOST	Alloy 6061 shaft, forged alloy head, 265.4x250mm		

VENEZIA GENT - NEXUS 3SP



CODE	YMBZ4	SEATPOST	Alloy 6061 shaft, forged alloy head 260x250mm
COLOR	HZ - Deep Black/Yellow fluo, (PHOTO) C2 - Celeste classico	SADDLE	Selle Royal Svezia, steel rail, cover Acttex brown antique
FRAME	Venezia steel frame Gent, Hi ten/down tube CrMo, size 49-53-57cm	PEDALS	VP classic traditional pedals w/reflector
SEATPOST CLAMP	alloy diam. 28.6mm	KICKSTAND	Alloy central 28"
HEADSET	Alloy top/steel base, thread 1" 30x27mm	MUDGUARD	Steel fenders with U stays and stainless steel braces
FORK	Bianchi steel 1", Hi-Ten/CrMo blades		
SHIFTER	Shimano Nexus SL-3S41E		
FRONT DERAILEUR	nil		
CRANKSET	Prowheel 46T, Alloy silver crank, steel chainring, crank length: 170mm		
BOTTOM BRACKET	Steel, cartridge BB w/sealed bearings, 68/116mm		
CHAIN	Shimano CN-NX10		
CASSETTE / FREEWHEEL	Shimano sprocket for internal gear hub, 22T		
BRAKE	Alloy dual pivot caliper brakes		
BRAKE LEVER	For caliper brakes, 4 fingers lever		
FRONT HUB	Alloy, nut type, 36 holes, OLD 100mm, axle length 140mm, M9		
REAR HUB	Shimano Nexus SG-3R40 3sp, 36 holes, Roller brakes compatible, 120x170mm		
RIM/WHEELSET	Alloy 6061-T6 double wall, 700c, 36 holes		
TIRE	Cst 700x35c, black with Reflective Sidewall Stripe		
STEM	Alloy, ext: 80mm, quill length 180mm, 30° rise, diam. 25,4mm quill dia.22,2mm		
HANDLEBAR	City series, diam. 25.4mm, width: 570mm, 43°, rise 66mm		
GRIP / TAPE	Selle Royal Soft grip, antique brown		

JUNIOR 24" - CLARIS 2X8SP



CODE	YEB42	GRIP / TAPE	La Spirale Ribbon cork w/plug carbon look w/ Bianchi logo
COLOR	(CK) - Celeste	SEATPOST	Alloy, diam. 27.2mm, L. 250mm
FRAME	Bianchi Corsa Junior 24", size: 41cm	SADDLE	Bianchi, steel rail, 255x130mm
SEATPOST CLAMP	Diam. 31,8mm with Bianchi logo	BOTTLE CAGE	Alloy, black color
HEADSET	Miche Team Threadless 1"	WATER BOTTLE	Celeste w/Bianchi logo
FORK	Bianchi Corsa Junior steel 1"		
SHIFTER	Shimano Claris ST-2400-L, 2x8sp		
REAR DERAILLEUR	Shimano Claris RD-2400 SS 8sp Direct Attachment		
FRONT DERAILLEUR	Shimano Claris FD-2400, band type 31.8mm		
CRANKSET	Miche Young, alloy, 45/35T, crank length: 145mm		
BOTTOM BRACKET	FSA BB-7420AL Bsa 60mm square type 110.5mm		
CHAIN	Kmc HV800-110 1/2"x3/32"		
CASSETTE / FREEWHEEL	Miche Profile Shimano compatible 8sp, 16/24T		
BRAKE	RC-452 F/R Al forged with cartridge pad		
BRAKE LEVER	included		
FRONT HUB	Alloy A141SB 28h, two sealed bearing, with QR		
REAR HUB	Alloy F192SB, OLD 130mm, axle: 10x140mm, 28h, two sealed bearing, steel freewheel body, w/QR		
RIM/ WHEELSET	Ambrosio Balance, Aluminium 6005, clincher 24", 28h, height 22mm		
TIRE	Kenda Koncept 24" 25-520		
STEM	Alloy, 1.1/8", ext:50mm, w/Bianchi logo		
HANDLEBAR	Dedaelementi Junior Piega alloy 6061, drop 120, diam.26mm, size: 38cm		



XR12 BOY

CODE	YEB1T
COLOR	1D - CK16/Black glossy
FRAME	XR12 Boy Alloy 6061, 12" wheels, size:21cm, w/training wheels
FORK	Bianchi Hi-Ten Steel, 12" wheels

XR16 BOY

CODE	YEB3T
COLOR	1D - CK16/Black glossy
FRAME	XR16 Boy Alloy 6061, 16" wheels, size:26cm, w/training wheels
FORK	Bianchi Hi-Ten Steel 16"



XR12 GIRL

CODE	YEB2T
COLOR	7K - CK16/Black-White glossy
FRAME	XR12 Girl Alloy 6061, 12" wheels, size:21cm, w/training wheels
FORK	Bianchi Hi-Ten Steel, 12" wheels

XR16 GIRL

CODE	YEB4T
COLOR	7K - CK16/Black-White glossy
FRAME	XR16 Girl Alloy 6061, 16" wheels, size:26cm, w/training wheels
FORK	Bianchi Hi-Ten Steel 16"

DUEL 24 BOY - 6SP

CODE	YEB7T
COLOR	HE - Black/CK16-White matt
FRAME	Duel 24 Boy Alloy 6061, 24" wheel, size:33cm
FORK	Suspended fork 24", Alloy/steel
REAR DERAILLEUR	Shimano Tourney RD-TY300 6sp w/riveted adapter

ALSO AVAILABLE

DUEL 20 BOY - 6SP

DUEL 20 BOY - 6SP



DUEL 20 GIRL - 6SP

CODE	YEB5T
COLOR	7K - CK16/Black-White glossy
FRAME	Duel 20 Girl Alloy 6061, 20" wheels, size:28cm
FORK	Suspended fork 20" Alloy/Steel
REAR DERAILLEUR	Shimano Tourney RD-TY300 6sp w/riveted adapter



INT



MEMBER OF
F.I.V. E. BIANCHI S.P.A.
VIA DELL'E BATTAGLIE, 5
IT 24047 TREVIGLIO BG
TEL +39 0363 3161
FAX +39 0363 057012
BIANCHI@BIANCHI.COM

#RIDEBIANCHI

VIA DELL'E BATTAGLIE, 5
IT 24047 TREVIGLIO BG
TEL +39 0363 3161
FAX +39 0363 057012
BIANCHI@BIANCHI.COM

BIANCHI SPONSORED EVENTS



Bianchi reserves the right to make changes without prior warning.
For further information please go to bianchi.com