

2015 TECHNICAL BOOK



1 8 8 5 2 0 1 5

Bianchi

INDEX

MATERIALS

PAGE 5

ROAD

TECHNOLOGY	PAGE 9
HOC	PAGE 20 (range page 26)
B4P	PAGE 42 (range page 44)
C2C	PAGE 52 (range page 58)
D2	PAGE 107 (range page 110)
URBAN FIXED GEAR	PAGE 127 (range page 128)

MTB


TECHNOLOGY	PAGE 132
XC CROSS COUNTRY	PAGE 142
TRAIL	PAGE 174
ENDURO	PAGE 184

CITY TREKKING

CAMALEONTE	PAGE 188 (range page 189)
METROPOLI	PAGE 198 (range page 199)

All the information and technical specifications are correct at the time of going to press. Bianchi reserves the right to make changes without prior warning. For further information please go to www.bianchi.com





MATERIALS

MATERIALS

Composite materials

Fibres have different mechanical characteristics: High modulus, High elongation, High strength ...


Main feature to describe the fibre:

TENSILE STRENGTH: the tensile strength of a material is the maximum amount of load stress that it can be subjected to before failure;

TENSILE MODULUS: Is the description of the material's tendency to be deformed elastically (non-permanently) when a force is applied to it; It is a measure of stiffness;

DENSITY g/cm³: ratio between weight and volume.


The fabrics are obtained from the fibres with which the frame is made.



The result in terms of characteristics and performance of the carbon frame depend on the:

- Combination of fabrics (layers) with different characteristics
- Different positioning of the fabric (orientation 0/+45°/-45°)
- Number of layers in the different critical points of the frame
- Production process (technology of molding and construction)

SyncMaster 2493HM



TECHNOLOGY

FRAME DESIGN
& ENGINEERING

OPTIMIZED
GEOMETRY


MATERIAL
TECHNOLOGY

FRAME
SHAPE

WINNING
COMBINATION



ROAD TECHNOLOGY



X-TEX - CROSS WEAVE	STRUCTURAL STIFFNESS
---------------------	----------------------

WMP - WRINKLELESS MOLDING PROCESS	STRUCTURAL STIFFNESS
-----------------------------------	----------------------

THT - TRIPLE HYDROFORMED TECHNOLOGY	STRUCTURAL STIFFNESS
-------------------------------------	----------------------



VIBRATION CANCELLING TECHNOLOGY	MATERIAL TECHNOLOGY
---------------------------------	---------------------



BAT - BIANCHI ACTIVE TECHNOLOGY K-VID - KEVLAR VIBRATION ISOLATION DEVICE	PERFORMANCE TUNING
---	--------------------

UTSS - ULTRA THIN SEAT STAYS	PERFORMANCE TUNING
------------------------------	--------------------

X-TEX - CROSS WEAVE



STRUCTURAL STIFFNESS

WHAT

- A cross weave layer inside the critical areas of the frame (head tube and BB area).
- Carbon strips are molded into the carbon structure

REASON WHY

- torsional rigidity



ROAD TECHNOLOGY - CARBON

WMP - WRINKLELESS MOLDING PROCESS

STRUCTURAL STIFFNESS



WHAT

- accurate control of the laminate of each frame by **pre-tuning process** → avoiding the wrinkles in the material which affect the property of the whole frame.

REASON WHY




- frame efficiency
- process efficiency



- thickness
- weight

PRE-TUNING PROCESS



ROAD TECHNOLOGY - ALUMINIUM

THT - TRIPLE HYDROFORMED TECHNOLOGY

STRUCTURAL STIFFNESS

TRIPLE
HYDROFORMED
TECHNOLOGY

WHAT


- Hydroforming process of the top and head tubes
- Top and head tubes are welded and then fused together into a monocoque structure
- Final hydroforming process

REASON WHY


- rigidity
- design

• fatigue

HYDROFORMING PROCESS



BIANCHI EXCLUSIVE TECHNOLOGY



ROAD TECHNOLOGY - CARBON



WHAT

BIANCHI'S INNOVATIVE SOLUTION TO CANCEL VIBRATION

Bianchi collaborated with Materials Sciences Corp. to develop our innovative and exclusive application of the patented Countervail® integrated vibration canceling system for cycling. The result is the new Bianchi Infinito CV.

* Scientific studies prove that long term exposure to vibration, typically absorbed by the rider, causes muscle fatigue and discomfort, resulting in reduced performance.

INTEGRATED SYSTEM PROVEN IN NASA AEROSPACE OPERATIONS


Traditional passive damping of the frame using superficial rubber inserts and isolators are only marginally effective compared to the integrated carbon Countervail® system developed by Bianchi and proven in the extreme conditions of NASA aerospace operations.

With its patented carbon fiber architecture and viscoelastic material, Countervail® carbon material is embedded within our unique Infinito CV carbon layup to cancel vibration while increasing the stiffness and strength of the entire frame.

REASON WHY

- Maximized handling and ride control under normal to extreme vibration loads
- Reduced muscle fatigue and increased energy savings during long rides
- Increased rigidity and peak power output over long distances

INFINITO CV



ROAD SENSORS TEST




VIBRATION PLATFORM TEST MACHINE



DATA ACQUISITION SYSTEM


COUNTERVAIL® VIBRATION CANCELLING COMPOSITE TECHNOLOGY

COUNTERVAIL® MATERIAL IS EMBEDDED WITHIN THE CARBON STRUCTURE.




SINGLE IMPULSE FORCE REACTION

TRADITIONAL CARBON FRAME CONTINUES TO VIBRATE



CARBON FRAME WITH COUNTERVAIL® IMMEDIATELY CANCELS VIBRATION



75%
INCREASED
VIBRATION
CANCELLING
CAPACITY

ROAD TECHNOLOGY - CARBON

BAT - BIANCHI ACTIVE TECHNOLOGY

K-VID - KEVLAR VIBRATION ISOLATING DEVICE

PERFORMANCE TUNING

▲ B A T ▼

K-VID

WHAT

To obtain different stiffness behaviour under different directional forces, without wasting power transfer.


- Special lay-up and different material combination (CARBON - KEVLAR)
- Special design

REASON WHY

- ↑ • shock absorption
• best adherence
- ↓ • fatigue

HIGH TORSIONAL RIGIDITY


KEVLAR




VERTICAL VIBRATIONS
ABSORPTIONS
WITHOUT WASTING
POWER TRANSFER

Damping effect of the Kevlar

Standard effect fiber carbon anti-vibration



Effect KEVLAR anti-vibration



ROAD TECHNOLOGY - CARBON

UTSS - ULTRA THIN SEAT STAYS

PERFORMANCE TUNING


UTSS ULTRA THIN
SEAT STAY

WHAT

- Improved shock absorption and impact resistance
- Reduced frame weight
- Power transmission is now focused through the chain stays, leaving the seat stays as a compliant support structure

REASON WHY

- shock absorption
 - impact resistance
 - power transmission
- weight




ROAD RANGE OVERVIEW



2015 ROAD RANGE - Handlebar / Stem / Crankset size

OltreXR2			OltreXR1			SemprePro			Infinito CV Intenso Impulso Via Nirone 7			Intenso Infinito CV Via Nirone 7 Impulso			Road Crankset	Road Lady Crankset		
Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Stem Size	Handlebar Size (c-c)	Frame Size	Length	Frame Size	Length
									44	70	40	44	70	38	44	170	44	165
									46	70	40				46	170	44	165
47	80	40	47	80/90	40	47	80/90	40	47	70	40	47	70	38	47	170	47	165
50	90	40	50	90	40	50	90	40	50	90	40	50	90	40	50	170	50	170
53	100	42	53	100	42	53	100	42	53	100	42	53	90	40	53	170	53	170
55	110	42	55	110	42	55	110	42	55	110	42	55	90/100	40	55	172,5	55	170
57	120	42	57	120	42	57	120	42	57	120	44				57	172,5		
																58	172,5	
59	120	44	59	120	44	59	120	44	59	120	44				59	172,5		
61	130	44	61	130	44	61	130	44	61	130	44				61	175		
									63	130	44				63	175		

HOC - HORS CATEGORY



Ride beyond limits. The HoC category includes extreme racing performance carbon frames, optimized to achieve the most efficient power transmission with the best rigidity to weight ratio.

The ideal bikes for the most expert riders.



PROJECT PHILOSOPHY

- Reactive geometry
- Xtreme racing performance bike
- Maximum torsional rigidity
- Light weight
- Extreme rigidity-to-weight ratio

MODELS IN THIS CATEGORY

- OLTRE XR2**
- OLTRE XR1 NEW**

The logo for the Bianchi Oltre XR2 bicycle. The word "Oltre" is written in a large, stylized, italicized font. The "o" has a small circle inside it. To the right of "Oltre" is a smaller, slanted "XR2".

PROJECT PHILOSOPHY






- Dedicated to extreme racing performance thanks to the super rigid frame and to Bianchi's unique geometry, the Oltre XR2 assures fast acceleration, perfect power transmission and the best handling in the market
- Design and performance meet thanks to the Technical Design oriented approach: super light frame for optimal performances in the climbs and aero shape to make the bike faster on the flat and downhill segments

The best performance Bianchi road frame ever!

PRODUCT FEATURES

- Tapered headtube 11/8" to 1.5" to improve rigidity of the front end, which improves the handling and power transmission
- BB386 improves stiffness
- Double compatibility mechanical and electronic groupset
- Aero shape and design
- Dedicated seatpost system with integrated look
- Internal cable routing
- UTSS Ultra Thin Seat Stay
- 7 sizes: 47, 50, 53, 55, 57, 59 and 61cm
- Weight in 55 size: 895g (target, +/- 5%)

PRODUCT CHARACTERISTIC

COMFORT	
DESIGN	
PERFORMANCE	
WEIGHT	
PRICE	

TECHNOLOGIES




AVAILABLE AS A FRAMESET



BB386 EVO:


- The latest bottom bracket standard by FSA
- BB shell dimension: 86,5 mm (width) x 46mm (diameter)
- 30mm PF30 spindle diameter

BB Area stiffer and lighter then a BB30 standard



FORK

- Down tube integrated design for improved aerodynamics
- Reactive geometry
- Super rigid
- Light weight
- Weight: 355g (target)



SEATPOST


- Full carbon aero seatpost with integrated look
- Unidirectional carbon fiber finish
- 4 different lengths: 250mm (47), 300mm (50 to 53), 350mm (55 to 59) and 380mm (61)
- new 30mm offset for 250/300mm
- 25mm offset for 350/380mm
- Weight: 195g





PRODUCT FEATURES


- Aero shape and design
- Tapered headtube 1.1/8" to 1.5" to improve rigidity of the front part, which improves the handling and power transmission
- BBset 86.5 x 41 - Internal cable routing
- Double compatibility mechanic and electronic groupset
- New carbon dropout with metal insert
- Full carbon aero seatpost easy adjustable with integrated look
- UTSS Ultra Thin Seat Stay
- 7 sizes: 47, 50, 53, 55, 57, 59 and 61cm
- Weight in 55 size: 1000g (target, +/- 5%)

**FORK:**

- Down tube integrated design for improved aerodynamic
- Reactive geometry
- Super rigid
- Light weight
- Weight: 355g

PRODUCT CHARACTERISTIC

TECHNOLOGIES

**UTSS** ULTRATHIN SEAT STAY

FEATURES

- **New** carbon dropout with metal insert



BBset 86.5 x 41



SEATPOST:

- **New** Full carbon aero seatpost easy adjustable with integrated look
- Unidirectional carbon fiber finish
- 4 different lengths: 250mm (47),
300mm (50 to 53), 350mm (55 to 59)
and 380mm (61)
- Two specific clamps: one for alloy rail round and one for carbon rail 7x9mm – 8x10mm
- Weight: 195g (target)



ROAD

reparto corse

OLTRE XR2 - SUPER RECORD EPS 11SP DOUBLE



CODE	YKBQ9	OPTION WHEELSET1	Fulcrum Racing Zero Carbon- profile 30mm - rim C17mm hubs Aluminium/Carbon
COLOR	B1: CK/Black Grafite decals (PHOTO) B2: Grafite/Black Silver decals B3: Silver/Black White decals	OPTION WHEELSET2	Fulcrum Racing Speed XLR DARK carbon tubular Campagnolo (PHOTO)
FRAME	HoC OLTRE XR2 carbon mechanical/electronic, UTSS SS section, HT with integrated fork, BB 386 86,5x46 sizes 47-50-53-55-57-59-61cm	TIRE	Vittoria Diamante Pro 23-622 / 700x23c, 220TPI
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5 14mm x 4pcs	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
SEATPOST CLAMP	included in the frame	STEM	FSA OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 'diam.31.8mm, angle +/-6° 80-90-100-110-120-130mm
HEADSET	FSA Orbit C-40-CF-ACB, 1-1/8 ACB Top, 1.5" ACB Btm , with 15mm Carbon Cone Spacer for 46/56mm Head Tubes	HANDLEBAR	FSA K-Force Compact, UD Weave Carbon material, 'diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
SHIFTER	Super Record 11s EPS Ergopower	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (25mm); Clamp Type Two bolts
REAR DERAILLEUR	Super Record 11sp EPS	SADDLE	Fizik Arione R3, shell Fiberglass Thermoplastic Wing Flex , rail carbon braided
FRONT DERAILLEUR	Super Record 11S EPs braze-on front derailleur + black clamp 35mm	PEDALS	-
ELECTRIC CABLE	EPS V2 Interface	BOTTLE CAGE	Elite Pase Carbon
BATTERY / MOUNT	EPS Cylindrical Power Unit	WATERBOTTLE	Bianchi Hydra
CHARGER / PWR CABLE	EPS battery charger kit for EPS V2 Power Unit + cable power kit - CEE		
CRANKSET	Campagnolo Super Record Ultra-Torque CT TI Carbon 11s 170-172,5-175mm 39-53T		
BOTTOM BRACKET	Ultra Torque OS-Fit integrated cups 86,5x46		
CHAIN	Campagnolo Record 11sp		
CASSETTE / FREEWHEEL	Campagnolo Super Record 11sp 11-25T		
BRAKE	Super Record SKELETON (dual pivot front+rear)		
BRAKE LEVER	included		
RIM/WHEELSET	Racing Zero black/dark		

WITH COMPACT YKBL8

Also available in colours:

B2: Grafite/Black Silver decals



B3: Silver/Black White decals

UNIQUE SELLING POINTS

- Experience the ultimate in Bianchi design which can be found in our uncompromising racing geometry ensuring maximum power transmission.
- Representing the latest in composite technologies used in the cycle industry.
- A winning combination of lightness, rigidity and aerodynamics: precise and responsive for when accelerating hard.
- An ultra-high performance bike as used in the UCI World Tour, for those looking for the best.

OLTRE XR2 - SUPER RECORD 11SP DOUBLE



CODE	YKB01	TIRE	Vittoria Diamante Pro 23-622 / 700x23c, 220TPI
COLOR	B1: CK/Black Grafite decals B2: Grafite/Black Silver decals (PHOTO) B3: Silver/Black White decals	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
FRAME	HoC OLTRE XR2 carbon mechanical/electronic, UTSS SS section, HT with integrated fork, BB 386 86,5x46 sizes 47-50-53-55-57-59-61cm	STEM	FSA OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 'diam.31.8mm, angle +/- 80-90-100-110-120-130mm
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5 14mm x 4pcs	HANDLEBAR	FSA K-Force Compact, UD Weave Carbon material, 'diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm
SEATPOST CLAMP	included in the frame	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
HEADSET	FSA Orbit C-40-CF-ACB, 1-1/8 ACB Top, 1.5" ACB Btm , with 15mm Carbon Cone Spacer for 46/56mm Head Tubes	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (25mm); Clamp Type Two bolts
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	SADDLE	Fizik Arione R3, shell Fiberglass Thermoplastic Wing Flex , rail carbon braided
SHIFTER	Campagnolo Super Record Ultra Shift 11s Ergopower, shifting levers	PEDALS	-
REAR DERAILLEUR	Super Record 11sp	BOTTLE CAGE	Elite Pase Carbon
FRONT DERAILLEUR	Campagnolo Super Record 11S EPs braze-on + black clamp 35mm	WATERBOTTLE	Bianchi Hydra
CRANKSET	Campagnolo Super Record Uultra-Torque CT TI Carbon 11s 170-172,5-175mm 39-53T	Also available in colours:	
BOTTOM BRACKET	Ultra Torque OS-Fit integrated cups 86,5x46	 B1: CK/Black Grafite decals  B3: Silver/Black White decals	
CHAIN	Campagnolo Record 11sp		
CASSETTE / FREEWHEEL	Campagnolo Super Record 11sp 11-25T		
BRAKE	Super Record SKELETON (dual pivot front+rear)		
BRAKE LEVER	included		
RIM/WHEELSET	Racing Zero black/dark		
OPTION WHEELSET1	Fulcrum Racing Zero Carbon- profile 30mm - rim C17mm hubs Aluminium/Carbon (PHOTO)		
OPTION WHEELSET2	Fulcrum Racing Speed XLR DARK carbon tubular Campagnolo		

WITH COMPACT **YKB02**

OLTRE XR2 - DURA ACE DI2 11SP DOUBLE



CODE	YKBS4	OPTION WHEELSET1	Zero Carbon - profile 30mm - rim C17mm hubs Aluminium/Carbon 3K (PHOTO)
COLOR	B1: CK/Black Grafite decals B2: Grafite/Black Silver decals B3: Silver/Black White decals (PHOTO)	OPTION WHEELSET2	Fulcrum Racing Speed XLR DARK carbon tubular HG11
FRAME	HoC OLTRE XR2 carbon mechanical/electronic, UTSS SS section, HT with integrated fork, BB 386 86,5x46 sizes 47-50-53-55-57-59-61cm	TIRE	Vittoria Diamante Pro 23-622 / 700x23c, 220TPI
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5 14mm x 4pcs	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
SEATPOST CLAMP	included in the frame	STEM	FSA OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 'diam.31.8mm, angle +/-6° 80-90-100-110-120-130mm
HEADSET	FSA Orbit C-40-CF-ACB, 1-1/8 ACB Top, 1.5" ACB Btm , with 15mm Carbon Cone Spacer for 46/56mm Head Tubes	HANDLEBAR	FSA K-Force Compact, UD Weave Carbon material, 'diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
SHIFTER	Shimano Dura Ace Di2 9070 left 2 speed, right 11 speed	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (25mm); Clamp Type Two bolts
REAR DERAILLEUR	Shimano Dura Ace Di2 RD-9070, 11 speed	SADDLE	Fizik Arione R3, shell Fiberglass Thermoplastic Wing Flex , rail carbon braided
FRONT DERAILLEUR	Shimano Dura Ace Di2 FD-9070-F, brazed-on type, for rear 11 speed	PEDALS	-
BATTERY / MOUNT	Shimano SM-BTR2	BOTTLE CAGE	Elite Pase Carbon
CHARGER / PWR CABLE	Battery charger, SM-BCR2, for SM-BTR2 Including charging cord	WATERBOTTLE	Bianchi Hydra
CRANKSET	FSA K-Force Light Compact BB386 EVO Carbon Monocoque, BCD 110mm, PF30 System, BB PF30 Ceramic, Q Factor 147mm, Chainline 44mm, 53/39T	Also available in colours:	
BOTTOM BRACKET	included in the crankset BB-PF8200/CZ/Di2	 B1: CK/Black Grafite decals	
CHAIN	Shimano Dura Ace FOR 11-speed, 110 links	 B2: Grafite/Black Silver decals	
CASSETTE / FREEWHEEL	Shimano Dura Ace 11 speed, 11-12-13-14-15-16-17-19-21-23-25T		
BRAKE	Shimano Dura Ace, BR-9000 REAR, CS-49, 10.5mm sunken nut, front 12.5mm sunken nut		
BRAKE LEVER	included		
RIM/WHEELSET	Racing Zero black/dark HG11		

WITH COMPACT YKBL1

OLTRE XR2 - DURA ACE 11SP DOUBLE



CODE	YKB03	TIRE	Vittoria Diamante Pro 23-622 / 700x23c, 220TPI
COLOR	B1: CK/Black Grafite decals B2: Grafite/Black Silver decals (PHOTO) B3: Silver/Black White decals	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
FRAME	HoC OLTRE XR2 carbon mechanical/electronic, UTSS SS section, HT with integrated fork, BB 386 86,5x46 sizes 47-50-53-55-57-59-61cm	STEM	FSA OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 'diam.31.8mm, angle +/-6° 80-90-100-110-120-130mm
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5 14mm x 4pcs	HANDLEBAR	FSA K-Force Compact, UD Weave Carbon material, 'diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm
SEATPOST CLAMP	included in the frame	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
HEADSET	FSA Orbit C-40-CF-ACB, 1-1/8 ACB Top, 1.5" ACB Btm , with 15mm Carbon Cone Spacer for 46/56mm Head Tubes	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (25mm); Clamp Type Two bolts
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	SADDLE	Fizik Arione R3, shell Fiberglass Thermoplastic Wing Flex , rail carbon braided
SHIFTER	Shimano Dura Ace ST-9000-L, 2-speed left, 11 speed right	PEDALS	-
REAR DERAILLEUR	Shimano Dura Ace RD-9000, 11 speed	BOTTLE CAGE	Elite Pase Carbon
FRONT DERAILLEUR	Dura Ace 11s FD-9000, 34.9 Band, for 11 speed	WATERBOTTLE	Bianchi Hydra
CRANKSET	FSA K-Force Light Compact BB386 EVO Carbon Monocoque, BCD 110mm, PF30 System, BB PF30 Ceramic, Q Factor 147mm, Chainline 44mm, 53/39T	Also available in colours:	
BOTTOM BRACKET	included in the crankset BB-PF8200/CZ/Di2	 B1: CK/Black Grafite decals  B3: Silver/Black White decals	
CHAIN	Shimano Dura Ace FOR 11-speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Dura Ace 11 speed, 11-12-13-14-15-16-17-19-21-23-25T		
BRAKE	Shimano Dura Ace, BR-9000 REAR, CS-49, 10.5mm sunken nut, front 12.5mm sunken nut		
BRAKE LEVER	included		
RIM/WHEELSET	Racing Zero black/dark HG11 (PHOTO)		
OPTION WHEELSET1	Zero Carbon - profile 30mm - rim C17mm hubs Aluminium/Carbon 3K		
OPTION WHEELSET2	Fulcrum Racing Speed XLR DARK carbon tubular HG11		

WITH COMPACT YKB04

OLTRE XR2 - DURA ACE 11SP MIX COMPACT



CODE	YKBZ6	STEM	Fsa SL-K, 3D Forged/CNC AL2014, Faceplate UD Carbon 4-bolt chromoly, 'diam.31.8mm, angle +/-6° 80MM, 90MM-100MM-110MM-120MM-130MM
COLOR	B1: CK/Black Grafite decals B2: Grafite/Black Silver decals (PHOTO) B3: Silver/Black White decals	HANDLEBAR	FSA Wing Compact - Double Butted AL6066 , diam. 31,8mm
FRAME	HoC OLTRE XR2 carbon mechanical/electronic, UTSS SS section, HT with integrated fork, BB 386 86,5x46 sizes 47-50-53-55-57-59-61cm	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5 14mm x 4pcs	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (25mm); Clamp Type Two bolts
SEATPOST CLAMP	included in the frame	SADDLE	Fizik Arione R3, shell Fiberglass Thermoplastic Wing Flex , rail carbon braided
HEADSET	FSA Orbit C-40-CF-ACB, 1-1/8 ACB Top, 1.5" ACB Btm , with 15mm Carbon Cone Spacer for 46/56mm Head Tubes	PEDALS	-
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	BOTTLE CAGE	Elite Pase Carbon
SHIFTER	Shimano Dura Ace ST-9000-L, 2-speed left, 11 speed right	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Shimano Dura Ace RD-9000, 11 speed		
FRONT DERAILLEUR	Dura Ace 11s FD-9000, 34.9 Band, for 11 speed		
CRANKSET	FSA SL-K Light Compact BB386 EVO - Compatibility N-10/11 - Carbon Monocoque - Q Factor 147mm - L 170-172,5-175mm 52/36T		
BOTTOM BRACKET	included in the crankset the BB-PF-6000/CZ/Di2		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Ultegra CS-6800 11sp , 11-12-13-14-15-16-17-19-21-23-25T		
BRAKE	FSA SL-K BK-RO-8684/BKG, material Forged AL6061, Hardware Titanium/Stainless, reach 40-50mm		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing 5 LG black clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymmetric 18-20 spokes		
TIRE	Vittoria Diamante Pro 23-622 / 700x23c, 220TPI		

Also available in colours:

 B1: CK/Black Grafite decals

 B3: Silver/Black White decals

OLTRE XR2 - RED 11SP DOUBLE




CODE	YKBR8	STEM	FSA OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 'diam.31.8mm, angle +/- 6° 80-90-100-110-120-130mm
COLOR	B1: CK/Black Grafite decals B2: Grafite/Black Silver decals B3: Silver/Black White decals (PHOTO)	HANDLEBAR	FSA K-Force Compact, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm
FRAME	HoC OLTRE XR2 carbon mechanical/electronic, UTSS SS section, HT with integrated fork, BB 386 86,5x46 sizes 47-50-53-55-57-59-61cm	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5 14mm x 4pcs	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (25mm); Clamp Type Two bolts
SEATPOST CLAMP	included in the frame	SADDLE	Fizik Arione R3, shell Fiberglass Thermoplastic Wing Flex , rail carbon braided
HEADSET	FSA Orbit C-40-CF-ACB, 1-1/8 ACB Top, 1.5" ACB Btm , with 15mm Carbon Cone Spacer for 46/56mm Head Tubes	PEDALS	-
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	BOTTLE CAGE	Elite Pase Carbon
SHIFTER	Sram Red 22 11speed	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Red22 11sp Short Cage	Also available in colours:	
FRONT DERAILLEUR	Red 22 clamp 34.9 11sp YAW with chain spotter	B1: CK/Black Grafite decals	
CRANKSET	FSA K-Force Light Compact BB386 EVO Carbon Monocoque, BCD 110mm, PF30 System, BB PF30 Ceramic, Q Factor 147mm, Chainline 44mm, 53x39T	B2: Grafite/Black Silver decals	
BOTTOM BRACKET	included in the crankset BB-PF8200/CZ/Di2	WITH COMPACT YKBR6	
CHAIN	CN-1090R-A1, PC1090R 110link with power lock 11sp		
CASSETTE / FREEWHEEL	Sram Red22 11sp 11-26TCS-XG-1190-A1, Hollow Machined Steel Cluster High Grade Tool Steel		
Brake	Sram Red (front 18mm nut + rear 10mm)		
RIM/WHEELSET	Racing Zero black/dark HG11		
OPTION WHEELSET1	Zero Carbon - profile 30mm - rim C17mm hubs Aluminium/Carbon 3K		
OPTION WHEELSET2	Fulcrum Racing Speed XLR DARK carbon tubular HG11 (PHOTO)		
TIRE	Vittoria Diamante Pro 23-622 / 700x23c, 220TPI		
TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320		

OLTRE XR2 FRAMESET



CODE	XKB03
COLOR	B1: CK/Black Grafite decals (PHOTO) B2: Grafite/Black Silver decals B3: Silver/Black White decals
FRAME	HoC OLTRE XR2 carbon mechanical/electronic, UTSS SS section, HT with integrated fork, BB 386 86,5x46 sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5 14mm x 4pcs
SEATPOST CLAMP	included in the frame
HEADSET	FSA Orbit C-40-CF-ACB, 1-1/8 ACB Top, 1.5" ACB Btm , with 15mm Carbon Cone Spacer for 46/56mm Head Tubes
FORK	Full Carbon HoC 1.5">1.1/8" integrated head
SEATPOST	Oltre Full Carbon Aero special dimension; Setback (25mm); Clamp Type Two bolts



Also available in colours:

- B2: Grafite/Black Silver decals
- B3: Silver/Black White decals

MIS.SLP											
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
470	420	515	500	408	58	110	578	74,5°	70,5°	495	375
500	450	525	514	408	58	115	580	74,5°	71,5°	503	383
530	475	535	523	406	68	130	581	74°	72°	529	383
550	495	550	538	407	68	145	587	73,5°	72,5°	545	388
570	515	560	549	407	68	160	593	73,5°	73°	561	393
590	535	575	563	409	68	180	603	73°	73°	580	397
610	555	585	572	411	68	200	603	72,5°	73,5°	601	397

B2: Grafite/Black Silver decals

B3: Silver/Black White decals



OLTRE XR.1 - ULTEGRA DI2 11SP 52/36



CODE	YKBL7	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C
COLOR	KK: Black/ck silver logo	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
FRAME	HoC OLTRE XR1 carbon _mechanical/electronic, new UTSS SS section, HT with integrated fork, new ST shape, BB-PressFit 86,5x41sizes 47-50-53-55-57-59-61cm	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (30mm L250/300/350/380mm); Clamp Type Two bolts
SEATPOST CLAMP	included in the frame	SADDLE	San Marco Concor Dynamic Open, rail manganese
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	BOTTLE CAGE	Elite Paron
SHIFTER	Shimano Ultegra Di2 11sp ST-6870, 2speed, ST-6870, 11speed	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Shimano Ultegra Di2 11sp RD-6870, 11sp, Compatible with low gear 23-28T for double		
FRONT DERAILLEUR	Shimano Ultegra Di2 11sp FD-6870-F, Brazed-on Type, for rear 11sp+seat tube adaptor for FD-6770-F,SM-AD67 L-SIZE(34.9MM)		
BATTERY / MOUNT	Shimano SM-BTR2		
CHARGER / PWR CABLE	Battery charger, SM-BCR2, for SM-BTR2 Including charging cord		
CRANKSET	Shimano Ultegra FC-6800 11sp,hollowtech 170-172.5-175mm , 52X36T		
BOTTOM BRACKET	Shimano SM-BB72-41B pressfit		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano Ultegra BR-6800		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing Quattro, clincher		
TIRE	Vittoria Rubino Pro Slick 700 x 25,150TPI		
STEM	Fsa SL-K, 3D Forged/CNC AL2014, Faceplate UD Carbon 4-bolt chromoly, 'diam.31.8mm, angle +/-6° 80MM, 90MM-100MM-110MM-120MM-130MM		

UNIQUE SELLING POINTS

- Experience the ultimate in Bianchi design which can be found in our uncompromising racing geometry ensuring maximum power transmission.
- Aerodynamic carbon frame with ultra thin seat stays (UTSS Technology)
- A winning combination of lightness, rigidity and aerodynamics: precise and responsive
- A truly performance bike inspired by the Oltre XR2 model used by the Bianchi teams in the UCI World Tour, for those who are looking for a top carbon bike with an affordable price
- Double compatibility for mechanic and electronic groupset

OLTRE XR.1 - ULTEGRA 11SP 52/36



CODE	YKBK6	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C
COLOR	KK: Black/ck silver logo (PHOTO) B5: Black/red	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
FRAME	HoC OLTRE XR1 carbon _mechanical/electronic, new UTSS SS section, HT with integrated fork, new ST shape, BB-PressFit 86,5x41sizes 47-50-53-55-57-59-61cm	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (30mm L250/300/350/380mm); Clamp Type Two bolts
SEATPOST CLAMP	included in the frame	SADDLE	San Marco Era Dynamic (Open), carbon steel rail
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	BOTTLE CAGE	Elite Paron
SHIFTER	Shimano Ultegra ST-6800, 2 speed left, 11 speed right	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Shimano Ultegra RD-6800 11 speed direct attachment, compatible with low gear 23-28T for double		
FRONT DERAILLEUR	Shimano Ultegra 11 sp FD 6800 for front double & rear 11 speed band type (34.9mm)		
CRANKSET	Shimano Ultegra FC-6800 11sp,hollowtech 170-172.5-175mm , 52X36T		
BOTTOM BRACKET	Shimano SM-BB72-41B pressfit		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23- 25-28T		
BRAKE	Fsa Gossamer AL6061, reach 40-50mm, Reparto Corse customized		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing 7 LG black clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymmetric 18-20 spokes		
TIRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI		
STEM	Reparto Corse body Alloy 6061, raise -7, UD Carbon wrapped faceplate, height 40mm, 1 1/8" 80-90-100-110-120-130mm		

Also available in colours:



B5: Black/red

OLTRE XR.1 - 105 11SP 52/36



CODE	YKB13	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C
COLOR	Z2: Black/yellow (PHOTO) B5: Black/red	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
FRAME	HoC OLTRE XR1 carbon _mechanical/electronic, new UTSS SS section, HT with integrated fork, new ST shape, BB-PressFit 86,5x41 sizes 47-50-53-55-57-59-61cm	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (30mm L250/300/350/380mm); Clamp Type Two bolts
SEATPOST CLAMP	included in the frame	SADDLE	San Marco Era Dynamic, carbon steel rail
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	BOTTLE CAGE	Elite Paron
SHIFTER	Shimano 105 ST-5800,2 speed left, 11 speed right	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T		
FRONT DERAILLEUR	Shimano 105 FD-5800-L, double & rear 11 speed band type (34.9MM)		
CRANKSET	Shimano 105 FC-5800-L,170-172.5-175mm hollowtech, for rear 11 speed, 52X36T		
BOTTOM BRACKET	included in the crankset BB-PF8200/CZ/Di2		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Fsa Gossamer AL6061, reach 40-50mm, Reparto Corse customized		
BRAKE LEVER	included		
RIM/WHEELSET	Vision Team 30 - front hub 20H, Cartridge Bearings - rear hub 24H, Cartridge Bearings - Alpina Aero 2.0 Spokes - rim Alloy Clincher 30 x 18.3mm - Shimano 10/11 Speed		
TIRE	Zaffiro Pro Slick 700 x 25, 60TPI		
STEM	Reparto Corse body Alloy 6061, raise -7, UD Carbon wrapped faceplate, height 40mm, 1 1/8" 80-90-100-110-120-130mm		

Also available in colours:



B5: Black/red

OLTRE XR.1 - CHORUS 11SP 52/36



CODE	YKB59	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C
COLOR	KK: Black/ck silver logo	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
FRAME	HoC OLTRE XR1 carbon _mechanical/electronic, new UTSS SS section, HT with integrated fork, new ST shape, BB-PressFit 86,5x41sizes 47-50-53-55-57-59-61cm	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (30mm L250/300/350/380mm); Clamp Type Two bolts
SEATPOST CLAMP	included in the frame	SADDLE	San Marco Concor Dynamic Open, rail manganese
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	BOTTLE CAGE	Elite Paron
SHIFTER	Campagnolo Chorus Ultra Shift 11s Ergopower shifting levers	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Campagnolo Chorus 11s		
FRONT DERAILLEUR	Campagnolo Chorus 11S braze-on + black clamp 35mm		
CRANKSET	Fsa SL-K Light Compact BB386 EVO - Compatibility N-10 - Carbon Monocoque - Q Factor 147mm - L 170-172,5-175mm 52/36T		
BOTTOM BRACKET	Shimano SM-BB72-41B pressfit		
CHAIN	Campagnolo Chorus 11sp		
CASSETTE / FREEWHEEL	Campagnolo Chorus 11sp 12-27T		
BRAKE	Campagnolo BLACK SKELETON brakes (dual pivot front+rear)		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing 5, clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymmetric, 18-20 spokes		
TIRE	Rubino Pro Slick 700 x 25,150TPI		
STEM	Reparto Corse body Alloy 6061, raise -7, UD Carbon wrapped faceplate, height 40mm, 1 1/8" 80-90-100-110-120-130mm		

OLTRE XR.1 - ATHENA 11SP 52/36




CODE	YKBA3	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (25mm); Clamp Type Two bolts
COLOR	B5: Black/red	SADDLE	San Marco Era Dynamic (Open), carbon steel rail
FRAME	HoC OLTRE XR1 carbon _mechanical/electronic, new UTSS SS section, HT with integrated fork, new ST shape, BB-PressFit 86,5x41 sizes 47-50-53-55-57-59-61cm	PEDALS	-
SEATPOST CLAMP	included in the frame		
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	BOTTLE CAGE	Elite Paron
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	WATERBOTTLE	Bianchi Hydra
SHIFTER	Campagnolo Athena Power Shift Carbon 11speed, Ergopower shifting levers		
REAR DERAILLEUR	Campagnolo Athena, 11speed		
FRONT DERAILLEUR	Campagnolo Athena 11speed clip-on front der. - 35 mm		
CRANKSET	Cmapgnolo Athena Power-Torque System CT Carbon 11s 170-172,5-175 mm 36-52		
BOTTOM BRACKET	Power-Torque System OS-Fit integrated cups 86,5x41		
CHAIN	Campagnolo Chorus 11sp		
CASSETTE / FREEWHEEL	Campagnolo Chorus 11sp 12-27T		
BRAKE	Campagnolo BLACK SKELETON brakes (dual pivot front+rear)		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing 7 LG black clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymetric 18-20 spokes		
TIRE	Zaffiro Pro Slick 700 x 25, 60TPI		
HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C		
GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo		

OLTRE XR.1 - VELOCE 10SP 52/36



CODE	YKB46	STEM	Reparto Corse body Alloy 6061, raise -7, UD Carbon wrapped faceplate, height 40mm, 1 1/8" 80-90-100-110-120-130mm
COLOR	CK: Celeste Bianchi (PHOTO) B5: Black/red	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C
FRAME	HoC OLTRE XR1 carbon _mechanical/electronic, new UTSS SS section, HT with integrated fork, new ST shape, BB-PressFit 86,5x41 sizes 47-50-53-55-57-59-61cm	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 6pcs	SEATPOST	Oltre Full Carbon Aero special dimension; Setback (30mm L250/300/350/380mm); Clamp Type Two bolts
SEATPOST CLAMP	included in the frame	SADDLE	San Marco Era Dynamic, carbon steel rail
HEADSET	FSA Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	BOTTLE CAGE	Elite Paron
SHIFTER	Campagnolo Veloce Power Shift 10s Ergopower	WATERBOTTLE	Bianchi Hydra Elite
REAR DERAILLEUR	Campagnolo Veloce 10s short cage		
FRONT DERAILLEUR	Campagnolo Veloce BLACK 9/10s clip-on front der. 35 mm		
CRANKSET	Gossamer Pro 386, CK-OSC6022CC/86, Forged 6066 arm material, ring 3mm CNC AL7075 , 170-172,5-175mm x 110mmBCD x 52/36t 10sp compatible N10/11		
BOTTOM BRACKET	included in the crankset the BB-PF-6000/CZ/Di2		
CHAIN	FSA Team Issue CN-910 10sp, 110 link , Includes 1-PC Connector		
CASSETTE / FREEWHEEL	Campagnolo Centaur UD 10speed,12-27T		
BRAKE	Campagnolo VELOCE (dual pivot front+rear)		
BRAKE LEVER	included		
RIM/WHEELSET	Vision Team 30 - front hub 20H, Cartridge Bearings - rear hub 24H, Cartridge Bearings - Alpina Aero 2.0 Spokes - rim Alloy Clincher 30 x18.3mm - Shimano 10/11sp	Also available in colours:	
TYRE	Vittoria Rubino Pro Slick 700 x 25, 60TPI		B5: Black/red



B4P - BORN FOR PERFORMANCE



The carbon frames of this family are engineered to combine rigidity and lightweight, featuring Bianchi's racing geometry. Versatility is key to the B4P category, to meet the needs of different types of riders.



PROJECT PHILOSOPHY

- Light weight performance frame
- Race proven geometry
- Perfect bike for the polyvalent rider

PRODUCT CHARACTERISTIC

COMFORT
DESIGN
PERFORMANCE
WEIGHT
PRICE



TECHNOLOGIES

UTSS ULTRA THIN SEAT STAY

CARBON MONOCOQUE

B4P - SEMPRE PRO

*sempre*_{pro}

PROJECT PHILOSOPHY

The bike for all kinds of riders.

New big sections in important areas such as down tube/head tube 1.5" and BB for better rigidity and handling.

Over sized chain stays for direct power transmission.

Bianchi Racing geometry.

Optimal rigidity.

PRODUCT FEATURES

- Carbon Monocoque frame with new PF30 and tapered head tube 1 1/8" to 1.5"
- UTSS Ultra Thin Seat Stay to save weight combined with over sized chain stays for direct power transmission
- Full Carbon fork 1 1/8"-1.5", "straight/bent" blades (for all models)
- Double compatibility mechanical and electronic
- Internal cable routing
- Weight for 55 size: 990 gr +/- 5%



ROAD

reparto corse

SEMPRE PRO - ULTEGRA 11SP COMPACT



CODE	YKB07	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C
COLOR	ZJ Carbon 3K glossy/Matt (PHOTO) KK Black Carbon/CK	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
FRAME	TC13 SEMPRE, carbon monocoque, bbset PF30, UTSS, compatible mechanical and electronic; sizes 47-50-53-55-57-59-61cm	SEATPOST	Fsa Reparto Corse SP-CTEC-2 Carbon shaft, 2D forged alloy head, 25mm offset, L350 , 31,6mm, with customized CK reparto corse graphics 2013
SEATPOST CLAMP	"X Carbon System" 36mm, Black, with Bianchi logo	SADDLE	San Marco Concor Dynamic Open, rail manganese
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	FULL CARBON B4P 28"-300mm - 1.5" - B56mm	BOTTLE CAGE	Elite Paron
SHIFTER	Shimano Ultegra ST-6800, 2 speed left, 11 speed right	WATERBOTTLE	Bianchi Hydra Elite
REAR DERAILLEUR	Shimano Ultegra RD-6800 11 speed direct attachment, compatible with low gear 23-28T for double		
FRONT DERAILLEUR	Shimano Ultegra 11 sp FD 6800 for front double & rear 11 speed band type (34.9mm)		
CRANKSET	Fsa Gossamer Compact, BB30 System, Forged 6066 arm, ring 3mm Stamped AL7075 , 170-172,5-175mm x 110mmBCD x 50/34t 10sp Compatible N10		
BOTTOM BRACKET	included in the crankset the BB-PF-6000/CZ/Di2		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Fsa Gossamer AL6061, reach 40-50mm, Reparto Corse customized		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing 7 LG black clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymmetric 18-20 spokes		
TIRE	Zaffiro Pro Slick 700 x 25, 60TPI		
STEM	Reparto Corse body Alloy 6061, raise -7, UD Carbon wrapped faceplate, height 40mm, 1 1/8" 90-100-110-120-130mm		

Also available in colours:

KK= Black/CK

UNIQUE SELLING POINTS

- Born for competition at all levels, suitable for both the racer and the sportive rider.
- Constructed from high modulus carbon fibre ensuring a high performance bike that is both light and responsive.
- A top quality racing machine with the best quality/price ratio.
- Used by the professional cycling team Team Androni - Venezuela

SEMPRE PRO - ULTEGRA DI2 11SP COMPACT



CODE	YKBD9	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C
COLOR	ZJ Carbon 3K glossy/Matt KK Black Carbon/CK (PHOTO)	GRIP / TAPE	Bianchi embossed logo
FRAME	TC13 SEMPRE, carbon monocoque, bbset PF30, UTSS, compatible mechanical and electronic; sizes 47-50-53-55-57-59-61cm	SEATPOST	Fsa SL-K UD Carbon Shaft w/Alloy Head, clamp typeTwo Bolt "SBS" Head, setback 20mm, diam.diam.31.6mm, lenght 350mm, Di2 Battery compatible
SEATPOST CLAMP	"X Carbon System" 36mm, Black, with Bianchi logo	SADDLE	San Marco Concor Dynamic Open, rail manganese
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	FULL CARBON B4P 28"- 300mm - 1.5" - B56mm	BOTTLE CAGE	Elite Paron
SHIFTER	Shimano Ultegra Di2 11sp ST-6870, 2speed, ST-6870, 11speed	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Shimano Ultegra Di2 11sp RD-6870, 11sp, Compatible with low gear 23-28T for double		
FRONT DERAILLEUR	Shimano Ultegra Di2 11sp FD-6870-F, Brazed-on Type, for rear 11sp +seat tube adaptor for FD-6770-F,SM-AD67 L-SIZE(34.9MM)		
BATTERY / MOUNT	Shimano SM-BTR2		
CHARGER / PWR CABLE	Battery charger, SM-BCR2, for SM-BTR2 Including charging cord		
CRANKSET	Fsa Energy Compact BB30 Compatibility N-10 - Forged AL6061 - Q Factor 147mm - 50/34t		
BOTTOM BRACKET	included in the crankset the BB-PF-6000/CZ/Di2		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano Ultegra BR-6800		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing Quattro, clincher		
TIRE	Rubino Pro Slick 700 x 25,150TPI		
STEM	Fsa SL-K, 3D Forged/CNC AL2014, Faceplate UD Carbon 4-bolt chromoly, 'diam.31.8mm, angle +/-6° 80mm, 90mm-100mm-110mm-120mm-130mm		

Also available in colours:



ZJ= Black glossy matt

SEMPRE PRO - 105 11SP COMPACT



CODE	YKB08	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C
COLOR	ZJ Carbon 3K glossy/Matt KK Black Carbon/CK (PHOTO)	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
FRAME	TC13 SEMPRE, carbon monocoque, bbset PF30, UTSS, compatible mechanical and electronic; sizes 47-50-53-55-57-59-61cm	SEATPOST	Fsa Reparto Corse SP-CTEC-2 Carbon shaft, 2D forged alloy head, 25mm offset, L350 , 31,6mm, with customized CK reparto corse graphics 2013
SEATPOST CLAMP	"X Carbon System" 36mm, Black, with Bianchi logo	SADDLE	San Marco Concor Dynamic Open, rail manganese
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	FULL CARBON B4P 28" - 300mm - 1.5" - Ø56mm	BOTTLE CAGE	Elite Paron
SHIFTER	Shimano 105 ST-5800, 2 speed left, 11 speed right	WATERBOTTLE	Bianchi Hydra Elite
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T		
FRONT DERAILLEUR	Shimano 105 FD-5800-L, double & rear 11 speed band type (34.9MM)		
CRANKSET	FSA Gossamer Compact, BB30 System, Forged 6066 arm, ring 3mm Stamped AL7075 , 170-172,5-175mm x 110mmBCD x 50/34t 10sp Compatible N10		
BOTTOM BRACKET	included in the crankset the BB-PF-6000/CZ/Di2		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Fsa Gossamer AL6061, reach 40-50mm, Reparto Corse customized		
BRAKE LEVER	included		
RIM/WHEELSET	Vision Team 30 - front hub 20H, Cartridge Bearings - rear hub 24H, Cartridge Bearings - Alpina Aero 2.0 Spokes - rim Alloy Clincher 30 x 18.3mm - Shimano 10/11 Speed		
TIRE	Zaffiro Pro Slick 700 x 25, 60TPI	Also available in colours:	
STEM	Reparto Corse body Alloy 6061, raise -7, UD Carbon wrapped faceplate, height 40mm, 1 1/8" 90-100-110-120-130mm		ZJ= Black glossy matt

SEMPRE PRO - ATHENA 11SP COMPACT




CODE	YKBF7	HANDLEBAR	Fsa Vero Compact, HB-RD-320S alloy plain guage,diam. 31,8mm, reach 125mm, drop 80 mm, Sizes: 40-42-44 Width (mm). 4° Outward Bend
COLOR	A5 Celeste	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
FRAME	TC13 SEMPRE, carbon monocoque, bbset PF30, UTSS, compatible mechanical and electronic; sizes 47-50-53-55-57-59-61cm	SEATPOST	Fsa Reparto Corse SP-CTEC-2 Carbon shaft, 2D forged alloy head, 25mm offset, L350 , 31,6mm, with customized CK reparto corse graphics 2013
SEATPOST CLAMP	"X Carbon System" 36mm, Black, with Bianchi logo	SADDLE	San Marco Era Dynamic, carbon steel rail, lenght/wide 277x135
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	FULL CARBON B4P 28"- 300mm - 1.5" - 856mm	BOTTLE CAGE	Elite Paron
SHIFTER	Campagnolo Athena Power Shift Carbon 11speed, Ergopower shifting levers	WATERBOTTLE	Bianchi Hydra Elite
REAR DERAILLEUR	Campagnolo Athena, 11speed		
FRONT DERAILLEUR	Campagnolo Athena 11speed clip-on front der. ~ 35 mm		
CRANKSET	Fsa Gossamer Compact, BB30 System, Forged 6066 arm, ring 3mm Stamped AL7075 , 170-172,5-175mm x 110mmBCD x 50/34t 10sp Compatible N10		
BOTTOM BRACKET	included in the crankset the BB-PF-6000/CZ/Di2		
CHAIN	Campagnolo Chorus 11sp		
CASSETTE / FREEWHEEL	Campagnolo Chorus 11sp 12-27T		
BRAKE	Fsa Gossamer AL6061, reach 40-50mm, Reparto Corse customized		
BRAKE LEVER	included		
RIM/WHEELSET	Vision Team 30 - front hub 20H, Cartridge Bearings - rear hub 24H, Cartridge Bearings - Alpina Aero 2.0 Spokes - rim Alloy Clincher 30 x18.3mm - Shimano 10/11sp		
TIRE	Zaffiro Pro Slick 700 x 25, 60TPI		
STEM	Omega ST-OS-168LX, 3D AL6061, faceplate Forged Alloy 4-bolt, raise 6°, height 40mm, Oversize diam.31.8, Steerer Dia. (mm) diam.28.6 ; 90-100-110-120-130mm		

SEMPRE PRO - VELOCE 10SP COMPACT



CODE	YKBE9	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
COLOR	A5 Celeste	SEATPOST	Fsa Reparto Corse SP-CTEC-2 Carbon shaft, 2D forged alloy head, 25mm offset, L350 , 31,6mm, with customized CK reparto corse graphics 2013
FRAME	TC13 SEMPRE, carbon monocoque, bbset PF30, UTSS, compatible mechanical and electronic; sizes 47-50-53-55-57-59-61cm	SADDLE	San Marco Era Dynamic, carbon steel rail, length/wide 277x135
SEATPOST CLAMP	"X Carbon System" 36mm, Black, with Bianchi logo	PEDALS	-
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	BOTTLE CAGE	Elite Paron
FORK	FULL CARBON B4P 28"- 300mm - 1.5" - B56mm	WATERBOTTLE	Bianchi Hydra Elite
SHIFTER	Campagnolo Veloce Power Shift 10s Ergopower		
REAR DERAILLEUR	Campagnolo Veloce 10s short cage		
FRONT DERAILLEUR	Campagnolo Veloce BLACK 9/10s clip-on front der. ~ 35 mm		
CRANKSET	Campagno Veloce power-torque system, 10 speed; 170-172,5-175mm,36-52T		
BOTTOM BRACKET	Power-Torque System OS-Fit integrated cups BB30 68x46		
CHAIN	Team Issue CN-910 10sp, 110 link , Includes 1-PC Connector		
CASSETTE / FREEWHEEL	Centaur UD 10speed,12-27T		
BRAKE	Campagnolo VELOCE (dual pivot front+rear)		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing 5, clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymmetric, 18-20 spokes		
TIRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI		
STEM	Omega ST-OS-168LX, 3D AL6061, faceplate Forged Alloy 4-bolt,, raise 6°, height 40mm, Oversize diam.31.8, Steerer Dia. (mm) diam.28.6 ; 90-100-110-120-130mm		
HANDLEBAR	Fsa Vero Compact, HB-RD-320S alloy plain guage,diam. 31,8mm, reach 125mm, drop 80 mm, Sizes: 40-42-44 Width (mm). 4° Outward Bend		

SEMPRE PRO FRAMESET



MIS.SLP											
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
470	440	515	499	403	58	110	578	74.5°	70.5°	495	375
500	470	525	510	405	58	115	583	74.5°	71°	502	382
530	500	535	521	406	68	130	585	74°	71.5°	528	382
550	520	550	535	408	68	145	587	73.5°	72.5°	545	388
570	540	560	546	408	68	160	593	73.5°	73°	561	393
590	560	575	561	410	68	180	598	73°	73.5°	582	397
610	580	585	570	410	68	200	603	72.5°	73.5°	601	397

CODE XKB13

COLOR ZJ Carbon EK glossy/Matt
KK Black Carbon/CK
A5 Celeste

FRAME TC13 SEMPRE, carbon monocoque, bbset PF30, UTSS,
compatible mechanical and electronic; sizes 47-50-53-55-
57-59-61cm

SEATPOST CLAMP "X Carbon System" 36mm, Black, with Bianchi logo

HEADSET Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top,
1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm
top cover alloy

FORK FULL CARBON B4P 28"- 300mm - 1.5" - Ø56mm

Also available in colours:

ZJ= Black glossy matt

KK= Black/CK



C2C - COAST TO COAST



Long distances must be covered in the optimal riding position. C2C frames guarantee maximum performance with minimum stress for the riders, thanks to Bianchi's special frame design/geometry and different material combination.



PROJECT PHILOSOPHY

- Geometry specified for improved comfort and stability
 - Bianchi Active Technology (BAT)
 - Long distance racing
-

MODELS IN THIS CATEGORY

- [Infinito CV](#)
- [Infinito CV disc](#)
- [Intenso](#)
- [Vertigo](#)
- [Impulso](#)
- [Impulso disc](#)
- [Via Nirone 7 Alu](#)

INFINITO CV



PROJECT PHILOSOPHY

- Innovative Countervail® material technology to cancel vibrations
- Maximum performance with minimum stress
- Specific geometry for endurance ride
- Aero shape tubing design

PRODUCT FEATURES

- Carbon monocoque frame
- Tapered head tube 1 1/8" - 1.5"
- Higher head tube and longer chain stays
- Internal cable routing
- PF30 bottom bracket (68x46)
- Double compatibility mechanical and electronic groupset
- Down tube dimension optimized for different sizes
- 28mm tubular/clincher compatible
- UD carbon weave
- New full carbon aero fork shape with straight blades
- 8 sizes: 47-50-53-55-57-59-61-63

PF30 BB-SET



NEW HEAD TUBE
sizes : 59 & 61



INFINITO CV

PRODUCT CHARACTERISTIC

TECHNOLOGIES




▲ B A T ▼


AVAILABLE AS A FRAMESET

C2C GEOMETRY The keys of development:


- Higher head tube > Lower neck and arms stress
 - Longer chain stays > Best fluency
 - Longer wheelbase > More stable



MIS.SLP											
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
470	440	515	497	408	68	125	577	74.5°	70.5°	519	368
500	470	525	507	408	68	140	579	74.5°	71.5°	537	373
530	500	535	518	409	68	155	586	74°	71.5°	551	375
550	520	550	532	410	68	170	592	73.5°	72°	567	381
570	540	560	542	411	68	185	598	73.5°	72.5°	583	386
590	560	575	556	412	68	200	608	73°	72.5°	598	391
610	580	585	565	414	68	215	612	72.5°	72.5°	612	392
630	600	595	575	414	68	230	617	72.5°	73°	628	397




INTRODUCING NEW HYDRAULIC DISC BRAKE SYSTEM




FEATURES

- Specific frame and fork Disc compatible
- Post mount dropout
- OLD 135mm specific dimension for disc
- Compatible with 140mm and 160mm rotor
- Chain stay length 415mm
- Internal hydraulic cable guide housing
in the frame and fork
- Sizes: 47,50,53,55,57,59,61,63
- Weight in 55 size: 1020g (+/- 5%)





INFINITO CV

BIANCHI ROAD TEST



BIANCHI LAB TEST





ADVANTAGES:

- INCREASED BIKE CONTROL
- REDUCED MUSCLE FATIGUE
- ENERGY SAVING
- INCREASED RIGIDITY
- PEAK POWER OUTPUT

ROAD

reparto corse

INFINITO CV - SUPER RECORD EPS 11SP COMPACT



CODE	YK BX9	OPTION WHEELSET2	Fulcrum Racing Speed XLR DARK carbon tubular
COLOR	KK: Black carbon/Ck	TIRE	Vittoria Diamante Pro 25-622 / 700x25c, 220TPI
FRAME	C2C INFINITO Carbon - CV Mechanical/Electronic Di2/EPS (compatible with 28" tire) - BBset "PF30" sizes 47-50-53-55-57-59-61-63cm	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs	STEM	FSA OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 'diam.31.8mm, angle +/-6° 70-90-100-110-120-130mm
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	HANDLEBAR	FSA K-Force Compact, UD Weave Carbon material, 'diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5"	SEATPOST	FSA K-Force Light, material UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350 mm
SHIFTER	Super Record 11s EPS Ergopower	SADDLE	Fizik Aliante gamma Nylon Carbon Reinforced k:ium rail
REAR DERAILLEUR	Super Record 11sp EPS	PEDALS	-
FRONT DERAILLEUR	Super Record 11S EPs braze-on front derailleur + black clamp 35mm	BOTTLE CAGE	Elite Paron
ELECTRIC CABLE	EPS V2 Interface	WATERBOTTLE	Bianchi Hydra
BATTERY / MOUNT	EPS Cylindrical Power Unit		
CHARGER / PWR CABLE	EPS battery charger kit for EPS V2 Power Unit + cable power kit - CEE		
CRANKSET	Campagnolo Super Record Ultra-Torque TI Carbon 11s 170-172,5-175mm 34-50T		
BOTTOM BRACKET	Ultra Torque OS-Fit integrated cups BB30 68x46		
CHAIN	Record 11sp		
CASSETTE / FREEWHEEL	Campagnolo Super Record 11sp 12-27T		
BRAKE	Super Record SKELETON (dual pivot front+rear)		
BRAKE LEVER	included		
RIM/WHEELSET	Racing Zero black/dark (PHOTO)		
OPTION WHEELSET1	Fulcrum Racing Zero Carbon- profile 30mm - rim C17mm hubs Aluminium/Carbon		

UNIQUE SELLING POINTS

- Constructed using Countervail: a cutting edge composite material used in the aerospace industry. Used exclusively in the world of cycling by Bianchi.
- Designed to ensure high rigidity with a great fluency whilst reducing physical fatigue and stress to the rider.
- Downtube dimensions are optimized for every size, ensuring a balanced geometry with maximum stability and control.
- Suitable for those demanding a high performance bike over all types of road under all conditions.
- Tested under racing conditions in a UCI World Tour Classic.

INFINITO CV - SUPER RECORD 11SP COMPACT



CODE	YKBX7	STEM	Fsa SL-K, 3D Forged/CNC AL2014, Faceplate UD Carbon 4-bolt chromoly, 'diam.31.8mm, angle +/- 80MM, 90MM-100MM-110MM-120MM-130MM
COLOR	KK: Black carbon/Ck	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31,8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C
FRAME	C2C INFINITO Carbon - CV Mechanical/Electronic Di2/EPS (compatible with 28" TYRE) -BBset "PF30" sizes 47-50-53-55-57-59-61-63cm	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs	SEATPOST	FSA SL-K - material UD Carbon Shaft with Alloy Head, clamp typeTwo Bolt "SBS" Head, setback 20mm, diam. diam.31.6mm, length 350mm
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SADDLE	Fizik Aliante Delta, Manganese rail
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5"	BOTTLE CAGE	Elite Paron
SHIFTER	Super Record Ultra Shift 11s Ergopower, shifiting levers	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Super Record 11sp		
FRONT DERAILLEUR	Campagnolo Super Record 11S braze-on + black clamp 35mm		
CRANKSET	Fsa SL-K Light Compact BB386 EVO - Compatibility N-10/11 - Carbon Monocoque - Q Factor 147mm - L 170-172,5-175mm 50/34T		
BOTTOM BRACKET	included in the crankset the BB-PF-6000/CZ/Di2		
CHAIN	Campagnolo Chorus 11sp		
CASSETTE / FREEWHEEL	Campagnolo Chorus 11sp 12-27T		
BRAKE	FSA SL-K BK-RO-8684/BKG, material Forged AL6061, Hardware Titanium/Stainless, reach 40-50mm		
BRAKE LEVER	included		
RIM/WHEELSET	Metron 40 Clincher - front hub Carbon center body, Ceramic Cartridge Bearings - rear hub Alloy Ceramic Cartridge Bearings - Alpina Flat DB 1.5 Spokes, Direct Pull - rim Carbon Clincher 40 x 25.5mm width; Front: 18 radial - quick release Mercury carbon - Campagnolo 10/11 Speed		
TIRE	Vittoria Rubino Pro Slick 700 x 25,150TPI		

INFINITO CV - CHORUS 11SP COMPACT



CODE	YKB21	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
COLOR	CK: Celeste Glossy (PHOTO) KK: Black carbon/Ck	STEM	Fsa SL-K, 3D Forged/CNC AL2014, Faceplate UD Carbon 4-bolt chromoly, diam.31.8mm, angle +/-6° 80MM, 90MM-100MM-110MM-120MM-130MM
FRAME	C2C INFINITO Carbon - CV Mechanical/Electronic Di2/EPS (compatible with 28" tire) -BBset "PF30" sizes 47-50-53-55-57-59-61-63cm	HANDLEBAR	FSA SL-K Compact, material UDF Carbon, drop 12.5cm, reach 8cm diam.31.8mm 40/42/44cm
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SEATPOST	FSA SL-K - material UD Carbon Shaft with Alloy Head, clamp typeTwo Bolt "SBS" Head, setback 20mm, diam. diam.31.6mm, lenght 350mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	SADDLE	Fizik Aliante gamma Nylon Carbon Reinforced k:ium rail
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5" (E.R.T.O. 28-622)	PEDALS	-
SHIFTER	Campagnolo Chorus Ultra Shift 11s Ergopower shifting levers	BOTTLE CAGE	Elite Paron
REAR DERAILLEUR	Campagnolo Chorus 11s	WATERBOTTLE	Bianchi Hydra
FRONT DERAILLEUR	Campagnolo Chorus 11s EPs braze-on + black clamp 35mm		
CRANKSET	Campagnolo Chorus ultra-torque CT Carbon 11s crankset 170-172-175 mm 34-50		
BOTTOM BRACKET	Ultra Torque OS-Fit integrated cups BB30 68x46		
CHAIN	Campagnolo Chorus 11sp		
CASSETTE / FREEWHEEL	Campagnolo Chorus 11sp 12-27T		
BRAKE	Campagnolo Chorus SKELETON brakes (dual pivot front+rear)		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing Quattro black clincher		
OPTION WHEELSET1	Fulcrum Racing Zero Carbon- profile 30mm - rim C17mm hubs Aluminium/Carbon (photo)		
TIRE	Vittoria Rubino Pro Slick 700 x 25,150TPI		

Also available in colours:



INFINITO CV - ATHENA 11SP COMPACT



CODE	YKB22	OPTION WHEELSET1	Fulcrum Racing Zero Carbon- profile 30mm - rim C17mm hubs Aluminium/Carbon
COLOR	KK: Black carbon/Ck (PHOTO) RK: BlackGraf white-red dec Matt CK: Celeste Glossy	OPTION WHEELSET2	Fulcrum Racing Speed XLR DARK carbon tubular Campagnolo
FRAME	C2C INFINITO Carbon - CV Mechanical/Electronic Di2/EPS (compatible with 28" TYRE) - BBset "PF30" sizes 47-50-53-55-57-59-61-63cm	TIRE	Vittoria Rubino Pro Slick 700 x 25,150TPI
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	STEM	FSA Team Issue, Carbon Wrap - Oversized (diam.31.8mm), 6061 Alloy with 0.5mm for OS Bars, ±6° 70-90-100-110-120-130mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	HANDLEBAR	FSA Wing Compact - Double Butted AL6066 , diam. 31,8mm
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5" (E.R.T.O. 28-622)	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
SHIFTER	Campagnolo Athena Power Shift Carbon 11speed, Ergopower shifting levers	SEATPOST	FSA SL-K - material UD Carbon Shaft with Alloy Head, clamp typeTwo Bolt "SBS" Head, setback 20mm, diam. diam.31.6mm, lenght 350mm
REAR DERAILLEUR	Campagnolo Athena, 11speed	SADDLE	Fizik Aliante Delta, Manganese rail
FRONT DERAILLEUR	Campagnolo Athena 11speed clip-on front der. ~ 35 mm	PEDALS	-
CRANKSET	Campagnolo Athena Power-Torque System CT Carbon 11s 170-172,5-175 mm 34-50T	BOTTLE CAGE	Elite Paron
BOTTOM BRACKET	Campagnolo Power-Torque System OS-Fit integrated cups BB30 68x46	WATERBOTTLE	Bianchi Hydra
CHAIN	Campagnolo Chorus 11sp	Also available in colours:	
CASSETTE / FREEWHEEL	Campagnolo Chorus 11sp 12-27T	 RK: BlackGraf white-red dec Matt  CK: Celeste Glossy	
BRAKE	Campagnolo BLACK SKELETON brakes (dual pivot front+rear)		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing 5, clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymmetric, 18-20 spokes (PHOTO)		

INFINITO CV - DURA ACE DI2 11SP COMPACT



CODE	YKBX6	OPTION WHEELSET2	Fulcrum Racing Speed XLR DARK carbon tubular HG11
COLOR	KK: Black carbon/Ck	TIRE	Vittoria Diamante Pro 25-622 / 700x25c, 220TPI
FRAME	C2C INFINITO Carbon - CV Mechanical/Electronic Di2/EPS (compatible with 28" tire) -BBset "PF30"sizes 47-50-53-55-57-59-61-63cm	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs	STEM	FSA OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 'diam.31.8mm, angle +/- 80-90-100-110-120-130mm
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	HANDLEBAR	FSA K-Force Compact, UD Weave Carbon material, 'diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5"	SEATPOST	FSA K-Force Light, material UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm
SHIFTER	Shimano Dura Ace Di2 9070 left 2 speed, right 11 speed	SADDLE	Fizik Aliante gamma Nylon Carbon Reinforced k:ium rail
REAR DERAILLEUR	Shimano Dura Ace Di2 RD-9070, 11 speed	PEDALS	-
FRONT DERAILLEUR	Shimano Dura Ace Di2 FD-9070-F, brazed-on type, for rear 11 speed	BOTTLE CAGE	Elite Paron
BATTERY / MOUNT	Shimano SM-BTR2	WATERBOTTLE	Bianchi Hydra
CHARGER / PWR CABLE	Battery charger, SM-BCR2, for SM-BTR2 Including charging cord		
CRANKSET	FSA K-Force Light Compact BB386 EVO Carbon Monocoque, BCD 110mm, PF30 System, BB PF30 Ceramic, Q Factor 147mm, Chainline 44mm, 50/34T		
BOTTOM BRACKET	included in the crankset BB-PF8200/CZ/Di2		
CHAIN	Shimano Dura Ace FOR 11-speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Dura Ace CS-9000 11sp, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano Dura Ace, BR-9000 REAR, CS-49, 10.5mm sunken nut, front 12.5mm sunken nut		
BRAKE LEVER	included		
RIM/WHEELSET	Racing Zero black/dark HG11		
OPTION WHEELSET1	Zero Carbon - profile 30mm - rim C17mm hubs Aluminium/Carbon 3K Campagnolo (PHOTO)		

INFINITO CV - DURA ACE 11SP COMPACT



CODE	YKBX5	STEM	FSA SL-K, 3D Forged/CNC AL2014, Faceplate UD Carbon 4-bolt chromoly, 'diam.31.8mm, angle +/-6° 80mm-47, 80-90-100-110-120-130mm
COLOR	B4: BlackGraf white-Yell dec Matt (PHOTO) RK: BlackGraf white-red dec Matt	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 2014 diam. 31.8mm, reach 126mm, drop 77 mm EXT:400MM-47~50CM , 420MM-53~57C
FRAME	C2C INFINITO Carbon - CV Mechanical/Electronic Di2/EPS (compatible with 28" tire) -BBset "PF30" sizes 47-50-53-55-57-59-61-63cm	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs	SEATPOST	FSA SL-K - material UD Carbon Shaft with Alloy Head, clamp typeTwo Bolt "SBS" Head, setback 20mm, diam. diam.31.6mm, lenght 350mm
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SADDLE	Fizik Aliante Delta, Manganese rail
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5" (E.R.T.O. 28-622)	BOTTLE CAGE	Elite Paron
SHIFTER	Shimano Dura Ace ST-9000-L, 2-speed left, 11 speed right	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Shimano Dura Ace RD-9000, 11 speed		
FRONT DERAILLEUR	Dura Ace 11s FD-9000, 34.9 Band, for 11 speed		
CRANKSET	Fsa SL-K Light Compact BB386 EVO - Compatibility N-10/11- Carbon Monocoque - Q Factor 147mm - L 170-172,5-175mm 50/34T		
BOTTOM BRACKET	included in the crankset the BB-PF-6000/CZ/Di2		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	FSA SL-K BK-RO-8684/BKG, material Forged AL6061, Hardware Titanium/Stainless, reach 40-50mm		
BRAKE LEVER	included		
RIM/WHEELSET	Metron 40 Clincher		
TIRE	Vittoria Rubino Pro Slick 700 x 25,150TPI		

Also available in colours:

 RK: BlackGraf white-red dec Matt

INFINITO CV - ULTEGRA DI2 11SP COMPACT

YKBN1XKK



CODE	YKBN1	OPTION WHEELSET1	Zero Carbon - profile 30mm - rim C17mm hubs Aluminium/Carbon 3K Campagnolo (photo)
COLOR	RK: BlackGraf white-red dec Matt	OPTION WHEELSET2	Fulcrum Racing Speed XLR DARK carbon tubular HG11
FRAME	C2C INFINITO Carbon - CV Mechanical/Electronic Di2/EPS (compatible with 28" tire) -BBset "PF30" sizes 47-50-53-55-57-59-61-63cm	TIRE	Vittoria Diamante Pro 25-622 / 700x25c, 220TPI
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	STEM	FSA Team Issue, Carbon Wrap - Oversized (diam.31.8mm), 6061 Alloy with 0.5mm for OS Bars, ±6° 80-90-100-110-120-130mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm for 46/56mm Head Tubes); Standard 15mm top cover alloy	HANDLEBAR	FSA Wing Compact - Double Butted AL6066 , diam. 31,8mm
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5" (E.R.T.O. 28-622)	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
SHIFTER	Shimano Ultegra Di2 11sp ST-6870, 2speed, ST-6870, 11speed	SEATPOST	FSA SL-K UD Carbon Shaft w/Alloy Head, clamp typeTwo Bolt "SBS" Head, setback 20mm, diam.diam.31.6mm, lenght 350mm, Di2 Battery compatible
REAR DERAILLEUR	Shimano Ultegra Di2 11sp RD-6870, 11sp, Compatible with low gear 23-28T for double	SADDLE	Fizik Aliante gamma Nylon Carbon Reinforced k:ium rail
FRONT DERAILLEUR	Shimano Ultegra Di2 11sp FD-6870-F, Brazed-on Type, for rear 11sp +seat tube adaptor for FD-6770-F,SM-AD67 L-SIZE(34.9MM)	PEDALS	-
BATTERY / MOUNT	Shimano SM-BTR2	BOTTLE CAGE	Elite Paron
CHARGER / PWR CABLE	Battery charger, SM-BCR2, for SM-BTR2 Including charging cord	WATERBOTTLE	Bianchi Hydra
CRANKSET	Shimano Ultegra FC-6800, 11 sp hollowtech 170-172.5-175mm, 50X34T BB(BSA)		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23- 25-28T		
BRAKE	Shimano Ultegra BR-6800		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing Quattro, clincher (PHOTO)		

INFINITO CV - ULTEGRA 11SP COMPACT



CODE	YKB24	OPTION WHEELSET1	Zero Carbon - profile 30mm - rim C17mm hubs Aluminium/Carbon 3K
COLOR	B4: BlackGraf white-Yell dec Matt (PHOTO) RK: BlackGraf white-red dec Matt CK: Celeste Glossy KK: Black carbon/Ck	OPTION WHEELSET2	Fulcrum Racing Speed XLR DARK carbon tubular HG11
FRAME	C2C INFINITO Carbon - CV Mechanical/Electronic Di2/EPS (compatible with 28" tire) -BBset "PF30"sizes 47-50-53-55-57-59-61-63cm	TIRE	Vittoria Rubino Pro Slick 700 x 25,150TPI
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	STEM	FSA Team Issue, Carbon Wrap - Oversized (diam.31.8mm), 6061 Alloy with 0.5mm for OS Bars, ±6° 70-90-100-110-120-130mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	HANDLEBAR	FSA Wing Compact - Double Butted AL6066 , diam. 31,8mm
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5" (E.R.T.O. 28-622)	GRIP / TAPE	Bianchi embossed logo
SHIFTER	Shimano Ultegra ST-6800, 2 speed left, 11 speed right	SEATPOST	FSA SL-K - material UD Carbon Shaft with Alloy Head, clamp typeTwo Bolt "SBS" Head, setback 20mm, diam. diam.31.6mm, lenght 350mm
REAR DERAILLEUR	Shimano Ultegra RD-6800 11 speed direct attachment, compatible with low gear 23-28T for double	SADDLE	Fizik Aliante Delta, Manganese rail
FRONT DERAILLEUR	Shimano Ultegra 11 sp FD 6800 for front double & rear 11 speed band type (34.9mm)	PEDALS	-
CRANKSET	Shimano Ultegra FC-6800, 11 sp hollowtech 170-172.5-175mm, 50X34T BB(BSA)	BOTTLE CAGE	Elite Paron
BOTTOM BRACKET included in the crankset		WATERBOTTLE	Bianchi Hydra
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links	Also available in colours:	
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23- 25-28T	 RK: BlackGraf white-red dec Matt	
BRAKE	Shimano Ultegra BR-6800	 CK: Celeste Glossy	
BRAKE LEVER	included	 KK: Black carbon/Ck	
RIM/WHEELSET	Fulcrum Racing 5, clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymmetric, 18-20 spokes (PHOTO)		

INFINITO CV DISC- SRAM RED 11SP COMPACT



CODE	YKBF9	TIRE	Vittoria Rubino Pro Slick 700 x 25, 150TPI
COLOR	KK: Black carbon/Ck	TIRE OPTION	Vittoria Corsa CX tubular 700x25, TPI 320
FRAME	C2C INFINITO CV Carbon Disc Brake, Mechanical/Electronic Di2/EPS (compatible with 28" tire) -BBset "PF30" sizes 47-50-53-55-57-59-61-63cm	STEM	FSA OS-99 CSI, AL7050 core with integrated carbon structure, AL2014/Carbon integrated, 4-bolt faceplate, bolts 6/4 Titanium, 31.8mm, angle +/-6° 80-90-100-110-120-130mm
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs, colour celeste bianchi with Bianchi logo	HANDLEBAR	FSA K-Force Compact, UD Weave Carbon material, diam 31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm
SEATPOST CLAMP	"X Carbon System" 35mm, Black, with Bianchi logo	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo, COLOR black
HEADSET	FSA Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	SEATPOST	K-Force Light, material UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350 mm
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5" (E.T.R.T.O. 28-622) Disc	SADDLE	Fizik Aliante gamma Nylon Carbon Reinforced k:ium rail
SHIFTER	Sram Red22 11sp	PEDALS	-
REAR DERAILLEUR	Sram Red22 11sp short cage	BOTTLE CAGE	Elite Paron
FRONT DERAILLEUR	Sram Red 22 clamp 34.9 11sp YAW with chain spotter	WATERBOTTLE	Bianchi Hydra Elite
CRANKSET	FSA K-Force Light Compact BB386 EVO Carbon Monocoque, BCD 110mm, PF30 System, BB PF30 Ceramic, Q Factor 147mm, Chainline 44mm, 50/34T		
BOTTOM BRACKET	included in the crankset BB-PF8200/CZ/Di2		
CHAIN	Sram PC1190R 110link with power lock 11sp		
CASSETTE / FREEWHEEL	Sram Red22 CS-XG-1190-A1 11sp 11-26T		
BRAKE	included in the shifter		
BRAKE LEVER	included in the shifter		
DISC ROTOR	Avid Rotor HSX, RT-HS-X-A1, bolt material steel, hub interface 6 bolts, diameter 140mm		
RIM/WHEELSET	Metron 40 Clincher Disc		
OPTION WHEELSET1	Zipp 303 disc		

ALSO AVAILABLE AS FRAMESET XKB24

INFINITO CV DISC - ULTEGRA DI2 11SP COMPACT



CODE	YKBZ5	RIM/WHEELSET	Shimano front 6 rear, old:100/135mm for 11 speed,F:24H/R:24H,rim: tubeless,R:QR:173mm
COLOR	RK: BlackGraf white-red dec Matt	TIRE	Vittoria Rubino Pro Slick 700 x 25,150TPI
FRAME	C2C INFINITO Carbon - CV Disc Brake, Mechanical/Electronic Di2/EPS (compatible with 28" tire) -BBset "PF30" sizes 47-50-53-55-57-59-61-63cm	STEM	FSA Team Issue, Carbon Wrap - Oversized (diam.31.8mm), 6061 Alloy with 0.5mm for OS Bars, ±6° 70-90-100-110-120-130mm
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs	HANDLEBAR	FSA Wing Compact - Double Butted AL6066 , diam. 31,8mm
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	SEATPOST	Fsa SL-K UD Carbon Shaft w/Alloy Head, clamp typeTwo Bolt "SBS"Head, setback 20mm, diam.diam.31.6mm, lenght 350mm, Di2 Battery compatible
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5" (E.T.R.T.O. 28-622) Disc	SADDLE	Fizik Aliante gamma Nylon Carbon Reinforced k:ium rail
SHIFTER	Shimano ST-R785(L) BR-R785(F) disc brake assembled set J/kit, for post mount fork, metal pad (w/ fin), SM-BH59-SB 1000mm ,SM-BH59-SB 1700mm	PEDALS	-
REAR DERAILLEUR	Shimano Ultegra Di2 11sp RD-6870, 11sp, Compatible with low gear 23-28T for double	BOTTLE CAGE	Elite Paron
FRONT DERAILLEUR	Shimano Ultegra Di2 11sp FD-6870-F, Brazed-on Type, for rear 11sp +seat tube adaptor for FD-6770-F,SM-AD67 L-SIZE(34.9MM)	WATERBOTTLE	Bianchi Hydra
BATTERY / MOUNT	Shimano SM-BTR2		
CHARGER / PWR CABLE	Battery charger, SM-BCR2, for SM-BTR2 Including charging cord		
CRANKSET	Shimano Ultegra FC-6800, 11 sp hollowtech 170-172.5-175mm, 50X34T BB(BSA)		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano BR-R785 Hydraulic disc brake		
BRAKE LEVER	included		
DISC ROTOR	Shimano SM-RT99 center lock 140mm, rotor for disc-brake		

ALSO AVAILABLE AS FRAMESET XKB24

INFINITO CV DISC- ULEGRA 11SP COMPACT




CODE	YKB54	STEM	FSA Team Issue, Carbon Wrap - Oversized (diam.31.8mm), 6061 Alloy with 0.5mm for OS Bars, ±6° 70-90-100-110-120-130mm
COLOR	RK: BlackGraf white-red dec Matt	HANDLEBAR	FSA Wing Compact - Double Butted AL6066 , diam. 31,8mm
FRAME	C2C INFINITO Carbon - CV Disc Brake, Mechanical/Electronic Di2/EPS (compatible with 28" tire) -BBset "PF30" sizes 47-50-53-55-57-59-61-63cm	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
BOLTS / HARDWARE	Carbon Ti AL7075-T6 large button head Torx M5*14mm x 6pcs	SEATPOST	FSA SL-K - material UD Carbon Shaft with Alloy Head, clamp typeTwo Bolt "SBS" Head, setback 20mm, diam. diam.31.6mm, lenght 350mm
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SADDLE	Fizik Aliante Delta, Manganese rail
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5" (E.T.R.T.O. 28-622) Disc	BOTTLE CAGE	Elite Paron
SHIFTER	Shimano ST-RS685 hydraulic disc brake for on road	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Shimano Ultegra RD-6800 11 speed direct attachment, compatible with low gear 23-28T for double		
FRONT DERAILLEUR	Shimano Ultegra 11 sp FD 6800 for front double & rear 11 speed band type (34.9mm)		
CRANKSET	Shimano Ultegra FC-6800, 11 sp hollowtech 170-172.5-175mm, 50X34T BB(BSA)		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano BR-R785 Hydraulic disc brake		
BRAKE LEVER	included		
DISC ROTOR	Shimano SM-RT99 center lock 140mm, rotor for disc-brake		
RIM/WHEELSET	Shimano WH-RX31,F:24H/R:24H,black, sticker:hi-tech gray, for 10/11speed, clincher disc,135mm old		
TIRE	Vittoria Rubino Pro Slick 700 x 25,150TPI	ALSO AVAILABLE AS FRAMESET XKB24	

INFINITO CV FRAMESET




CODE	XKB01
COLOR	B4: BlackGraf white-Yell dec Matt RK: BlackGraf white-red dec Matt CK: Celeste Glossy (PHOTO) KK: Black carbon/Ck
FRAME	C2C INFINITO Carbon - CV Mechanical/Electronic Di2/EPS (compatible with 28" tire) -BBset "PF30"sizes 47-50-53-55-57-59-61-63cm
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 6pcs
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5" (E.R.T.O. 28-622)



Also available in colours:

- RK: BlackGraf white-red dec Matt
- B4: BlackGraf white-Yell dec Matt
- KK: Black carbon/Ck


MIS.SLP	A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
470	440	515	497	488	68	125	577	74.5°	70.5°	519	368	
500	470	525	507	488	68	140	579	74.5°	71.5°	537	373	
530	500	535	518	489	68	155	586	74°	71.5°	551	375	
550	520	550	532	410	68	170	592	73.5°	72°	567	381	
570	540	560	542	411	68	185	598	73.5°	72.5°	583	386	
590	560	575	556	412	68	200	608	73°	72.5°	598	391	
610	580	585	565	414	68	215	612	72.5°	72.5°	612	392	
630	600	595	575	414	68	230	617	72.5°	73°	628	397	






PRODUCT FEATURES

- Monocoque carbon frame
- Tapered head tube 1.1/8"-1.1,5"
- New Di2 compatible with Internal cable routing
- BSA bottom bracket
- Full Carbon fork with Kevlar Inserts
- BAT and K-VID Technology with C2C geometry
- Sizes: 47,50,53,55,57,59,61,63cm
- Weight for 55 size: 1160g



MIS.SLP		B1	BS	C	D	E	F	G	G1	Y	X
A1	AS										
470	440	515	497	408	68	125	577	74.5°	70.5°	519	368
500	470	525	507	408	68	140	579	74.5°	71.5°	537	373
530	500	535	518	409	68	155	586	74°	71.5°	551	375
550	520	550	532	410	68	170	592	73.5°	72°	567	381
570	540	560	542	411	68	185	598	73.5°	72.5°	583	386
590	560	575	556	412	68	200	608	73°	72.5°	598	391
610	580	585	565	414	68	215	612	72.5°	72.5°	612	392
630	600	595	575	414	68	230	617	72.5°	73°	628	397

PRODUCT CHARACTERISTIC



TECHNOLOGIES

▲ B A T ▼

K-VID

C2C - INTENSO

reparto corse

C2C



INTENSO - DURACE MIX 11SP COMPACT



CODE	YKB83	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, EXT:400MM-47~50CM , 420MM-53~55CM ,440MM-57~61CM
COLOR	D6: White/Antracite KK: Black carbon/Ck E4 Black Carbon matt/Graph ck decals (PHOTO)	GRIP / TAPE	Bianchi embossed logo
FRAME	C2C CARBON "INTENSO"-14" , 11/8"- 1.5" , BB shell BSA, internal cable sizes 47-50-53-55-57-59-61-63cm	SEATPOST	Fsa Reparto Corse SP-CTEC-2 Carbon shaft, 2D forged alloy head, 25mm offset, L350 , 31,6mm, with customized CK reparto corse graphics 2013
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SADDLE	San Marco Era Startup Power, steel rail
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	FULL CARBON 28"- 300mm - 1.5" - ss56mm with Kevlar	BOTTLE CAGE	Elite Paron
SHIFTER	Shimano Dura Ace ST-9000-L, 2-speed left, 11 speed right	WATERBOTTLE	Bianchi Hydra
REAR DERAILLEUR	Shimano Dura Ace RD-9000, 11 speed		
FRONT DERAILLEUR	Shimano Ultegra 11 sp FD 6800 for front double & rear 11 speed band type (34.9mm)		
CRANKSET	FSA Gossamer MegaExo Compact;170-172,5-175mm x 110mmBCD x 50/34t N10/11; Forged AL6061 arms; 147mm Q-factor; BB 68mm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano Ultegra BR-6800		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing 5, clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymmetric, 18-20 spokes		
TIRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8"EXT: 90MM-47~50CM, 100MM-53CM, 110MM-55~57CM, 120MM-59CM, 130MM-61CM		

Also available in colours:

 D6: White/Antracite

 KK: Black carbon/Ck

INTENSO - ULTEGRA 11SP COMPACT



CODE	YKBW6	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8"EXT: 90MM-47~50CM, 100MM-53CM, 110MM-55~57CM, 120MM-59CM, 130MM-61CM
COLOR	D6: White/Antracite (PHOTO) KK: Black carbon/Ck E4 Black Carbon matt/Graph ck decals	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, EXT:400MM-47~50CM , 420MM-53~55CM ,440MM-57~61CM
FRAME	C2C CARBON "INTENSO"-14" , 11/8"- 1.5" , BB shell BSA, internal cable sizes 47-50-53-55-57-59-61-63cm	GRIP / TAPE	Bianchi embossed logo
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SEATPOST	Reparto Corse alloy shaft, 2D forged alloy head, 25 mm offset, L350mm, 31,6mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	SADDLE	San Marco Era Startup Power, steel rail
FORK	FULL CARBON 28"- 300mm - 1.5" - ss56mm with Kevlar	PEDALS	-
SHIFTER	Shimano Ultegra ST-6800, 2 speed left, 11 speed right	BOTTLE CAGE	Elite Paron Race composit material
REAR DERAILLEUR	Shimano Ultegra RD-6800 11 speed direct attachment, compatible with low gear 23-28T for double	WATERBOTTLE	Bianchi Hydra
FRONT DERAILLEUR	Shimano Ultegra 11 sp FD 6800 for front double & rear 11 speed band type (34.9mm)		
CRANKSET	FSA Gossamer MegaExo Compact;170-172,5-175mm x 110mmBCD x 50/34t N10/11; Forged AL6061 arms; 147mm Q-factor, BB 68mm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing sport black clincher, aluminium 24,3mm 18-24 spokes		
TYRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI		

Also available in colours:



KK: Black carbon/Ck



E4 Black Carbon matt/Graph ck decal

INTENSO - 105 11SP COMPACT



CODE	YKBV9	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8"EXT: 90MM-47~50CM, 100MM-53CM, 110MM-55~57CM, 120MM-59CM, 130MM-61CM
COLOR	CK: Celeste Glossy KK: Black carbon/Ck (PHOTO)	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, EXT:400MM-47~50CM , 420MM-53~55CM ,440MM-57~61CM
FRAME	C2C CARBON "INTENSO"-14" , 11/8"- 1.5" , BB shell BSA, internal cable sizes 47-50-53-55-57-59-61-63cm	GRIP / TAPE	Bianchi embossed logo
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SEATPOST	Reparto Corse alloy shaft, 2D forged alloy head, 25 mm offset, L350mm, 31,6mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	SADDLE	San Marco Era Startup Power, steel rail, cover syntex + HF + grip holes, length/wide 277x145
FORK	FULL CARBON 28"- 300mm - 1.5" - ss56mm with Kevlar	PEDALS	-
SHIFTER	Shimano 105 ST-5800,2 speed left, 11 speed right	BOTTLE CAGE	Elite Paron Race composit material
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T	BOTTLE CAGE	Elite Paron Race composit material
FRONT DERAILLEUR	Shimano 105 FD-5800-L, double & rear 11 speed band type (34.9MM)		
CRANKSET	Shimano FC-RS500-L, 170-172-175mm hollowtech, for rear 11 speed, 50X34T, with BB(BSA) CRANK LENGTH: 170mm-44~54cm , 172.5mm-55~59cm , 175mm-60~63cm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse RC-471 Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing sport black clincher, aluminium 24,3mm 18-24 spokes		
TYRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI		

Also available in colours:



CK: Celeste Glossy

INTENSO - ATHENA 11SP COMPACT



CODE	YKB84	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8"EXT: 90MM-47~50CM, 100MM-53CM, 110MM-55~57CM, 120MM-59CM, 130MM-61CM
COLOR	KK: Black carbon/Ck CK: Celeste Glo (PHOTO)	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, EXT:400MM-47~50CM , 420MM-53~55CM ,440MM-57~61CM
FRAME	C2C CARBON "INTENSO"-14" , 11/8"- 1.5" , BB shell BSA, internal cable sizes 47-50-53-55-57-59-61-63cm	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SEATPOST	Fsa Reparto Corse SP-CTEC-2 Carbon shaft, 2D forged alloy head, 25mm ofset, L350 , 31,6mm, with customized CK reparto corse graphics 2013
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	SADDLE	San Marco Era Startup Power, steel rail, length/wide 277x145
FORK	FULL CARBON 28"- 300mm - 1.5" - ss56mm with Kevlar	PEDALS	-
SHIFTER	Campagnolo Athena Power Shift Carbon 11speed, Ergopower shifting levers	BOTTLE CAGE	Elite Paron
REAR DERAILLEUR	Campagnolo Athena, 11speed	WATERBOTTLE	Bianchi Hydra
FRONT DERAILLEUR	Campagnolo Athena 11speed clip-on front der. ~ 35 mm		
CRANKSET	FSA Gossamer MegaExo Compact;170-172,5-175mm x 110mmBCD x 50/34t N10/11; Forged AL6061 arms; 147mm Q-factor, BB 68mm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Campagnolo Chorus 11sp		
CASSETTE / FREEWHEEL	Campagnolo Chorus 11sp 12-27T		
BRAKE	Campagnolo BLACK SKELETON brakes (dual pivot front+rear)		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing 7 LG black clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymetric 18-20 spokes		
TYRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI	Also available in colours:	

 KK: Black carbon/Ck

INTENSO - VELOCE 10SP COMPACT



CODE	YKB23	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8"EXT: 90MM-47~50CM, 100MM-53CM, 110MM-55~57CM, 120MM-59CM, 130MM-61CM
COLOR	CK: Celeste Glossy KK: Black carbon/Ck (PHOTO)	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, EXT:400MM-47~50CM , 420MM-53~55CM ,440MM-57~61CM
FRAME	C2C CARBON "INTENSO"-14" , 11/8"- 1.5" , BB shell BSA, internal cable sizes 47-50-53-55-57-59-61-63cm	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SEATPOST	Reparto Corse alloy shaft, 2D forged alloy head, 25 mm offset, L350mm, 31,6mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	SADDLE	San Marco Era Startup Power, steel rail, cover syntex + HF + grip holes, length/wide 277x145
FORK	FULL CARBON 28"- 300mm - 1.5" - ss56mm with Kevlar	PEDALS	-
SHIFTER	Campagnolo Veloce Power Shift 10s Ergopower	BOTTLE CAGE	Elite Paron
REAR DERAILLEUR	Campagnolo Veloce 10s short cage	WATERBOTTLE	Bianchi Hydra
FRONT DERAILLEUR	Campagnolo Veloce BLACK 9/10s clip-on front der. 35 mm		
CRANKSET	Omega MegaExo Compact CK-C4001SS, Die Cast, 3mm AL7075 Rings;170-172,5-175mm x 110mmBCD x 50/34T N 10		
BOTTOM BRACKET included in the crankset			
CHAIN	Team Issue CN-910 10sp, 110 link , Includes 1-PC Connector		
CASSETTE / FREEWHEEL	Centaur UD 10speed,12-27T		
BRAKE	Reparto Corse RC-471 Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
RIM/WHEELSET	Racing Corsa black clincher, aluminium 24,3mm 18-24 spokes		
TYRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI		

Also available in colours:



CK: Celeste Glossy

INTENSO - TIAGRA 10SP COMPACT



CODE	YKB96	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8"EXT: 90MM-47~50CM, 100MM-53CM, 110MM-55~57CM, 120MM-59CM, 130MM-61CM
COLOR	CK: Celeste Glossy	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, EXT:400MM-47~50CM , 420MM-53~55CM ,440MM-57~61CM
FRAME	C2C CARBON "INTENSO"-14" , 11/8"- 1.5" , BB shell BSA, internal cable sizes 47-50-53-55-57-59-61-63cm	GRIP / TAPE	Bianchi embossed logo
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SEATPOST	Reparto Corse alloy shaft, 2D forged alloy head, 25 mm offset, L350mm, 31,6mm
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	SADDLE	San Marco Era Startup Power, steel rail
FORK	FULL CARBON 28"- 300mm - 1.5" - ss56mm with Kevlar	PEDALS	-
SHIFTER	Shimano Tiagra ST-4600, left 2 speed, right 10 speed	BOTTLE CAGE	Elite Paron
REAR DERAILLEUR	Shimano Tiagra RD-4601, 10 speed, compatible with low gear 25-30T	WATERBOTTLE	Bianchi Hydra
FRONT DERAILLEUR	Shimano Tiagra FD-4600, band-type 34.9MM for double chainwheel		
CRANKSET	Shimano Tiagra FC-4650, compact drive type, hollowtech, for rear 10 speed, 50X34T, BB(BSA) CRANK LENGTH: 170MM-47~54CM , 172.5MM-55~59CM , 175MM-60~63CM		
BOTTOM BRACKET included in the crankset			
CHAIN	Fsa Team Issue CN-910 10sp, 110 link , Includes 1-PC Connector , width 5.88mm, finish NP		
CASSETTE / FREEWHEEL	Shimano Tiagra 10sp 10-speed 12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
RIM/WHEELSET	Shimano WH-R501 Front &Rear,8-10S, clincher		
TYRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI		

VERTIGO - VELOCE 10SP COMPACT



CODE	YKB4BI	TIRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI
COLOR	FR (Natural carbon/RED-White glossy); FQ (Natural carbon/CK-White glossy) (PHOTO)	STEM	Reparto Corse AS007N Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 90mm-100mm-110mm-120mm
FRAME	Carbon BA-03, comfort geometry, sizes 48-51-54-57-60cm	HANDLEBAR	Reparto Corse JD-RA35A Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, blac
SEATPOST CLAMP	"X Carbon System" 35mm, Black, with Bianchi logo	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
HEADSET	Fsa Orbit CE Plus, Serviceable ACB;11 1/8"; 45/45° degree Micro Angular Contact	SEATPOST	Reparto Corse SP-620 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm, 31,6mm
FORK	Full carbon 1 1/8" L300	SADDLE	San Marco Era Start Power, steel rail, cover SYNTEX, lenght/ wide277x145
SHIFTER	Campagnolo Veloce BLACK Power Shift 10sp Ergopower	PEDALS	-
REAR DERAILLEUR	Campagnolo Veloce BLACK 10sp, short cage	BOTTLE CAGE	Aluminium
FRONT DERAILLEUR	Campagnolo Veloce BLACK 9/10sp, clip-on front der. ~ 35 mm	WATERBOTTLE	Bianchi CK
CRANKSET	Fsa Omega MegaExo Compact, AL7075; 170-172,5- 175mm x 110mmBCD x 50/34T N10		
BOTTOM BRACKET	included in the crankset		
CHAIN	Fsa Team Issue CN-910 10sp, 110 link		
CASSETTE / FREEWHEEL	CENCampagnolo Centaur UD 10sp, 12-27T		
BRAKE	Reparto Corse RC-471 Forged Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
FRONT HUB	Fac Michelin Racing B100 28H, Black Anodized with Alloy QR		
REAR HUB	Fac Michelin Racing B130 (Compatible 9/10sp Campagnolo) 28H, Black Anodized with Alloy QR		
RIM/WHEELSET	Reparto Corse ROAD RUNNER 700Cc- ETRTO 622 x 15C, Aluminium 6063T6 ; CNC sides walls		

VERTIGO - TIAGRA 10SP COMPACT



CODE	YJB27	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm SIZE: 400mm-48cm, 420mm-51~57cm, 440mm-60cm
COLOR	FR (Natural Carbon/Red Decals) FQ (Natural Carbon/CK Decals) (PHOTO)	GRIP / TAPE	Bianchi embossed logo
FRAME	Carbon BA-03 COMFORT GEOMETRY sizes 48-51-54-57-60cm	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm,31,6mm
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	SADDLE	San Marco Era Start Power, steel rail, cover syntex, lenght/wide277x145
HEADSET	FSA Orbit CE Plus, Serviceable ACB ; Standard 15mm top cover;11/8" Black anodized finish ; 45/45° degree Micro Angular Contact ;7075/T6 alloy crown race	PEDALS	-
FORK	C2C FULL CARBON 11/8 L300 AV45	BOTTLE CAGE	Alloy black COLOR YAB-1
SHIFTER	Shimano Tiagra ST-4600, left 2 speed, right 10 speed	WATERBOTTLE	Celeste Bianchi
REAR DERAILLEUR	Shimano Tiagra RD-4601, 10 speed, compatible with low gear 25-30T		
FRONT DERAILLEUR	Shimano Tiagra FD-4600, band-type 34.9MM for double chainwheel		
CRANKSET	Shimano Tiagra FC-4650, compact drive type, hollowtech, for rear 10 speed, 50X34T, BB(BSA) 170-172,5-175mm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano tiagra, for 10 speed 110 links		
CASSETTE / FREEWHEEL	Shimano Tiagra 10sp 10-speed 12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
RIM/WHEELSET	Shimano WH-R501 Front &Rear,8-10S, clincher		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120 EXT: 90mm-48cm,100mm-51cm,110mm-54cm,120mm-57~60cm		

Also available in colours:




FR (Natural carbon/RED-White glossy)

C2C - IMPULSO



PRODUCT FEATURES



- Alloy frame with TRIPLE HYDROFORMED technology
- A4 Aluminium + 6061 Aluminium triple butted
- BAT and K-VID Technology with C2C geometry
- Alu/Carbon fork with straight/bent blades w/1k Kevlar®
- 9 sizes: 44,46,50,53,55,57,59,61 and 63cm
- Weight in 55 size: 1500g



MIS, SLP	A1	A5	B1	BS	C	D	E	F	G	G1	Y	X
440	420	510	493	406	58	120	578	75°	70.5°	508	371	
460	440	520	503	408	58	125	580	74.5°	71°	515	375	
500	470	525	509	408	68	130	579	74.5°	71.5°	531	376	
530	500	535	520	408	68	145	585	74°	71.5°	546	377	
550	520	550	536	410	68	155	592	73.5°	72°	557	384	
570	540	560	545	410	68	175	602	73.5°	72°	576	398	
590	560	575	561	410	68	185	607	73°	72.5°	587	395	
610	580	585	570	412	68	210	612	72.5°	72.5°	611	393	
630	600	595	581	412	68	220	617	72.5°	73°	622	399	


PRODUCT FEATURES IMPULSO DISC

- Specific super light alloy frame and fork Disc compatible
- Full Carbon fork post mount dropout
- Post mount dropout
- OLD 135mm specific dimension for disc
- Compatible with 140mm and 160mm rotor
- Chain stay length 415mm
- Sizes: 44,46,50,53,55,57,59,61,63cm
- Weight in 55 size: 1550g (+/- 5%)



MIS.SLP	A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
440	420	510	493	415	58	120	578	75°	70,5°	508	371	
460	440	520	503	415	58	125	588	74,5°	71°	515	375	
500	470	525	509	415	68	130	579	74,5°	71,5°	531	376	
530	500	535	520	415	68	145	585	74°	71,5°	546	377	
550	520	550	536	415	68	155	592	73,5°	72°	557	384	
570	540	560	546	415	68	175	602	73,5°	72°	576	388	
590	560	575	561	415	68	185	607	73°	72,5°	587	395	
610	580	585	570	415	68	210	612	72,5°	72,5°	611	393	
630	600	595	581	415	68	220	617	72,5°	73°	622	399	

PRODUCT CHARACTERISTIC



TECHNOLOGIES

TRIPLE
HYDROFORMED
TECHNOLOGY

▲ B A T ▼
K-VID

IMPULSO - ULTEGRA 11SP COMPACT



CODE	YKBF8	GRIP / TAPE	Bianchi embossed logo
COLOR	TT: Black/Grey D7 White/Silver grey decals (PHOTO)	SEATPOST	Reparto Corse alloy shaft, 2D forged alloy head, 25 mm offset, L350mm, 31,6mm
FRAME	C2C IMPULSO AL 6061 - hydroforming triple butted- sizes 44-46-50-53-55-57-59-61-63cm	SADDLE	San Marco Era Startup Power, steel rail
SEATPOST CLAMP	MX-95 RT AL 6061-T6 34.9mm anodized black	PEDALS	-
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	BOTTLE CAGE	Alloy black COLOR YAB-1
FORK	Alu carbon-kevlar FN11-K 28"- 1.1/8 300mm Ø46mm	WATERBOTTLE	Celeste Bianchi
SHIFTER	Shimano Ultegra ST-6800, 2 speed left, 11 speed right		
REAR DERAILLEUR	Shimano Ultegra RD-6800 11 speed direct attachment, compatible with low gear 23-28T for double		
FRONT DERAILLEUR	Shimano 105 FD-5800-L, double & rear 11 speed band type (34.9MM)		
CRANKSET	Shimano FC-RS500-L, 170-172-175mm hollowtech, for rear 11 speed, 50X34T, with BB(BSA) CRANK LENGTH: 170mm-44~54cm , 172.5mm-55~59cm , 175mm-60~63cm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse RC- 471Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
RIM/WHEELSET	Shimano WH-RS010 for 11 speed		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm		
HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77mm, 40-42-44cm		

Also available in colours:



TT: Black/Grey

IMPULSO - 105 11SP COMPACT



CODE	YKBE5	SADDLE	San Marco Era Startup Power, steel rail
COLOR	TT: Black/Grey	PEDALS	-
FRAME	C2C IMPULSO AL 6061 - hydroforming triple butted- sizes 44-46-50-53-55-57-59-61-63cm	BOTTLE CAGE	Alloy black COLOR YAB-1
SEATPOST CLAMP	AL 6061-T6 34.9mm anodized black	WATERBOTTLE	Celeste Bianchi
HEADSET	FSA NO.88/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube		
FORK	Alu carbon-kevlar FN11-K 28"- 1.1/8 300mm Ø46mm		
SHIFTER	Shimano 105 ST-5800,2 speed left, 11 speed right		
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T		
FRONT DERAILLEUR	Shimano 105 FD-5800-L, double & rear 11 speed band type (34.9MM)		
CRANKSET	Shimano FC-RS500-L, 170-172-175mm hollowtech, for rear 11 speed, 50X34T, with BB(BSA) CRANK LENGTH: 170mm-44~54cm , 172.5mm-55~59cm , 175mm-60~63cm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse RC-471 Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
RIM/WHEELSET	Shimano WH-RS011for 11 speed		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm		
HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77mm, 40-42-44cm		
GRIP / TAPE	Bianchi embossed logo		
SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm,31,6mm		

IMPULSO - TIAGRA 10SP COMPACT



CODE	YKBA6	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77mm, 40-42-44cm
COLOR	TT: Black/Grey	GRIP / TAPE	Bianchi embossed logo
FRAME	C2C IMPULSO AL 6061 - hydroforming triple butted- sizes 44-46-50-53-55-57-59-61-63cm	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm,31,6mm
SEATPOST CLAMP	MX-95RT AL 6061-T6 34.9mm anodized black	SADDLE	San Marco Era Start Power, steel rail, cover syntex, lenght/wide277x145
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	PEDALS	-
FORK	Alu Carbon carbon-kevlar FN11-K 28"- 1.1/8 300mm B46mm	BOTTLE CAGE	Alloy black COLOR YAB-1
SHIFTER	Shimano Tiagra ST-4600, left 2 speed, right 10 speed	WATERBOTTLE	Celeste Bianchi
REAR DERAILLEUR	Shimano Tiagra RD-4601, 10 speed, compatible with low gear 25-30T		
FRONT DERAILLEUR	Shimano Tiagra FD-4600, band-type 34.9MM for double chainwheel		
CRANKSET	Shimano Tiagra FC-4650, compact drive type, hollowtech, for rear 10 speed, 50X34T, BB(BSA) 170-172,5-175mm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano tiagra, for 10 speed 110 links		
CASSETTE / FREEWHEEL	Shimano Tiagra 10sp 10-speed 12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
FRONT HUB	Formula RB-72 alloy sealed bearing front hub 2SB, 14G*100*108MM, W/QR22, finish anodized black		
REAR HUB	Formula Alloy RB-55 two sealed bearing rear hub, Shimano 8/9/10 speed, finish anodized black, with QR		
RIM/WHEELSET	Reparto Corse R-500 700CX2-14H F/V		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm		

IMPULSO - VELOCE 10SP COMPACT

THE IMAGE SHOWN IS INDICATIVE ONLY.
Components and graphic details may differ from the actual model.



CODE	YKB31	TYRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI
COLOR	CK: Celeste Glossy (PHOTO) TT: Black/Grey	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm
FRAME	C2C IMPULSO AL 6061 - hydroforming triple butted-sizes 44-46-50-53-55-57-59-61-63cm	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77mm, 40-42-44cm
SEATPOST CLAMP	MX-95 RT AL 6061-T6 34.9mm anodized black	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061 forged alloy head, 15 mm offset, L350mm, 31,6mm
FORK	Alu carbon-kevlar FN11-K 28"- 1.1/8 300mm Ø46mm	SADDLE	San Marco Era Start Power, steel rail, cover syntex, length/wide 277x145
SHIFTER	Campagnolo Veloce Power Shift 10s Ergopower	PEDALS	-
REAR DERAILLEUR	Campagnolo Veloce 10s short cage	BOTTLE CAGE	Aluminium Ø6mm, black
FRONT DERAILLEUR	Campagnolo Veloce BLACK 9/10s clip-on front der. 35 mm	WATERBOTTLE	Celeste Bianchi
CRANKSET	FSA Omega MegaExo Compact, Die Cast Alloy; 170-172,5-175mm x 110mm BCD x 50/34t N 10 CRANK LENGTH: 170mm-44-54cm , 172,5mm-55-59cm , 175mm-60-63cm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Team Issue CN-910 10sp, 110 link , Includes 1-PC Connector		
CASSETTE / FREEWHEEL	Veloce UD 10sp 12-25T		
BRAKE	Reparto Corse RC-471 Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
FRONT HUB	Racing B100 28H Black Anodized with reparto corse logo 2013; with Alloy QR		
REAR HUB	Racing B130 (Compatible 10s/9s Campagnolo) 28H x sprocket Campa, Black Anodized w/reparto corse 2013; with Alloy QR		
RIM/WHEELSET	Reparto Corse ROAD RUNNER 700C - ETRTO 622 x 15C, Aluminium 6063T6 ; CNC sides walls, colour black ;Height 24mm; 14 x 2 holes SLD		

Also available in colours:



TT: Black/Grey

IMPULSO DISC - 105 11SP COMPACT

THE IMAGE SHOWN IS INDICATIVE ONLY.
Components and graphic details may differ
from the actual model.



CODE	YKBA5	TYRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI
COLOR	TT: Black/Grey	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm
FRAME	C2C IMPULSO AL 6061 - hydroforming triple butted-sizes 44-46-50-53-55-57-59-61-63cm Disc Brake	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77mm, 40-42-44cm
SEATPOST CLAMP	MX-95 RT AL 6061-T6 34.9mm anodized black	GRIP / TAPE	Bianchi embossed logo
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061 forged alloy head, 15 mm offset, L350mm, 31,6mm
FORK	FULL CARBON-KEVLAR C2C - 28" - 1.1/8 300mm ss46mm disc brake	SADDLE	San Marco Era Startup Power, steel rail
SHIFTER	Shimano 105 ST-5800, 2 speed left, 11 speed right	PEDALS	-
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T	BOTTLE CAGE	Alloy black COLOUR YAB-1
FRONT DERAILLEUR	Shimano 105 FD-5800-L, double & rear 11 speed band type (34.9MM)	WATERBOTTLE	Celeste Bianchi
CRANKSET	Shimano FC-RS500-L, 170-172-175mm hollowtech, for rear 11 speed, 50X34T, with BB(BSA) CRANK LENGTH: 170mm-44-54cm , 172.5mm-55-59cm , 175mm-60~63cm	WATERBOTTLE	Celeste Bianchi
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Avid BB5 mechanical disc brake post mount		
BRAKE LEVER	included		
DISC ROTOR	Avid Steel, front 160mm rear 140mm		
FRONT HUB	Alloy DC91 disc hub, 2SB, 14G*100*108mm, anodized black ,with QR30		
REAR HUB	Alloy CX32 disc hub, 2SB, 14G*135*145mm, anodized black, with QR30,for Shimano 10/11 speed		
RIM/WHEELSET	Alloy 6061 disc, 700c, 622x17 compatible with TYRE 32mm		

C2C - VIA NIRONE 7



VIA NIRONE 7

- Aluminium 7000 triple butted hydroforming to improve the rigidity
- Alu/Carbon fork with "straight/bent" blades with kevlar 1k
- BAT and K-VID Technology

PRODUCT CHARACTERISTIC


COMFORT

DESIGN

PERFORMANCE


WEIGHT

PRICE



TECHNOLOGIES

▲ B A T ▼ K-VID



MIS.SLP													
A1	AS	B1	BS	C	D	E	F	G	G1	Y	X		
440	420	510	493	406	58	120	578	75°	70.5°	508	371		
460	440	520	502	408	58	125	580	74.5°	71°	515	375		
500	470	525	507	408	68	130	580	74.5°	71.5°	531	376		
530	500	535	519	408	68	145	585	74°	71.5°	546	377		
550	520	550	534	410	68	155	592	73.5°	72°	557	384		
570	540	560	544	410	68	175	602	73.5°	72°	576	388		
590	560	575	559	410	68	185	607	73°	72.5°	587	395		
610	580	585	568	412	68	210	612	72.5°	72.5°	611	392		
630	600	595	578	412	68	220	617	72.5°	73°	622	399		

VIA NIRONE 7 - 105 11SP COMPACT



CODE	YKBW7	SADDLE	San Marco Era Start Power, steel rail, cover syntex, lenght/wide277x145
COLOR	CK: Celeste Glossy	PEDALS	-
FRAME	C2C VIA NIRONE 7 FULL ALOY 6061, SEAT POST:31.6mm sizes 44-46-50-53-55-57-59-61-63cm	BOTTLE CAGE	Alloy black COLOR YAB-1
SEATPOST CLAMP	MX-95RT AL 6061-T6 34.9mm anodized black	WATERBOTTLE	Celeste Bianchi
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube		
FORK	Fork Alu carbon-kevlar FN11-K 28"- 1.1/8 300mm Ø46mm		
SHIFTER	Shimano 105 ST-5800,2 speed left, 11 speed right		
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T		
FRONT DERAILLEUR	Shimano 105 FD-5800-L, double & rear 11 speed band type (34.9MM)		
CRANKSET	Shimano FC-RS500-L, 170-172-175mm hollowtech, for rear 11 speed, 50X34T, with BB(BSA) CRANK LENGTH: 170mm-44~54cm , 172.5mm-55~59cm , 175mm-60~63cm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
RIM/WHEELSET	Shimano WH-RS011 for 11 speed		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm		
HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77mm, 40-42-44cm		
GRIP / TAPE	Bianchi embossed logo		
SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm,31,6mm		

VIA NIRONE 7 - XENON 10SP COMPACT



CODE	YKB32	TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI
COLOR	KK: Black carbon/Ck (PHOTO) CK: Celeste Glossy	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm
FRAME	C2C VIA NIRONE 7 FULL ALOY 6061, SEAT POST:31.6mm sizes 44-46-50-53-55-57-59-61-63cm	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77mm, 40-42-44cm
SEATPOST CLAMP	MX-95RT AL 6061-T6 34.9mm anodized black	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061 forged alloy head, 15 mm offset, L350mm,31,6mm
FORK	Fork Alu carbon-kevlar FN11-K 28"- 1.1/8 300mm Ø46mm	SADDLE	San Marco Era Start Power, steel rail, cover syntex, lenght/wide277x145
SHIFTER	Xenon TM QSTM / ESCAPETM 10speed ErgopowerTM shifting levers (incl. cables and casings)*	PEDALS	-
REAR DERAILLEUR	Xenon 10speed short cage	BOTTLE CAGE	Aluminium Ø6mm, black
FRONT DERAILLEUR	Campagnolo Veloce BLACK 9/10s clip-on front der. ~ 35 mm	WATERBOTTLE	Celeste Bianchi
CRANKSET	FSA Vero Compact, Forged AL6061, outer ring and inner ring 3mm Stamped AL7075, ;170-172,5-175mm x 110mmBCD x 50/34t Q Factor 147mm, Interface JIS, Compatible 10sp N10		
BOTTOM BRACKET	FSA BB-7420AL JIS 68-103mm		
CHAIN	Team Issue CN-910 10sp, 110 link , Includes 1-PC Connector		
CASSETTE / FREEWHEEL	Primato 10sp 12-25T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
FRONT HUB	Racing B100 28H Black Anodized with reparto corse logo 2013; with Alloy QR		
REAR HUB	Racing B130 (Compatible 10s/9s Campagnolo) 28H x sprocket Campa, Black Anodized w/reparto corse 2013; with Alloy QR		
RIM/WHEELSET	Reparto Corse ROAD RUNNER 700C - ETRTO 622 x 15C, Aluminium 6063T6 ; CNC sides walls, colour black ;Height 24mm; 14 x 2 holes SLD		

Also available in colours:



CK: Celeste Glossy

VIA NIRONE 7 - TIAGRA 10SP COMPACT



CODE	YKBG8	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77mm, 40-42-44cm
COLOR	KK: Black carbon/Ck	GRIP / TAPE	Bianchi embossed logo
FRAME	C2C VIA NIRONE 7 FULL ALOY 6061, SEAT POST:31.6mm sizes 44-46-50-53-55-57-59-61-63cm	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm,31,6mm
SEATPOST CLAMP	MX-95RT AL 6061-T6 34.9mm anodized black	SADDLE	San Marco Era Start Power, steel rail, cover syntex, lenght/wide277x145
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	PEDALS	-
FORK	Fork Alu carbon-kevlar FN11-K 28"- 1.1/8 300mm Ø46mm	BOTTLE CAGE	Alloy black COLOR YAB-1
SHIFTER	Shimano Tiagra ST-4600, left 2 speed, right 10 speed	WATERBOTTLE	Celeste Bianchi
REAR DERAILLEUR	Shimano Tiagra RD-4601 SS 10 speed direct attachment compatible with low gear 25-30T for double		
FRONT DERAILLEUR	Shimano Tiagra FD-4600, band-type 34.9mm for double chainwheel		
CRANKSET	FSA Omega MegaExo Compact, Die Cast Alloy;170-172,5-175mm x 110mmBCD x 50/34t N 10 CRANK LENGTH: 170mm-44~54cm , 172,5mm-55~59cm ,175mm-60~63cm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano tiagra, for 10 speed 110 links		
CASSETTE / FREEWHEEL	Shimano Tiagra 10sp 10-speed 12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
FRONT HUB	Formula RB-72 alloy sealed bearing front hub 2SB, 14G*100*108MM, W/QR22, finish anodized black		
REAR HUB	Formula Alloy RB-55 two sealed bearing rear hub, Shimano 8/9/10 speed, finish anodized black, with QR		
RIM/WHEELSET	Reparto Corse R-500 700CX2-14H F/V		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm		

VIA NIRONE 7 - SORA 9SP COMPACT



CODE	YKB34	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77mm, 40-42-44cm
COLOR	RA : Red/Silver/White	GRIP / TAPE	Bianchi embossed logo
FRAME	C2C VIA NIRONE 7 FULL ALOY 6061, SEAT POST:31.6mm sizes 44-46-50-53-55-57-59-61-63cm	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061 forged alloy head, 15 mm offset, L350mm,31,6mm
SEATPOST CLAMP	MX-95RT AL 6061-T6 34.9mm anodized black	SADDLE	San Marco Era Startup Power, steel rail, cover syntex, lenght/wide277x145
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	PEDALS	-
FORK	Fork Alu carbon-kevlar FN11-K 28"- 1.1/8 300mm Ø46mm	BOTTLE CAGE	Alloy black COLOR YAB-1
SHIFTER	Shimano Sora ST-3500, left 2 speed, right 9 speed	WATERBOTTLE	Celeste Bianchi
REAR DERAILLEUR	Shimano Sora RD-3500,SS 9-speed direct attachment		
FRONT DERAILLEUR	Shimano Sora FD-3500 band-type 34.9mm for double chainwheel		
CRANKSET	Shimano FC-R345-L double 50X34T for rear 9 speed octalink CRANK LENGTH:170mm-44/57cm, 175mm - 59-63cm		
BOTTOM BRACKET	Shimano cartridge, type axle bsa 68mm-113		
CHAIN	Shimano CN-HG53 110links 5 9sp		
CASSETTE / FREEWHEEL	Shimano Tiagra 9-speed ni-plated 12-13-14-15-17-19-21-24-27T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
DISC ROTOR	-		
FRONT HUB	Formula RB-72 alloy sealed bearing front hub 2SB, 14G*100*108MM, W/QR22, finish anodized black		
REAR HUB	Formula Alloy RB-55 two sealed bearing rear hub, Shimano 8/9/10 speed, finish anodized black, with QR		
RIM/WHEELSET	Reparto Corse R-500 700CX2-14H F/V		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm		

VIA NIRONE 7 - CLARIS 8SP MIX COMPACT



CODE	YKBK2	HANDLEBAR	Tec Obvius flat top 6061 groove 31.8mm, reach:126mm, drop 77mm, size: 400mm-44~53cm,420mm-55~59cm440mm-61/63cm
COLOR	F1 Black White Blue	GRIP / TAPE	Bianchi embossed logo
FRAME	C2C VIA NIRONE 7 FULL ALOY 6061, SEAT POST:31.6mm sizes 44-46-50-53-55-57-59-61-63cm	SEATPOST	Tec SP-602, DIE CAST HEAD 6061 ALLOY , 31.6MM L350MM, Anodized Sand Blast Black W/TEC SPECTRA PRINT SILVER LOGO
SEATPOST CLAMP	MX-95RT AL 6061-T6 34.9mm anodized black	SADDLE	Tec Exeo VL-1539, Steel rails
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for tapered 46mm/50mm od head tube	PEDALS	
FORK	Fork Alu carbon-kevlar FN11-K 28"- 1.1/8 300mm Ø46mm	BOTTLE CAGE	Alloy black COLOR YAB-1
SHIFTER	Shimano Claris ST-2400-L, left 2 speed,right 8 speed	WATERBOTTLE	Celeste Bianchi
REAR DERAILLEUR	Shimano Claris RD-2400, 8-speed direct attachment		
FRONT DERAILLEUR	Shimano Claris FD-2400, claris band-type 34.9MM for double chainwheel		
CRANKSET	Shimano Claris FC-2450, 170-175mm octalink, 50X34T for 8-speed length:170mm-44/57cm,175mm-59~63cm		
BOTTOM BRACKET	Shimano cartridge, type axle bsa 68mm-113		
CHAIN	Z72 1/8"X3/32" for 8 speed ,108 links		
CASSETTE / FREEWHEEL	Claris 8sp 11-30T, 11-13-15-17-20-23-26-30T		
BRAKE	Tec Cold forged Alloy Dual-Pivot caliper brake F+R 39-52mm		
BRAKE LEVER	included		
DISC ROTOR	-		
FRONT HUB	Formula Alloy RB-51 ball bearing 28h		
REAR HUB	Formula Alloy RB-52 ball bearing 28h		
RIM/WHEELSET	Tec TRRP220 - DRX 4000 - 700C 622 x 14C, 28H		
TIRE	Tec Scando 27 TPI		
STEM	Tec Obvius 3D forged alloy 31.8mm CLAMP 70mm-90mm-100mm-110mm-120mm		

VIA NIRONE 7 - TIAGRA 10SP COMPACT FLAT



CODE	YKB82	HANDLEBAR	Alloy 6061 PG, 600mm, flat bar, 5° bend, 31,8mm
COLOR	F5 - Graphite/blue Matt	GRIP / TAPE	VLG-043-03 EVA BLACK 130mm with embossed
FRAME	C2C VIA NIRONE 7 ALU SEAT POST:31.6mm with mudguard and rear carrier predisposition;sizes 44-46-50-53-55-57-59-61-63cm	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm,31,6mm
SEATPOST CLAMP	MX-95RT AL 6061-T6 34.9mm anodized black	SADDLE	San Marco Era Startup Power, steel rail, cover syntex, lenght/wide277x145
HEADSET	FSA ZS4-CUSTOM : alloy cup with sealed bearings with top cup 15mm Al Semi integrated 28,6 OD50mm ID44mm 30mm fork cone	PEDALS	-
FORK	ALU 6061+ CARBON-KEVLAR in front leg - 1.1/8 300mm with mudguard and rear carrier predisposition	BOTTLE CAGE	Alloy black COLOR YAB-1
SHIFTER	Shimano Tiagra ST-4600, left 2 speed, right 10 speed	WATERBOTTLE	Celeste Bianchi
REAR DERAILLEUR	Shimano Tiagra RD-4601, 10 speed, compatible with low gear 25-30T for double		
FRONT DERAILLEUR	Shimano Tiagra FD-4600, band-type 34.9MM for double chainwheel		
CRANKSET	Shimano Tiagra FC-4650, compact drive type, hollowtech, for rear 10 speed, 50X34T, BB(BSA) 170-172,5-175mm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano tiagra, for 10 speed 110 links		
CASSETTE / FREEWHEEL	Shimano Tiagra 10sp 10-speed 12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano BR-R451 caliper brake, front CS57, 12.5 mm sunken nut; Shimano BR-R451 caliper brake rear, CS57, 10.5mm sunken nut		
BRAKE LEVER	Shimano BL-3500, for flat handle bar road, left for canti/caliper-brake Shimano BL-3500, for flat handle bar road, right,for canti/caliper-brake		
RIM/WHEELSET	Shimano WH-R501 Front &Rear,8-10S, clincher		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm		

VIA NIRONE 7 - SORA 9SP COMPACT FLAT



CODE	YKB58	RIM/WHEELSET	Reparto Corse R-500 700CX2-14H F/V
COLOR	MY Black/Ck Matt	TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI
FRAME	C2C VIA NIRONE 7 ALU SEAT POST:31.6mm with mudguard and rear carrier predisposition;sizes 44-46-50-53-55-57-59-61-63cm	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm
SEATPOST CLAMP	MX-95RT AL 6061-T6 34.9mm anodized black	HANDLEBAR	Alloy 6061 PG, 600mm, flat bar, 5° bend, 31,8mm
HEADSET	FSA ZS4-CUSTOM : alloy cup with sealed bearings with top cup 15mm Al Semi integrated 28,6 OD50mm ID44mm 30mm fork cone	GRIP / TAPE	VLG-043-03 EVA BLACK 130mm with embossed
FORK	ALU 6061+ CARBON-KEVLAR in front leg - 1.1/8 300mm	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061 forged alloy head, 15 mm offset, L350mm,31,6mm
SHIFTER	Shimano Sora SL-3500 for flat handlebar road, left 2 speed rapidfire plus	SADDLE	Era Start Power, steel rail, cover SYNTEX, lenght/wide277x145
REAR DERAILLEUR	Shimano Sora RD-3500,SS 9-speed direct attachment	PEDALS	-
FRONT DERAILLEUR	Shimano Sora FD-3500 band-type 34.9mm for double chainwheel	BOTTLE CAGE	Alloy black COLOR YAB-1
CRANKSET	Shimano FC-R345-L double 50X34T for rear 9 speed octalink CRANK LENGTH:170mm-44/57cm, 175mm - 59-63cm	WATERBOTTLE	Celeste Bianchi
BOTTOM BRACKET	Shimano cartridge, type axle bsa 68mm-113		
CHAIN	Shimano CN-HG53 110links 5 9sp		
CASSETTE / FREEWHEEL	Shimano Tiagra 9-speed ni-plated 12-13-14-15-17-19-21-24-27T		
BRAKE	Shimano BR-R451 caliper brake, front CS57, 12.5 mm sunken nut; Shimano BR-R451 caliper brake rear, CS57, 10.5mm sunken nut		
BRAKE LEVER	Shimano BL-3500, for flat handle bar road, left for canti/caliper-brake Shimano BL-3500, for flat handle bar road, right,for canti/caliper-brake		
FRONT HUB	Formula RB-72 alloy sealed bearing front hub 2SB, 14G*100*108MM, W/QR22, finish anodized black		
REAR HUB	Formula Alloy RB-55 two sealed bearing rear hub, Shimano 8/9/10 speed, finish anodized black, with QR		

C2C - DAMA BIANCA





PROJECT PHILOSOPHY

Wide range to satisfy the various levels of performance and price required by the female public with sizes and components adapted to women needs following the C2C philosophy

MODELS IN THIS CATEGORY

- [Dama Bianca Infinito CV](#)
- [Dama Bianca Intenso](#)
- [Dama Bianca Impulso](#)
- [Dama Bianca Via Nirone 7](#)





MIS.SLP INFINITO-CV LADY Carbon DAMA BIANCA

A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
470	440	515	497	408	68	125	577	74.5°	70.5°	519	368
500	470	525	507	408	68	140	579	74.5°	71.5°	537	373
530	500	535	518	409	68	155	586	74°	71.5°	551	375
550	520	550	532	410	68	170	592	73.5°	72°	567	381

MIS.SLP INTENSO LADY Carbon DAMA BIANCA

A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
470	440	515	497	408	68	125	577	74.5°	70.5°	519	368
500	470	525	507	408	68	140	579	74.5°	71.5°	537	373
530	500	535	518	409	68	155	586	74°	71.5°	551	375
550	520	550	532	410	68	170	592	73.5°	72°	567	381



MIS.SLP IMPULSO SL LADY Alu DAMA BIANCA

A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
440	420	510	493	406	58	120	578	75°	70.5°	508	371
460	440	520	503	408	58	125	580	74.5°	71°	515	375
500	470	525	509	408	68	130	579	74.5°	71.5°	531	376
530	500	535	520	408	68	145	585	74°	71.5°	546	377
550	520	550	536	410	68	155	592	73.5°	72°	557	384

MIS.SLP VIA NIRONE 7 LADY Alu DAMA BIANCA

A1	AS	B1	BS	C	D	E	F	G	G1	Y	X
440	420	510	493	406	58	120	578	75°	70.5°	508	371
460	440	520	502	408	58	125	580	74.5°	71°	515	375
500	470	525	507	408	68	130	580	74.5°	71.5°	531	376
530	500	535	519	408	68	145	585	74°	71.5°	546	377
550	520	550	534	410	68	155	592	73.5°	72°	557	384

DAMA BIANCA INFINITO CV ULTEGRA



CODE	YKBX3	STEM	FSA Team Issue, Carbon Wrap - Oversized (diam.31.8mm), ST-OS-168/CW-UD, 6061 Alloy w/0.5mm Carbon Wrap for OS Bars, ±6°70/90/100mm
COLOR	PV= White/graphite/Ck D9= Black/ graphite matt (PHOTO)	HANDLEBAR	Reparto Corse JD-RA38A Compact Flat Top, alloy 6061, diam. 31.8mm, reach 116,1mm, drop 66,3mm
FRAME	C2C INFINITO Carbon - CV Mechanical/Electronic Di2/EPS (compatible with 28" tire) -BBset "PF30" sizes 47-50-53-55cm	GRIP / TAPE	Bike Ribbon Eolo soft + new plug carbon look with Bianchi logo
BOLTS / HARDWARE	Carbon Ti AL7075-T6 testa larga Torx M5*14mm x 4pz	SEATPOST	FSA SL-K - material UD Carbon Shaft with Alloy Head, clamp typeTwo Bolt "SBS" Head, setback 20mm, diam. diam.31.6mm, lenght 350mm
SEATPOST CLAMP	"X Carbon System" 35mm, Black, with Bianchi logo	SADDLE	Fizik Vesta mg; Microtex with thermo-welded,Manganese rail,ICS system
HEADSET	FSA Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	C2C FULL CARBON-CV 28"-300mm - 1,5"	BOTTLE CAGE	Elite Paron Race composit material
SHIFTER	Shimano Ultegra ST-6800, 2 speed left, 11 speed right	WATERBOTTLE	Bianchi Hydra Elite
REAR DERAILLEUR	Shimano Ultegra RD-6800 11 speed direct attachment, compatible with low gear 23-28T for double		
FRONT DERAILLEUR	Shimano Ultegra 11 sp FD 6800 for front double & rear 11 speed band type (34.9mm)		
CRANKSET	Shimano Ultegra FC-6800, Compact 165-170mm Hollowtech 2,for 11sp 50X34T		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano Ultegra CN-6800 11sp, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17- 19-21-23-25-28T		
BRAKE	Shimano Ultegra BR-6800		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing 5, clincher,front rim aluminium 24,3mm,rear rim aluminium 27,5mm , 18-20 spokes		
TYRE	Rubino Pro Slick 700 x 25, 60TPI		

Also available in colours:



PV: White

DAMA BIANCA INTENSO - ULTEGRA DI2 11SP



CODE	YKBP11	RIM/WHEELSET	Fulcrum Racing 5, clincher, front rim aluminium 24,3mm, rear rim aluminium 27,5mm asymmetric, 18-20 spokes
COLOR	D9= Black/ graphite matt	TIRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI
FRAME	C2C CARBON "INTENSO"-Di2 , 11/8" - 1.5" , BB shell BSA, internal cable, compatible mechanical and electronic sizes 47-50-53-55cm	STEM	Reparto Corse AS007N Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70mm-90mm-100mm
SEATPOST CLAMP	"X Carbon System" 35mm, Black, with Bianchi logo	HANDLEBAR	Reparto Corse JD-RA38A Compact Flat Top, alloy 6061, diam. 31.8mm, reach 116,1mm, drop 66,3mm
HEADSET	Fsa Orbit C-40-CF-ACB, 1-1/8 ACB Top, 1.5" ACB Btm , with 15mm Carbon Cone Spacer for 46/56mm Head Tubes	GRIP / TAPE	Bianchi embossed logo
FORK	Full Carbon 28"- 300mm - 1.5" - ss56mm with Kevlar	SEATPOST	FSA SL-K - material UD Carbon Shaft with Alloy Head, clamp type Two Bolt "SBS" Head, setback 20mm, diam. diam.31.6mm, lenght 350mm compatible Di2
SHIFTER	Shimano Ultegra Di2 11sp ST-6870, 2speed, ST-6870, 11speed	SADDLE	San Marco Era Startup GLAMOUR (Open), cover syntex + HF, carbon steel rail, lenght/wide 270x158mm
REAR DERAILLEUR	Shimano Ultegra Di2 11sp RD-6870, 11sp, Compatible with low gear 23-28T for double	PEDALS	-
FRONT DERAILLEUR	Shimano Ultegra Di2 11sp FD-6870-F, Brazed-on Type, for rear 11sp + seat tube adaptor for FD-6770-F, SM-AD67 L-SIZE(34.9MM)	BOTTLE CAGE	Elite Paron Race composit material
ELECTRIC CABLE	Junction-A, SM-EW90-A, Dura Ace Di2 for standard handle spec	WATERBOTTLE	-Bianchi Hydra
BATTERY / MOUNT	Shimano SM-BTR2		
CHARGER / PWR CABLE	Battery charger, SM-BCR2, for SM-BTR2 Including charging cord		
CRANKSET	Shimano Ultegra FC-6800, 11 sp hollowtech 170-172.5-175mm, 50X34T BB(BSA)		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23- 25-28T		
BRAKE	Shimano Ultegra BR-6800		
BRAKE LEVER	included		

DAMA BIANCA INTENSO - 105 11SP COMPACT



CODE	YKBF1	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
COLOR	PV: White D9 Black (PHOTO)	SEATPOST	Reparto Corse alloy shaft, 2D forged alloy head, 25 mm offset, L350mm, 31,6mm
FRAME	C2C CARBON "INTENSO"-14" , 11/8"- 1.5" , BB shell BSA, internal cable sizes 47-50-53-55cm	SADDLE	San Marco ERA Startup Glamour, carbon steel rail
SEATPOST CLAMP	X Carbon System" 35mm,with Bianchi logo	PEDALS	-
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	BOTTLE CAGE	Elite Paron Race composit material
FORK	FULL CARBON 28"- 300mm - 1.5" - ss56mm with Kevlar	WATERBOTTLE	-Bianchi Hydra
SHIFTER	Shimano 105 ST-5800,2 speed left, 11 speed right		
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T		
FRONT DERAILLEUR	Shimano 105 FD-5800-L, double & rear 11 speed band type (34.9MM)		
CRANKSET	Shimano FC-RS500-L,165-170mm hollowtech, for rear 11 speed, 50X34T, W/B(BSA) CRANK LENGTH: 165mm-44~46cm , 170mm-50/53/55cm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing sport black clincher, aluminium 24,3mm 18-24 spokes		
TIRE	Zaffiro Pro Slick 700 x 25, 60TPI		
STEM	Reparto Corse AS007N Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8"; EXT:70mm-47cm, 90mm-50~53cm, 100mm-55cm		
HANDLEBAR	Reparto Corse JD-RA38A Compact Flat Top, alloy 6061, diam. 31.8mm, reach 116,1mm, drop 66,3mm	Also available in colours:	

 PV: White

DAMA BIANCA INTENSO - VELOCE 10SP COMPACT



CODE	YKBY1	STEM	FSA Team Issue, Carbon Wrap - Oversized (diam.31.8mm), ST-OS-168/CW-UD, 6061 Alloy w/0.5mm Carbon Wrap for OS Bars, ±6°70/90/100mm
COLOR	PV: White (PHOTO) D9 Black	HANDLEBAR	Reporto Corse JD-RA38A Compact Flat Top, alloy 6061, diam. 31.8mm, reach 116,1mm, drop 66,3mm
FRAME	C2C CARBON "INTENSO"-14" , 11/8"- 1.5" , BB shell BSA, internal cable sizes 47-50-53-55cm	GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo
BOLTS / HARDWARE	Carbon Ti AL7075-T6 testa larga Torx M5*14mm x 4pz	SEATPOST	Reporto Corse SP-TEC-2 alloy shaft, 2D forged alloy head, 25 mm offset, L350mm, 31,6mm
SEATPOST CLAMP	"X Carbon System" 35mm, Black, with Bianchi logo	SADDLE	Fizik Vesta mg; Microtex with thermo-welded,Manganese rail,ICS system
HEADSET	FSA Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	Full Carbon 28"- 300mm - 1.5" - ss56mm with Kevlar	BOTTLE CAGE	Elite Paron Race composit material
SHIFTER	Campagnolo Veloce Power Shift 10s Ergopower	WATERBOTTLE	Bianchi Hydra Elite
REAR DERAILLEUR	Campagnolo Veloce 10s short cage		
FRONT DERAILLEUR	Campagnolo Veloce BLACK 9/10s clip-on front der. 35 mm		
CRANKSET	Omega MegaExo Compact CK-C4001SS, Die Cast, 3mm AL7075 Rings;170-172,5-175mm x 110mmBCD x 50/34t N 10		
BOTTOM BRACKET	included in the crankset		
CHAIN	FSA Team Issue CN-910 10sp, 110 link , Includes 1-PC Connector		
CASSETTE / FREEWHEEL	Campagnolo Centaur UD 10speed,12-27T		
BRAKE	Shimano Ultegra BR-6800		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing Corsa black clincher, aluminium 24,3mm 18-24 spokes	Also available in colours:	
TYRE	Vittoria Rubino Pro Slick 700 x 25, 60TPI		

DAMA BIANCA IMPULSO DISC-105 11SP COMPACT

THE IMAGE SHOWN IS INDICATIVE ONLY.
Components and graphic details may differ
from the actual model.



CODE	YKBA8	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" EXT:70mm-44~46cm, 90mm-50~55cm
COLOR	PU- White/ck/pink	HANDLEBAR	Reparto Corse JD-RA38A Compact Flat Top, alloy 6061, diam. 31.8mm, reach 116,1mm, drop 66,3mm
FRAME	IMPULSO FULL ALLOY 6061 - hydroforming triple butted-sizes 44-46-50-53-55 cm Disc brake	GRIP / TAPE	Bianchi embossed logo
SEATPOST CLAMP	MX 95RT AL 6061-T6 34.9mm anodized black	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm,31,6mm
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	SADDLE	San Marco ERA Startup Glamour, carbon steel rail
FORK	ALU CARBON-KEVLAR C2C - 28" - 1.1/8 300mm ss46mm disc brake	PEDALS	-
SHIFTER	Shimano 105 ST-5800, 2 speed left, 11 speed right	BOTTLE CAGE	Alloy black COLOR YAB-1
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T	WATERBOTTLE	Celeste Bianchi
FRONT DERAILLEUR	Shimano 105 FD-5800-L, double & rear 11 speed band type (34.9MM)		
CRANKSET	Shimano FC-RS500-L, 165-170mm hollowtech, for rear 11 speed, 50X34T, W/B(BSA) CRANK LENGTH: 165mm-44~46cm , 170mm-50/53/55cm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Avid BB5 mechanical disc brake post mount		
BRAKE LEVER	included		
DISC ROTOR	Avid Steel, front 160 mm rear 140 mm		
FRONT HUB	Formula Alloy DC91 disc hub, 2SB, 14G*100*108mm, anodized black ,with QR30		
REAR HUB	Formula Alloy CX32 disc hub, 2SB, 14G*135*145mm, anodized black, with QR30,for Shimano 10/11 speed		
RIM/WHEELSET	Alloy 6061 disc, 700c, 622x17 compatible with tire 32mm		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPi		

DAMA BIANCA IMPULSO - 105 11SP COMPACT



CODE	YKBQ5	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm, 31,6mm
COLOR	PU- White/ck/pink	SADDLE	San Marco ERA Startup Glamour, carbon steel rail
FRAME	C2C IMPULSO AL 6061 - hydroforming triple butted ,sizes 44-46-50-53-55cm	PEDALS	-
SEATPOST CLAMP	MX 95 RTAL 6061-T6 34.9mm anodized black	BOTTLE CAGE	Alloy black COLOR YAB-1
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	WATERBOTTLE	Celeste Bianchi
FORK	Fork Alu carbon-kevlar FN11-K 28"- 1.1/8 300mm B46mm		
SHIFTER	Shimano 105 ST-5800,2 speed left, 11 speed right		
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T		
FRONT DERAILLEUR	Shimano 105 FD-5800-L, double & rear 11 speed band type (34.9MM)		
CRANKSET	Shimano FC-RS500-L,165-170mm hollowtech, for rear 11 speed, 50X34T, W/BB(BSA) CRANK LENGTH: 165mm-44~46cm , 170mm-50/53/55cm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano CN-HG600-11 for 11-speed ,110 links		
CASSETTE / FREEWHEEL	Shimano 105 11sp 11-28T 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
RIM/WHEELSET	Shimano WH-RS011for 11 speed		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" EXT:70mm-44~46cm, 90mm-50~55cm		
HANDLEBAR	Reparto Corse JD-RA38A Compact Flat Top, alloy 6061, diam. 31.8mm, reach 116,1mm, drop 66,3mm		
GRIP / TAPE	Bianchi embossed logo		

DAMA BIANCA VIA NIRONE 7 - TIAGRA 10SP COMPACT



CODE	YKBFG	GRIP / TAPE	Bianchi embossed logo
COLOR	PP- White/ck/pink	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm,31,6mm
FRAME	C2C VIA NIRONE 7 AL 6061,sizes 44-46-50-53-55cm	SADDLE	San Marco ERA Startup Glamour, carbon steel rail
SEATPOST CLAMP	MX 95 RT AL 6061-T6 34.9mm anodized black	PEDALS	-
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	BOTTLE CAGE	Alloy black COLOR YAB-1
FORK	Fork Alu carbon-kevlar FN11-K 28"- 1.1/8 300mm B46mm	WATERBOTTLE	Celeste Bianchi
SHIFTER	Shimano Tiagra ST-4600, left 2 speed, right 10 speed		
REAR DERAILLEUR	ShimanoTiagra RD-4601, 10 speed, compatible with low gear 25-30T for double		
FRONT DERAILLEUR	Shimano Tiagra FD-4600, band-type 34.9MM for double chainwheel		
CRANKSET	FSA Omega MegaExo Compact, Die Cast Alloy;170-172,5-175mm x 110mmBCD x 50/34t N10		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano tiagra, for 10 speed 110 links		
CASSETTE / FREEWHEEL	Shimano Tiagra 10sp 10-speed 12-13-14-15-17-19-21-23-25-28T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
FRONT HUB	Formula RB-72 alloy sealed bearing front hub 2SB, 14G*100*108MM, W/QR22, finish anodized black		
REAR HUB	Formula Alloy RB-55 two sealed bearing rear hub, Shimano 8/9/10 speed, finish anodized black, with QR		
RIM/WHEELSET	Reparto Corse R-500 700CX2-14H F/V		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" EXT:70mm-44~46cm, 90mm-50~55cm		
HANDLEBAR	Reparto Corse JD-RA38A Compact Flat Top, alloy 6061, diam. 31.8mm, reach 116,1mm, drop 66,3mm		

DAMA BIANCA VIA NIRONE 7 - SORA 9SP COMPACT



CODE	YKBF3	GRIP / TAPE	Bianchi embossed logo
COLOR	PP (White/CK/Pink) LB (Black/CK/Pink) (PHOTO)	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm, 31,6mm
FRAME	C2C VIA NIRONE 7 AL 6061, sizes 44-46-50-53-55cm	SADDLE	San Marco ERA Startup Glamour, carbon steel rail
SEATPOST CLAMP	MX 95 RT AL 6061-T6 34.9mm anodized black	PEDALS	-
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part+ integrated upper part, with 15mm top cover for taparad 46mm/50mm od head tube	BOTTLE CAGE	Alloy black COLOR YAB-1
FORK	Fork Alu carbon-kevlar FN11-K 28" - 1.1/8 300mm B46mm	WATERBOTTLE	Celeste Bianchi
SHIFTER	Shimano Sora ST-3500, left 2 speed, right 9 speed		
REAR DERAILLEUR	Shimano Sora RD-3500, SS 9-speed direct attachment		
FRONT DERAILLEUR	Shimano Sora FD-3500 band-type 34.9mm for double chainwheel		
CRANKSET	Shimano FC-R345-L double 170mm 50X34T for rear 9 speed, octalink CRANK LENGTH:170-44/55cm		
BOTTOM BRACKET	Shimano cartridge, type axle bsa 68mm-113		
CHAIN	Shimano CN-HG53 110links 5 9sp		
CASSETTE / FREEWHEEL	Shimano Tiagra 9-speed ni-plated 12-13-14-15-17-19-21-24-27T		
BRAKE	Reparto Corse Alloy Dual-Pivot caliper (39-52mm)		
BRAKE LEVER	included		
FRONT HUB	Formula RB-72 alloy sealed bearing front hub 2SB, 14G*100*108MM, W/QR22, finish anodized black		
REAR HUB	Formula Alloy RB-55 two sealed bearing rear hub, Shimano 8/9/10 speed, finish anodized black, with QR		
RIM/WHEELSET	Reparto Corse R-500 700CX2-14H F/V		
TIRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" EXT:70mm-44~46cm, 90mm-50~55cm		
HANDLEBAR	Reparto Corse JD-RA38A Compact Flat Top, alloy 6061, diam. 31.8mm, reach 116,1mm, drop 66,3mm		

Also available in colours:




PP (WHITE/CK/PINK)

D2 - SPECIAL

D|2

The best on all roads, whether tarmac or dirt. D2 bikes feature special frames to fight against the clock in professional time-trial races or to face muddy courses in cyclo-cross events.



TIME TRIAL / TRIATHLON

- Frames developed to obtain the best performances against the clock in time trial competitions
- Super rigid, lightweight and aerodynamic models fine-tuned for maximum performance

MODELS IN THIS CATEGORY


- [Aquila CV](#)
- [Pico Alu \(TT & Triathlon\)](#)

CYCLOCROSS

- Frames developed to obtain the best performances in particular cyclocross condition matching lightness and resistance

MODELS IN THIS CATEGORY

- [Zolder](#)
- [Zurigo](#)



D2 AQUILA CV

The logo for Aquila CV, featuring the word "AQUILA" in a bold, black, sans-serif font, with "CV" in a red, stylized font.


PROJECT PHILOSOPHY

The completely new **Aquila CV** carbon frame with patented Countervail® material is engineered by Bianchi for superior aerodynamic advantage and ride control while reducing muscle fatigue. The frame is designed using the most advanced **CFD** (Computational Fluid Dynamics) simulation software and it is tested in the wind tunnel with our WorldTour athletes from the Belkin Pro Cycling team. The concept behind the creation of new bike is to minimize the aerodynamic drag through special design and seamless integration components. Frame has entirely smooth surfaces and no exposed fasteners.

PRODUCT FEATURES

- **NACA (National Advisory Committee for Aeronautics)** aerodynamic profiles
- Monocoque carbon frame
- High-modulus carbon frame with innovative **Countervail®** carbon material to cancel vibrations
- Full carbon fork
- Dedicated geometry with 76.5° seat tube angle and 72° head tube angle
- Adjustable rear dropouts to reduce the turbulences minimizing the distance between the rear wheel and the seat tube
- Compatible for mechanic and electronic groupsets
- Internal cable routing
- Absence of truncations
- Integrated aerodynamic bars and stem
- Concealed front brake
- Minimized rear brake set-up located at the bottom-bracket area
- Weight: 1,30 Kg
- Sizes: XS – S – M - L

PRODUCT CHARACTERISTIC



AVAILABLE AS A FRAMESET

TECHNOLOGIES

The Countervail logo, featuring a circular icon with a stylized wave or 'C' shape, followed by the word "COUNTERVAIL®" and "VIBRATION CANCELLING COMPOSITE TECHNOLOGY" below it.

D2 AQUILA CV



CONCEALED BRAKES

Bianchi's experience in the wind tunnel combined with CFD simulations confirms that the front area of the bicycle is the most important when considering aerodynamic drag. With this in mind, Bianchi engineered a customized front tube cover, made in carbon, to smoothly hide the V-brake system. The rear V-brake is positioned in the bottom-bracket area to minimize the aerodynamic drag.



SUPER AERO HANDLEBAR

Aquila CV features full NACA airfoil shape of the handlebar (designed by Bianchi), smoothly integrated into the form of the frontal area of the frame. All cabling and wires are run internal to the bar to exclude them from wind drag.

Three different stem lengths:

1. 90mm
2. 110mm
3. 130mm



DOUBLE POSITIONING SEATPOST

The aluminum seatpost clamp of the Aquila CV features 2 different positions to allow road TT and triathlon configuration with +/- 18mm setback.

AQUILA CV - DURACE DI2 11SP



CODE	YKBF2	STEM	included in the handlebar
COLOUR	KW= Black matt/ck/titan outline glossy	HANDLEBAR	Bianchi Aero Carbon Fully Integrated flat custom handlebar and stem, width 41mm, stem length 90-110-130mm, top cup included, Di2 compatible.
FRAME	Aquila Time trial carbon with Countervail compatible electronic and mechanical pressfit 86,5x41mm Size XS - S - M - L	GRIP / TAPE	Bike Ribbon Eolo soft
HEADSET	Fsa NO.8-R, 1-1/8" 45/45 SL alloy ACB Alloy bearing	SEATPOST	Bianchi Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, length 300mm for XS-SM; 350mm for MD-LG
FORK	Time Trial Full Carbon (with pivot V-br) blades straight with brake covered 1.1/8 300mm	SADDLE	Fizik Tritone K:ium, Nylon carbon reinforced, RAIL K:ium
SHIFTER	Dura Ace Di2ST-9071,Dura Ace Di2 for TT handle spec, left 2 speed, right 11 speed	PEDALS	-
REAR DERAILLEUR	Shimano Dura Ace Di2 RD-9070, 11 speed direct attachment		
FRONT DERAILLEUR	Shimano Dura Ace Di2 FD-9070-F, brazed-on type, for rear 11 speed		
ELECTRIC CABLE	Shimano junction-A, SM-EW90-B, DURACE DI2 FOR TT-handle spec		
BATTERY / MOUNT	Shimano SM-BTR2		
CHARGER / PWR CABLE	Battery charger, SM-BCR2, for SM-BTR2 Including charging cord		
CRANKSET	Shimano Dura Ace 11v 170/172,5/175mm HOLLOWTECH2, 53/39T		
BOTTOM BRACKET	iShimano SM72-41B press fit		
CHAIN	Shimano Dura Ace CN-9000 11-speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Dura Ace CS-9000 11 speed, 11-12-13-14-15-16-17-19-21-23-25T		
BRAKE	TRP TTV RCR Alloy Forged and CNC aluminum arms, Super aerodynamic design, Individual spring tension screws, Standard replaceable cartridge pads		
BRAKE LEVER	included in the shifter		
RIM/WHEELSET	Fulcrum Red WIND XLR - DARK - profile 80mm - USB - Aluminium/Carbon		
TYRE	Vittoria Diamante Pro 23-622 / 700x23c, 220TPI		

AQUILA CV - ULTEGRA 11SP



CODE	YKBF4	SEATPOST	Bianchi Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, length 300mm for XS-SM; 350mm for MD-LG
COLOUR	KW= Black matt/ck/titan outline glossy	SADDLE	Fizik Arione TRI2 mg, shell nylon carbon reinforced, rail Manganese
FRAME	Aquila Time trial carbon with Countervail compatible electronic and mechanical pressfit 86,5x41mm Size XS - S - M - L		
HEADSET	Fsa NO.8-R, 1-1/8" 45/45 SL alloy ACB Alloy bearing	PEDALS	-
FORK	Time Trial Full Carbon (with pivot V-br) blades straight with brake covered 1.1/8 300mm		
SHIFTER	Shimano Dura Ace bar end type, SL-BSR1, 2/3x11-speed		
REAR DERAILLEUR	Shimano Ultegra RD-6800 11 speed direct attachment, compatible with low gear 23-28T for double		
FRONT DERAILLEUR	Shimano Ultegra 11 sp FD 6800 for front double & rear 11 speed brazed-on type		
CRANKSET	Shimano Ultegra 11sp hollowtech 170-172.5-175mm , 52X36T CRANK LENGTH: 170mm-XS-SM, 172.5mm-MD, 175mm-LG		
BOTTOM BRACKET	iShimano SM72-41B press fit		
CHAIN	Shimano Ultegra CN-6800 11speed, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp , 11-12-13-14-15-16-17-19-21-23-25T		
BRAKE	TRP TTV RCR Alloy Forged and CNC aluminum arms, Super aerodynamic design, Individual spring tension screws, Standard replaceable cartridge pads		
BRAKE LEVER	Shimano Dura Ace BL-TT79, for TT/Triathlon right or left compatible		
RIM/WHEELSET	Fulcrum Racing Quattro, clincher		
TYRE	Vittoria Diamante Pro 23-622 / 700x23c, 220TPI		
STEM	included in the handlebar		
HANDLEBAR	Fsa Bianchi Aero Carbon Fully Integrated flat custom handlebar and stem, width 41mm, stem length 90-110-130mm, top cup included, Di2 compatible.		
GRIP / TAPE	Bike Ribbon Eolo soft		

AQUILA CV FRAMESET



CODE XKB28

COLOR KW= Black matt/ck/titan outline glossy

FRAME Aquila Time trial carbon Size XS - SM - MD - LG

HEADSET Fsa NO.8-R, 1-1/8" 45/45 SL alloy ACB Alloy bearing


FORK Time Trial Full Carbon (with pivot V-br) blades straight with brake covered 1.1/8 300mm B46mm

BRAKE TRP TTV RCR Alloy Forged and CNC aluminum arms, Super aerodynamic design, Individual spring tension screws, Standard replaceable cartridge pads

STEM included in the handlebar

HANDLEBAR Fsa Bianchi Aero Carbon Fully Integrated flat custom handlebar and stem, width 41mm, stem length 90-110-130mm, top cup included, Di2 compatible.

SEATPOST Bianchi Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, lenght 300mm for XS-SM; 350mm for MD-LG




MIS.

	A	B	C	D	E	F	G	G1	Y	X
XS	460	500	398	75	80	563	76.5°	72°	483	378
S	550	530	398	75	90	590	76.5°	72°	492	403
M	580	555	398	75	120	618	76.5°	72°	521	422
L	610	580	398	75	150	645	76.5°	72°	558	440

PICO CRONO/TRIATHLON CARBON



Code	XJB06
Colour	ZT = Black/CK matt
Frame	D2 CRONO/TRIATHLON CARBON - SIZE XS - S - M - L - BTT01 - XS=680 / S=720 / M=770 / L=820 Headseat Integrated 1 1/8", (Seatpost cod.C7205190)
Headset	Fsa Orbit CE Plus, Serviceable ACB; 11/8"; 45/45° degree Micro Angular Contact
Fork	Full Carbon D2 CRONO (with pivot V-brake) blades straight with brake covered 1.1/8 300mm ss46mm
Seatpost	Alloy clamp adjustable for D2CRONO



MIS.	D2 PICO CRONO / TRIATHLON Carbon									
	A	B	C	D	E	F	G	G1	Y	X
XS	680	595	395	68	80	573	76°	71°	479	382
S	720	520	395	68	90	588	76°	71°	488	395
M	770	540	395	68	110	602	76°	72°	510	410
L	820	570	395	68	130	625	76°	73°	533	435

PICO ALU - 105 11SP COMPACT



CODE	YKB43	STEM	Reparto Corse AS007N Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8"; 70mm
COLOUR	ZT= Black/CK matt	HANDLEBAR	Vision HB-RO-B250-OS/OE alloy base bars AL6066TB, rise flat , internal cable routing, clamp DIA:31.8mm, UCI legal 51-53-55: 400mm, 57-59-61: 420mm
FRAME	TC13 - D2 PICO/ALU (2013- TT-DT-HT_NEW Geometry) sizes: 51-53-55-57-59-61cm	GRIP / TAPE	Bianchi embossed logo
BOLTS / HARDWARE	W/B BOLTS - M5X12MM STAINLESS BLACK M5*P0.8*12mm	SEATPOST	Aero Carbon seat post with special shape
SEATPOST CLAMP	Included in the frame	SADDLE	Era Startup TRIATHLON, steel rail
HEADSET	Fsa Orbit C ACB ; with 25mm Custom Cone Spacer Option, 11/8", 45/45° degree Micro Angular Contact ;7075/t6 alloy crown race	PEDALS	-
FORK	Carbon/Alu 11/8"-1.5" ARC-D9410ST-57, offset 45mm , blade straight aero	BOTTLE CAGE	Elite Paron Race composit material
SHIFTER	Shimano Dura Ace bar end type, SL-BSR1, 2/3x11-speed	WATERBOTTLE	Bianchi Hydra Elite
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T		
FRONT DERAILLEUR	Shimano FD-5800-L, for front & rear 11 speed brazed-on type		
CRANKSET	FSA Gossamer MegaExo Compact;170-172,5-175mm x 110mmBCD x 50/34t N10/11; Forged AL6061 arms; 147mm Q-factor, BB 68mm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano Ultegra CN-6800 11sp, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	Shimano Ultegra BR-6800		
BRAKE LEVER	RX 4.1 forged aluminium lever/cast aluminium bracket, expanding plug clamp style, designed for 19,6mm ID extension bars, return spring& reach adjustment, black bracket and black lever		
RIM/WHEELSET	Shimano WH-RS011for 11 speed		
TYRE	Vittoria Zaffiro Slick 700 x 25C, 26TPI		

D2 - ZOLDER


ZOLDER



PRODUCT CHARACTERISTIC



AVAILABLE AS A FRAMESET



MIS.	A	B1	BS	C	D	E	F	G	G1	Y	X
490	520	513	425	67	110	589	75°	71°	531	378	
520	535	526	425	67	130	595	74.5°	71.5°	552	382	
540	545	536	425	67	140	585	73°	72°	563	373	
560	560	550	425	67	160	601	73°	72°	582	382	
580	575	565	425	67	180	616	73°	72°	601	391	
600	590	580	425	67	200	631	73°	72°	620	401	

ZOLDER DISC - 105 11SP COMPACT




CODE	YKB51	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120-130mm
COLOR	G8 : Carbon Ud/CK	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, Sizes: 40-42-44
FRAME	D2 CYCLOCROSS Carbon disc brake post mount, press fit 86.5x41. headset 1.5" - 11/8" sizes 49-52-54-56-58-60cm	GRIP / TAPE	Bianchi embossed logo
BOLTS / HARDWARE	W/B BOLTS - M5X12MM STAINLESS BLACK M5*P0.8*12mm	SEATPOST	Reparto Corse SP-TEC-2 alloy shaft, 2D forged alloy head, 25 mm offset, L350mm, 31,6mm
SEATPOST CLAMP	included in the frame	SADDLE	San Marco Era Dynamic, carbon steel rail, lenght/wide 277x135
HEADSET	FSA Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	PEDALS	-
FORK	Full Carbon HoC 1.5">1.1/8" integrated head	BOTTLE CAGE	Elite Paron Race composit material
SHIFTER	Shimano 105 ST-5800,2 speed left, 11 speed right	WATERBOTTLE	Bianchi Hydra Elite
REAR DERAILLEUR	Shimano 105 RD-5800, 11 speed, direct attachment low gear 23-28T		
FRONT DERAILLEUR	Shimano FD-5800-L, for front & rear 11 speed brazed-on type		
CRANKSET	Shimano FC-RS500-L, hollowtech, for rear 11 speed, 50X34T, W/BB(BSA) CRANK LENGTH: 170mm-49~54cm , 172.5mm-56~58cm , 175mm-60cm		
BOTTOM BRACKET	included in the crankset BB-PF8200/CZ/Di2		
CHAIN	Shimano Ultegra CN-6800 11sp, 110 links		
CASSETTE / FREEWHEEL	Shimano Ultegra CS-6800 11sp 11-28T, 11-12-13-14-15-17-19-21-23-25-28T		
BRAKE	DB BB7R SL 20S, BB7 mechanical disc brake post mount		
BRAKE LEVER	included		
DISC ROTOR	Rotor G2 'RT-G2-CS-A1, 'ASSY DB ROTOR/BOLTS G2CS 160 , steel, 6 bolt (1 pcs) Rotor G2 'RT-G2-CS-A1, 'ASSY DB ROTOR/BOLTS G2CS 140 , steel, 6 bolt (1 pcs)		
RIM/WHEELSET	Fulcrum Racing Sport Disk Brake CX, 6 international Standard, front and rear		
TIRE	Vittoria CROSS XG PRO II 32-622 rigid full black 700X32C , 26TPI		

ALSO AVAILABLE AS FRAMESET XKB26

CAVARIA FRAMESET



Code	XJB09
Colour	CK=Celeste Bianchi
Frame	Cavaria carbon - Headset Semi Integrated 1,1/8" - Seatpost diam. 31,6 - sizes 49-52-55-58-61cm
Seatpost Clamp	"X Carbon System" 36mm
Headset	Fsa ORBIT C-CX NO.8-CX 11/8 36°/45°
Fork	Full Carbon 1 1/8"



MIS.	D2 CYCLOCROSS CAVARIA Carbon										
A	B1	BS	C	D	E	F	G	G1	Y	X	
490	525	510	425	65	110	582	74°	71°	524	373	
520	530	520	425	65	110	583	74°	71.5°	526	378	
550	550	545	425	65	125	599	74°	72°	542	393	
580	560	560	425	65	140	609	74°	72°	556	399	
610	585	585	430	65	175	620	72.5°	72°	589	399	

ZURIGO DISC- APEX 10SP COMPACT



CODE	YKB44	REAR HUB	Alloy RX2611 disc hub, 2SB, 32H, 14G*135*145MM, W/QR30, anodized black, for Shimano 10/11 speed
COLOR	KS= Gloss solid black	RIM/WHEELSET	Alloy 6061 disc, 700c, 622x17 compatible with tire 32mm
FRAME	D2 CYCLOCROSS ALU "ZURIGO" DISC BRAKE, Headset 11/8" - 1/2", Bb set PF30, seatpost 31,6mm, postmount disc, sizes 49-52-55-57-59-61cm	TIRE	Vittoria CROSS XG PRO II 32-622 rigid full black 700X32C , 26TPI
BOLTS / HARDWARE	W/B BOLTS - M5X12MM STAINLESS BLACK M5*P0.8*12mm	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120mm
SEATPOST CLAMP	AL 6061-T6 34.9mm anodized black	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, SIZE: 420mm-49~52cm ,440mm-55-61cm
HEADSET	FSA Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	GRIP / TAPE	Bianchi embossed logo
FORK	Carbon/alloy 6061 Disc brake, diam.56, 11/8" - 1/2", carbon dropout with post mount 48mm offset	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm,31,6mm
SHIFTER	Sram SL Apex	SADDLE	San Marco Era Start Power, steel rail, cover syntex, lenght/wide277x145
REAR DERAILLEUR	Sram Apex max 11-32	PEDALS	-
FRONT DERAILLEUR	Sram Apex clamp diam.34.9	BOTTLE CAGE	Alloy black COLOR YAB-1
CRANKSET	Sram Apex 2.2 PF30 170 MRBLK 48/34 CRANK LENGTH:170mm-49/52cm, 172.5mm-55-59cm , 175mm-61cm	WATERBOTTLE	Celeste Bianchi
BOTTOM BRACKET	included in the crankset		
CHAIN	FSA Team Issue CN-910 10sp, 110 link , Includes 1-PC Connector		
CASSETTE / FREEWHEEL	Sram PG-1030 10sp 11-32T		
BRAKE	BB5 mechanical disc brake post mount Only for USA:BB7 mechanical disc brake post mount		
BRAKE LEVER	included		
DISC ROTOR	Rotor G2 'RT-G2-CS-A1, 'ASSY DB ROTOR / BOLTS G2CS 140, steel, 6 bolt (2 pcs)		
FRONT HUB	Alloy RX25 frony disc hub, 2SB, 32H, 14G*100*108mm, W/QR30A, anodized black		

ZURIGO - APEX 10SP COMPACT



CODE	YJB49	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, SIZE: 420mm-49-52cm ,440mm-55-61cm
COLOR	KS=Gloss solid black	GRIP / TAPE	Bianchi embossed logo
FRAME	CYCLOCROSS Alu 7005 Hydroforming - flat area under top tube - head tube semi-integrated - eyelets for fenders - seatube 34,9mm - seatpost 31,6mm - sizes 49-52-55-58-61	SEATPOST	Reparto Corse SP-620 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm, 31,6mm
SEATPOST CLAMP	Promax MX-95RT Alloy 6061-T6 34.9mm anti-crimp anodized	SADDLE	San Marco Era Start Power, steel rail, cover syntex, lenght/wide277x145
HEADSET	Fsa Orbit C-40-CF-ACB, 1-1/8 ACB Top, 1.5" ACB Btm , with 15mm Carbon Cone Spacer for 46/56mm Head Tubes	PEDALS	-
FORK	Cyclocross - Carbon / alloy steerer 1 1/8" - Offset: 45mm - Integrated OD: 46mm	BOTTLE CAGE	Alloy black color
SHIFTER	Sram SL Apex	WATERBOTTLE	Celeste color with Bianchi logo
REAR DERAILLEUR	Sram Apex max 11-32		
FRONT DERAILLEUR	Sram Apex clamp ј34.9		
CRANKSET	Sram Apex C2.2 68 MRBLK 48/34 CRANK LENGTH:170mm-49/52cm, 172.5mm-55~59cm, 175mm-61cm		
BOTTOM BRACKET	included in the crankset		
CHAIN	Fsa Team Issue CN-910 10sp, 110 link		
CASSETTE / FREEWHEEL	Sram PG-1030 10sp 11-32T		
BRAKE	Shorty 4 F/R 20R A 4mmSPC 16mm bolt		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing Sport CX, aluminium - H24,3, spokes 18 steel black, round diam. 2mm, straight pull, black anodized hub with adjustable bearing and steel axel, niplples nikelized palted brass		
TIRE	Vittoria CROSS XG PRO II 32-622 rigid full black 700X32C , 26TPI		
STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120mm		

ZURIGO DISC - TIAGRA 10SP COMPACT



CODE	YKB45	REAR HUB	Alloy RX2611 disc hub, 2SB, 32H, 14G*135*145MM, W/ QR30, anodized black, for Shimano 10/11 speed
COLOR	C1= Celeste Bianchi matt	RIM/WHEELSET	Alloy 6061 disc, 700c, 622x17 compatible with tire 32mm
FRAME	D2 CYCLOCROSS ALU "ZURIGO" DISC BRAKE, Headset 11/8" - 1/2", Bb set PF30, seatpost 31,6mm, postmount disc, sizes 49-52-55-57-59-61cm	TIRE	Kenda Kwicker K932 700X32C wire bead, 30TPI
BOLTS / HARDWARE	W/B BOLTS - M5X12MM STAINLESS BLACK M5*P0.8*12mm	STEM	Reparto Corse Alloy 6061 raise 7°, height 41mm, Oversize, 1 1/8" 70-90-100-110-120mm
SEATPOST CLAMP	AL 6061-T6 34.9mm anodized black	HANDLEBAR	Reparto Corse Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, SIZE: 420mm-49-52cm ,440mm-55-61cm
HEADSET	FSA Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	GRIP / TAPE	Bianchi embossed logo
FORK	Carbon/alloy 6061 Disc brake, diam.56, 11/8" - 1/2", carbon dropout with post mount 48mm offset	SEATPOST	Reparto Corse 6061-T6 alloy shaft, 6061forged alloy head, 15 mm offset, L350mm,31,6mm
SHIFTER	Shimano Tiagra ST-4600, left 2 speed, right 10 speed	SADDLE	San Marco Era Start Power, steel rail, cover syntex, lenght/wide277x145
REAR DERAILLEUR	Shimano Tiagra RD-4601, 10 speed, compatible with low gear 25-30T	PEDALS	-
FRONT DERAILLEUR	Shimano Tiagra FD-4600, band-type 34.9MM for double chainwheel	BOTTLE CAGE	Alloy black COLOR YAB-1
CRANKSET	Shimano Tiagra FC-4650, compact drive type, hollowtech, for rear 10 speed, 50X34T, BB(BSA) CRANK LENGTH: 170mm-49/52cm, 172.5mm55~59cm 175mm-61cm	WATERBOTTLE	Celeste Bianchi
BOTTOM BRACKET	included in the crankset		
CHAIN	Shimano tiagra, for 10 speed 110 links		
CASSETTE / FREEWHEEL	Shimano Tiagra 10sp 10-speed 12-13-14-15-17-19-21-24-27-30T		
BRAKE	CX Expert mechanical disc, 1 Piece Forged RD/CX Caliper, Alloy Adjustable Inboard Pad, Post Mount		
BRAKE LEVER	included		
DISC ROTOR	L6-Series, 160mm, 6-Bolt, 1.75mm Lightweight Rotor, Standard Hardware		
FRONT HUB	Alloy RX25 frony disc hub, 2SB, 32H, 14G*100*108mm, W/QR30A, anodized black		

STRADA - CLARIS 8SP COMPACT



CODE	YKBE2	HANDLEBAR	Tec Sport Edition CYC-HB7.0 Alloy PG, 620mmX18mm RISE, 9° bend 25,4mm
COLOR	C2: Celeste Satin with black graphics	GRIP / TAPE	L: 134.5MM, double density
FRAME	Bianchi Cr-Mo, butted main tubes, tig welded. sizes: 46-49-51-53-55-57-59-61	SEATPOST	Tec Sport Edition", SP-222 606-T, 27,2mm, L350mm
SEATPOST CLAMP	Bianchi Cr-Mo recessed bolt . With nut and washer	SADDLE	Bianchi VL-1166
HEADSET	1 1/8" threadless	PEDALS	No
FORK	Bianchi Cr-Mo, 1 1/8" unicrown		
SHIFTER	Shimano Claris SL-2400, 2x8 speed		
REAR DERAILLEUR	Shimano Claris RD-2400, SS 8 speed direct attachment		
FRONT DERAILLEUR	Shimano Claris FD-2400, band-type 31.8MM with 28.6mm adapter, fo9r double chainwheel		
CRANKSET	Fsa Tempo compact 50/34T, Die Cast Alloy, L 170-175mm 8sp		
BOTTOM BRACKET	BB-7420AL, BSA Square type 110.5mm		
CHAIN	KMC Z72 1/2"x3/32", for 8sp, 108 links		
CASSETTE / FREEWHEEL	Shimano CS-HG50-I 8sp, ni-plated 11-13-15-17-20-23-26-30T(AN)		
BRAKE	Tektro 992AG, cantilever, alloy		
BRAKE LEVER	Shimano Claris BL-2400, for flat handle bar road		
FRONT HUB	Formula RB-51 alloy ball bearing 32h, O.L.D:100, With QR 22		
REAR HUB	Formula RB-52 alloy ball bearing 32h, O.L.D:130, for 8/9/10sp ,With QR 22		
RIM/WHEELSET	Alex rims XC23 Alloy 6061V-Shape rimprofile, 16mm wide cyclocross rim for V-brakes 700c, 622x16 compatible with tire 32mm, pin join, 32 hole		
TIRE	Vittoria Randonneur 28-622 / 700x28c		
STEM	"Tec Sport Edition" MA-45 ID28,6mm, Rigid, A-head, Stailess bolts, 25,4mm 20° 080-100mm		

VOLPE - TIAGRA 10SP COMPACT



CODE	YKBC3	STEM	Spectra JD-ST58A, 28.6, 3D forged alloy 70mm/46cm, 90mm/49-53cm , 100mm/55cm, 110mm/57-59cm, 120mm/61-63cm
COLOR	F6: Black Gloss with gold graphics	HANDLEBAR	Spectra JD-RA35A flat top , AL6061 D.B., 400mm=46-53cm , 420mm= 55-59cm, 440mm=61-63cm
FRAME	Bianchi Cr-Mo, triple butted main tubes, tig welded. sizes: 46-49-51-53-55-57-59-61	GRIP / TAPE	Bianchi embossed logo
SEATPOST CLAMP	Bianchi Cr-Mo recessed bolt . With nut and washer	SEATPOST	"Tec Sport Edition" , SP-222 6061-T6
HEADSET	VP-A51AE 1 1/8" threadless	SADDLE	WTB speed V Sport
FORK	Bianchi Cr-Mo, 1 1/8"	PEDALS	No
SHIFTER	Shimano Tiagra ST-4600, 3X10 speed		
REAR DERAILLEUR	Shimano Tiagra RD-4601, 10 speed direct attachment, compatible with low gear 27-32T for double, 25-30T for triple		
FRONT DERAILLEUR	Shimano Tiagra FD-4603, 28.6mm clamp		
CRANKSET	Shimano Tiagra FC-4603, Triple 170MM hollowtech-2 style with solid crank, for rear 10 speed 50X39X30T With BB(BSA), 170mm=46-55cm, 172.5mm=57-59cm, 175mm=61		
BOTTOM BRACKET	included in the crankset BSA		
CHAIN	Shimano Tiagra CN-4601,for 10 speed, 112 links, with end pin		
CASSETTE / FREEWHEEL	Shimano Tiagra CS-4600, 12/30T, 10-speed		
BRAKE	Shimano BR-CX50, cantilever		
BRAKE LEVER	Shiamano Tiagra ST-4600		
FRONT HUB	Shimano HB-4600, With QR, 14GX32HX100mm, alloy		
REAR HUB	Shimano FH-4600, With QR, 14GX32HX130mm, alloy, 8/9 speed		
RIM/WHEELSET	Alex rims XC23 Alloy 6061V-Shape rimprofile, 16mm wide cyclocross rim for V-brakes 700c, 622x16 compatible with tire 32mm, pin join, 32 hole		
TIRE	Vittoria Randonneur 28-622 / 700x28c		

VOLPE DISC - TIAGRA 10SP COMPACT



CODE	YKBE3	TIRE	KENDA Kwick Tendril , 700x35c 35-622 ,TPI60, compound SRC
COLOR	E5 (Nickel matt)	STEM	JD-ST58A, 28.6, 3D forged alloy, EXT. 70mm/46cm, 90mm/49-53cm, 100mm/55cm, 110mm/57-59cm, 120mm/61-63cm
FRAME	Bianchi Cr-Mo, butted main tubes, tig welded, with disc brake and compatible 42c tire sizes: 46-49-51-53-55	HANDLEBAR	Reparto Corse JD-RA35A.2 Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 126mm, drop 77 mm, black
SEATPOST CLAMP	Bianchi Cr-Mo recessed bolt . With nut and washer	GRIP / TAPE	Bianchi embossed logo
HEADSET	1 1/8" threadless	SEATPOST	"Tec Sport Edition", SP-222 6061-T6 alloy
FORK	Bianchi Cr-Mo, 1 1/8"	SADDLE	WTB speed V Sport
SHIFTER	shimano Tiagra ST-4600, left 2 speed,right 10 speed	PEDALS	No
REAR DERAILLEUR	Shimano Tiagra RD-4601, SS 10 sp direct attachment compatible with low gear 25-30T for double		
FRONT DERAILLEUR	Shimano Tiagra FD-4600, band-type 31.8MM, with 28.6MM adapter for double chainwheel		
CRANKSET	Shimano FC-4650, compact drive type hollowtech 2 style with solid crank, for rear 10 speed,50X34T, with BB(BSA), 170mm=46-55cm, 172.5mm=57-59cm, 175mm=61-63cm		
BOTTOM BRACKET	included in the crankset BSA		
CHAIN	Shimano Tiagra CN-4601,for 10 speed, 112 links, with end pin		
CASSETTE / FREEWHEEL	Shimano Tiagra CS-4600, 12/30T, 10-speed		
BRAKE	HAYES CX Expert mechanical disc		
BRAKE LEVER	Shiamano Tiagra ST-4600		
DISC ROTOR	HAYES L6- Series, 160mm, 6-Bolt, 1.75mm Lightweight Rotor, Standard Hardware		
FRONT HUB	Formula DC-91 alloy, disc 6 bolt, sealed bearing, 32H, with QR 45		
REAR HUB	Formula DC-32 alloy, disc 6 bolt, sealed bearing, 32H, with QR 45, compatible 9/10sp		
RIM/WHEELSET	Alexrims ATD490 Alloy 6061 disc, 700c, 622x17 compatible with tire 32mm, pin join, 32 hole, tubeless ready		

VIGORELLI - SHIMANO 105 11SP



CODE	YKBE4	SADDLE	San Marco Era Startup Power, steel rail, cover SYNTEX + HF + grip holes, lenght/wide277x145
COLOR	KR: Celeste with white graphics		
FRAME	Full Cr-Mo frame tig welded, forged dropouts		
SEATPOST CLAMP	CL-AH, CR-MO bolt. 8*M6*22mm		
HEADSET	1 1/8" threadless		
FORK	K-VID, Alu/Carbon 1 1/8"		
SHIFTER	Shimano 105 ST.5800 2x11sp Dual control lever 11-speed		
REAR DERAILLEUR	Shimano 105 11sp RD-5800-L, SS 11-speed Max low sprocket 28T		
FRONT DERAILLEUR	Shimano 105 11sp FD-5800 for double use, 28.6mm clamp		
CRANKSET	Shimano FC-RS500 2-piece crankset for 11speed, 50X34T,170mm=44/53cm, 172.5mm=55/57/59cm, 175mm=61/63cm		
BOTTOM BRACKET	included in the crankset BSA		
CHAIN	Shimano 105 CN-HG600 11sp super narrow chain for 11speed		
CASSETTE / FREEWHEEL	Shimano 105 CS-5800, HG - EV 11sp		
BRAKE	Fsa Gossamer pro, caliper, reach 40-50, forged AL6061,		
BRAKE LEVER	included		
RIM/WHEELSET	Fulcrum Racing Sport black clincher, aluminium 24,3mm 18-24 spokes		
TIRE	Vittoria Zaffiro Pro Slick 700 x 25, 60TPI		
STEM	Spectra JD-ST58A, 28.6, 3D forged alloy 70mm/46cm, 90mm/49-53cm , 100mm/55cm, 110mm/57-59cm, 120mm/61-63cm		
HANDLEBAR	Spectra JD-RA35A flat top , AL6061 D.B., 400mm=46-53cm , 420mm= 55-59cm, 440mm=61-63cm		
GRIP / TAPE	Bianchi embossed logo		
SEATPOST	"Tec Sport Edition", SP-222 6061-T6 alloy		

LUPO - SORA 9SP COMPACT



CODE	YKB88	TIRE	Kwick Tendril , 700x32c 32-622 ,TPI60, compound SRC, protection Iron Cap, wire bead
COLOR	BJ (Light Brown-white/blk decals)	STEM	DA-32, 28.6, 3D forged alloy, 70mm/46cm 90mm/49-53cm, 100mm/55cm, 110mm/57-59cm, 120mm/61cm,31.8mm
FRAME	Bianchi Cr-Mo, butted main tubes, tig welded. sizes: 46-49-51-53-55-57-59-61	HANDLEBAR	Rerparto corse JD-RA39A, alloy 6061, 380mm, 31.8mm,
BOLTS / HARDWARE	Stainless bolts	GRIP / TAPE	Bianchi embossed logo
SEATPOST CLAMP	Bianchi Cr-Mo recessed bolt . With nut and washer	SEATPOST	Tec Sport Edition", SP-222 606-T, 27,2mm, L350mm
HEADSET	1 1/8" threadless	SADDLE	Bianchi VL-1166
FORK	Bianchi Cr-Mo, 1 1/8"	PEDALS	No
SHIFTER	Shimano Sora ST-3500, 9sp		
REAR DERAILLEUR	Shimano Sora RD-3500, 9sp		
FRONT DERAILLEUR	Shimano Sora FD-3500, Band type 31.8mm, with 28.6 adapter for double chainwheel		
CRANKSET	Shimano Sora FC-3550, compact drive type, 170mm hollowtech2 style with solid crank, for rear 9-speed 50X34T Without CG, with BB (BSA),170mm=46-55cm, 175mm=57-61cm		
BOTTOM BRACKET	included in the crankset BSA		
CHAIN	Shimano CN-HG53 super narrow chain for 9 speed special rivet, 110 links		
CASSETTE / FREEWHEEL	Shimano CS-HG50-9 9-speed ni-plated 11-12-14-16-18-20-23-26-30T		
BRAKE	Tektro 992AG, cantilever, alloy		
BRAKE LEVER	Include in the shifter		
FRONT HUB	Shimano Sora HB-3500, QR(133)type 32H OLD:100MM AXLE:108MM		
REAR HUB	Shimano Sora FH-3500, QR(163)type 32H 8/9-SPEED OLD:130MM AXEL:141MM		
RIM/WHEELSET	Alex rims XC23 Alloy 6061V-Shape rimprofile, 16mm wide cyclocross rim for V-brakes 700c, 622x16 compatible with tire 32mm, pin join, 32 hole		

ROAD

VINTAGE

EROICA

THE IMAGE SHOWN IS INDICATIVE ONLY.
Components and graphic details may differ
from the actual model.



**TECHNICAL SPECS NOT AVAILABLE
AT TIME OF PUBLICATION (JULY 2014)**

URBAN FIXED GEAR

URBAN FIXED GEAR

Bianchi was first to move fixed gear bikes from track to city roads. With pure speed, glamour and simplicity, Bianchi Pista bikes make cities their second homes.



PROJECT PHILOSOPHY

- In the US the messengers bikes started being a "cool" factor to kids who were growing out of skateboarding.
- The popularity of fixed gear bikes is also growing in Europe as a fashion and lifestyle cycling movement
- Track bikes for track use that are offered for urban use.

MODELS IN THIS CATEGORY

- **PISTA STEEL**
- **PISTA VIA BRERA**
- **PISTA SEI GIORNI**

PISTA STEEL



CODE	YEBC1	NIPPLES	12mm Brass nipple
COLOUR	CP (Chrome) (PHOTO) KW (Black/Ck) CK (Celeste)	RIMS	Jalco DRX 2000 700 x 36H x 14G DOUBLE WALL , CNC MACHINED
SIZES	49-51-53-55-57-59-61	TUBES	Cst 700x19C. Presta valve
FRAME	Pista CrMo (Steel) butted	TYRE	Hutchinson NITRO, 700CX23C, 33-TPI, wire bead, tubetype, black
FORK	Bianchi CrMo (Steel) butted 1"	STEM	Kalloy AS-006 Alloy 6061 3D-Forged diam.25.4, Hi-polish, -17 degree
HEADSET	VP-A34C 1", steel, CP, semi-cartrige, sealed, 25.4/30.3/26.4, w/o top cap	HANDLEBAR	Premetec 4002R Steel - Chrome. 26.0mm clamp
CRANKSET	FSA TEMPO CK-200S, JIS /3/32" x 48T CR-MO chainring, alloy polish silver crankset , 170mm	GRIPS	Velo VLT-004 cork-type
CHAIN	Kmc Z-50, 1/2X3/32"	SEATPOST	Kalloy SP-600, Alloy, 27.2x250mm
SPROCKET	Shimano SS-7600 Fixed sprocket, 16T+ Freewheel LMA-8 16T	SEATPOST QR	CrMo bolt
BRAKES	RC-452, 39-52mm, Dual-Pivot alloy caliper (F+R) brake (39-52mm), colour silver anodized, w/cartridge pad (CT-358)	SADDLE	Velo VL-1166 steel rail
BRAKE LEVER	Leechi BL-250 alloy black braket and silver lever	PEDALS	Wellgo LU-895
REAR HUB	Joytech JY-166SBT/A ALLOY BALL BEARING 36H x 14G OLD: 120mm WITH NUT , FLIP FLOP HUB		
FRONT HUB	Joytech JY-165SBT/A ALLOY BALL BEARING 36H x 14G OLD: 100mm WITH NUT		
SPOKES	14G, Stainless silver		

Also available in colours:



CK: Celeste



KK: Black carbon/Ck

PISTA VIA BRERA STEEL - NEXUS 3SP



CODE	YEBT8	NIPPLES	12mm Brass nipple
COLOUR	HX (Blue Radiant)	RIMS	Jalco DRX 6000 , alloy- shinny Silver, CNC, pined, stainless single eyelet 32H
SIZES	49-51-53-55-57-59-61	TUBES	CST 700x19C. Presta valve
FRAME	Pista CrMo (Steel) butted	TIRE	CST 700X23c 60TPI black
FORK	Bianchi CrMo (Steel) butted 1"	STEM	Leechi RQ-412/RQ-418, 22.2, alloy, barrel silver - 17 degree
HEADSET	VP-692W, 1", steel, CP, water resistant 22.2/30.0/27.0, w/o top cap	HANDLEBAR	Leadtec LCH-684, 540mm, alloy silver, barbore: 25.4mm, w/o logo
SHIFTERS	Shimano Nexus 3 sp	GRIPS	Velo VLG-048 cork grip, closed end 127mm
REAR DERAILLEUR	Shimano Nexus 3 sp	SEATPOST	Kalloy SP-600, Alloy, 27.2x250mm
CRANKSET	FSA Gimondi model CK-6335	SEATPOST QR	CrMo bolt
CHAIN	Kmc Z610H	SADDLE	Velo VL-1356 steel rail
SPROCKET	18T	PEDALS	Fasten NWL-424B+S41+T11, cr-mo axle, sealed bearing, alloy cage, silver, Toe Clip NW-T11 STEEL CP Leather black
BRAKES	RC-466E - Forged Alloy Dual-Pivot caliper (F+R) brake (39-52mm), colour silver anodized, w/cartridge pad (CT-358)		
Brake Lever	Shimano BL-R550-S alloy		
REAR HUB	Shimano Nexus 3 sp, 32HX120mm		
FRONT HUB	Alloy 700C track hub, shiny hub, 32H		
SPOKES	14G, Stainless silver		

URBAN/FIXED

PISTA SEI GIORNI ALU




Code	YEBC2	Saddle	Velo VL-1356 steel rail suede cover Bianco COLOR
Colour	KL (White/Ckl) (PHOTO) KW (Black/Ck)	Pedals	Fasten NWL-424B+S41+T11, cr-mo axle, sealed bearing, alloy cage, silver, Toe Clip NW-T11 STEEL CP Leather black AVAILABLE ALSO AS FRAMESET XKB08
Sizes	49-51-53-55-57-59-61		
Frame	D2 PISTA alloy		
Fork	Bianchi 1-1/8" Alloy steerer , carbon straight aero blade, integrated OD 45mm, 43mm offset		
Headset	Fsa Orbit CE Plus, ACB ; 8.7mm Carbon Top Cover; 11/8" Black anodized finish ; 45/45° degree7075/t6 alloy		
Crankset	Truvativ TOURO Track 1.1 48T		
Chain	Kmc Z610H COLOR white		
Sprocket	Shimano SS-7600 Fixed sprocket, 16T		
Brakes	Reparto Corse RC-471E - Forged Alloy Dual-Pivot caliper (F+R) brake (39-52mm), colour black/white, w/cartridge pad (CT-358) with logo reparto corse		
Brake Lever	Tektro RBP-RL720, alloy, black bracket/silver lever, for caliper or canti brake, w/o logo, left side only		
Wheels	Maddux F10 DRX3000 TRACK WHEELSET, white powder coating w/CNC sidewall, w/o logo, sealed bearing, profile 30mm, w/steel CP lockring		
Tubes	CST 700x19C. Presta valve		
Tire	Hutchinson Speed'n'Stop , 700CX25C, 66-TPI, folding, tubetype, black		
Stem	Kalloy AS-008, 28.6, AL6061, COLOR white , -7 degree		
Handlebar	Premetec 4002R Steel - COLOR white 26.0mm clamp		
Grips	Bianchi VLT-011-113 suede tape Bianchi COLOR		
Seatpost	Kalloy SP-600, 31.6x250mm, alloy, COLOR white powder coating		
Seatpost Qr	Tranz X SC08 Alloy 6061-T6 34,9mm, h13mm, anti-crimp seat Polished black		
Also available in colours:			
			KW Black matt





MTB TECHNOLOGY

Bianchi MTB TEST LAB



TRIPLE
WALL
TUBE



E-R-C
EMBEDDED
REINFORCEMENT
CONSTRUCTION

TWT - TRIPLE WALL TUBE

STRUCTURAL STIFFNESS

ERC - EMBEDDED REINFORCEMENT
CONSTRUCTION

STRUCTURAL STIFFNESS



TI-NET - TITANIUM NET TECHNOLOGY

MATERIAL TECHNOLOGY



SAS - SHOCK ABSORBING STAYS

PERFORMANCE TUNING



DFIS - DUAL FUNCTION INTEGRATED SEATPOST

PERFORMANCE TUNING



ASYMMETRICAL REAR STAYS

PERFORMANCE TUNING

TWT - TRIPLE WALL TUBE

RICERCA DELLA RIGIDEZZA
STRUTTURALE




WHAT

The top tube and down tube feature a further inner carbon blade that makes up two separate bondless chambers.

REASON WHY

- rigidity
- strength



MTB TECHNOLOGY - CARBON

ERC - EMBEDDED REINFORCEMENT CONSTRUCTION

RICERCA DELLA
RIGIDEZZA
STRUCCURALE




WHAT

Reinforcement carbon ribs embedded into the main tube profiles → torsional stiffness of the head tube and the Bottom Bracket area.

The crank-frame interface becomes stronger.

REASON WHY

- ↑ • torsional rigidity



MTB TECHNOLOGY - TITANIUM




WHAT

A titanium net is molded together with the carbon fiber on the down tube → protect the frame from possible impacts with stones/material thrown by the front wheel.

REASON WHY

- ↑ • impact resistance
• frame life



MTB TECHNOLOGY - CARBON

SAS - SHOCK ABSORBING STAYS

PERFORMANCE TUNING


**SHOCK
ABSORBING
STAYS**

WHAT

Special designed stays with "S" shape and laminated with carbon/glass fibers → enhance absorption of vertical shocks on the rear stays without weakening torsional stiffness.

REASON WHY

- ▲ • shock absorption
- power transmission



DFIS - DUAL FUNCTION INTEGRATED SEATPOST

PERFORMANCE TUNING


DFIS

WHAT


Possibility to cut the seat tube and insert a traditional seat post,
thanks to precise thickness calibration along the whole integrated seat post.



1




2



3

Standard seatpost
31,6mm



ASYMMETRICAL REAR STAY

PERFORMANCE TUNING


ASYMMETRICAL
REAR STAYS

WHAT


Optimized rear stays design to obtain a very compact and reactive rear triangle without sacrificing on chainline clearance. It fits different chainrings combinations and it is optimized to improve power transmission on the driveside.

REASON WHY

- power reactivity
- pedalling performance



MTB RANGE OVERVIEW



MTB LEVEL CLASSIFICATION

RACING

PROJECT PHILOSOPHY:

- Extreme rigidity for maximum pedalling power transmission
- Super reactive geometry for better handling and responsiveness
- Super light weight

TARGET CONSUMER:

- Those who want a very versatile bike which can still be raced on
- Any sporty people who want a premim quality bike for every kind of riding

MODELS OF THIS CATEGORY - **METHANOL**

PERFORMANCE

PROJECT PHILOSOPHY:

- Optimized ratio between vertical absorption and lateral stiffness
- XC geometry for race-ready handling
- Reliability at still a light weight

TARGET CONSUMER:

- Those who want a very versatile bike which can still be raced on
- Any sporty people who want a premium quality bike for every kind of riding

MODELS OF THIS CATEGORY - **ETHANOL - JAB**

OFF-ROAD

PROJECT PHILOSOPHY:

- Optimized geometry for easy handling on and off road
- User-friendly frame angles and cockpit for a relaxed position

TARGET CONSUMER:

- Those who look for a top quality bike for recreational use
- Those who want to showcase a Pure Italian Design machine

MODELS OF THIS CATEGORY - **KUMA**

XC - CROSS COUNTRY



Fast, light and aggressive. Our Cross Country bikes are designed to offer optimal performance for professional racers and anyone who wants to enjoy a thrilling ride in the woods. The XC Bianchi frames are built to offer maximum power transfer combined with precise handling.

MODELS OF THIS CATEGORY

- **Methanol SL & FS - Ethanol - Jab - Kuma**


METHANOL ISL 27"

PRODUCT FEATURES

METHANOL 27"

- Proven Methanol geometry in 27,5" wheel size
- Tapered head tube 1,5" for semi-integrated head sets
- 12x142 Shimano QR thru axle
- Chain stays low brake mounting PM 160mm
- PF30 73mm bottom bracket
- Internal cable routing through down tube and chain stays, Di2 compatible
- E-Type front derailleur direct mount, bottom pull

DETAILS



METHANOL 29"

PRODUCT FEATURES

METHANOL 29"

- Proven Methanol geometry in 29";
- 1.1/8"-1.5" headtube for semi-integrated headset;
- QR 9x135mm;
- Rear brake post mount 160mm;
- 73mm bottom bracket Press fit 30;
- Front deraiileur top clamp, top pull.

GEOMETRY 27.5" vs 29"



MTB RACING

MTB / Racing / new Methanol 27 SL & SX / technology


SL only:

- Super high modulus Toray 40T and 30T carbon fibers

- Ti-NET on down tube



- Integrated Dual Function Seatpost 31,6mm



SL & SX:

- High modulus Toray 700T carbon fiber

- Triple Wall Tube on down tube




- Embedded Reinforcement Construction



- Full carbon dropouts



- Shock Absorbing Stays



Unidirection carbon weave in UD carbon finish

XC - CROSS COUNTRY

reparto corse

METHANOL 27.0 SL - SHIMANO XTR DI2 2X11

THE IMAGE SHOWN IS INDICATIVE ONLY.



CODE	YKBS5	STEM	FSA K-Force Light OS-99 CSI, +/-6°, size 90mm for 15,17" and 100mm for 19,21", 1,1/8 x diam.31,8mm, stack height 41mm, 3D forged/machined AL7050 with Ti bolts sculpted AL2014/Carbon faceplate, finish UD carbon with clear coat
COLOR	(G1) Black/graphite-ck decals matt	HANDLEBAR	FSA K-Force Light flat, width 685mm, diam.31.8mm, backsweep 9°, upsweep 4°, UD carbon/Kevlar composite, UD carbon
FRAME	SL 27,5" full carbon, high modulus monocoque, 1.5" tapered HT, PF30, Ti-Net, ERC, DFIS (cut diam.31,6mm), low direct mount or high clamp diam.34,9, bottom pull, PM 160mm carbon dropout 12x142 Shimano QR axle, internal cable routing Di2 compatible, sizes 15,17,19,21"	GRIP / TAPE	Bianchi superlight
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm (15">2pcs, 17,19,21">4pcs), with Bianchi & Carbon-Ti white logo	SEATPOST	FSA No-Serie stubby, adjustment height 10mm, diam.38mm, 15mm seatback, full carbon, Di2 internale battery holder
HEADSET	FSA Orbit 1.5 ZS 57, calotte 1-1/8" - 1.5", con cono 8mm	SADDLE	Fizik Tundra M1 carbon base, carbon rail, MicroTex thermowelded and stitched, Polybutylene foam, celeste WingFlex, ICS
FORK	Fox 32 Float 27,5 iCTD Factory Kashima, 1.5" Taper, HT, 15QR axle, 44mm rake	PEDALS	Fasten NW-91K
SHIFTER	Shimano XTR Di2 2x11 Right SWM9050-R, clamp band type	BOTTLE CAGE	Elite Cannibal carbon, matte finishing
REAR DERAILLEUR	Shimano XTR Di2 11s M9050 GS Shadow and design, direct mount type	WATERBOTTLE	Elite Corsa, 550ml 100% Biodegradable
FRONT DERAILLEUR	Shimano XTR Di2 2s M9070, CS angle 66/69 for 38-34T + SM-FD905-E		
CRANKSET	Shimano XTR 38/28T for 11s, FC-M9000, arms lengths 175mm, Hollowtech 2 arm, chainline 48,8mm, included SM-BB93 axle for BSA		
BOTTOM BRACKET	adapter PF30 to BSA 73mm		
CHAIN	Shimano HG900 11s, road/MTB compatible, 110 links, without end pin, with ampoule type connect pin X2		
CASSETTE / FREEWHEEL	Shimano XTR CS-M9000 11s 11-13-15-17-19-21-24-27-31-35-40T		
BRAKE	Shimano XTR M9000		
DISC ROTOR	Shimano RT86 6-Bolt type with ce Tech, 160mm front & rear		
RIM/WHEELSET	Crankbrothers Cobalt 11 : 27,5 qr15 front, 12x142rear, carbon UST tubeless 21mm native rim		
TIRE	Hutchinson Black Mamba 27,5x2.0 Tubeless Ready casing, RaceRisposte compound, fold 66tpi, ETRTO 52-584		

SELLING POINTS

- Reactivity, speed and weight of World Cup class
- Electronic revolution: Shimano Di2
- Ideal for typical XCO courses

METHANOL 27/29.1 SL - SRAM XX1 1x11 Team Replica



CODE	YKB63 - YKB73	RIM/WHEELSET	Crankbrothers Cobalt 3 : 27,5"-29" qr15 front, 12x142 (27") rear, aluminum hub with XX1 body, aluminum UST tubeless new 21mm rim profile, shiny polished (PHOTO)
COLOR	(T4) Ck matt	OPTION WHEELSET1	Crankbrothers Cobalt 11 : 27,5"-29" qr15 front, 12x142 (27") rear with XD body, carbon UST tubeless 21mm native rim
FRAME	SL 27,5"-29" full carbon, high modulus monocoque, 1.5" tapered HT, PF30, Ti-Net, ERC, DFIS (cut diam.31,6mm), low direct mount or high clamp diam.34,9, bottom pull, PM 160mm carbon dropout 12x142 (27") Shimano QR axle, internal cable routing Di2 compatible, sizes 15,17,19,21"	TIRE	Hutchinson Black Mamba 27,5x2.0 Tubeless Ready casing, RaceRisposta compound, fold 66tpi, ETRTO 52-584
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm (15">2pcs, 17,19,21">4pcs), with Bianchi & Carbon-Ti white logo	STEM	FSA K-Force Light OS-99 CSI, +/-6°, size 90mm for 15,17" and 100mm for 19,21", 1,1/8 x diam.31,8mm, stack height 41mm, 3D forged/machined AL7050 with Ti bolts sculpted AL2014/Carbon faceplate, finish UD carbon with clear coat
HEADSET	FSA Orbit 1.5 ZS 57, calotte 1-1/8" - 1.5", con cono 8mm	HANDLEBAR	FSA K-Force Light flat, width 685mm, diam.31.8mm, backsweep 9°, upsweep 4°, UD carbon/Kevlar composite, UD carbon
FORK	Magura Ts8 R 27,5" - 29" 100mm fix travel, air spring, eLect automatic and manual mode with Wi-Fi remote ANT+, tapered black steerer 1.5", 15QR axle, PM 180mm disc lowers, rebound adjustment, matte finishing, with custom decals	GRIP / TAPE	Bianchi superlight
SHIFTER	SRAM XX1 1x11 trigger	SEATPOST	FSA No-Serie stubby, adjustment height 10mm, diam.38mm, 15mm seatback, full carbon, Di2 internale battery holder
REAR DERAILLEUR	XX1 11s long cage, type two	SADDLE	San Marco Aspide II Protek, manganese rails
CRANKSET	SRAM XX1 34T, arm length 175mm for 17,19,21" and 170mm for 15", carbon arms with forged aluminum spider, 168mm Q-Factor, BCD specific XX1, CNC-machined rings, Ceramic bearings	PEDALS	Fasten NW-91K
BOTTOM BRACKET	SRAM BB-PF30-B1	BOTTLE CAGE	Elite Cannibal fiberglass, glossy finishing
CHAIN	SRAM PC-XX1 11s, 110links with PowerLock	WATERBOTTLE	Elite Corsa, 550ml 100% Biodegradable
CASSETTE / FREEWHEEL	SRAM XX1 XG-1199 10-12-14-16-18-21-24-28-32-36-42T0)		
BRAKE	Magura MT8 Next, full carbon master Carbotecture SL body with integrated reservoir, Carbolay lever & clamp, forged one-piece SL calliper with automatic pad wear adjustment, RHR, EBT superfast bleeding technology, without adaptors, with Shiftmix preassembled		
DISC ROTOR	Magura Storm SL 180mm front, 160mm rear		

METHANOL 27/29.2 SL - Shimano XTR 2x11

THE IMAGE SHOWN IS INDICATIVE ONLY.
Components and graphic details may differ
from the actual model.



CODE	YKB62 - YKB74	RIM/WHEELSET	Crankbrothers Cobalt 2 : 27,5-29" qr15 front, 12x142 (27") rear, alu hub with steel freehub body, alu UST tubeless new 21mm rim profile, shiny polished
COLOR	(G1) Black/graphite-ck decals matt	OPTION WHEELSET1	DT Swiss Spline One XR1501 27,5"-29", qr15 front, 12x142 (27") rear, new 240s hub with Rachet System, TL-ready rim without eyelets including tubeless band and valve, straight pull spokes
FRAME	SL 27,5"-29" full carbon, high modulus monocoque, 1.5" tapered HT, PF30, Ti-Net, ERC, DFIS (cut diam.31,6mm), low direct mount or high clamp diam.34.9 8 (29"), bottom pull, PM 160mm carbon dropout 12x142 (27") Shimano QR axle, internal cable routing Di2 compatible, sizes 15,17,19,21"	TIRE	Hutchinson Black Mamba 27,5x2.0 Tubeless Ready casing, RaceRisposte compound, fold 66tpi, ETRTO 52-584
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm (15">2pcs, 17,19,21">4pcs), with Bianchi & Carbon-Ti white logo	STEM	FSA SL-K diam.31.8mm +/-6°, size 90mm for 17" and 100mm for 19,21", 1,1/8 x diam.31,8mm, stack height 40mm, 3D Forged AL2014 with 3K Carbon faceplate, anodized with black decals
HEADSET	FSA Orbit 1.5 ZS 57, calotte 1-1/8" - 1.5", con cono 8mm	HANDLEBAR	FSA SL-K flat, width 685mm, diam.31.8mm, backsweep 9°, upsweep 4°, AL6066 with carbon wrap, UD carbon finish
FORK	Fox 32 Float 27,5"-29" CTD Evolution, open cartridge, 1.5" Taper black HT, 15QR axle, 44mm rake, with remote	GRIP / TAPE	Bianchi superlight
SHIFTER	Shimano XTR 2x11 without Optical Gear Display, SL-M9000L/R with 1800-2050mm inner	SEATPOST	FSA No-Serie stubby, adjustment height 10mm, diam.38mm, 15mm seatback, full carbon, Di2 internale battery holder
REAR DERAILLEUR	Shimano XTR Shadow+ Design 11s, RD-M9000SGS top normal, direct attachment, for 11-40T max	SADDLE	Fizik Tundra M5 mg 7mm rails, MicroTex thermowelded and stitched, Polybutylene foam, celeste WingFlex, ICS
FRONT DERAILLEUR	Shimano XTR E-Type without BB plate, side-swing, side-pull, FD-M9000E for CS angle 66/69°, for 40T with 18T capacity	PEDALS	Fasten NW-91K
CRANKSET	Shimano XTR 38/28T for 11s, FC-M9000, arms lengths 175mm for 17,19,21" and 170mm for 15", Hollowtech 2 arm, chainline 48,8mm, included SM-BB93 axle for BSA	BOTTLE CAGE	Elite Paron, composit material, matt finishing with Elite white logo
BOTTOM BRACKET	adapter PF30 to BSA 73mm	WATERBOTTLE	Elite Corsa, 550ml 100% Biodegradable
CHAIN	Shimano HG-900-11 Super Narrow Chain, 110 links, without end pin, with ampoule type connect pin X2		
CASSETTE / FREEWHEEL	Shimano XTR M9000-11s 11-13-15-17-19-21-24-27-31-35-40T		
BRAKE	Shimano M615 with rear J-Kit only, Shimano logo, resin pad without fin and adapters		
DISC ROTOR	Shimano RT76 2-pieces, 6-Bolt type, 160mm front & rear		

METHANOL 27/29.3 SL - SRAM X9 2X10



CODE	YKB98 - YKBR1	DISC ROTOR	Formula 160mm front & rear, 1-piece 6 hole
COLOR	(G2) Military green matt (PHOTO) (G1) Black/graphite-ck	RIM/WHEELSET	Crankbrothers Cobalt 1 : 27,5"-29" qr15 front, 12x142 (27") rear, alu hub with steel freehub body, alu UST tubeless 21mm rim
FRAME	SL 27,5" -29" full carbon, high modulus monocoque, 1,5" tapered HT, PF30, Ti-Net, ERC, DFIS (cut diam.31,6mm), low direct mount or high clamp diam.34.9 (29"), bottom pull, PM 160mm carbon dropout 12x142 (27") Shimano QR axle, internal cable routing Di2 compatible, sizes 15,17,19,21"	OPTION WHEELSET1	Crankbrothers Cobalt 2 : 27,5 -29" qr15 front, 12x142 (27") rear, alu hub with steel freehub body, alu UST tubeless new 21mm rim profile, shiny polished (PHOTO)
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm (15">2pcs, 17,19,21">4pcs), with Bianchi & Carbon-Ti white logo	TIRE	Hutchinson Black Mamba 27,5x2.0 Tubeless Ready casing, RaceRisposte compound, fold 66tpi, ETRTO 52-584
HEADSET	FSA Orbit 1.5 ZS 57, calotte 1-1/8" - 1.5", con cono 8mm	STEM	FSA SL-K diam.31.8mm +/-6°, size 90mm for 17" and 100mm for 19,21", 1,1/8 x diam.31,8mm, stack height 40mm, 3D Forged AL2014 with 3K Carbon faceplate, anodized with black decals
FORK	Fox 32 Float 27,5"-29" CTD Evolution, open cartridge, 1.5" Taper black HT, 15QR axle, 44mm rake, with remote	HANDLEBAR	FSA SL-K flat, width 685mm, diam.31.8mm, backsweep 9°, upsweep 4°, AL6066 with carbon wrap, UD carbon finish
SHIFTER	SRAM X9 2x10 trigger without discrete clamp	GRIP / TAPE	Bianchi superlight
REAR DERAILLEUR	SRAM X9 10s medium cage Type two	SEATPOST	FSA No-Serie stubby, adjustment height 10mm, diam.38mm, 15mm setback, full carbon, Di2 internale battery holder
FRONT DERAILLEUR	SRAM X5 2s, dual pull, 38/36T max	SADDLE	San Marco Concor Startup, manganese rails, microfeel cover, with white logo and lines
CRANKSET	FSA SL-K Light 38/24T PF30, D10 for Shimano/SRAM, arm lengths 175mm for 17,19,21" and 170mm for 15", hollow carbon monocoque arm, 168mm Q-Factor, BCD 86mm with 3 arm spider, CNC AL 7075 chainrings, chainline 49,5mm, UD carbon finish with clear coat	PEDALS	Fasten NW-91K
BOTTOM BRACKET	FSA included, with Nylon cups & adj washers, Chrome steel BB30 cartridge bearings, wave spring and circlip	BOTTLE CAGE	Elite Paron, composit material, matt finishing with Elite white logo
CHAIN	FSA Team Issue 10s, 110 links with connector, width 5.88mm	WATERBOTTLE	Elite Corsa, 550ml 100% Biodegradable
CASSETTE / FREEWHEEL	SRAM PG1030, 11-13-15-17-19-22-25-28-32-36T, PowerGlide technology, Aluminum spider with teal cogs, durable Nickle Chrome finish	Also available in colours:	
BRAKE	Formula C1, flip-flop master cylinder with Speedlock connection, MixMaster clamp One-piece PM caliper with 22mm pistons, top loading semi-metallic brake pads, black caliper cap, steel hardware, laser etched logos, without adapters, matt finish		

METHANOL 27/29.4 SX - SRAM X9/X7 2x10



CODE	YKB61 - YKB64	BRAKE	Formula C1, flip-flop master cylinder with Speedlock connection, MixMaster clamp One-piece PM caliper with 22mm pistons, top loading semi-metallic brake pads, black caliper cap, steel hardware, laser etched logos, without adapters
COLOR	(G1) Black/graphite-ck decals matt	DISC ROTOR	Formula 160mm front & rear, 1-piece 6 hole
FRAME	TM13 SX 27,5"-29" full carbon monocoque, 1.5" taper HT, PF30, ERC, seatpost diam.31,6mm, low direct mount or high clamp diam.34,9 , bottom pull, PM 160mm carbon dropout 12x142 (27") Shimano QR axle, internal cable routing Di2 compatible, sizes 15,17,19,21"	RIM/WHEELSET	Crankbrothers Cobalt 1 : 27,5-29" qr15 front, 12x142 (27") rear, alu hub with steel freehub body, alu UST tubeless 21mm rim
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm (15">2pcs, 17,19,21">4pcs), with Bianchi & Carbon-Ti white logo	TIRE	Vittoria Saguaro 27,5x2.0 rigid, 26tpi
SEATPOST CLAMP	X Carbon System	STEM	FSA Afterburner, +/-6°, size 90mm for 17" and 100mm for 19,21" , 1,1/8 x diam.31.8mm, stack height 40mm, 3D forged AL6061 with forged alloy 4-bolt faceplate, anodized with laser graphics
HEADSET	FSA Orbit 1.5 E ZS #57E, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover	HANDLEBAR	FSA Afterburner flat 685mm, diam.31.8mm, back 9° up 4°, triple butted AL7050, sandblasted polished anodized with laser graphics
FORK	SRAM Rock Shox Reba RL 27,5" -29" Solo Air 100mm with PushLoc left, 1.5" tapered alu HT, 15mm TA, 32mm stanchions, alu lowers, PM 160mm disc mount, standard offset, external rebound adj	GRIP / TAPE	Bianchi superlight
SHIFTER	SRAM X7 2x10 trigger without discrete clamp	SEATPOST	FSA Afterburner, L400mm for 17,19,21" and 350mm for 15" , diam.31.6mm, 0mm setback, AL2014 3-D forged & machined shaft with 2-bolts MTC head, anodized with laser graphics
REAR DERAILLEUR	SRAM X9 10s medium cage Type two	SADDLE	San Marco Concor Startup, manganese rails, microfeel cover, with white logo and lines
FRONT DERAILLEUR	SRAM X5 2s dual pull, 38/36T max	PEDALS	Fasten NW-91K
CRANKSET	FSA Afterburner 38/24T X10 for Sram 10s, arm lenght 175mm for 17,19,21" and 170mm for 15" , forged AL6061, 171mm Q- Factor, BCD 104/64mm, CNC AL 7075 3mm chainrings with T30 torx bolts, chainline 48,3mm, polished/blasted anodized with laser graphics	BOTTLE CAGE	Elite Paron, composit material, matt finishing with Elite white logo
BOTTOM BRACKET	FSA included , with Nylon cups & adj washers, Chrome steel BB30 cartridge bearings, wave spring and circlip	WATERBOTTLE	Elite Corsa, 550ml 100% Biodegradable
CHAIN	FSA Team Issue 10s, 110 links with connector, width 5.88mm		
CASSETTE / FREEWHEEL	SRAM PG1030, 11-13-15-17-19-22-25-28-32-36T, PowerGlide technology, Aluminum spider with teal cogs, durable Nickle Chrome finish		

METHANOL 29.5 SX - SHIMANO XT 2X10



CODE	YKBR2	BRAKE	Formula C1, flip-flop master cylinder with Speedlock connection, with MixMaster clamp One-piece PM caliper with 22mm pistons, top loading semi-metallic brake padsclamp
COLOR	(G1) Black/graphite-ck decals matt	DISC ROTOR	Formula 160mm front & rear, 1-piece 6 hole
FRAME	TM15 SX 29" full carbon monocoque, 1.5" taper HT, PF30, ERC, seatpost diam.31,6mm, high clamp diam.34,9, bottom or front pull, PM 160mm carbon dropout 12x142 Shimano QR axle, sizes 17,19,21"	FRONT HUB	Formula DC-71 for 6-bolts, 32h 15mm TA, sealed bearings
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm (4pcs), with Bianchi & Carbon-Ti white logo	REAR HUB	Formula DHT-142 for 6-bolts, 32h 12x142mm, 4 sealed bearings
SEATPOST CLAMP	X Carbon System	RIM/WHEELSET	Sunringè Helix 25 Tubeless Ready - 29, 32h Anodized, without eyelet, alloy, sleeved joint, 18mm height
HEADSET	FSA Orbit 1.5E ZS #57E, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover	TIRE	Vittoria Saguardo 29x2.0 rigid, 26tpi
FORK	SRAM Rock Shox Reba RL 29" Solo Air 100mm with PushLoc left, 1.5" tapered alu HT, 15mm TA, 32mm stanchions, alu lowers, PM 160mm disc mount, 51mm offset, external rebound adj	STEM	FSA OS-168LX, +/-6°, size 90mm for 15,17" and 100mm for 19,21", 1,1/8 x diam.31,8mm, stack height 40mm, 3D forged AL6061 with forged alloy 4-bolt faceplate, anodized with laser graphics
SHIFTER	Shimano Deore XT 2x10 without Optical Gear Display, SL-M780 with 1800-2050mm inner	HANDLEBAR	FSA Comet flat top XC-313OS, width 685mm, diam.31,8mm, backsweep 9°, double butted AL6061, anodized shot peened with laser graphics
REAR DERAILLEUR	Shimano XT Shadow+ Design 10s, RD-M786 SGS top normal, direct attachment, for 11-36T max	GRIP / TAPE	Bianchi superlight
FRONT DERAILLEUR	Shimano Deore high clamp with diam.34,9mm adapter, 10s, dual pull, FD-M616B for CS angle 66/69°, for 38T with 18T capacity	SEATPOST	FSA XC-255 L400mm for 19,21" and L350mm for 17", diam.31,6mm, 0mm seatback, 3-D forged AL6061 & machined shaft with 2-bolts MTC head, anodized with laser graphics
CRANKSET	FSA Comet MegaExo, 36/22T D10 for Shimano/SRAM 10s, 175mm, Q factor 177mm and 50mm chainline, 96/68mm BCD with 4 arms spider, forged AL6061 high polished anodized finishing	SADDLE	San Marco Concor Startup, manganese rails, microfeel cover, with white logo and lines
BOTTOM BRACKET	SRAM PF30 to BSA adaptor	PEDALS	Fasten NW-91K
CHAIN	FSA Team Issue 10s, 110 links with connector, width 5,88mm	BOTTLE CAGE	Elite Paron, composit material, matt finishing with Elite white logo
CASSETTE / FREEWHEEL	Shimano Deore HG50-10s, 11-13-15-17-19-21-24-28-32-36T	WATERBOTTLE	Elite Corsa, 550ml 100% Biodegradable

METHANOL 29.1 FS - SRAM XX 2X10



CODE	YKBS7	BRAKE	Magura MT8 Next, full carbon master Carbotecture SL body with integrated reservoir, Carbolay lever & clamp, forged one-piece SL calliper with automatic pad wear adjustment, RHR, EBT superfast bleeding technology, without adaptors, with Shiftmix preassembled
COLOR	(G1) Black/graphite-ck decals matt	DISC ROTOR	Magura Storm SL 180mm front, 160mm rear
FRAME	FS 100mm 29" full carbon, high modulus monocoque, 4-bar linkage, 1.5" tapered HT, PF30, Ti-NET, ERC, high direct mount, PM 160mm carbon dropout, 12x142 Shimano, external cable routing, seatpost diam.31,6mm, shock lenght/travel 165/38mm with eyelets 22,2mm x diam.8mm, sizes 17,19,21"	RIM/WHEELSET	Crankbrothers Cobalt 3 : 29 qr15 front, 12x142 rear, 10s, aluminum hub, aluminum UST tubeless new 21mm rim profile
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm, with Bianchi & Carbon-Ti white logo (2pcs)	TIRE	Hutchinson Black Mamba 29x2.0 Tubeless Ready casing, RaceRisposta compound, fold 127tpi, ETRTO 52-622
REAR SHOCK	Magura TS RL 165/38 eLect automatic with Wi-Fi remote ANT+, air spring, full lockout with blowoff valve, Bianchi custom tuning	STEM	FSA K-Force Light OS-99 CSI, +/-6°, size 90mm for 17" and 100mm for 19,21", 1,1/8 x diam.31,8mm, stack height 41mm, 3D forged/machined AL7050 with Ti bolts sculpted AL2014/Carbon faceplate, finish UD carbon
SEATPOST CLAMP	X Carbon System 36mm +/- 0,2 with Bianchi logo	HANDLEBAR	FSA K-Force Light flat, width 685mm, diam.31.8mm, backsweep 9°, upsweep 4°, UD carbon/Kevlar composite, UD carbon
HEADSET	FSA Orbit 1.5 ZS 57, calotte 1-1/8" - 1.5", con cono 8mm	GRIP / TAPE	Bianchi superlight
FORK	Magura Ts8 R 29" 100mm fix travel, air spring, e-lect automatic and manual mode cartridge whit Wi-Fi remote ANT+, tapered black steerer 1"1/8 to 1.5 ", pp15 axle, PM 180mm disc lowers, rebound adjustment, matte finishing and custom decals	SEATPOST	FSA K-Force Light, L400mm for 19,21" and L350mm for 17", diam.31.6mm, 25mm seatback, UD carbon monocoque with 2-bolts MTC head, UD carbon
SHIFTER	SRAM XX 2x10 trigger	SADDLE	San Marco Aspide II Protek, manganese rails
REAR DERAILLEUR	SRAM XX 10s medium cage, type two	PEDALS	Fasten NW-91K
FRONT DERAILLEUR	SRAM XX 2s HDM, down pull, 38/36T max	BOTTLE CAGE	Elite Cannibal fiberglass, glossy finishing
CRANKSET	FSA K-Force Light 38/24T X10 for Sram 10s, arm lenght 175mm, hollow carbon monocoque arm, 168mm Q-Factor, BCD 104/64mm, CNC AL 7075 chainrings (38T>4mm, 24T > 3mm) with T30 torx bolts, chainline 48,3mm, UD carbon	WATERBOTTLE	Elite Corsa, 550ml 100% Biodegradable
BOTTOM BRACKET	FSA BB-PF9200/CZ Ceramic BB30 cartridge bearings		
CHAIN	SRAM PC-1051 10s, 110links with PowerLock		
CASSETTE / FREEWHEEL	SRAM XX XG-1099 11-12-14-16-18-21-24-28-32-36T		

METHANOL 29.2 FS - SHIMANO XT 2X10



CODE	YKBS8	BRAKE	Formula R1, flip-flop Radial master cylinder with removable clamp, MixMaster clamp One-piece PM caliper with 22mm pistons, top loading semi-metallic brake pads, caliper cap, steel hardware, laser etched logos, without adapters , standard clamp
COLOR	(G1) Black/graphite-ck decals matt	DISC ROTOR	Formula 160mm front, 160mm rear, 1-piece 6 hole
FRAME	FS 100mm 29" full carbon, high modulus monocoque, 4-bar linkage, 1.5" tapered HT, PF30, Ti-NET, ERC, high direct mount, PM 160mm carbon dropout, 12x142 Shimano, external cable routing, seatpost diam.31,6mm, shock lenght/travel 165/38mm with eyelets 22,2mm x diam.8mm, sizes 17,19,21"	RIM/WHEELSET	DT Swiss Spline One XR 1501 29", qr15 front, 12x142 rear, new 240s hub with Rachet System, TL-ready rim without eyelets including tubeless band and valve, straight pull spokes
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm, with Bianchi & Carbon-Ti white logo (2pcs)	TIRE	Hutchinson Black Mamba 29x2.0 Tubeless Ready casing, RaceRisposta compound, fold 127tpi, ETRTO 52-622
REAR SHOCK	Fox Float CTD 165/38mm, Evolution, with eyelets 22,2mm x diam.8mm, with remote, Bianchi custom tuning	STEM	FSA SL-K diam.31.8mm +/-6°, size 90mm for 17" and 100mm for 19,21", 1,1/8 x diam.31,8mm, stack height 40mm, 3D Forged AL2014 with 3K Carbon faceplate, anodized with black decals
SEATPOST CLAMP	X Carbon System 36mm +/- 0,2 with Bianchi logo	HANDLEBAR	FSA SL-K flat, width 685mm, diam.31.8mm, backsweep 9°, upsweep 4°, AL6066 with carbon wrap, UD carbon finish
HEADSET	FSA Orbit 1.5 ZS 57,calotte 1-1/8" - 1.5", con cono 8mm	GRIP / TAPE	Bianchi superlight
FORK	Fox 32 CTD Factory FIT cartridge, 1.5" Taper HT, 15QR axle, 51mm rake, with remote	SEATPOST	FSA SL-K Indipended Top Clamp , L400mm for 19,21" and L350 for 17" , diam.31.6mm, 0/15mm seatback, UD Carbon shaft, UD carbon finish with black decals
SHIFTER	Shimano Deore XT 2x10 without Optical Gear Display, SL-M780 with 1800-2050mm inner	SADDLE	Fizik Tundra M5 mg 7mm rails, MicroTex thermowelded and stitched, Polybutylene foam, celeste WingFlex, ICS
REAR DERAILLEUR	Shimano XT Shadow+ Design 10s, RD-M786 SGS top normal, direct attachment, for 11-36T max	PEDALS	Fasten NW-91K
FRONT DERAILLEUR	Shimano Deore D-Type (high direct mount), dual pull, FD-M611-D for CS angle 66/69°, for 38/44T with 14T capacity	BOTTLE CAGE	Elite Cannibal fiberglass, glossy finishing
CRANKSET	FSA SL-K Light 38/24T PF30, D10 for Shimano/SRAM, arm lengths 175mm, hollow carbon monocoque arm, 168mm Q-Factor, BCD 86mm with 3 arm spider, CNC AL 7075 chainrings (39T> 12mm 3D, 27T > 3mm) with T30 torx bolts, chainline 49,5mm, UD carbon finish with clear coat & black decals	WATERBOTTLE	Elite Corsa, 550ml 100% Biodegradable
BOTTOM BRACKET	FSA included , with Nylon cups & adj washers, Chrome steel BB30 cartridge bearings, wave spring and circlip		
CHAIN	Shimano Deore super narrow chain HG X10s, CN-HG54, 112 links, with end pin		
CASSETTE / FREEWHEEL	Shimano Deore HG50-10s, 11-13-15-17-19-21-24-28-32-36T		

METHANOL 29.3 FS - SHIMANO XT/DEORE 2X10



CODE	YKBS9	FRAME	Formula C1, flip-flop master cylinder with Speedlock connection, with MixMaster clamp One-piece PM caliper with 22mm pistons, top loading semi-metallic brake padsclamp
COLOR	(G1) Black/graphite-ck decals matt	DISC ROTOR	Formula 160mm front & rear, 1-piece 6 hole
FRONT HUB	Formula DC-71 for 6-bolts, 32h 15mm TA, sealed bearings	REAR HUB	Formula DHT-142 for 6-bolts, 32h 12x142mm, 4 sealed bearings
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm, with Bianchi & Carbon-Ti white logo (2pcs)	RIM/WHEELSET	Sunringè Helix 25 Tubeless Ready - 29, 32h Anodized, without eyelet, alloy, sleeved joint, 18mm height (PHOTO)
REAR SHOCK	SRAM Monarch RL 165/38mm, rebound M tune, compression L tune with 430 lockout force, standard air spring volume	OPTION WHEELSET1	Crankbrothers Cobalt 2 : 29 qr15 front, 12x142 rear, alu hub with steel freehub body, alu UST tubeless 21mm rim profile
SEATPOST CLAMP	X Carbon System 36mm	TIRE	Vittoria Saguro 29x2.0 rigid, 26tpi
HEADSET	FSA Orbit 1.5E ZS-1 57E-1, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover, for 1,1/8" steer tube	STEM	FSA OS-168LX, +/-6°, size 90mm for 15,17" and 100mm for 19,21", 1,1/8 x diam.31.8mm, stack height 40mm, 3D forged AL6061 with forged alloy 4-bolt faceplate, anodized with laser graphics
FORK	SRAM Rock Shox Revelation RL 29" Solo Air 120mm with Lockout, 1.5" tapered alu HT, 15mm TA, 32mm stanchions, alu lowers, PM 160mm disc mount, 46mm offset, external rebound adj	HANDLEBAR	FSA Comet flat top XC-313OS, width 685mm, diam.31.8mm, backsweep 9°, double butted AL6061, anodized shot peened with laser graphics
SHIFTER	Shimano Deore 2x10 with Optical Gear Display, SL- M610 with 1800-2050mm inner	GRIP / TAPE	Bianchi superlight
REAR DERAILLEUR	Shimano XT Shadow+ Design 10s, RD-M786 SGS top normal, direct attachment, for 11-36T max	SEATPOST	FSA XC-255 L400mm for 19,21" and L350mm for 17", diam.31.6mm, 0mm seatback, 3-D forged AL6061 & machined shaft with 2-bolts MTC head, anodized with laser graphics
FRONT DERAILLEUR	Shimano Deore D-Type (high direct mount), dual pull, FD-M611-D for CS angle 66/69°, for 38/44T with 14T capacity	SADDLE	Fizik Nisene XS mg 7mm rails, stitched MicroTex, Polybutylene foam, WingFlex, Integrated Clip System, scuff guards
CRANKSET	FSA Comet MegaExo, 36/22T D10 for Shimano/SRAM 10s, 175mm, Q factor 177mm and 50mm chainline, 96/68mm BCD with 4 arms spider, forged AL6061 high polished anodized finishing	PEDALS	Fasten NW-91K
BOTTOM BRACKET	SRAM PF30 to BSA adaptor	BOTTLE CAGE	Elite Cannibal fiberglass, glossy finishing
CHAIN	Shimano Deore super narrow chain HG X10s, CN-HG54, 112 links, with end pin	WATERBOTTLE	Elite Corsa, 550ml 100% Biodegradable
CASSETTE / FREEWHEEL	Shimano Deore HG50-10s, 11-13-15-17-19-21-24-28-32-36T		

METHANOL 27/29 SL FRAMESET




CODE XKB61 / XKB58

COLOUR G2 Military green matt (**PHOTO**)
G1 Black/graphite-ck decals matt
T4 - Ck Matt

FRAME SL 27"-29" full carbon, high modulus monocoque, 1.5" tapered HT, PF30, Ti-Net, ERC, DFIS (cut diam.31,6mm), low direct mount or high clamp diam.34.9, bottom pull, PM 160mm carbon dropout 12x142 Shimano QR axle, internal cable routing Di2 compatible, sizes 15,17,19,21

BOLTS / HARDWARE Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm

HEADSET FSA Orbit 1.5 ZS #57 with internal alloy cups, ACB 1-1/8" Upper, 1.5" Lower, with 8mm top cover



Also available in colours:

(G1) Black/graphite-ck

T4 - Ck Matt

SIZE	A	A1	B1	BS	C	D	E	G	G2	G1	Y	X	
M	17"	438	730	590	568	437	65	110	74°	78°	71°	630	409
L	19"	480	780	615	585	437	65	115	74°	78°	71.5°	636	432
XL	21"	530	830	635	604	437	65	120	74°	78°	71.5°	641	450

T4 - Ck Matt

G1 Black/graphite-ck decals matt



METHANOL 27/29 SX FRAMESET



CODE XKB62 - XKB60


COLOUR G1-Black/graphite-ck decals matt

FRAME TM15 SX 27/29" full carbon monocoque, 1.5" taper HT, PF30, ERC, seatpost diam31,6mm, high clamp diam34.9, bottom or front pull, PM 160mm carbon dropout 12x142(27") Shimano QR axle, internal cable routing Di2 compatible, sizes 17,19,21"

BOLTS / HARDWARE Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (4pcs), w/ Bianchi & Carbon-Ti white logo

SEATPOST CLAMP X Carbon System 36mm +/- 0,2 w/Bianchi logo

HEADSET FSA Orbit 1.5E ZS #57E, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover



SIZE	A	B1	BS	C	D	E	G	G2	G1	Y	X
M 17"	430	590	568	437	65	110	74°	78°	71°	630	409
L 19"	490	615	596	437	65	115	74°	78°	71.5°	636	432
XL 21"	530	635	604	437	65	120	74°	78°	71.5°	641	450

METHANOL 29 FS FRAMESET



Code XKB59


COLOUR G1-Black/graphite-ck decals matt

FRAME Methanol FS 100mm 29" full carbon, high modulus monocoque, 4-bar linkage, 1.5" tapered HT, PF30, Ti-NET, ERC, high direct mount, PM 160mm carbon dropout, 12x142 Shimano, external cable routing, sizes 17,19,21"

BOLTS / HARDWARE Carbon-Ti bolts AL7075-T6, large button head, Torx M514mm

HEADSET FSA Orbit 1.5 ZS 57 with internal alloy cups, ACB 1-1/8" Upper, 1.5" Lower, 8mm top cover

REAR SHOCK Magura TS RL 165/38mm air with remote lock out RLC, Blowoff Bianchi, custom tuning



SIZE	A	B1	BS	C	D	E	G	G2	G1	Y	X
M	17"	430	588	554	442	50	118	74°	71°	70.5°	617
L	19"	480	600	572	442	50	115	74°	71°	70.5°	622
XL	21"	538	620	589	442	50	120	74°	71°	70.5°	627

METHANOL

PRODUCT FEATURES

- Methanol adapted geometry in 27,5" wheel size
- Tapered head tube 1 1/8" to 1,5" for semi-integrated head sets
- 135mm standard rear axle
- Low brake mounting PM 160mm w/internal cable routing
- BSA 68mm bottom bracket
- Internal cable routing through down tube and chain stays
- Low clamp type 31,8 front derailleur, bottom pull
- Weight 19": 1350g

Features



ETHANOL 27.1 SX - SHIMANO XT 2X10



CODE	YKB75	DISC ROTOR	Formula 160mm front & rear, 1-piece 6 hole
COLOR	(G1)Black/graphite-ck decals matt; (PHOTO) (G4) Black/grap	RIM/WHEELSET	Sunringlè Black Flag Comp 27,5", 24mm rim with Stan's NoTubes.com technology, 28h, cartridge bearing with Cr-Mo FH body, front 9mm QR, rear 135mm, Wheelsmith spokes and nipples (28/28), hubs rims and spoke
FRAME	Ethanol 27,5" ECO carbon, 1,5" tapered HT, BSA 68mm, seatpost diam.27,2mm, low clamp diam.31.8, bottom pull, PM 160mm bottom mounting dropout 9x135mm, internal cable routing inside DT, sizes 15,17,19,21"	TIRE	Hutchinson Cobra 27,5x2.1 tube type Air Light casing, rigid 66tpi, ETRTO 52-584
SEATPOST CLAMP	Promax MX-95RT diam.31.8mm, elegant, stylish, light & strong seat clamp with angled cut for carbon frames	STEM	FSA OS-168LX, +/-6°, size 90mm for 15,17" and 100mm for 19,21", 1,1/8 x diam.31.8mm, stack height 40mm, 3D forged AL6061 with forged alloy 4-bolt faceplate, anodized with laser graphics
HEADSET	FSA Orbit 1.5E ZS-1 57E-1, with internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, w/5,3mm top cover, for 1,1/8" steer tube	HANDLEBAR	FSA Comet flat top XC-313OS, width 685mm, diam.31.8mm, backsweep 9°, double butted AL6061, anodized shot peened with laser graphics
FORK	Fox 32 Float 27,5" CTD 120mm, Evolution, open cartridge with remote lockout, 1,1/8" HT, 9mm QR axle, 44mm rake	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
SHIFTER	Shimano Deore XT 2x10 without Optical Gear Display, SL-M780 with 1800-2050mm inner	SEATPOST	FSA XC-255, lenght 400mm>19,21" and 350mm>15,17", diam.27,2mm, SB0, alloy 6061 with forged head, anodized with laser graphics
REAR DERAILLEUR	Shimano XT Shadow+ Design 10s, RD-M786 SGS top normal, direct attachment, for 11-36T max	SADDLE	Fizik Nisene XS, manganese 7mm rails, stitched MicroTex, Polybutylene foam, WingFlex, Integrated Clip System, scuff guards
FRONT DERAILLEUR	Shimano Deore low clamp with diam.31.8mm adapter, 10s, dual pull, FD-M610-10 for CS angle 66/69°, for 38T with 18T capacity	PEDALS	Fasten NW-91K
CRANKSET	FSA Comet MegaExo, 38/24T D10 for Shimano/SRAM 10s, 175mm, Q factor 177mm and 50mm chainline, 96/68mm BCD with 4 arms spider, forged AL6061		
BOTTOM BRACKET	FSA included, MegaExo Integrated BB-7100 68/73mm		
CHAIN	Shimano Deore super narrow chain HG X10s, CN-HG54, 112 links, with end pin		
CASSETTE / FREEWHEEL	Shimano Deore HG50-10s, 11-13-15-17-19-21-24-28-32-36T		
BRAKE	Formula C1, flip-flop master cylinder with Speedlock connection, clamp One-piece PM caliper with 22mm pistons, top loading semi-metallic brake pads, caliper cap, steel hardware, laser etched logos		

Also available in colours:



G4 Black/graphite-red decals matt

ETHANOL 27.2 SX - SRAM X9/X7 2X10



CODE	YKB76	FRONT HUB	Formula RX-25 for 6-bolts, 32h 100mm OLD, sealed bearings, j-bend spokes, 108mm axle, with QR
COLOR	G4 - Black/graphite-red decals matt G7 (black/acid green) (PHOTO)	REAR HUB	Formula RX-26 for 6-bolts, 32h 135mm OLD, sealed bearings, j-bend spokes, 145mm axle, with QR
FRAME	Ethanol 27,5" carbon, 1,5" tapered HT, BSA 68mm, seatpost diam.27,2mm, low clamp diam.31.8, bottom pull, PM 160mm bottom mounting dropout 9x135mm, internal cable routing inside DT, sizes 15,17,19,21"	RIM/WHEELSET	Sunringlè Helix 25 Tubeless Ready - 27.5, 32h Anodized, without eyelet, alloy, sleeved joint, 18mm heigh
SEATPOST CLAMP	Promax MX-95RT diam.31,8mm, elegant, stylish, light & strong seat clamp with angled cut for carbon frames	TIRE	Hutchinson Cobra 27,5x2.1 tube type Air Light casing, rigid 33tpi, ETRTO 52-584
HEADSET	FSA Orbit 1.5E ZS-1 57E-1,with internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, w/5,3mm top cover, for 1,1/8" steer tube	STEM	Kalloy TEC Obvius +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19,21", 3D forged alloy 6061 anodized
FORK	SRAM Rock Shox Reba RL 27,5" Solo Air 120mm with PushLoc left, 1,1/8" alu HT, 9mm QR axle, 32mm stanchions, alu lowers, PM 160mm disc mount, 42mm offset, external rebound adj	HANDLEBAR	TEC Obvius flat top, width 680mm, diam.31,8mm, 9° backsweep, DB Alloy 6061
SHIFTER	SRAM X7 2x10 trigger	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
REAR DERAILLEUR	SRAM X9 10s medium cage Type two	SEATPOST	Kalloy TEC Obvius, lenght 400mm>19,21" and 350mm>15,17", diam.27,2mm, 15mm seatback, alloy 6061-T6
FRONT DERAILLEUR	SRAM X7 low clamp diam.31,8mm, 2s, dual pull, for 38/24 & 36/22T	SADDLE	San Marco Concor Startup, manganese rails, microfeel cover, with white logo and lines
CRANKSET	FSA Comet MegaExo, 38/24T D10 for Shimano/SRAM 10s, 175mm, Q factor 177mm and 50mm chainline, 96/68mm BCD with 4 arms spider, forged AL6061	PEDALS	Fasten NW-91K
BOTTOM BRACKET	FSA included, MegaExo Integrated BB-7100 68/73mm		
CHAIN	FSA Team Issue 10s, 112 links with connector, width 5.88mm		
CASSETTE / FREEWHEEL	SRAM PG1020, 11-13-15-17-19-22-25-28-32-36T, Power Glide technology		
BRAKE	Formula C1, flip-flop master cylinder with Speedlock connection, MixMaster clamp One-piece PM caliper with 22mm pistons, top loading semi-metallic brake pads, caliper cap, steel hardware, laser etched logos, without adapters		
DISC ROTOR	Formula 160mm front & rear, 1-piece 6 hole		

Also available in colours:



G4 Black/graphite-red decals matt

ETHANOL 27.3 SX - SHIMANO DEORE 2X10



CODE	YKB80	DISC ROTOR	Shimano 160mm front & rear, CenterLock with CL ring, for resin pad only
COLOR	G7 Black/acid green G1-Black/graphite-ck decals matt G4 Black/graphite-red decals matt (PHOTO)	FRONT HUB	Formula CL-25 for Center Lock, 32h 100mm OLD, sealed bearings, j-bend spokes, 108mm axle, with QR
FRAME	Ethanol 27,5" ECO carbon, 1,5" tapered HT, BSA 68mm, seatpost diam.27,2mm, low clamp diam.31.8, bottom pull, PM 160mm bottom mounting dropout 9x135mm, internal cable routing inside DT, sizes 15,17,19,21"	REAR HUB	Formula CL-26 for Center Lock, 32h 135mm OLD, sealed bearings, j-bend spokes, 145mm axle, with QR
SEATPOST CLAMP	Promax MX-95RT diam.31,8mm, elegant, stylish, light & strong seat clamp with angled cut for carbon frames	RIM/WHEELSET	Sunringlè Helix 25 Tubeless Ready - 27.5, 32h Anodized, without eyelet, alloy, sleeved joint, 18mm height
HEADSET	FSA Orbit 1.5E ZS-1 57E-1,with internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, w/5,3mm top cover, for 1,1/8" steer tube	TIRE	Vittoria Saguaro 27,5x2.0 rigid, 26tpi
FORK	SRAM Rock Shox Recon Gold TK 27,5" Solo Air 120mm with PushLoc left, 1,1/8" alu HT, 9mm QR axle, 32mm stanchions, alu lowers, PM 160mm disc mount, 42mm offset, external rebound adj	STEM	Kalloy TEC Obvius +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19,21", 3D forged alloy 6061 anodized
SHIFTER	Shimano Deore 2x10 with Optical Gear Display, SL- M610 with 1800-2050mm inner	HANDLEBAR	TEC Obvius flat top, width 680mm, diam.31,8mm, 9° backsweep, DB Alloy 6061
REAR DERAILLEUR	Shimano Deore Shadow+ Design 10s, RD-M615 SGS top normal, direct attachment, for 11-36T max	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
FRONT DERAILLEUR	Shimano Deore low clamp with diam.31,8mm adapter, 10s, dual pull, FD-M610-10 for CS angle 66/69°, for 38T with 18T capacity	SEATPOST	Kalloy TEC Obvius, lenght 400mm>19,21" and 350mm>15,17", diam.27,2mm, 15mm seatback, alloy 6061-T6
CRANKSET	FSA Comet MegaExo, 38/24T D10 for Shimano/SRAM 10s, 175mm, Q factor 177mm and 50mm chainline, 96/68mm BCD with 4 arms spider, forged AL6061	SADDLE	San Marco Era Start Open, steel rail, cover SYNTEX, lenght 277mm x width 135mm
BOTTOM BRACKET	FSA included, MegaExo 19 Integrated BB-1000 68/73mm	PEDALS	Fasten NW-91K
CHAIN	Shimano Deore super narrow chain HG X10s, CN-HG54, 112 links, with end pin	Also available in colours:	
CASSETTE / FREEWHEEL	Shimano Deore HG50-10s, 11-13-15-17-19-21-24-28-32-36T		G7 Black/acid green
BRAKE	Shimano M396 with rear J-Kit only,		(G1) Black/graphite-ck

ETHANOL 27 FRAMESET



CODE XKB63

G7 Black/acid green (**PHOTO**)

Colour G1-Black/graphite-ck decals matt
G4 Black/graphite-red decals matt

FRAME Ethanol 27,5" carbon, 1,5" tapered HT, BSA 68mm, seatpost diam27,2mm, low clamp diam31.8, bottom pull, PM 160mm bottom mounting dropout 9x135mm, internal cable routing inside DT, sizes 15,17,19,21"


SEATPOST CLAMP Promax MX-95RT diam31,8mm, light & strong seat clamp with angled cut for carbon frames

HEADSET Fsa Orbit 1.5E ZS-1 #57B, ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover, for 1,1/8" steer tube

Also available in colours:

(G1) Black/graphite-ck

G4 Black/graphite-red decals matt



SIZE	A	B1	BS	C	D	E	G	G1	Y	X
S	15°	380	560	545	425	50	100	73.5°	71°	586 386
M	17°	430	580	561	425	50	110	73.5°	71°	595 404
L	19°	480	605	581	425	50	115	73.5°	71°	600 427
XL	21°	530	625	601	425	50	120	73.5°	71°	605 446

G1-Black/graphite-ck decals matt

G4 Black/graphite-red decals matt




JAB

PRODUCT FEATURES

- Methanol adapted geometry in 27,5" and 29" wheel size
- Tapered head tube 1,1/8" to 1,5" for semi-integrated head-sets
- 135mm standard axle
- Low brake mounting PM 160mm w/internal cable routing
- Low clamp type 31,8 front derailleur, bottom pull
- Internal cable routing through down tube
- BSA 68mm bottom bracket

New cable insert on the down tube



JAB 27/29.1 - SHIMANO XT/SLX 2X10



CODE	YKB66 - YKB67	DISC ROTOR	Shimano 160mm front & rear, CenterLock with CL ring, for resin pad only
COLOR	(F3) Black/Silver white matt (PHOTO) (F2) CK glossy	FRONT HUB	Formula CL-25 for Center Lock, 32h 100mm OLD, sealed bearings, j-bend spokes, 108mm axle, with QR
FRAME	JAB II 27,5"-29" alu 6061 quadruple butted, 1.5" tapered HT, BSA 68mm, seatpost diam.27,2mm, low clamp diam.31.8, bottom pull, PM 160mm bottom mounting dropout 9x135mm, internal cable routing inside DT, sizes 15,17,19,21"	REAR HUB	Formula CL-26 for Center Lock, 32h 135mm OLD, sealed bearings, j-bend spokes, 145mm axle, with QR
SEATPOST CLAMP	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, alloy clamp and lever	RIM/WHEELSET	Sunringè Helix 25 Tubeless Ready - 27.5"-29", 32h Anodized, without eyelet, alloy, sleeved joint, 18mm height
HEADSET	FSA Orbit 1.5E ZS-1 57E-1, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover, for 1,1/8" steer tube	TIRE	Vittoria Saguaro 27,5x2.0 rigid, 26tpi
FORK	SRAM Rock Shox Recon Gold TK 27,5"-29" Solo Air 120mm with PushLoc left, 1.1/8" alu HT, 9mm QR axle, 32mm stanchions, alu lowers, PM 160mm disc mount, 42mm offset, external rebound adj	STEM	TEC Obvius +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21", 3D forged alloy 6061
SHIFTER	Shimano SLX 2x10 without Optical Gear Display, SL- M670 with 1800-2050mm inner	HANDLEBAR	TEC Obvius flat top, width 680mm, diam.31,8mm, 9° backsweep, DB Alloy 6061
REAR DERAILLEUR	Shimano XT Shadow Design 10s, RD-M781 SGS top normal, direct attachment, for 11-36T max	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
FRONT DERAILLEUR	Shimano Deore low clamp with diam.31,8mm adapter, 10s, dual pull, FD-M610-10 for CS angle 66/69°, for 38T with 18T capacity	SEATPOST	TEC Obvius, lenght 400mm, diam.27,2mm, 15mm seatback, alloy 6061-T6
CRANKSET	FSA Comet MegaExo, 38/24T D10 for Shimano/SRAM 10s, 175mm, Q factor 177mm and 50mm chainline, 96/68mm BCD with 4 arms spider, forged AL6061	SADDLE	San Marco Era Start Open, steel rail, cover SYNTEX, lenght 277mm x width 135mm
BOTTOM BRACKET	FSA included, MegaExo Integrated BB-7100 68/73mm	PEDALS	Fasten NW-91K
CHAIN	Shimano Deore super narrow chain HG X10s, CN-HG54, 112 links, with end pin		
CASSETTE / FREEWHEEL	Shimano Deore HG50-10s, 11-13-15-17-19-21-24-28-32-36T		
BRAKE	Shimano M396 with rear J-Kit only, resin pad		

Also available in colours:



JAB 27/29.2 - SRAM X9/X7 2X10



CODE	YKB68 - YKB95	DISC ROTOR	Shimano 160mm front & rear, CenterLock with CL ring, for resin pad only
COLOR	E3 Dark/Silver antr wh decals (PHOTO) F3 Black/silver white matt	FRONT HUB	Formula CL-25 for Center Lock, 32h 100mm OLD, sealed bearings, j-bend spokes, 108mm axle, with QR
FRAME	JAB II 27,5" alu 6061 quadruple butted, 1.5" tapered HT, BSA 68mm, seatpost diam.27,2mm, low clamp diam.31,8, bottom pull, PM 160mm bottom mounting dropout 9x135mm, internal cable routing inside DT, sizes 15,17,19,21"	REAR HUB	Formula CL-26 for Center Lock, 32h 135mm OLD, sealed bearings, j-bend spokes, 145mm axle, with QR
SEATPOST CLAMP	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, alloy clamp and lever	RIM/WHEELSET	Sunringlè Helix 25 Tubeless Ready - 27.5, 32h Anodized, without eyelet, alloy, sleeved joint, 18mm heigh
HEADSET	FSA Orbit 1.5E ZS-1 57E-1, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover, for 1,1/8" steer tube	TIRE	Vittoria Saguaro 27,5x2.0 rigid, 26tpi
FORK	Suntour XCR Air RL-R 27,5"-29" 120mm with Remote Lockout, 1,1/8" steel HT, alloy crown, pre-load & rebound adjust, steel 32mm stanchions with new seals, magnesium lowers and new hybrid bushing, PM 160mm disc mount, 9mm QR	STEM	TEC Obvius +/-7°, 1,1/8 x diam.31,8mm, 80mm for 15,17" and 90mm for 19-21", 3D forged alloy 6061
SHIFTER	SRAM X7 2x10 trigger	HANDLEBAR	TEC Obvius flat top, width 680mm, diam.31,8mm, 9° backsweep, DB Alloy 6061
REAR DERAILLEUR	SRAM X9 10s medium cage alu	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
FRONT DERAILLEUR	SRAM X7 low clamp diam.31,8mm, 2s, dual pull, for 38/24 & 36/22T	SEATPOST	TEC Obvius, lenght 400mm, diam.27,2mm, 15mm seatback, alloy 6061-T6
CRANKSET	FSA Gamma Drive MegaExo, STC/38/24T D10 for Shimano/ Sram 10s, arms lenght 175mm, 170mm Q factor and 46,8mm chainline, 104/64mm BCD, cast alloy painted with printed graphics	SADDLE	San Marco Era Start Open, steel rail, cover SYNTEX, lenght 277mm x width 135mm
BOTTOM BRACKET	FSA included, MegaExo 19 Integrated BB-1000 68/73mm	PEDALS	Fasten NW-91K
CHAIN	FSA Team Issue 10s, 112 links with connector, width 5.88mm		
CASSETTE / FREEWHEEL	SRAM PG1020, 11-13-15-17-19-22-25-28-32-36T, Power Glide technology		
BRAKE	Shimano M396 with rear J-Kit only, assembled set BL-M396W(L&R) without adapters, resin pad, with rotor RT30 CL		

Also available in colours:



E3 Dark/Silver antracite white decals



F3 Black/silver white matt


JAB 27/29.3 - SHIMANO SLX/DEORE 3X10



CODE	YKB70 - YKBQ7	BRAKE	Shimano M396 with rear J-Kit only, assembled set BL-M396W(L&R) without adapters, resin pad, with rotor RT30 CL
COLOR	(G5) Antracite matt (PHOTO) (F2) CK glossy	DISC ROTOR	Shimano 160mm front & rear, CenterLock with CL ring, for resin pad only
FRAME	JAB II 27,5"-29" alu 6061 quadruple butted, 1,5" tapered HT, BSA 68mm, seatpost diam.27,2mm, low clamp diam.31.8, bottom pull, PM 160mm bottom mounting dropout 9x135mm, internal cable routing inside DT, sizes 15,17,19,21"	FRONT HUB	Formula CL-25 for Center Lock, 32h 100mm OLD, sealed bearings, j-bend spokes, 108mm axle, with QR
SEATPOST CLAMP	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, alloy clamp and lever	REAR HUB	Formula CL-26 for Center Lock, 32h 135mm OLD, sealed bearings, j-bend spokes, 145mm axle, with QR
HEADSET	FSA Orbit 1.5B ZS-1 57B-1, steel cups, retainer bearings, ACB 1-1/8" Upper, 1.5" Lower, with 8,2mm cone spacer, for 1,1/8" steer tube	RIM/WHEELSET	Sunringè Helix 25 Tubeless Ready - 27.5, 32h Anodized, without eyelet, alloy, sleeved joint, 18mm heigh
FORK	Suntour XCM RL DS 27,5"-29" 120mm with Hydraulic Remote Speed Lockout, 1,1/8" steer HT, alloy crown, coil spring with pre-load adjust, steel 30mm stanchions, alloy lowers with PM 160mm disc mount, 9mm QR, fixed rebound	TIRE	Vittoria Saguaro 27,5x2.0 rigid, 26tpi
SHIFTER	Shimano Deore 3x10 with Optical Gear Display, SL-M610,1800-2050mm inner	STEM	TEC Obvius +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21", 3D forged alloy 6061
REAR DERAILLEUR	Shimano SLX Shadow Design 10s, M670 SGS top normal, direct attachment, for 11-36T max	HANDLEBAR	TEC Obvius flat top, width 680mm, diam.31,8mm, 9° backsweep, DB Alloy 6061
FRONT DERAILLEUR	Shimano Deore low clamp with diam.31,8mm adapter, 10s, dual pull, FD-M610-10 for CS angle 66/69°, for 38T with 18T capacity	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
CRANKSET	FSA Gamma Drive MegaExo, 42/32/24T, arms lenght 175mm, M10 for Shimano 10s compatibility, 170mm Q factor and 50mm chainline, 104/64mm BCD, cast alloy painted with printed graphics	SEATPOST	TEC Obvius, lenght 400mm, diam.27,2mm, 15mm seatback, alloy 6061-T6
BOTTOM BRACKET	FSA included, MegaExo 19 Integrated BB-1000 68/73mm	SADDLE	San Marco Era Start Open, steel rail, cover SYNTEX, lenght 277mm x width 135mm
CHAIN	Shimano Deore super narrow chain HG X10s, 114 links, with end pin	PEDALS	Fasten NW-91K
CASSETTE / FREEWHEEL	Shimano Deore HG50-10s, 11-13-15-17-19-21-24-28-32-36T	Also available in colours:	

F2 CK glossy

JAB II 27 & 29



SIZE	A	B1	BS	C	D	E	G	G1	Y	X
S 15"	380	565	562	445	60	100	74°	70°	611	390
M 17"	430	590	583	445	65	110	73.5°	71°	630	403
L 19"	480	610	590	445	65	115	73.5°	71°	634	422
XL 21"	530	630	606	445	65	120	73.5°	71°	639	441

CODE XKB64 - XKB57

E3 Dark/Silver antr wh decals

Colours F3 Black/silver white matt

F2 CK glossy

G5 Antracite matt

FRAME JAB II 27"-29" alu 6061 quadruple butted, 1.5" tapered
HT, BSA 68mm, seatpost diam27,2mm, low clamp
diam31.8, bottom pull, PM 160mm bottom mounting
dropout 9x135mm, internal cable routing inside DT, sizes
15,17,19,21"

SEATPOST CLAMP Promax 339QX diam31,8mm, "zero" friction & perfect match
skewer, CNC & Fine polished surface, alloy clamp & lever

HEADSET Orbit 1.5B ZS-1 #57B-1, steel cups, retainer bearings, ACB
1-1/8" Upper, 1.5" Lower, w/8,2mm cone spacer, for 1,1/8"
steer tube

Also available in colours:

 E3 Dark/Silver antr wh decals

 F3 Black/silver white matt

 F2 CK glossy

 G5 Antracite matt

OFF-ROAD

This family includes easy-to-handle and fast-riding bikes created for those who are approaching the MTB world and want to do it in the right way. Special design and comfortable geometry offers a relaxed position to the rider.



PROJECT PHILOSOPHY:

- Optimized geometry for an easy handling on and off road
- User-friendly frame angles and cockpit for a relaxed position

TARGET CONSUMER:

- Those who look for a top quality bike for a recreational use
- Those who want to showcase a Pure Italian Design machine

PRODUCT FEATURES

KUMA 27 & 29

Leisure dedicated geometry in 27 and 29
135mm QR, new low brake PM 160mm
new external cable routing throught DT
Lock, carrier and mud-guards ready
Low clamp FD bottom pull
AL6061 frame

KUMA 27/29.1 - SHIMANO DEORE/ALIVIO 3X9



CODE	YKB97 - YKBW1	DISC ROTOR	Shimano 160mm front & rear, CenterLock with CL ring, for resin pad only
COLOR	(CK) Celeste glossy; (PHOTO) (E2) Black matt silver decals	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle lenght 108mm, with QR
FRAME	Kuma 27,5"-29" alu 2015, curved TT plaingage, 1,1/8" HT, BSA 68mm, seatpost diam.31,6mm, low clamp diam.34,9mm bottom pull, PM 160mm disc lower mounting dropouts 9x135mm QR, ST without V-Brake studs, external cable routing under DT, sizes 15-17-19-21"	REAR HUB	Formula CL-1422 for Center Lock, 32h 135mm OLD, loose balls, axle lenght 145mm, with QR
SEATPOST CLAMP	Promax 339QX diam.35mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp and lever	RIM/WHEELSET	AlexRims MD17, 584x17c, pin joint, 32h, anodized, no eyelet, Presta valve hole
HEADSET	FSA 10 steel cups ID diam.44mm with 16.2mm top cover, retained bearings MRO13, top & bottom depth 9mm, stack height 22.2mm	TIRE	Vittoria Saguaro 27,5 29" x2.0 rigid, 26tpi
FORK	Suntour XCM RL DS 27,5"-29" 120mm with Hydraulic Remote Speed Lockout, 1,1/8" steel HT, alloy crown, coil spring with pre-load adjust, steel 30mm stanchions, alloy lowers with PM 160mm disc mount, 9mm QR, fixed rebound	STEM	TEC Obvius +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21", 3D forged alloy 6061
SHIFTER	Shimano Alivio 3x9 RapidFire Plus with Optical Gear Display, SL-M4000 with 1800-2050mm inner	HANDLEBAR	TEC Obvius flat top, width 680mm, diam.31,8mm, 9° backsweep, DB Alloy 6061
REAR DERAILLEUR	Shimano Deore 9s, M591 SGS top-normal, direct attachment, for 11-34T max	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
FRONT DERAILLEUR	Shimano Alivio low clamp diam.34,9mm, 9s, dual pull, FD-T4000 for CS angle 66/69°, for 44/48T with 22T capacity, CL 50mm	SEATPOST	TEC Obvius, lenght 350mm, diam.31,6mm, 15mm seatback, alloy 6061-T6
CRANKSET	FSA Dyna Drive, 44/32/22T, arms lenght 170mm for 15,17" and 175mm for 19,21" sizes, 9s JIS compatibility, 175mm Q factor and 50mm chainline, 104/64mm BCD, die-cast alloy painted	SADDLE	San Marco Era Start Open, steel rail, cover SYNTEX, lenght 277mm x width 135mm
BOTTOM BRACKET	FSA BB-7420 (JIS) 68mm shell x 50mm CL: JIS - 113mm Chromo square spindle, steel cups	PEDALS	Fasten NW-91K
CHAIN	Shimano HG53 9s super narrow chain, special rivet, 114link	Also available in colours:	
CASSETTE / FREEWHEEL	Shimano HG30-9s, 11-13-15-17-19-21-23-26-30-34T	 (E2) Black matt silver decals	
BRAKE	Shimano M355 assembled set BL-M355L(L&R) without adapters, resin pad, without rotor		

KUMA 27/29.2 - SHIMANO ACERA/ALTUS 3X9



CODE	YKB71 - YKBW2	DISC ROTOR	Shimano 160mm front & rear, CenterLock with CL ring, for resin pad only
COLOR	E2 Black matt silver decals E3 Dark Silver matt (PHOTO) G2 Military green matt	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle lenght 108mm, with QR
FRAME	Kuma 27,5"-29" alu 2015, curved TT plainage, 1,1/8" HT, BSA 68mm, seatpost diam.31,6mm, low clamp diam.34,9mm bottom pull, PM 160mm disc lower mounting dropouts 9x135mm QR, ST without V-Brake studs, external cable routing under DT, sizes 15-17-19-21"	REAR HUB	Formula CL-1422 for Center Lock, 32h 135mm OLD, loose balls, axle lenght 145mm, with QR
SEATPOST CLAMP	Promax 339QX diam.35mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp and lever	RIM/WHEELSET	AlexRims MD17, 584x17c, pin joint, 32h, anodized, no eyelet, Presta valve hole
HEADSET	FSA 10 steel cups ID diam.44mm with 16.2mm top cover, retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm	TIRE	Vittoria Saguro 27,5-29" x2.0 rigid, 26tpi
FORK	Suntour XCT HLO DS 27,5" 100mm, 1-1/8" steer HT, alloy crown, coil spring with pre-load adjust, steel 30mm stanchions, alloy lowers with PM 160mm disc mount, 9mm QR, fixed rebound damping	STEM	TEC +/-7°, 1,1/8 x diam.31.8mm, 75mm for 15,17" and 90mm for 19-21", melt forged alloy, stainless bolts
SHIFTER	Shimano ALTUS 3x9 with Optical Gear Display, SL-M370 with 1800-2050mm inner	HANDLEBAR	TEC, width 660mm, diam.31,8mm, rise 15mm, backsweep 9°, PG Alloy 6061
REAR DERAILLEUR	Shimano ACERA 9s, RD-M390 top-normal, direct attachment, for 11-34T max	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
FRONT DERAILLEUR	Shimano Altus collarino alto diam.34,9mm, 3v, dual pull, FD-M370 per CS angolo 66/69°, per 44/48T, capacità 22T	SEATPOST	TEC, lenght 350mm, diam.31,6mm, 15mm seatback, die cast head/6061 shaft
CRANKSET	Shimano Acera M371, 44/32/22T with integrated chainguard, arms lenght 175mm, 9s compatibility for HG chain, for square L123 BB	SADDLE	TEC Ultro, steel rails black with scale, PP base, cover S473, 1 COLOR print with TEC logo back and Ultro logo front, Ozon cut
BOTTOM BRACKET	FSA BB-7420 (JIS) 68mm shell x 50mm CL: JIS - 113mm Chromo square spindle, steel cups	PEDALS	Fasten NW-91K
CHAIN	Shimano HG53 9s super narrow chain, special rivet, 114link	Also available in colours:	
CASSETTE / FREEWHEEL	Shimano HG20-9s, 11-13-15-17-19-21-23-26-30-34T	 E2 Black matt silver decals	
BRAKE	Shimano M355 assembled set BL-M355L(L&R) without adapters, resin pad, without rotor	 G2 Military green matt	

KUMA 27.3 - SHIMANO ACERA/ALTUS 3x8



CODE	YKB77	BRAKE	Tektro Novela cable type disc brake, front and rear mounting, without adapter for post mount mounting, resin pad
COLOR	E3 Dark Silver matt CK Celeste glossy (PHOTO) JP Antracite black	BRAKE LEVER	included in shifter
FRAME	Kuma 27.5" alu 2015, curved TT plating, 1,1/8" HT, BSA 68mm, seatpost diam.31,6mm, low clamp diam.34,9mm bottom pull, PM 160mm disc lower mounting dropouts 9x135mm QR, ST without V-Brake studs, external cable routing under DT, sizes 15-17-19-21"	DISC ROTOR	Shimano 160mm front & rear, CenterLock with CL ring, for resin pad only
SEATPOST CLAMP	Promax 339QX diam.35mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp and lever	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, with QR
HEADSET	FSA 10 steel cups ID diam.44mm with 16.2mm top cover, retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm	REAR HUB	Formula CL-1422 for Center Lock, 32h 135mm OLD, loose balls, axle length 145mm, with QR
FORK	Suntour XCT HLO DS 27,5" 100mm, 1-1/8" steer HT, alloy crown, coil spring with pre-load adjust, steel 30mm stanchions, alloy lowers with PM 160mm disc mount, 9mm QR, fixed rebound damping	RIM/WHEELSET	AlexRims MD17, 584x17c, pin joint, 32h, anodized, no eyelet, Presta valve hole
SHIFTER	Shimano ALTUS 3x8 EZ-Fire Plus with window type Optical Gear Display, with brake lever 2-Finger alloy, ST-EF51 with 1800-2050mm inner	TIRE	Vittoria Saguro 27,5x2.0 rigid, 26tpi
REAR DERAILLEUR	Shimano ACERA 8s, RD-M360 top-normal, direct attachment, for 11-34T max	STEM	TEC +/-7°, 1,1/8 x diam.31.8mm, 75mm for 15,17" and 90mm for 19-21", melt forged alloy, stainless bolts
FRONT DERAILLEUR	Shimano Altus low clamp diam.34,9mm, 7/8s, dual pull, FD-M190 for CS angle 66/69°, for 44/48T with 22T capacity, CL 50mm	HANDLEBAR	TEC, width 660mm, diam.31,8mm, rise 15mm, backsweep 9°, PG Alloy 6061
CRANKSET	Shimano Altus M311, 42/32/22T with chainguard, arms length 175mm, 7/8s compatibility for HG chain, for square L123 BB, with chain guard	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
BOTTOM BRACKET	FSA BB-7420 (JIS) 68mm shell x 50mm CL: JIS - 113mm Chromo square spindle, steel cups	SEATPOST	TEC, length 350mm, diam.31,6mm, 15mm setback, die cast head/6061 shaft
CHAIN	Shimano HG40 8s narrow chain, special rivet, 114link	SADDLE	TEC Ultro, steel rails black with scale, PP base, cover S473, 1 COLOR print with TEC logo back and Ultro logo front, Ozon cut
CASSETTE / FREEWHEEL	Shimano HG20-8s, 12-13-15-18-21-24-28-32T	PEDALS	Fasten NW-91K

Also available in colours:



E3 Dark/Silver antr wh decals

JP Antracite black

KUMA 27.4 - SHIMANO ACERA/ALTUS 3X8



CODE	YKB72	FRONT HUB	Formula FM-21 for v-brake, 32h 100mm OLD, loose balls, axle lenght 108mm, with QR
COLOR	(F7) Red glossy; (PHOTO) (E2) Black matt silver decals	REAR HUB	Formula FM-32 for v-brake, 32h 135mm OLD, loose balls, axle lenght 145mm, with QR
FRAME	Kuma 27,5" alu 2015, curved TT plainage, 1,1/8" HT, BSA 68mm, seatpost diam.31,6mm, high clamp diam.34,9mm top pull, INTL 160mm disc mounting dropouts 9x135mm QR, ST with V-Brake studs, external cable routing under TT, sizes 15-17-19-21"	RIM/WHEELSET	MT-20, 32h anodized
SEATPOST CLAMP	Promax 339QX diam.35mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp and lever	TIRE	Vittoria Saguro 27,5x2,0 rigid, 26tpi
HEADSET	FSA 10 steel cups ID diam.44mm with 16,2mm top cover, retained bearings MRO13, top & bottom depth 9mm, stack height 22,2mm	STEM	TEC +/-7°, 1,1/8 diam.31,8mm, 75mm for 15,17" and 90mm for 19-21", melt forged alloy, stainless bolts
FORK	Suntour M3030 27,5" 65mm, coil spring with pre-load adjust, 1-1/8" steel HT, alloy crown, steel 25,4mm stanchions, alloy lowers with pivot studs, 9mm QR, fixed rebound damping	HANDLEBAR	TEC, width 660mm, diam.31,8mm, rise 15mm, backsweep 9°, PG Alloy 6061
SHIFTER	Shimano ALTUS 3x8 EZ-Fire Plus with window type Optical Gear Display, with brake lever 2-Finger alloy, ST-EF51 with 1800-2050mm inner	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
REAR DERAILLEUR	Shimano ACERA 8s, RD-M360 top-normal, direct attachment, for 11-34T max	SEATPOST	TEC, lenght 350mm, diam.31,6mm, 15mm setback, die cast head/6061 shaft
FRONT DERAILLEUR	Shimano Altus low clamp diam.34,9mm, 9s, dual pull, FD-M190 for CS angle 66/69°, for 44/48T with 22T capacity, CL 50mm	SADDLE	TEC Ultro, steel rails black with scale, PP base, cover S473, 1 COLOR print with TEC logo back and Ultro logo front, Ozon cut
CRANKSET	Shimano Altus TX M131, 42/34/24T with chainguard, arms lenght 170mm, 6/7/8s compatibility	PEDALS	Fasten NW-91K
BOTTOM BRACKET	FSA BB-7420 (JIS) 68mm shell x 50mm CL: JIS - 113mm Chromo square spindle, steel cups	Also available in colours:	
CHAIN	Shimano HG40 8s narrow chain, special rivet, 114link		
CASSETTE / FREEWHEEL	Shimano HG20-8s, 12-13-15-18-21-24-28-32T	(E2) Black matt silver decals	
BRAKE	Promax TX-131 with 31mm vertical brake pad adjustment, cold forget 6061, 27,5-ready		
BRAKE LEVER	included in shifter		

TRAIL



Our Trail bikes are designed for spending long days in the woods and high mountains. The key characteristics of this wide range of bikes are: easy to ride, superb steering, comfort and stability combined with light weight and rigidity, making them bikes you can trust. The Bianchi Trial bikes are designed to satisfy the needs of Marathon racers and those looking for a lightweight bike that will allow hours of riding in the mountains and safe but fun descending.

MODELS OF THIS CATEGORY

[Methanol FST - Ethanol FST - Jab FST](#)

METHANOL 29.1 FST - SRAM X01 1X11



CODE	YKBS6	TIRE	Hutchinson Cougar 29x2.1 front, Cobra 29x2.1 rear Tubeless Ready casing, RaceRisposta compound, fold 127tpi, ETRTO 52-622
COLOR	(G1) Black/graphite-ck decals matt	STEM	Ritchey Trail WCS diam.35mm +/-0°, size 70mm, 1,1/8" stack height 45mm, 3D Forged
FRAME	FS 100mm 29" full carbon, high modulus monocoque, 4-bar linkage, 1.5" tapered HT, PF30, Ti-NET, ERC, high direct mount, PM 160mm carbon dropout, 12x142 Shimano, external cable routing, seatpost diam.31,6mm, shock lenght/travel 165/38mm with eyelets 22,2mm x diam.8mm, sizes 17,19,21"	HANDLEBAR	Ritchey Trail WCS Carbon 35, width 740mm x 15mm rise, diam.35mm, backsweep 9°, upsweep 4°, UD finish
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5 14mm, with Bianchi & Carbon-Ti white logo (2pcs)	GRIP / TAPE	EVA foam, without LockOn, OD diam.34mm, L135mm, neutral end plug VLP-35, with BIANCHI Superlight embossed
REAR SHOCK	Cane Creek Double Barrel 4 ways in-line shock 165/38, Bianchi custom tuned Climb Switch	SEATPOST	LEV Integra, diam.31,6mm, L385mm, travel 125mm, internal cable routing with remote lockout
SEATPOST CLAMP	X Carbon System 36mm +/- 0,2 with Bianchi logo	SADDLE	Fizik Thar 29", manganese 7mm rails, MicroTex thermwelded and stitched, Polybutylene foam, Integrated Clip System
HEADSET	FSA Orbit 1.5 ZS 57, calotte 1-1/8" - 1.5", con cono 8mm	PEDALS	Fasten NW-91K
FORK	SRAM Revelation RCT3 120mm, tapered 1,5" HT 15qr axle, 46mm rake		
SHIFTER	SRAM X1 1x11 trigger		
REAR DERAILLEUR	SRAM X01 11s long cage carbon Type two		
CRANKSET	SRAM X0130T, arm lenght 175mm, 168mm Q- Factor, BCD specific X01		
BOTTOM BRACKET	SRAM PF30 68/73mm cartridge bearings		
CHAIN	SRAM PC-X1 11s, 112link with PowerLock		
CASSETTE / FREEWHEEL	SRAM X01 XG-1195 10-12-14-16-18-21-24-28-32-36-42T		
BRAKE	Formula T1, flip-flop Radial master cylinder, MixMaster clamp, One-piece PM caliper with 24mm pistons, top loading semi-metallic brake pads, caliper cap, steel hardware, laser etched logos, with front PM adapter		
DISC ROTOR	Formula 180mm front, 160mm rear, 1-piece 6 hole		
RIM/WHEELSET	SRAM ROAM 50 29" UST 21mm alloy rim, qr15 front, 12x142 with XD body rear, DT 240s driver with Rachet System, straight pull spokes		

ETHANOL 27.1 FST - SRAM X9 2X10




CODE	YKB85	BRAKE	Formula CR1, flip-flop radial master cylinder with Speedlock connection, MixMaster clamp One-piece PM caliper with 22mm pistons, top loading semi-metallic brake pads, black caliper cap, steel hardware, laser etched logos, with front adapter only
COLOR	(G1) Black/graphite-ck decals matt	DISC ROTOR	Formula 180mm front & 160mm rear, 1-piece 6 hole
FRAME	Ethanol 27,5" FS 130/150 carbon/alloy, 190/50 or 200/57mm shock lengths, 1.5" tapered HT, PF30 73mm with ISCG 05, seatpost diam.31,6mm, HDM FD bottom or front pull, IS 160mm Shimano 142 QR dropout, internal DT cable routing, sizes 15,17,19,21"	RIM/WHEELSET	DT Swiss Spline M1900 27,5", qr15 front, 12x142 rear, 28h, TL-ready rim without eyelets, straight pull spokes
REAR SHOCK	Fox Float CTD 190/50mm, Climb/Trail/Descend compression adj, air spring preload & rebound adj, ano with SV eyelet	TYRE	Hutchinson Cougar 27,5x2.2 Tubeless Ready Hard Skin, Racing Risposta Compound, fold 66tpi, ETRTO 56-584
SEATPOST CLAMP	Promax MX-95RT diam.35mm, elegant, stylish, light & strong seat clamp with angled cut for carbon frames	STEM	FSA OS-168LX, +/-6°, size 70mm for 15,17" and 80mm for 19,21", 1,1/8 x diam.31.8mm, stack height 40mm, 3D forged AL6061 with forged alloy 4-bolt faceplate, anodized with laser graphics
HEADSET	FSA Orbit 1.5E ZS #57E, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover	HANDLEBAR	FSA Comet low riser XC-303L, width 740mm, diam.31,8mm, backsweep 9° upsweep 4°, double butted AL6061, anodized shot peened with laser graphics
FORK	Fox 32 Float 27,5" 120mm CTD FIT Performance, Rebound, Air spring pressure, 1.5" tapered HT, 15QR axle, 44mm rake	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
SHIFTER	SRAM X9 2x10 trigger	SEATPOST	LEV Integra, diam.31,6mm, L335mm, travel 125mm, internal remote cable routing with remote lockout
REAR DERAILLEUR	SRAM X9 10s medium cage alu Type two	SADDLE	San Marco Dirty Native One, manganese rails, microfeel + Kevlar cover, with white logo and lines, 277mm x 131mm
FRONT DERAILLEUR	SRAM X5 HDM, 2s, dual pull, for 38/24 & 36/22T	PEDALS	Fasten NW-91K
CRANKSET	FSA Comet BB30, STC/38/24T D10 for Shimano/SRAM 10s, 175mm, Q factor 177mm and 50mm chainline, 96/68mm BCD with 4 arms spider, forged AL6061		
BOTTOM BRACKET	FSA included, PF30 Integrated BB-7000 68/73mm		
CHAIN	FSA Team Issue 10s, 112 links with connector, width 5.88mm		
CASSETTE / FREEWHEEL	SRAM PG1020, 11-13-15-17-19-22-25-28-32-36T, Power Glide technology		

ETHANOL 27.2 FST - SHIMANO XT/DEORE 2X10



CODE	YKB86	FRONT HUB	Formula CL-81 for CL, 32h 15mm TA, sealed bearings
COLOR	(G4) Black/graphite-red decals matt	REAR HUB	Formula CL-142S for CL, 32h 12x142mm, sealed bearings
FRAME	Ethanol 27,5" FS 130/150 carbon/alloy, 190/50 or 200/57mm shock lengths, 1,5" tapered HT, PF30 73mm with ISCG 05, seatpost diam.31,6mm, HDM FD bottom or front pull, IS 160mm Shimano 142 QR dropout, internal DT cable routing, sizes 15,17,19,21"	RIM/WHEELSET	Sunringlè Helix 27 Tubeless Ready - 27.5, 32h Anodized,without eyelet, alloy, sleeved joint, 18mm height
REAR SHOCK	Fox Float CTD 190/50mm, Climb/Trail/Descend compression adj, air spring preload & rebound adj, ano with SV eyelet	TYRE	Vittoria Saguardo 27,5x2.0 rigid, 26tpi
SEATPOST CLAMP	Promax MX-85RT diam.35mm, with ADJ seatpost cable guide, forged alu	STEM	TEC Obvius +/-7°, 1,1/8 x diam.31.8mm, 70mm for 15,17" and 80mm for 19,21", 3D forged alloy 6061
HEADSET	FSA Orbit 1.5E ZS #57E, internal alloy cups, economical ACB 1-1/8" Upper, 1,5" Lower, with 5,3mm top cover	HANDLEBAR	TEC Obvius rise 15mm, width 700mm, diam.31,8mm, 5° backsweep, DB Alloy 6061
FORK	Fox 32 Float 27,5" CTD 120mm, Evolution, open cartridge, 1,5" tapered HT, 15QR axle, 44mm rake	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
SHIFTER	Shimano Deore 2x10 with Optical Gear Display, SL- M610 with 1800-2050mm inner	SEATPOST	E-Ten 100, travel 100mm with remote lockout, air spring, hydraulic lock, L385mm, diam.31,6mm
REAR DERAILLEUR	Shimano XT Shadow+ Design 10s, RD-M786 SGS top normal, direct attachment, for 11-36T max	SADDLE	San Marco Era Start Open, steel rail, cover SYNTEX, length 277mm x width 135mm
FRONT DERAILLEUR	Shimano Deore Direct Mount, 10s, dual pull, FD-M616-D for CS angle 66/69°, for 44/38T with 14T capacity	PEDALS	Fasten NW-91K
CRANKSET	FSA Comet BB30, STC/38/24T D10 for Shimano/SRAM 10s, 175mm, Q factor 177mm and 50mm chainline, 96/68mm BCD with 4 arms spider, forged AL6061		
BOTTOM BRACKET	FSA included, PF30 Integrated BB-7000 68/73mm		
CHAIN	Shimano Deore super narrow chain HG X10s, 114 links, with end pin		
CASSETTE / FREEWHEEL	Shimano Deore HG50-10s, 11-13-15-17-19-21-24-28-32-36T		
BRAKE	Shimano M506 with rear J-Kit only, Shimano logo, resin pad without fin, with front PP2 180mm adapter only		
DISC ROTOR	Shimano 180mm front & 160mm rear, CenterLock SMRT30		

ETHANOL 27 FST FRAMESET



SIZE	A	B1	BS	C	D	E	G	G2	G1	Y	X
S 15"	380	560	530	435	24	100	74.5°	69.5°	68.5°	573	398
M 17"	430	580	545	435	24	110	74.5°	69.5°	68.5°	583	414
L 19"	480	600	565	435	24	120	74.5°	69.5°	68.5°	592	430
XL 21"	530	620	580	435	24	125	74.5°	69.5°	68.5°	598	448

CODE XKB55

COLOUR G1-Black/graphite-ck decals matt
G4 Black/graphite-red decals matt

FRAME Ethanol 27,5" FS 130/150 carbon/alloy, 190/50 or 200/57mm shock lengths, 1.5" tapered HT, PF30 73mm with ISCG 05, seatpost diam.31,6mm, HDM FD bottom or front pull, IS 160mm Shimano 142 QR dropout, internal DT cable routing, sizes 15,17,19,21"

REAR SHOCK Fox Float CTD 190/50mm, Climb/Trail/Descend compression adj, air spring preload & rebound adj, ano with SV eyelet

HEADSET FSA Orbit 1.5E ZS #57E, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover

Also available in colours:

G1-Black/graphite-ck decals matt

G4 Black/graphite-red decals matt

JAB 27.1 FST - SRAM X9/X7 2X10




CODE	YKBA1	FRONT HUB	Formula CL-25 for Center Lock, 32h 100mm OLD, sealed bearings, j-bend spokes, 108mm axle, with QR
COLOR	(G6) -Ck glossy	REAR HUB	Formula CL-26 for Center Lock, 32h 135mm OLD, sealed bearings, j-bend spokes, 145mm axle, with QR
FRAME	JAB II 27,5" FS 130mm alu 6061 triple butted, 190/50mm shock length, 1.5" tapered HT, BSA 68mm, seatpost diam.31,6mm, HDM FD bottom pull, IS 160mm dropout 9x135mm, external DT cable routing, sizes 15,17,19,21"	RIM/WHEELSET	Sunringè Helix 27 Tubeless Ready - 27.5, 32h Anodized,without eyelet, alloy, sleeved joint, 18mm height
REAR SHOCK	SRAM Monarch RT 190/51mm, rebound M tune, compression L tune with 380 lockout force, air spring preload and rebound adj with HV eyelet	TYRE	Vittoria Saguaro 27,5x2.0 rigid, 26tpi
SEATPOST CLAMP	Promax MX-85RT diam.35mm, with ADJ seatpost cable guide, forged alu	STEM	TEC Obvius +/-7°, 1,1/8 x diam.31.8mm, 70mm for 17" and 80mm for 19,21", 3D forged alloy 6061
HEADSET	FSA Orbit 1.5E ZS #57E, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover	HANDLEBAR	TEC Obvius rise 15mm, width 700mm, diam.31,8mm, 5° backsweep, DB Alloy 6061
FORK	SRAM Rock Shox Reba RL 27,5" Solo Air 120mm with lockout, 1.5" tapered HT, 9mm QR axle, 32mm stanchions, alu lowers, PM 160mm disc mount, 42mm offset, external rebound adj	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
SHIFTER	SRAM X7 2x10 trigger	SEATPOST	E-Ten 100, travel 100mm with remote lockout, air spring, L385mm, diam.31,6mm
REAR DERAILLEUR	SRAM X9 10s medium cage carbon Type two	SADDLE	San Marco Era Start Open, steel rail, cover SYNTEX, length 277mm x width 135mm
FRONT DERAILLEUR	SRAM X5 HDM, 2s, dual pull, for 38/24 & 36/22T	PEDALS	Fasten NW-91K
CRANKSET	FSA Comet Compact BB30, 36/22T D10 for Shimano/ SRAM 10s, 175mm, Q factor 177mm and 50mm chainline, 96/68mm BCD with 4 arms spider, forged AL6061		
BOTTOM BRACKET	FSA included, PF30 Integrated BB-7000 68/73mm		
CHAIN	FSA Team Issue 10s, 112 links with connector, width 5.88mm		
CASSETTE / FREEWHEEL	SRAM PG1020, 11-13-15-17-19-22-25-28-32-36T, Power Glide technology		
BRAKE	Shimano M396 assembled set BL-M395W(L&R) with only rear adapter PM160, resin pad, with rotor RT30 CL		
DISC ROTOR	Shimano 180mm front & 160mm rear, CenterLock SMRT30		

JAB 27.2 FST - SHIMANO XT/DEORE 2X10



CODE	YKBA2	FRONT HUB	Formula CL-1420 for Center Lock, 32h 100mm OLD, loose balls, axle length 108mm, with QR
COLOR	(G5) -Antracite matt	REAR HUB	Formula CL-1422 for Center Lock, 32h 135mm OLD, loose balls, axle length 145mm, with QR
FRAME	JAB II 27,5" FS 130mm alu 6061 triple butted, 190/50mm shock length, 1,5" tapered HT, BSA 68mm, seatpost diam.31,6mm, HDM FD bottom pull, IS 160mm dropout 9x135mm, external DT cable routing, sizes 15,17,19,21"	RIM/WHEELSET	Sunringè Helix 27 Tubeless Ready - 27.5, 32h Anodized,without eyelet, alloy, sleeved joint, 18mm height
REAR SHOCK	Suntour Raidon LO 190/50, Air preload, fixed rebound with lockout	TYRE	Vittoria Saguardo 27,5x2.0 rigid, 26tpi
SEATPOST CLAMP	Promax MX-95RT diam.35mm, elegant, stylish, light & strong seat clamp with angled cut for carbon frames	STEM	TEC +/-7°, 1,1/8 x diam.31.8mm, 60mm for 15,17" and 75mm for 19-21", melt forged alloy, stainless bolts, with TEC white logo AS-601
HEADSET	FSA Orbit 1.5B ZS 57B, steel cups, retainer bearings, ACB 1-1/8" Upper, 1.5" Lower, with 8,2mm cone spacer	HANDLEBAR	TEC rise 15mm, width 680mm, diam.31,8mm, backsweep 9°, PG Alloy 6061
FORK	Suntour XCR Air LO-R 27,5" 120mm with Lockout, 1,5" tapered steel HT, alloy crown, pre-load & rebound adjust, steel 32mm stanchions with new seals, magnesium lowers with new hybrid bushing, PM 160mm disc mount, 9mm QR	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
SHIFTER	Shimano Deore 2x10 with Optical Gear Display, SL- M610 with 1800-2050mm inner	SEATPOST	E-Ten 100, travel 100mm with remote lockout, air spring, L385mm, diam.31,6mm
REAR DERAILLEUR	Shimano XT Shadow Design 10s, RD-M781 SGS top normal, direct attachment, for 11-36T max	SADDLE	TEC Ultro, steel rails black with scale, PP base, cover S473, 1 COLOUR print with TEC logo back and Ultro logo front, Ozon cut
FRONT DERAILLEUR	Shimano Deore Direct Mount, 10s, dual pull, FD-M616-D for CS angle 66/69°, for 44/38T with 14T capacity	PEDALS	Fasten NW-91K
CRANKSET	FSA Gamma Drive MegaExo, STC/38/24T D10 for Shimano/ Sram 10s, arms length 175mm, 170mm Q factor and 46,8mm chainline, 104/64mm BCD, cast alloy painted with printed graphics		
BOTTOM BRACKET	FSA included, MegaExo 19 Integrated BB-1000 68/73mm		
CHAIN	Shimano Deore super narrow chain HG X10s, 114 links, with end pin		
CASSETTE / FREEWHEEL	Shimano Deore HG50-10s, 11-13-15-17-19-21-24-28-32-36T		
BRAKE	Shimano M355 assembled set BL-M355L(L&R) with only rear adapter PM160, resin pad, rotor RT30 CL		
DISC ROTOR	Shimano 180mm front & 160mm rear, CenterLock		

JAB 27 FS TRAIL FRAMESET



SIZE	A	B1	BS	C	D	E	G	G2	G1	Y	X
S	380	560	531	440	21	100	74°	70°	68.5°	572	403
M	430	580	549	440	21	110	74°	70°	68.5°	580	421
L	480	600	566	440	21	115	74°	70°	68.5°	585	440
XL	530	620	584	440	21	120	74°	70°	68.5°	590	458

CODE

XKB56

COLOUR

G6 - Ck glossy

G5 - Antracite matt

FRAME

JAB II 27,5" FS 130mm alu 6061 triple butted, 190/50mm shock length, 1.5" tapered HT, BSA 68mm, seatpost diam.31,6mm, HDM FD bottom pull, IS 160mm dropout 9x135mm, external DT cable routing, sizes 15,17,19,21"

REAR SHOCK

SRAM Monarch RT 190/51mm, rebound M tune, compression L tune with 380 lockout force, air spring preload and rebound adj with HV eyelet

HEADSET

FSA Orbit 1.5E ZS #57E, internal alloy cups, economical ACB 1-1/8"
Upper, 1.5" Lower, with 5,3mm top cover

Also available in colours:

G6 - Ck glossy



G5 - Antracite matt

E-JAB 27.2 FST - SHIMANO XT/DEORE



Code	YKB79	GRIP / TAPE	TEC Cardo, double density lightweight
Color	(G9) Antracite/Blk wh/Green acid line	SEATPOST	E-Ten 100, travel 100mm with remote lockout, L385mm, diam31,6mm
FRAME	E-JAB II FS 130mm 27,5" alu 6061 triple butted, 1.5" tapered HT, compatible with Bosch II, seatpost diam31,6mm, low clamp diam34.9, bottom pull, IS 160mm dropout 9x135mm, internal cable routing inside DT, sizes 17,19,21"	SADDLE	TEC Ultro, steel rails black with scale
REAR SHOCK	Monarch RT 190/51mm	PEDALS	Fasten NW-91K
SEATPOST CLAMP	Promax MX-95RT diam35mm, elegant, stylish, light & strong seat clamp with angled cut for carbon frames		
HEADSET	FSA Orbit 1.5B ZS 57B, steel cups, retainer bearings, ACB 1-1/8" Upper, 1.5" Lower, with 8,2mm cone spacer		
FORK	Rock shox Revelation RL 27,5" tapered 15x100 travel 120mm		
SHIFTER	Shimano XT 10sp without Optical Gear Display, SL- M780 w/2050mm inner		
REAR DERAILLEUR	Shimano XT "M786" for 11-36T		
CRANKSET	FSA arms CK-745/IS(NEW) 175mm		
BOTTOM BRACKET	chainguard matte black 15/16/17T + ML054 arm screw M15x8mm		
CHAIN	Shimano XT CN-HG95 super narrow HG for MTB 10 speed, 114 links with end pin		
CASSETTE / FREEWHEEL	Shimano SLX, CS-HG81-10, 10speed 11-13-15-17-19-21-24-28-32-36T		
BRAKE	Shimano XT M785, left and right, disc brake		
DISC ROTOR	Shimano SM-RT86 for disc brake		
RIM/WHEELSET	M1900 spline 27,5" Front 100/15mm/TA, Rear 135mm/5mm/QR, IS 6bolts, 584x19mm, (1850gr)		
TIRE	Hutchinson Cougar 27,5x2.2 Tubeless Ready Hard Skin, Racing Risposte Compound, fold 66tpi, ETRTO 56-584		
STEM	TEC Obvius +/-7°, 1,1/8 x diam31.8mm, 70mm for 15,17" and 80mm for 19,21", 3D forged alloy 6061		
HANDLEBAR	TEC Obvius rise 15mm, width 700mm, diam31,8mm, 5° backsweep, DB Alloy 6061		

E-JAB 27,5" FST - SHIMANO SLX



Code	YKB78	HANDLEBAR	TEC Obvius rise 15mm, width 700mm, diam31,8mm, 5° backsweep, DB Alloy 6061
Color	(G9) Antracite/Blk wh/Green acid line	GRIP / TAPE	TEC Cardo, double density lightweight
FRAME	E-JAB II FS 130mm 27,5" alu 6061 triple butted, 1.5" tapered HT, compatible with Bosch II, seatpost diam.31,6mm, low clamp 34,9, bottom pull, IS 160mm dropout 9x135mm, internal cable routing inside DT, sizes 43,48,53cm (17",19",21")	SEATPOST	TEC Obvius, lenght 350mm, diam31,6mm, 15mm seatback, alloy 6061-T6
REAR SHOCK	Monarch RT 190/51mm	SADDLE	TEC Ultro, steel rails black with scale
SEATPOST CLAMP	Promax MX-95RT diam35mm, elegant, stylish, light & strong seat clamp with angled cut for carbon frames	PEDALS	Fasten NW-91K
HEADSET	FSA Orbit 1.5B ZS 57B, steel cups, retainer bearings, ACB 1-1/8" Upper, 1.5" Lower, with 8,2mm cone spacer		
FORK	Rock Shox Reba RL 27,5 "tapered 15x100 120mm		
SHIFTER	Shimano SLX 2x10 with optical gear display		
REAR DERAILLEUR	SLX Shadow Design 10s, M670 SGS top normal, direct attachment, for 11-36T max		
CRANKSET	FSA arms CK-745/IS(NEW) 175mm		
BOTTOM BRACKET	chainguard matte black 15/16/17T + ML054 arm screw M15x8mm		
CHAIN	Shimano Deore super narrow chain HG X10s, CN-HG54, 112 links, with end pin		
CASSETTE / FREEWHEEL	Shimano Deore HG50-10s, 11-13-15-17-19-21-24-28-32-36T		
BRAKE	Shimano Deore BL-M615, left and right, disc brake		
DISC ROTOR	Shimano SM-RT64 for disc brake		
FRONT HUB	Shimano Deore HB-M618		
REAR HUB	Shiamano Deore FH-M615-L		
RIM/WHEELSET	Sunringlè Helix 25 Tubeless Ready - 27.5, 32h Anodized, without eyelet, alloy, sleeved joint, 18mm heigh		
TIRE	Vittoria Saguaro 27,5x2.2 rigid 26tpi, ETRTO 56-584		
STEM	TEC Obvius +/-7°, 1,1/8 x diam31.8mm, 70mm for 15,17" and 80mm for 19,21", 3D forged alloy 6061		

ENDURO



Enduro bikes encapsulate the adrenaline rush of racing and the adventurous spirit first discovered when mountain biking was created. Enduro bikes are designed for long rides climbing in the mountains and the some racing fun on the descents home. This spirit is encompassed in the Enduro Racing category and the Enduro World Series (EWS). These bike excel on the descents. The suspension and steering are placed at the heart of the design process, so that every climb can be conquered with ease before enjoying the fun of the descent.

MODELS OF THIS CATEGORY

Ethanol FSE

ETHANOL 27.1 FSE - SRAM X01/X1 1X11




CODE	YKB90	RIM/WHEELSET	Sunringlè Charger Comp 27,5" Tubeless Ready with XD driver, 23c sieved 6061 rim with eyelets, 28h, cartridge bearing with Cr-Mo FH body, front 15QR, rear 142mm, Wheelsmith spokes and nipples (28/28)
COLOR	(G1) Black/graphite-ck decals matt	TIRE	Hutchinson Cougar 27,5x2.2 Tubeless Ready Hard Skin, Racing Risposte Compound, fold 66tpi, ETRTO 56-584
FRAME	Ethanol 27,5" FS 130/150 carbon/alloy, 190/50 or 200/57mm shock lengths, 1.5" tapered HT, PF30 73mm with ISCG 05, seatpost diam.31,6mm, HDM FD bottom or front pull, IS 160mm Shimano 142 QR dropout, internal DT cable routing, sizes 15,17,19,21"	STEM	FSA OS-168LX, +/-6°, size 60mm, 1,1/8 x diam.31.8mm, stack height 40mm, 3D forged AL6061
REAR SHOCK	Fox Float X CTD 200/57mm BV, Factory, Climb/Trail/Descend compression adj, air spring & rebound adj, ano with SV eyelet	HANDLEBAR	FSA Comet low riser XC-303L, width 740mm, diam.31,8mm, backsweep 9° upsweep 4°, double butted AL6061, anodized shot peened with laser graphics
SEATPOST CLAMP	Promax MX-95RT diam.35mm, elegant, stylish, light & strong seat clamp with angled cut for carbon frames	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
HEADSET	FSA Orbit 1.5E ZS #57E, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover	SEATPOST	LEV Integra, diam.31,6mm, L335mm, travel 100mm, internal remote cable routing
FORK	Fox 34 Float 27,5" CTD Performance 160mm, FIT cartridge, 1.5" tapered HT, 15QR axle, 44mm rake	SADDLE	San Marco Dirty Zero One, steel rail, cover Microfeel, length 284mm x width 125mm
SHIFTER	SRAM X0 1x11 trigger	PEDALS	Fasten NW-91K
REAR DERAILLEUR	SRAM X1 11s long cage alu Type2		
CRANKSET	FSA Comet Compact 386 BB30 31T Megatooth 11s, 170mm, Q factor 170mm and 50,4mm chainline, 86mm BCD with 3 arms spider, forged AL6061		
BOTTOM BRACKET	FSA included, PF30 Integrated BB-7000 68/73mm		
CHAIN	FSA Team Issue 11s, 110 links with connector, width 5.88mm		
CASSETTE / FREEWHEEL	SRAM X1 XG-1180 10-12-14-16-18-21-24-28-32-36-42T		
BRAKE	Formula CR3, flip-flop radial master cylinder with Speedlock connection, MixMaster clamp One-piece PM caliper with 24mm oval pistons, top loading semi-metallic brake pads, caliper cap, steel hardware, laser etched logos, with adapters		
DISC ROTOR	Formula 203mm front & 180mm rear, 1-piece 6 hole		

ETHANOL 27.2 FSE - SRAM X1 1X11



CODE	YKB91	RIM/WHEELSET	SRAM ROAM 30 27,5" Tubeless Ready, XD Body sleeved alu 21mm rim, front 15QR, rear 12x142mm, 24 bladed steel spokes
COLOR	(G4) Black/graphite-red decals matt	TIRE	Vittoria Saguaro 27,5x2.2 rigid 26tpi, ETRTO 56-584
FRAME	Ethanol 27,5" FS 130/150 carbon/alloy, 190/50 or 200/57mm shock lengths, 1.5" tapered HT, PF30 73mm with ISCG 05, seatpost diam.31,6mm, HDM FD bottom or front pull, IS 160mm Shimano 142 QR dropout, internal DT cable routing, sizes 15,17,19,21"	STEM	TEC Obvius +/-7°, 1,1/8 x diam.31.8mm, 60mm for 15,17" and 70mm for 19,21", 3D forged alloy 6061
REAR SHOCK	SRAM Monarch Plus R 200/57mm, Rebound M tune, compression L tune, air spring preload & rebound adj, anodized with HV eyelet	HANDLEBAR	TEC Obvius rise 15mm, width 700mm, diam.31,8mm, 5° backsweep, DB Alloy 6061
SEATPOST CLAMP	Promax MX-85RT diam.35mm, with ADJ seatpost cable guide, forged alu	GRIP / TAPE	Velo TEC Cardo, double density lightweight, with TEC logo, C-logo on end plugs
HEADSET	FSA Orbit 1.5E ZS #57E, internal alloy cups, economical ACB 1-1/8" Upper, 1.5" Lower, with 5,3mm top cover	SEATPOST	E-Ten 100mm L385mm, diam.31,6mm with remote lockout
FORK	SRAM Pike RC 27,5" 160mm Compression tune, Rebound, Air spring pressure, 1.5" tapered HT, 15QR axle, matt finish	SADDLE	San Marco Dirty Zero One, steel rail, cover Microfeel, length 284mm x width 125mm
SHIFTER	SRAM X1 1x11 trigger	PEDALS	Fasten NW-91K
REAR DERAILLEUR	SRAM X1 11s long cage alu Type2		
CRANKSET	FSA Comet Compact 386 BB30 31T Megatooth 11s, 170mm, Q factor 170mm and 50,4mm chainline, 86mm BCD with 3 arms spider, forged AL6061		
BOTTOM BRACKET	FSA included, PF30 Integrated BB-7000 68/73mm		
CHAIN	FSA Team Issue 11s, 110 links with connector, width 5.88mm		
CASSETTE / FREEWHEEL	SRAM X1 XG-1180 10-12-14-16-18-21-24-28-32-36-42T		
BRAKE	Formula C1, flip-flop master cylinder with Speedlock connection, MixMaster clamp One-piece PM caliper with 22mm pistons, top loading semi-metallic brake pads, caliper cap, steel hardware, laser etched logos, without adapters		
DISC ROTOR	Formula 203mm front & 180mm rear, 1-piece 6 hole		

ETHANOL 27 FSE FRAMESET



SIZE	A	B1	BS	C	D	E	G	G2	G1	Y	X
M 17"	430	580	554	442	50	110	74°	71°	70.5°	617	410
L 19"	480	600	572	442	50	115	74°	71°	70.5°	622	428
XL 21"	530	620	589	442	50	120	74°	71°	70.5°	627	447

CODE XKB54

COLOUR G1-Black/graphite-ck decals matt
G4 Black/graphite-red decals matt

FRAME Ethanol 27,5" FS 130/150 carbon/alloy, 190/50 or 200/57mm shock lengths, 1,5" tapered HT, PF30 73mm with ISCG 05, seatpost diam31,6mm, HDM FD bottom or front pull, IS 160mm Shimano 142 QR dropout, internal DT cable routing, sizes 15,17,19,21"

REAR SHOCK Fox Float X CTD 200/57mm BV, Factory, Climb/Trail/Descend compression adj, air spring & rebound adj, ano with SV eyelet

HEADSET FSA Orbit 1.5E ZS #57E, internal alloy cups, economical ACB 1-1/8"
Upper, 1,5" Lower, with 5,3mm top cover

Also available in colours:



G1-Black/graphite-ck decals matt



G4 Black/graphite-red decals matt

SPORT - CAMALEONTE



Being everywhere at ease. Like the animal bearing their name, the Camaleonte Sport range of bikes can find their natural habitat in the city as well as in the countryside. The perfect bikes to take a spin on a weekend getaway.



PROJECT PHILOSOPHY

- Bike lighter tanks to the new DB an TB tubes and component
 - Designed to meet a performance with a comfortable riding position
 - Fast, reliable and a versatile bike
 - Light weight and easy to carry
-

MODELS IN THIS CATEGORY

- **Camaleonte C-Sport**
- **Camaleonte C-Sport Cross**

CAMALEONTE 5- TIAGRA 2X10SP COMPACT



CODE	YKB50	REAR HUB	Formula OV-325 rear hub, 28H OLD:135mm AXLE:145mm,two seales bearings with QR-33
COLOR	KW Black matt	RIM/WHEELSET	"Tec Sport Edition" SSP220 (Alex Rim AT470 v-brake) version, alloy, 700c 622x17 28H, pair spoke 2x14 , EN standard
FRAME	Camaleonte Sport Alu 6061 tubes,size:43cm/47cm/51cm/55cm/59cm	TIRE	"Tec Sport Edition" UNDA, 28-622 (700cX28c) new car type look, 27TPI
BOLTS / HARDWARE	Stainless	STEM	Iee Chi DA-296 3D forged 6061, 4bolts, 6° 31,8mm 28,6mm Wider faceplate for stronger clamping force (EN-M). 80mm x size 43cm/47cm - 100mm x size, no logo 51cm/55cm/59cm.
SEATPOST CLAMP	MX-27 31,8mm alloy ED Black	HANDLEBAR	Tec Sport Edition, Alloy 6061 PG, 620mm, 6° bend, 31,8mm
HEADSET	1-1/8" semi-integrated, for H/T 50x44, steel cups with MH-S73SA 25mm cone spacer	GRIP / TAPE	Velo VLG-043-03A EVA black 130mm
FORK	Aprebic fork 28" ACC-A750STN50, 1-1/8" Alloy steerer, carbon blades, integrated 50mm, offset 45mm, PIVOT v-brake version	SEATPOST	Leechi SP-307, one piece 3D forged alloy AL6061, offset 25mm, 27,2x350mm
SHIFTER	Shimano Tiagra SL-4600 left 2 speed,for flat handle bar road,180 mm inner, optical, gear display	SADDLE	Spectra Activus 2062HRM GENT version, steel rail
REAR DERAILLEUR	Shimano Tiagra RD-4601, SS 10 speed direct attachment, compatible with low gear 25-30T for double	PEDALS	9/16" Boron axle, alloy
FRONT DERAILLEUR	Shimano Tiagra FD-4600, band-type 31.8mm for double chainwheel		
CRANKSET	Shimano FC-4650 front chainwheel, compact drive type, 170-172,5-175mm, hollowtech 2 style, for rear 10 speed 50x34T with BB(BSA)		
BOTTOM BRACKET	Included in the crankset		
CHAIN	FSA Team Issue CN-910 10sp, 112 link, Includes 1-PC Connector, width 5.88mm, finish NP		
CASSETTE / FREEWHEEL	Shimano Tiagra CS-4600 cassette sprocket, 10 speed 12-13-14-15-17-19-21-24-27-30T		
BRAKE	Front and Rear MV-87 Mini V-Brake, dual linear spring tension adjuster, melt forged arms, with EN271 shoes, Stainless pipe		
BRAKE LEVER	Lee Chi XL-136A LEVER, 2.5 finger, for V-Brake		
FRONT HUB	Formula OV-91 front hub, 28H OLD:100mm AXLE:108MM, two seales bearings Anodized with QR-33		

CAMALEONTE 4 - CLARIS COMPACT 2X8SP



CODE	YKBB1	RIM/WHEELSET	"Tec Sport Edition" SSP220 Alex Rim AT470 v-brake version, alloy, 700c 622x17 28H, pair spoke 2x14
COLOR	C1 CK matt D4 Silver matt (PHOTO)	TIRE	"Tec Sport Edition" UNDA 28-622 (700cX28c) new car type look, 27TPI
FRAME	Camaleonte Sport Alu 6061 tubes, size: 43cm/47cm/51cm/55cm/59cm	STEM	Lee Chi DA-296 3D forged 6061, 4bolts, 6° 31,8mm 28,6mm Wider faceplate for stronger clamping force (EN-M). 80mm x size 43cm/47cm - 100mm x size, no logo 51cm/55cm/59cm.
BOLTS / HARDWARE	Stainless	HANDLEBAR	"Tec Sport Edition" Flat bar, Alloy 6061 PG, 620mm 6° bend, 31,8mm
SEATPOST CLAMP	MX-27 31,8mm alloy ED Black	GRIP / TAPE	Velo VLG-043-03A EVA black 130mm
HEADSET	1-1/8" semi-integrated, for H/T 50x44, steel cups with MH-S73SA 25mm cone spacer	SEATPOST	Leechi SP-307, one piece 3D forged alloy AL6061, offset 25mm, 27,2x350mm
FORK	Bianchi FF28" AL 1-1/8" A30 alloy threadless steer and blades, with pivot. offset 45mm for 700C	SADDLE	Spectra Activus 2062HRM GENT version, steel rail
SHIFTER	Shimano Claris SL-2400, for flat handle bar road, 2 speed left; 8 speed right	PEDALS	9/16" Boron axle
REAR DERAILLEUR	Shimano Claris RD-2400, ss 8 speed direct attachment		
FRONT DERAILLEUR	Shimano Claris RD-2400, babb type 31.8mm for double chainwhhel		
CRANKSET	Shimano Claris FC-2450 front chainwhhel, 170mm octalink, 50x34T for rear 8 speed		
BOTTOM BRACKET	Shimano cartridge bottom bracket, BB-ES25 splined/hollow-type axle BSA 68mm-113		
CHAIN	KMC Z72 1/2" x 3/32" x 114L, for 8 speed		
CASSETTE / FREEWHEEL	CASSETTE SPROCKET, CS-HG50-I 8-SPEED, 11-13-15-17-19-21-24-28T (BF), BULK		
BRAKE	Front and Rear MV-87 Mini V-Brake, dual linear spring tension adjuster, melt forged arms, with EN271 shoes, Stainless pipe		
BRAKE LEVER	Lee Chi XL-136A LEVER, 2.5 finger, for V-Brake		
FRONT HUB	Formula OV-91 front hub, 28H OLD:100mm AXLE:108MM, two sealed bearings Anodized with QR-33		
REAR HUB	Formula OV-325 rear hub, 28H OLD:135mm Axle:145mm, two sealed bearings with QR-33		

Also available in colours:



CAMALEONTE 3 - DEORE MIX 27SP DISC



CODE	YKB52	REAR HUB	Shimano FH-RM66 rear hub, 32H 8/9 speed OLD:135mm axle:146mm with QR for center lock disc brake
COLOR	KW Black matt	RIM/WHEELSET	"Tec Sport Edition" SSP220 disc version, alloy, 700c 622x17 32H, pair spoke 2x16
FRAME	Camaleonte sport Alu 6061 tubes, size:43cm/47cm/51cm/55cm/59cm	TIRE	"Tec Sport Edition", QUANTUM 32-622, regular, 22TPI
BOLTS / HARDWARE	Stainless	STEM	Iee Chi DA-296 3D forged 6061, 4bolts, 6° 31,8mm 28,6mm Wider faceplate for stronger clamping force (EN-M). 80mm x size 43cm/47cm - 100mm x size, no logo 51cm/55cm/59cm.
SEATPOST CLAMP	MX-27 31,8mm alloy ED Black	HANDLEBAR	Tec Sport Edition, Alloy 6061 PG, 620mm, 6° bend, 31,8mm
HEADSET	1-1/8" semi-integrated, for H/T 50x44, steel cups with MH-S73SA 25mm cone spacer	GRIP / TAPE	Velo VLG-043-03A EVA black 130mm
FORK	Bianchi FF28" AL 1-1/8" A30 alloy threadless steerer, alloy blades with pivot and disc mount, for 700C	SEATPOST	Leechi SP-307, one piece 3D forged alloy AL6061, offset 25mm, 27,2x350mm
SHIFTER	Shimano Deore SL-M590 shift lever 3 speed left; 9 speed right	SADDLE	Spectra Activus 2062HRM GENT version, steel rail
REAR DERAILLEUR	Shimano Deore RD-M591-L rear derailleur, 9 speed top-normal direct attachment	PEDALS	9/16" boron axle
FRONT DERAILLEUR	Shimano Deore FD-M591, down-swing dual-pull band type (with 31.8mm adapter) for 44/48T		
CRANKSET	Shimano Alivio FC-M431-L for 9 speed, 170-175mm octalink, 48x36x26T		
BOTTOM BRACKET	included in the crankset		
CHAIN	FSA Team Issue CN-906 9sp, 114link, Includes 1-PC Connector, width 6.4mm finish NP		
CASSETTE / FREEWHEEL	Shimano CS-HG300-9 cassette sprocket 9 speed 11-12-14-16-18-21-24-28-32T		
BRAKE	Shimano Front disc brake assembled set, BL-M355L(L), BR-M355(F) 750mm=43/47/51CM, 800mm=55/59CM,		
BRAKE LEVER	Included in the brake set		
DISC ROTOR	Shimano SM-RT30 for disc brake 160mm with center lock ring		
FRONT HUB	Shimano HB-RM66 front hub, 32H OLD:100mm axle 108mm with QR		

CAMALEONTE 2 ALU - ALIVIO 24SP DISC



CODE	YKB55	REAR HUB	Shimano FH-RM35 freehub, 32H 8/9-speed OLD:135mm axle:146mm QR:170mm, for center lock disc brake
COLOR	D4 Silver matt KW Black (PHOTO)	RIM/WHEELSET	"Tec Sport Edition" SSP220 disc version, alloy, 700c 622x17 32H, pair spoke 2x16
FRAME	Camaleonte sport Alu 6061 tubes, size:43cm/47cm/51cm/55cm/59cm	TIRE	Rigid 32-622 / 700x32c 30tpi with reflector line
BOLTS / HARDWARE	Stainless	STEM	"PROMAX MA-45 ID28,6mm A-head, Stailess bolts, 25,4mm 20°, 80mm x size 43cm\47cm - 100mm x 51cm\55cm\59cm
SEATPOST CLAMP	MX-27 31,8mm alloy ED Black	HANDLEBAR	"Tec Sport Edition", Alloy PG, 620mmX18mm RISE, 9° bend
HEADSET	1-1/8" semi-integrated, for H/T 50x44, steel cups with MH-S73SA 25mm cone spacer	GRIP / TAPE	Velo VLG-043-03A EVA black 130mm
FORK	Bianchi FF28" AL 1-1/8" A30 alloy threadless steerer, alloy blades with pivot and disc mount, for 700C	SEATPOST	Leechi SP-307, one piece 3D forged alloy AL6061, offset 25mm, 27,2x350mm
SHIFTER	Shimano ST-EF51-L(LL)4A left 3 speed 1800mm ,FOR V-BRAKE ; 8 speed right	SADDLE	Selle Royal SIAM 1200URN Unisex
REAR DERAILLEUR	Shimano Acera RD-M360-L, SGS 7/8-speed, direct attachment	PEDALS	9/16" Boron axle
FRONT DERAILLEUR	Shimano FD-M191-3,for rear 7/8-speed, band type (with31.8mm adapter), CS angle:63-66 for 48-38-28T		
CRANKSET	Shimano FC-M131 170mm, 48X38X28T for rear 6/7/8 speed		
BOTTOM BRACKET	VP cartridge seal oversized bearings, cr-mo square axle, steel cups, 68-122.5mm		
CHAIN	KMC Z72 1/2"x3/32"x114L, for 8 speed		
CASSETTE / FREEWHEEL	Shimano CS-HG31 cassette sprocket, 8 speed , 11-13-15-18-21-24-28-32T		
BRAKE	Shimano BR-M375-S front & rear cable type disc-brake		
BRAKE LEVER	Included in the shifter		
DISC ROTOR	Shimano SM-RT30 for disc brake 160mm with center lock ring		
FRONT HUB	Formula CL-1420 Front Hub Center lock,32H14G, OLD:100mm axle:108mm with QR		

Also available in colours:



CAMALEONTE 1- ACERA 21SP V-BRAKE



CODE	YKB53	REAR HUB	Shimano FH-RM30 rear freehub 7-speed QR/type, 32H OLD: 135mm AXLE: 146mm
COLOR	C1 Ck matt (PHOTO) KW Black matt	RIM/WHEELSET	"Tec Sport Edition" SSP220 Alex Rim AT470 v-brake version, alloy, 700c 622x17 32H, pair spoke 2x16
FRAME	Camaleonte Sport Alu 6061 tubes, size: 43cm/47cm/51cm/55cm/59cm	TIRE	700x32 , 22TPI black colour
BOLTS / HARDWARE	Stainless	STEM	"PROMAX MA-45 ID28, 6mm A-head, Stailess bolts, 25,4mm 20°, 80mm x size 43cm\47cm - 100mm x 51cm\55cm\59cm
SEATPOST CLAMP	MX-27 31,8mm alloy ED Black	HANDLEBAR	"Tec Sport Edition", Alloy PG, 620mmX18mm RISE, 9° bend
HEADSET	1-1/8" semi-integrated, for H/T 50x44, steel cups with MH-S73SA 25mm cone spacer	GRIP / TAPE	Velo VLG-043-03A EVA black 130mm
FORK	Bianchi FF28" AL 1-1/8" A30 alloy threadless steere and blades, with pivot. offset 45mm for 700C	SEATPOST	Leechi SP-307, one piece 3D forged alloy AL6061, offset 25mm, 27,2x350mm
SHIFTER	Shimano ST-EF51-L(LL)4A shift/brake lever 3-speed left; 7-speed right for V-brake	SADDLE	Selle Royal SIAM 1200URN Unisex
REAR DERAILLEUR	Shimano Acera RD-M360-L, SGS 7/8-speed, direct attachment	PEDALS	9/16" Boron axle
FRONT DERAILLEUR	Shimano FD-TX51-3, top-swing, dual pull for rear 6/7 speed, band type (with 31.8mm adapter), CS angle 63-66 for 48-38-28T CL:47.5mm		
CRANKSET	Shimano FC-M131 170mm, 48X38X28T for rear 6/7/8 speed		
BOTTOM BRACKET	VP cartridge seal oversized bearings, cr-mo square axle, steel cups, 68-122.5mm		
CHAIN	KMC Z51 1/2"x3/32"x112L, for 7 speed		
CASSETTE / FREEWHEEL	Shimano CS-HG20 cassette sprocket 7-speed 12-14-16-18-21-26-32T		
BRAKE	Front and Rear TX-121 "Tec Sport Edition", V-brake, dual linear tension adjuster, melt forged arms		
BRAKE LEVER	Included in the shifter		
FRONT HUB	Formula FM-21 front hub, 32H 14G, OLD:100mm axle 108mm, with QR-11		

Also available in colours:



CAMALEONTE CROSS MAN - ACERA DISC 24SP



CODE	YKBB2	REAR HUB	Shimano FH-RM35 freehub 36H 8/9-speed OLD:135MM AXLE:146MM QR:170MM, for center lock disc brake
COLOR	L1 blue glossy	RIM/WHEELSET	"Tec Sport Edition" SSP220; Alex Rim ATD470 disc version, alloy, 700c 622x17 36H, pair spoke 2x18
FRAME	Camaleonte CROSS ALU frame 6061 tubes, SIZE:43cm/47cm/51cm/55cm	TIRE	"Tec Sport Edition" QUANTUM 622x37 (700CX35C), regular, 22TPI
BOLTS / HARDWARE	Stainless	STEM	"PROMAX MA-45 ID28,6mm A-head, Stailess bolts, 25,4mm 20°, 80mm x size 43cm\47cm - 100mm x 51cm\55cm\59cm
SEATPOST CLAMP	Lee Chi CYC-339QX 31,8mm alloy	HANDLEBAR	"Tec Sport Edition", Alloy PG, 620mmX18mm RISE, 9° bend
HEADSET	1-1/8" semi-integrated, for H/T 50x44, steel cups with MH-S73SA 25mm cone spacer	GRIP / TAPE	GEO T-GP29B Length: 130mm - plug included
FORK	Suntour NEX-HLO-DS 1-1/8" steel threadless steerer, alloy blades, with pivot for 700C,63mm travel, hydraulic lock	SEATPOST	"Tec Sport Edition", Suspension Coil spring 27.2 X 300
SHIFTER	Shimano ST-EF51-L(LL)4A shift/brake lever 3-speed left; 8 speed right for V-brake	SADDLE	Selle Royal SIAM 1200URN Unisex
REAR DERAILLEUR	Shimano Acera RD-M360-L, SGS 7/8-speed, direct attachment	PEDALS	9/16"boron axle
FRONT DERAILLEUR	FRONT DERAILLEUR, FD-M191-3, TOP-SWING, DUAL-PULL FOR REAR 7/8-SPEED, BAND TYPE (W/31.8MM ADAPTER), CS ANGLE:63-66 FOR 48-38-28T, CL: 47.5/50MM AFDM191M3		
CRANKSET	Shimano FC-M131 170mm, 48X38X28T for rear 6/7/8 speed		
BOTTOM BRACKET	VP cartridge seal oversized bearings, cr-mo square axle, steel cups, 68-122.5mm		
CHAIN	KMC Z72 1/2"x3/32"x114L, for 8 speed		
CASSETTE / FREEWHEEL	Shimano CS-HG31 cassette sprocket, 8 speed , 11-13-15-18-21-24-28-32T		
BRAKE	Shimano BR-M375-S front & rear cable type disc-brake		
BRAKE LEVER	Included in the shifter		
DISC ROTOR	Shimano SM-RT30 for disc brake 160mm with center lock ring		
FRONT HUB	Formula CL-1420 front hub, Center lock, 36H 14G, OLD100mm Axle108mm with QR		

CAMALEONTE CROSS LADY- ACERA DISC 24SP



CODE	YKBB3	REAR HUB	Shimano FH-RM35 freehub 36H 8/9-speed OLD:135MM AXLE:146MM QR:170MM, for center lock disc brake
COLOR	L3 pearl white glossy	RIM/WHEELSET	"Tec Sport Edition" SSP220 Alex Rim ATD470 disc version, alloy, 700c 622x17 36H, pair spoke 2x18
FRAME	Camaleonte SPORT CROSS LADY alu frame, size 43cm/47cm/51cm	TIRE	"Tec Sport Edition" QUANTUM 622x37 (700CX35C), regular, 22TPI
BOLTS / HARDWARE	Stainless	STEM	"PROMAX MA-45 ID28,6mm A-head, Stainless bolts, 25,4mm 20°, 80mm x size 43cm\47cm - 100mm x 51cm\55cm\59cm
SEATPOST CLAMP	Lee Chi CYC-339QX 31,8mm alloy	HANDLEBAR	"Tec Sport Edition", Alloy PG, 620mmX18mm RISE, 9° bend
HEADSET	1-1/8" semi-integrated, for H/T 50x44, steel cups with MH-S73SA 25mm cone spacer	GRIP / TAPE	GEO T-GP29B Length: 130mm - plug included
FORK	Suntour NEX-HLO-DS 1-1/8" steel threadless steerer, alloy blades, with pivot for 700C,63mm travel, hydraulic lock	SEATPOST	"Tec Sport Edition", Suspension Coil spring 27.2 X 300
SHIFTER	Shimano ST-EF51-L(LL)4A shift/brake lever 3-speed left; 8 speed right for V-brake	SADDLE	Selle Royal SIAM 1200URN Unisex
REAR DERAILLEUR	Shimano Acera RD-M360-L, SGS 7/8-speed, direct attachment	PEDALS	9/16"boron axle
FRONT DERAILLEUR	FRONT DERAILLEUR, FD-M191-3, TOP-SWING, DUAL-PULL FOR REAR 7/8-SPEED, BAND TYPE (W/31.8MM ADAPTER), CS ANGLE:63-66 FOR 48-38-28T, CL: 47.5/50MM AFDM191M3		
CRANKSET	Shimano FC-M131 170mm, 48X38X28T for rear 6/7/8 speed		
BOTTOM BRACKET	VP cartridge seal oversized bearings, cr-mo square axle, steel cups, 68-122.5mm		
CHAIN	KMC Z72 1/2" x3/32" x114L, for 8 speed		
CASSETTE / FREEWHEEL	Shimano CS-HG31 cassette sprocket, 8 speed , 11-13-15-18-21-24-28-32T		
Brake	Shimano BR-M375-S front & rear cable type disc-brake		
Brake Lever	Included in the shifter		
DISC ROTOR	Shimano SM-RT30 for disc brake 160mm with center lock ring		
FRONT HUB	Formula CL-1420 front hub, Center lock, 36H 14G, OLD100mm Axle108mm with QR		

CAMALEONTE CROSS MAN- ACERA V-BRAKE 21SP

THE IMAGE SHOWN IS INDICATIVE ONLY.

Components and graphic details may differ
from the actual model.



CODE	YKBB4	RIM/WHEELSET	"Tec Sport Edition" SSP220 Alex Rim AT470 v-brake version, alloy, 700c 622x17 36H, pair spoke 2x18
COLOR	KW black matt	TIRE	"Tec Sport Edition" QUANTUM 622x37 (700CX35C), regular, 22TPI
FRAME	Camaleonte SPORT CROSS MAN alu frame, v-brake version. Size:43cm/47cm/51cm/55cm	STEM	"PROMAX MA-45 ID28,6mm A-head, Stainless bolts, 25,4mm 20°, 80mm x size 43cm\47cm - 100mm x 51cm\55cm\59cm
BOLTS / HARDWARE	Stainless	HANDLEBAR	"Tec Sport Edition", Alloy PG, 620mmX18mm RISE, 9° bend
SEATPOST CLAMP	Lee Chi CYC-339QX 31,8mm alloy	GRIP / TAPE	GEO T-GP29B Length: 130mm - plug included
HEADSET	1-1/8" semi-integrated, for H/T 50x44, steel cups with MH-S73SA 25mm cone spacer	SEATPOST	Kalloy SP-341 ?27.2x350MM, ALLOY, 2D forged head, 6016.T6 tube
FORK	SF14-NEX-P-700C, steel threadless steerer,alloy blades with pivot, for 700c, 50mm travel,V-brake	SADDLE	Selle Royal SIAM 1200URN Unisex
SHIFTER	Shimano ST-EF51-L(LL)4A shift/brake lever 3-speed left; 7-speed right for V-brake	PEDALS	9/16"boron axle
REAR DERAILLEUR	Shimano Acera RD-M360-L, SGS 7/8-speed, direct attachment		
FRONT DERAILLEUR	Shimano FD-TX51-3, top-swing, dual pull for rear 6/7 speed, band type (with 31.8mm adapter), CS angle 63-66 for 48-38-28T CL:47.5mm		
CRANKSET	Shimano FC-M131 170mm, 48X38X28T for rear 6/7/8 speed		
BOTTOM BRACKET	VP cartridge seal oversized bearings, cr-mo square axle, steel cups, 68-122.5mm		
CHAIN	KMC Z51 1/2"x3/32"x112L, for 7 speed		
CASSETTE / FREEWHEEL	Shimano CS-HG20 cassette sprocket 7-speed 12-14-16-18-21-26-32T		
BRAKE	Front and Rear TX-121 "Tec Sport Edition", V-brake, dual linear tension adjuster, melt forged arms		
BRAKE LEVER	Included in the shifter		
FRONT HUB	Formula FM-21 front hub, 36H, 14G,OLD100mm, axle108mm,with QR-11		
REAR HUB	Shimano FH-RM30 rear freehub, 7 speed QR-type, 36H OLD:135mm, axle:146mm		

CAMALEONTE CROSS LADY- ACERA V-BRAKE 21SP

THE IMAGE SHOWN IS INDICATIVE ONLY.
Components and graphic details may differ
from the actual model.



CODE	YKBB5	RIM/WHEELSET	"Tec Sport Edition" SSP220 Alex Rim AT470 v-brake version, alloy, 700c 622x17 36H, pair spoke 2x18
COLOR	D4 silver matt	TIRE	"Tec Sport Edition" QUANTUM 622x37 (700CX35C), regular, 22TPI
FRAME	Camaleonte SPORT CROSS LADY alu frame, V-brake version, 6061 db in top & down tube. Size: 43cm/47cm/51cm	STEM	"PROMAX MA-45 ID28,6mm A-head, Stainless bolts, 25,4mm 20°, 80mm x size 43cm\47cm - 100mm x 51cm\55cm\59cm
BOLTS / HARDWARE	Stainless	HANDLEBAR	"Tec Sport Edition", Alloy PG, 620mmX18mm RISE, 9° bend
SEATPOST CLAMP	Lee Chi CYC-339QX 31,8mm alloy	GRIP / TAPE	GEO T-GP29B Length: 130mm - plug included
HEADSET	1-1/8" semi-integrated, for H/T 50x44, steel cups with MH-S73SA 25mm cone spacer	SEATPOST	Kalloy SP-341 ?27.2x350MM, alloy 2D forged head, 6016. T6 tube
FORK	SF14-NEX-P-700C, steel threadless steerer,alloy blades with pivot, for 700c, 50mm travel,V-brake	SADDLE	Selle Royal SIAM 1200URN Unisex
SHIFTER	Shimano ST-EF51-L(LL)4A shift/brake lever 3-speed left; 7-speed right for V-brake	PEDALS	9/16"boron axle
REAR DERAILLEUR	Shimano Acera RD-M360-L, SGS 7/8-speed, direct attachment		
FRONT DERAILLEUR	Shimano FD-TX51-3, top-swing, dual pull for rear 6/7 speed, band type (with 31.8mm adapter), CS angle 63-66 for 48-38-28T CL:47.5mm		
CRANKSET	Shimano FC-M131 170mm, 48X38X28T for rear 6/7 speed		
BOTTOM BRACKET	VP cartridge seal oversized bearings, cr-mo square axle, steel cups, 68-122.5mm		
CHAIN	KMC Z51 1/2"x3/32"x112L, for 7 speed		
CASSETTE / FREEWHEEL	Shimano CS-HG20 cassette sprocket 7-speed 12-14-16-18-21-26-32T		
BRAKE	Front and Rear TX-121 "Tec Sport Edition", V-brake, dual linear tension adjuster, melt forged arms		
BRAKE LEVER	Included in the shifter		
FRONT HUB	Formula FM-21 front hub, 36H, 14G, OLD100mm, axle108mm,with QR-11		
REAR HUB	Shimano FH-RM30 rear freehub, 7 speed QR-type, 36H OLD:135mm, axle:146mm		

METROPOLI

The project philosophy behind Metropoli is to create a useful and fun-to-ride bike. Supporting sustainable transportation, these bikes offer a comfortable but elegant riding position that make them irresistible.



PROJECT PHILOSOPHY:

- Relaxed geometry for an extremely comfortable riding position
- Reliable bikes, cool design but useful and fun to ride
- To support a sustainable transportation solution

MODELS IN THIS CATEGORY

- **Metropoli**

METROPOLI 2 GENT - ALIVIO 24SP HYDRAULIC DISC



CODE	Y3BB8	HANDLEBAR	"Tec Sport Edition", Alloy PG, 620mmX18mm RISE, 9° bend
COLOUR	DV= BLACK SEMI-MATT	GRIP / TAPE	Herrans Primengo, ergonomic
FRAME	Metropoli Gent, alloy 6061, Disc, size Man: 43cm/47cm/51cm/55cm	SEATPOST	"Tec Sport Edition", alloy 6061, 27.2 X 350mm, black
SEATPOST CLAMP	MX-27 31,8mm alloy	SADDLE	San Marco ELBA arrowhead cover SYNTEX
HEADSET	1-1/8" Semi-integrated	PEDALS	Alloy, Boron axle (NWL-108)
FORK	AL 1-1/8" A30, Alloy steerer, alloy blades, 700C, for disc brake	REAR CARRIER	Alloy, with carrier plastic plate
SHIFTER	Shimano Acera 3x8sp (SL-M360)		
REAR DERAILLEUR	Shimano Alivio SGS 7/8sp, (RD-M410-L)		
FRONT DERAILLEUR	Shimano FD-M311, band type (with 31.8mm adapter)		
CRANKSET	Triple chainwheel Shimano FC-M131, 48X38X28T		
BOTTOM BRACKET	Fsa CR-MO square axle, steel cups, 68-122.5mm BSA (JIS BB7420ST)		
CHAIN	KMC Z72 1/2"x3/32"x114L, for 8sp		
CASSETTE / FREEWHEEL	Shimano, 8sp, 11-13-15-18-21-24-28-32T (CS-HG31)		
BRAKE	Hydraulic Disc brake set, Shimano BL-M395		
BRAKE LEVER	Included in brake set		
DISC ROTOR	Shimano SM-RT30 160MM, center lock		
FRONT HUB	Shimano, alloy, 32 holes, center lock, (HB-RM35)		
REAR HUB	Shimano, alloy, 32 holes, for center lock, 8/9sp, FH-RM66		
RIM/WHEELSET	"TEC" Sport Edition, Alloy 6061, double wall, for Disc (SSP-230)		
TIRE	"Tec Sport Edition", UNDA 37-622, 22TPI, Anti puncture Gum guard 3.5mm, with reflector		
STEM	Alloy, Bar bore: 25.4, ID: 28.6MM, Adjustable ahead stem, EXT: 108MM		

METROPOLI 1 GENT - ACERA 21SP V-BRAKE



CODE	Y3BB9	GRIP / TAPE	Herrans Primengo, ergonomic
COLOUR	DT= GRAY SEMI-MATT	SEATPOST	"Tec Sport Edition", alloy 6061, 27.2 X 350mm, black
FRAME	Metropoli Gent, alloy 6061, size Man:43cm/47cm/51cm/55cm	SADDLE	VL-3274 "Tec Sport Edition", steel rail
SEATPOST CLAMP	MX-27 31,8mm alloy	PEDALS	Alloy, Boron axle (NWL-108)
HEADSET	1-1/8" Semi-integrated	REAR CARRIER	Alloy, with carrier plastic plate
FORK	1-1/8" Alloy threadless steerer , alloy blades, 700C		
SHIFTER	Shimano ST-EF51, 3x7sp, V-Brake, 4 fingers		
REAR DERAILLEUR	Shimano Acera, 7/8sp, (RD-M360-L)		
FRONT DERAILLEUR	Shimano FD-TX51-3, Band type (with 31.8MM Adapter)		
CRANKSET	Triple chainwheel Shimano FC-M131, 48X38X28T		
BOTTOM BRACKET	Fsa CR-MO square axle, steel cups, 68-122.5mm BSA (JIS BB7420ST)		
CHAIN	KMC Z51 1/2 "x3/32" , for 7sp		
CASSETTE / FREEWHEEL	Shimano 7sp 12-14-16-18-21-26-32 (CS-HG20)		
BRAKE	"Tec Sport Edition", V-brake, dual linear tension adjuster (TX-121)		
BRAKE LEVER	Included in the shifter		
FRONT HUB	Alloy, 32 holes (JY-731DSE)		
REAR HUB	Shimano alloy, 32 holes, black (FH-RM30)		
RIM/WHEELSET	"TEC" Sport Edition TSP230, Alloy 6061, double wall CNC machined, 32 holes		
TIRE	"Tec Sport Edition", UNDA 37-622, 22TPI, Anti puncture Gum guard 3.5mm, with reflector		
STEM	Alloy, Bar bore: 25.4, ID: 28.6MM, Adjustable ahead stem, EXT: 108MM		
HANDLEBAR	"Tec Sport Edition", Alloy PG, 620mmX18mm RISE, 9° bend		

METROPOLI 1 LADY - ACERA 21SP V-BRAKE



CODE	Y3BB0	INNER TUBE	Bar bore: 25.4, ID: 28.6MM, Adjustable ahead stem, EXT: 108MM
COLOUR	DS= WHITE SEMI-MATT	STEM	"Tec Sport Edition", Alloy PG, 620mmX18mm Rise, 9° bend
SIZES	43cm/47cm	HANDLEBAR	PrimeErgo Flite DD22BL/DD22BR, 140mm
FRAME	Metropoli urban frame 6061 AL	GRIP / TAPE	included in the grip
HEADSET	1-1/8" Semi-integrated, for H/T 50x44	BAR-END	"Tec Sport Edition", 6061-T6 alloy shaft, 1 bolt extruded 6061 alloy head, offset 17mm, 27.2 X 350mm
FORK	AL 1-1/8" A30 Alloy steerer , Alloy blades, With pivot, Without disc mount, for 700C	SEATPOST	Velo VL-3274 "Tec Sport Edition", Black steel rail
SHIFTER	Shimano Shift/Brake lever, Left 3sp, Right 7sp for V-Brake	SADDLE	9/16" Boron axle, Alloy, one piece burnished alu, 105x80x28,5mm
REAR DERAILLEUR	Shimano RD-M360-L, Acera, SGS 7/8sp, direct attachment	PEDALS	disc type integrated with chainwheel
FRONT DERAILLEUR	Shimano FD-TX51-3, Top swing, Dual pull for rear 6/7sp, Band type (with 31.8MM Adapter), CS angle:63-66 FOR 48-38-28T, CL: 47.5/50MM	CHAINRING PROTECTOR	NH-B409APL
CRANKSET	Shimano FC-M131 170MM, 48X38X28T For rear 6/7sp	RING BELL	Illico front light bulb, with 31.8MM Bracket
BOTTOM BRACKET	FSA Cartridge seal Oversized bearing, CR-MO square axle, steel cups, 68-122.5mm	FRONT LIGHT	Presto rear light With 2 button battery, FIX ON Seat POST
CHAIN	KMC Z51 1/2"x3/32"x112L, for 7sp	REAR LIGHT	Rear Carrier: YA-218BA Alloy x 700C, Adjustable leg
CASSETTE / FREEWHEEL	Shimano Cassette sprocket CS-HG20 7sp 12-14-16-18-21-26-32	REAR CARRIER / PLATE	700C, W 45MM, Plastic
BRAKE	Front and Rear TX-121 "Tec Sport Edition", V-brake, dual linear tension adjuster, melt forged arms	MUDGUARD / STAY	700C, W 45MM, Plastic
BRAKE LEVER	Shimano Included in l/shifter		
DISC ROTOR	32H 14G 100W, Double sealed, With QR		
FRONT HUB	Shimano Rear freehub, FH-RM30 7sp QR-TYPE 32H OLD:135MM Axle: 146MM		
REAR HUB	"TEC" LOGO SSP230, Alloy 6061, 622x17C 36H, F/V, Double wall, (EN standard), V-brake, CNC machined		
RIM/WHEELSET	"Tec Sport Edition", model UNDA 37-622 (700cx35c) , 22TPI, WIRE BEAD, Anti puncture Gum guard 3.5mm		
TIRE	TUBE 35/43-622/630 700X35/43C F/V 48mm L		

METROPOLI - ALIVIO 24SP SUSPENSION FORK DISC



CODE	Y3BT2	PEDALS	Alloy
COLOR	DV= BLACK SEMI-MATT	FRONT CARRIER	-
FRAME	Metropoli URBAN Disc, Alloy 6061, frame size man:43cm/47cm/51cm/55cm	REAR CARRIER	Alloy
HEADSET	1-1/8"		
FORK	Suntour 1-1/8", 63mm travel		
SHIFTER	Shimano Acera 3x8sp (SL-M360)		
REAR DERAILLEUR	Shimano Alivio 7/8sp		
FRONT DERAILLEUR	Shimano FD-M311		
CRANKSET	Shimano FC-M131, 48X38X28T		
BOTTOM BRACKET	Fsa Square axle, JIS 68-122.5mm BSA		
CHAIN	KMC Z72 8sp		
CASSETTE / FREEWHEEL	Shimano, 8sp, 11-32T		
BRAKE	Shimano BL-M395		
BRAKE LEVER	Included in brake set		
DISC ROTOR	Shimano SM-RT30 160MM		
FRONT HUB	Shimano dynamo hub		
REAR HUB	Shimano FH-RM66, 32H 8/9sp		
RIM/WHEELSET	"TEC" Sport Edition (SSP-230)		
TIRE	"Tec Sport Edition", UNDA 37-622		
STEM	Adjustable alloy ahead stem		
HANDLEBAR	"Tec Sport Edition", Alloy		
GRIP / TAPE	Herrans Primengo		
SEATPOST	"Tec Sport Edition", alloy 6061		
SADDLE	San Marco ELBA arrowhead		

JUNIOR 24" ALU - CLARIS 16 SP



CODE	YJB42	SADDLE	VL-5061 White, Steel version, 255x130mm with Bianchi Logo
COLOUR	CK=Celeste Bianchi	BOTTLE CAGE	Aluminum
FRAME	ALU CORSA JUNIOR 24" SIZE:41cm	WATERBOTTLE	Celeste
SEATPOST CLAMP	SCL MX-37		
HEADSET	TEAM Threadless 13034 1", dimension D 26,4mm		
FORK	Corsa junior steel 1"		
SHIFTER	Shimano Claris ST-2400-L, LEFT 2sp, ST-2400-R, RIGHT 8sp		
REAR DERAILLEUR	Shimano Claris RD-2400, SS 8sp Direct attachment		
FRONT DERAILLEUR	Claris FD-2400, band type 31.8mm for double		
CRANKSET	Young 1985T alloy 45/35 L145		
BOTTOM BRACKET	BB-7420AL, BSA Square type 110.5mm		
CHAIN	HV800-110 1/2"x3/32"		
CASSETTE / FREEWHEEL	Fac Michelin Profile SH, 8sp 16/24		
BRAKE	RC-452 F/R Al forged		
BRAKE LEVER	included		
FRONT HUB	Alloy A141SB 28 holes, black anodized, two sealed bearing, with QR		
REAR HUB	Alloy F192SB 28 holes, black anodized, two sealed bearing, with QR		
RIM/WHEELSET	Ambrosio Balance, Aluminum 6005, clincher 24", 28H, colour black, Height 22mm		
TIRE	24" 25-520 K191 Concept		
STEM	TDS-120-8 1 1/8" black, Bianchi logo; 50mm		
HANDLEBAR	Dedaelementi Junior alloy 6061, drop 120, dia.26mm, shallow shape, 38 cm external		
GRIP / TAPE	Ribbon cork + new plug carbon look with Bianchi logo		
SEATPOST	SP 232 27,2mm L220		

DRAGON 2



CODE	YEB79
SIZE	20"
COLOUR	CK
FRAME	Full hi-ten 20", Tig welded, down tube round 40mm, top tube 34.9mm, seat tube 28.6mm, 6mm dropouts for 14mm axle
FORK	Full hi-ten
ROTOR	Rotor 1-1/8"
CRANKSET	CWEI Crmo forged
BBSET	12 Loose ball cages; Sealed mechanism , w/ ax -02-01 crmo 8-spindle axle
FREEWHEEL	16T
CHAIN	Kmc Z 410
FRONT HUB	Joytech 48h steel
REAR HUB	Joytech 48h steel
RIMS	Weimann 20" alloy black anodized
TIRE	Kenda 20 x 1.95
HANDLEBAR	steel
STEM	Leechi alloy
GRIPS	130mm, black
SEATPOST	steel straight black
SADDLE	Active Maya steel rail 8mm
FRONT BRAKE	Tektro 907AFS
REAR BRAKE	Tektro HAB07A
BRAKE LEVER	Tektro HAL89A
PEGS	LPG-8304S
PEDALS	Wellgo LU-313

DRAGON 3



CODE	YEB81
SIZE	20"
COLOUR	DL - Militar green
FRAME	Full hi-ten 20", Tig welded, 6mm dropouts for 14mm axle
FORK	Full hi-ten
ROTOR	Winzip 1-1/8"
CRANKSET	SS-902-1 L 165MM 1-PC CRANK
FREEWHEEL	16T
CHAIN	Kmc Z 410
FRONT HUB	Joytech 48h
REAR HUB	Joytech 48h
RIMS	Weimann 20" alloy black anodized
TIRE	Kenda 20x1,95
HANDLEBAR	steel
STEM	Leechi alloy
GRIPS	130mm, black
SEATPOST	steel straight black
SADDLE	Active C2-03 8mm steel rail
FRONT BRAKE	Tektro 985 alloy caliper brake
REAR BRAKE	Tektro 907 AD alloy
BRAKE LEVER	Tektro HAL 89A
PEGS	LPG-8304S
PEDALS	Wellgo LU-P9

INTER.

Bianchi reserves the right to make changes without prior warning. For further information please go to www.bianchi.com



F.I.V. E. BIANCHI S.p.A.
Via delle Battaglie, 5 IT 24047 Treviglio (BG)
ph +39 0363 3161 - fax +39 0363 075012
www.bianchi.com - bianchi@bianchi.com

Bianchi