



BIANCHI

DICHIARAZIONE DI CONFORMITÀ | *DECLARATION OF CONFORMITY*

Il produttore F.I.V.E. Bianchi S.p.A. sito in Via delle Battaglie, 5 - 24047 Treviglio (BG), dichiara che le biciclette (macchine) elencate sotto la voce "Codes" sono conformi alle corrispondenti normative indicate per ciascuna bicicletta (macchina). Le biciclette (macchine) elencate sotto la voce "Codes" rispondono inoltre a quanto disposto dall'art. 50 del Codice della strada (decreto legislativo 30 Aprile 1992 n. 285 e successive modificazioni, così come innovato dall'art. 24/l della legge 3 febbraio 2003 n. 14) così come definiti all'art. 2, comma 1, lettera n) dell'Accordo.

The manufacturer F.I.V.E. Bianchi S.p.A. sited in Via delle Battaglie, 5 - 24047 Treviglio (BG), hereby declares that the models of bicycles (machines) listed under "Codes" are conforming to the related regulations. In addition, the manufacturer specifies that the bicycles (machines) conforming to EN15194:2018 have a maximum rated power of 0,25 kW, progressively reduced and finally cut-off as a speed of 25 km/h is reached, or sooner if the cyclist stops pedaling.

CODES	DESCRIPTION	REGULATION APPLIED
YSBQ3	E-SUV ADVENTURE GX 12sp, 150mm/55mm, Shimano EP8, Darfon 720 wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBA4	E-OMNIA FX-Type XT 12sp, 160mm/55mm, Bosch Performance CX, Powertube 625wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBA3	E-OMNIA-FX Type GX 12sp, 160mm/55mm, Bosch Performance CX, Powertube 500wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBA2	E-OMNIA-X Type SX 12sp, 120mm, Bosch Performance CX, Powertube 625wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBA1	E-OMNIA-X Type Deore 11sp, 120mm, Bosch Performance CX, Powertube 500wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBU7	T-Tronik Performer 9.1 XTR/XT 12sp, 160mm/50mm, Shimano EP8, SIMPLO 630 wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBU6	T-Tronik Performer 9.2 XT 12sp, 150mm/50mm, Shimano EP8, SIMPLO 630 wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBU5	T-Tronik Performer 9.3 XT/Deore 12sp, 150mm/50mm, Shimano EP8, SIMPLO 630 wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBZ1	T-Tronik Rebel 9.1 XT/Deore 12sp, 150mm/50mm, Shimano EP8, Darfon 630 wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBZ3	T-Tronik Rebel 9.2 SX/NX 12sp, 140mm/50mm, Shimano EP8, Darfon 630 wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBU9	T-Tronik Sport 9.1 Deore 10sp, 120mm, Shimano E7000, Phyllion BN21S 522 wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBV8	T-Tronik Sport 9.2 X5 9sp, 120mm, Shimano E7000, Phyllion BN21S 522 wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBU1	T-Tronik Sport 9.2 Oli X5 9sp, 120mm, Oli Sport 85Nm, Phyllion BN18 504wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBA5	E-Vertic X-Type X5 9sp, 100mm, Bosch Performance Line, Powertube 625Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBA6	E-Vertic X-Type Deore 10sp, 120mm, Bosch Performance Line CX, Powertube 625Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBA8	E-Vertic FX-Type SX 12sp, 140mm, Bosch Performance Line CX, Powertube 750Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBA9	E-Vertic FX-Type GX 12sp, 140mm, Bosch Performance Line CX, Powertube 750Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBD4	E-Vertic FX-Type Pro SX 12sp, 160mm, Bosch Performance Line CX, Powertube 750Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBD5	E-Vertic FX-Type Pro GX 12sp, 160mm, Bosch Performance Line CX, Powertube 750Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBD6	E-Vertic FX-Type Pro GX AXS 12sp, 160mm, Bosch Performance Line CX, Powertube 750Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018

CODES	DESCRIPTION	REGULATION APPLIED
YSBE2	E-OMNIA T-Type "CHAIN" DEORE 10sp, 120mm, Bosch Performance CX, Powertube 500Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBE3	E-OMNIA T-Type Step-through "CHAIN" DEORE 10sp, 120mm, Bosch Performance CX, Powertube 500Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBE4	E-OMNIA T-Type "CHAIN" XT 12sp, 120mm, Bosch Performance CX, Powertube 625Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBE5	E-OMNIA T-Type Step-through "CHAIN" XT 12sp, 120mm, Bosch Performance CX, Powertube 625Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBE6	E-OMNIA T-Type "BELT DRIVE" NEXUS 5sp, 120mm, Bosch Performance CX, Powertube 625Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBE7	E-OMNIA T-Type Step-through "BELT DRIVE" NEXUS 5sp, 120mm, Bosch Performance CX, Powertube 625Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBE8	E-OMNIA C-Type "CHAIN" DEORE 10sp, 100mm, Bosch Performance CX, Powertube 625Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBE9	E-OMNIA C-Type "BELT DRIVE" NEXUS 5sp, 100mm, Bosch Performance CX, Powertube 625Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBT8	T-Tronik T-Type X5 9sp, 63mm, Shimano E6100, Phylion BN21 417Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBT9	T-Tronik T-Type Step-through X5 9sp, 63mm, Shimano E6100, Phylion BN21 417Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBIT	T-Tronik C-Type X5 9sp, 63mm, Shimano E6100, Phylion BN21 417Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBV9	T-Tronik 9.2 TRK X5 9sp, 120mm, Shimano E7000, Phylion BN21S 522wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSB11	T-Tronik 9.1 TRK Deore 10sp, 120mm, Shimano E7000, Phylion BN21S 522wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBB4	E-Vertic C-Type X5 9sp, 100mm, Bosch Active Line Plus, Powertube 400Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBB5	E-Vertic C-Type Deore 10sp, 100mm, Bosch Performance Line, Powertube 500Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBC4	E-Vertic T-Type Step-through Deore 10sp, 100mm, Bosch Performance Line, Powertube 500Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBC3	E-Vertic T-Type Step-through X5 9sp, 100mm, Bosch Active Line Plus, Powertube 400Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBC2	E-Vertic T-Type Deore 10sp, 100mm, Bosch Performance Line, Powertube 500Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBC1	E-Vertic T-Type X5 9sp, 100mm, Bosch Active Line Plus, Powertube 400Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBC5	E-Vertic FT-Type SX 12sp, 140mm, Bosch Performance Line CX, Powertube 750Wh	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBN9	e-Road ARIA E-Road - Ultegra Di2 12sp Compact Disc brake EBM motor	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBN8	e-Road ARIA E-Road - Ultegra 11sp Compact Disc brake EBM motor	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBM4	E-Road Impulso E-Road - Ultegra 11sp Compact Disc brake EBM motor	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBM6	E-All Road Impulso E-All Road - GRX 600 1x11sp Disc brake EBM motor	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBM7	E-All Road Impulso E-All Road Flatbar TRK EBM Deore 11sp 1X Disc brake	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSBM8	E-All Road Impulso E-All Road Flatbar TRK EBM Deore 10sp Disc brake	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSB1H	e-Gravel E-ARCADEX - GRX Disc brake	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSB2H	e-Gravel E-ARCADEX - GRX Disc brake - ECO	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018
YSB3H	e-Gravel E-ARCADEX - GRX Disc brake - Trekking	2006/42/CE, 2014/30/UE, 2011/65/EU, 2014/53/EU, UNI EN 15194:2018

CODES	DESCRIPTION	REGULATION APPLIED
YSB22	OLTRE RC DISC - Super Record EPS 12sp - Rep. Corse Carbon Wheels 50mm	ISO4210
YSB05	OLTRE PRO CV DISC - Sram Red E-Tap AXS 12sp - Rep. Corse Carbon Wheels 50mm	ISO4210
YSB07	OLTRE PRO CV DISC - Dura Ace Di2 12sp - Rep. Corse Carbon Wheels 50mm	ISO4210
YSB08	OLTRE PRO CV DISC - Ultegra Di2 Di2 12sp - Rep. Corse Carbon Wheels 50mm	ISO4210
YSB10	OLTRE PRO CV DISC - Sram Force E-Tap AXS 12sp - Rep. Corse Carbon Wheels 50mm	ISO4210
YSB23	OLTRE DISC - Ultegra Di2 Di2 12sp - Rep. Corse Carbon Wheels 50mm	ISO4210
YSB24	OLTRE DISC - Sram Rival E-Tap AXS 12sp - Rep. Corse Carbon Wheels 50mm	ISO4210
YSB25	OLTRE DISC - Dura Ace Di2 12sp - Rep. Corse Carbon Wheels 50mm	ISO4210
YSB26	OLTRE DISC - 105 Di2 12sp - Rep. Corse Carbon Wheels 50mm	ISO4210
YSB19	Oltre XR3 Disc Carbon - 105 Di2 12sp Compact - Racing 400 DB	ISO4210
YSB18	Oltre XR3 Disc Carbon - Ultegra Di2 12sp Compact - Racing 400 DB	ISO4210
YSBK7	Oltre XR3 Disc Carbon - Ultegra 11sp Compact - Racing 400 DB	ISO4210
YSBK8	Oltre XR3 Disc Carbon - 105 12sp Compact - Racing 400 DB	ISO4210
YSB8D	Aria Aero Disc - 105 11sp Compact - Racing 818 DB	ISO4210
YSB33	Aria Aero Disc - 105 12sp Compact - Racing 818 DB	ISO4210
YSB9D	Aria Aero Disc - Ultegra 11sp Compact 50/34 - Racing 818 DB	ISO4210
YSB37	Aria Aero Disc - 105 Di2 12sp Compact - Racing 818 DB	ISO4210
YSB38	Aria Aero Disc - Ultegra Di2 12sp Compact - Racing 818 DB	ISO4210
YSB39	Aria Aero Disc - Rival Etap AXS 12sp Compact - Racing 818 DB	ISO4210
YSBR3	SPRINT - 105 11sp Compact - Shimano WH-RS100	ISO4210
YSB1R	SPRINT Disc - Rival Etap AXS 12sp Compact - Racing 818 DB	ISO4210
YSBR4	SPRINT Disc - Ultegra 11sp Compact - Velomann VR30	ISO4210
YSBR5	SPRINT Disc - 105 11sp Compact - Velomann VR30	ISO4210
YSBR6	SPRINT Disc - 105 Di2 12sp Compact - Velomann VR30	ISO4210
YSBR7	SPRINT Disc - 105 12sp Compact - Velomann VR30	ISO4210
YSB50	INFINITO CV Disc - Rival Etap AXS 12sp Compact - Racing 818 DB	ISO4210
YSB52	INFINITO CV Disc - 105 Di2 12sp Compact - Trimax 30 DB	ISO4210
YSB59	INFINITO CV Disc - 105 12sp Compact - Trimax 30 DB	ISO4210
YSB54	INFINITO CV Disc - Ultegra 11sp Compact - Trimax 30 DB	ISO4210
YSBZ5	INFINITO CV Disc - Ultegra Di2 12sp Compact - Racing 400 DB	ISO4210
YSB4D	INFINITO XE Disc - 105 Di2 12sp Compact - Racing 918 DB	ISO4210
YSB5D	INFINITO XE Disc - Rival eTap AXS 12sp - Racing 818 DB	ISO4210
YSB6D	INFINITO XE Disc - Ultegra 11sp Compact - Racing 918 DB	ISO4210
YSB7D	INFINITO XE Disc - 105 11sp Compact - Racing 918 DB	ISO4210

CODES	DESCRIPTION	REGULATION APPLIED
YSB10	INFINITO XE Disc - 105 12sp Compact - Racing 918 DB	ISO4210
YSBX2	ARCADEX - GRX 810 1x11sp - Reparto Corse GD24	ISO4210
YSBX3	ARCADEX - GRX 600 1x11sp - Reparto Corse GD24	ISO4210
YSBX6	ARCADEX - GRX 810 Di2 1x11sp - Rapid Red 500	ISO4210
YSBX8	ARCADEX - Rival 1 1x12sp - Rapid Red 900	ISO4210
YSB5C	IMPULSO ALLROAD - GRX RX400 10sp 46/30 Hydraulic Disc	ISO4210
YSB8C	IMPULSO ALLROAD - GRX RX810 11sp 48/31 Hydraulic Disc	ISO4210
YSB1C	IMPULSO ALLROAD - GRX RX600 11sp 46/30 Hydraulic Disc	ISO4210
YSB7C	IMPULSO PRO - GRX RX600 1x11sp 40 Hydraulic Disc - Reparto Corse GD24	ISO4210
YSB9C	IMPULSO PRO - Rival 1 x12sp 40 Hydraulic Disc - Rapid Red 900	ISO4210
YSB3C	IMPULSO PRO - Campagnolo Ekar 1x13sp 40 Hydraulic Disc - Rapid Red 500	ISO4210
YSB2C	VIA NIRONE 7 ALLROAD - Sora 9sp 50/34 Mechanical Disc	ISO4210
YSB6C	VIA NIRONE 7 ALLROAD - Claris 8sp 50/34 Mechanical Disc	ISO4210
YSB62	VIA NIRONE 7 ALLROAD - GRX RX400 10sp 46/30 Hydraulic Disc	ISO4210
YSB4C	Via NIRONE 7 ALU DISC - 105 11sp Compact Hydraulic Disc w/Via Nirone 7 Allroad Frame	ISO4210
YSBW7	Via NIRONE 7 ALU -105 11sp Compact	ISO4210
YSB68	Via NIRONE 7 ALU - Tiagra 10sp Compact	ISO4210
YSB34	Via NIRONE 7 ALU - Sora 9sp Compact	ISO4210
YSBK2	Via NIRONE 7 ALU - Claris 8sp Compact	ISO4210
YSBK1	Via NIRONE 7 ALU - Full Carbon Fork - Claris 8sp Compact	ISO4210
YSBF4	AQUILA CV - Ultegra 11sp - Fulcrum Racing 418	ISO4210
YSBF5	AQUILA CV - 105 11sp - Fulcrum Racing 418	ISO4210
YSB51	ZOLDER PRO CARBON - GRX RX600 11sp disc brake - Velomann VR30 Disc I - Vision Team 30 T	ISO4210
YSBS7	METHANOL 9.1 CV FS - SRAM XX EAGLE AXS 1x12sp - DT Swiss XRC 1501	ISO4210
YSBP6	METHANOL 9.2 CV FS - SHIMANO XTR/XT 1x12sp - DT Swiss XR 1700	ISO4210
YSBS9	METHANOL 9.3 CV FS - SHIMANO XT/SLX 1x12sp - Reparto Corse Kom i25	ISO4210
YSB73	METHANOL 9.1 CV RS - SRAM XX EAGLE AXS 1x12 - DT Swiss XRC 1501	ISO4210
YSB74	METHANOL 9.2 CV RS - SHIMANO XTR 1x12 - DT Swiss XR 1700	ISO4210
YSBR1	METHANOL 9.3 CV RS - SHIMANO XT 1x12 - DT Swiss XR 1700	ISO4210
YSBP4	NITRON 9.2 - Shimano XT/SLX 1x12 - Velomann KOM i25	ISO4210
YSBP5	NITRON 9.3 - Shimano XT/SLX 1x12 - Velomann KOM i25	ISO4210
YSB07	NITRON 9.4 - Shimano XT/Deore 1x12 - Velomann KOM i25	ISO4210
YSBP8	NITRON 9.4 - Sram NX/SX 1x12 - Velomann KOM i25	ISO4210
YSB11	MAGMA 9.S - DEORE 1x12sp Disc Boost 141 - Velomann DP 2.5	ISO4210

CODES	DESCRIPTION	REGULATION APPLIED
YSBW3	MAGMA 9.S - Sram SX Eagle 1x12sp Disc Boost 141 - Velomann DP 2.5	ISO4210
YSB71	MAGMA 7.2 - Alu Alivio Mix 2X9S J	ISO4210
YSBR9	MAGMA 9.0 - Deore 1x11sp Disc Boost 141 - Velomann DP 2.5	ISO4210
YSBW6	MAGMA 9.0 - Sram NX 1x11sp Disc Boost 141 - Velomann DP 2.5	ISO4210
YSBW1	MAGMA 9.1 - Deore 1X10sp Disc Boost 141 - Velomann DP 2.5	ISO4210
YSBW2	MAGMA 9.2 - Alivio/Altus 3x9sp Disc - Velomann DP 2.5	ISO4210
YSBC7	DUEL 27S - Alivio mix 2x9sp Hydraulic Disc - Velomann DP 2.5	ISO4210
YSBC8	DUEL 29S - Alivio mix 2x9sp Hydraulic Disc - Velomann DP 2.5	ISO4210
YSB55	C-SPORT 3 Alu - Alivio 2x9sp hydraulic disc brake - Velomann ATD500	ISO4210
YSBD3	C-SPORT 2 Alu - Acera 24sp hydraulic disc brake - Velomann ATD500	ISO4210
YSBD9	C-SPORT DAMA 2 Alu - Acera 24sp hydraulic disc brake - Velomann ATD500	ISO4210
YSB69	C-SPORT 1 Alu - Altus 24sp, mechanical disc brake - Velomann ATD500	ISO4210
YSB63	C-SPORT DAMA 1 Alu - Altus 24sp, mechanical disc brake - Velomann ATD500	ISO4210
YSBB2	C-Sport CROSS 2 GENT alu - Acera 24sp hydraulic disc brake - Velomann ATD500	ISO4210
YSBB3	C-Sport CROSS 2 LADY alu - Acera 24sp hydraulic disc brake - Velomann ATD500	ISO4210

Treviglio, 2023/05/16 - F.I.V.E. Bianchi SpA

Fabrizio Scalzotto
CEO (Chief Executive Officer)

F.I.V.E. BIANCHI S.P.A.
Chief Executive Officer
Fabrizio Scalzotto

