



Bianchi

**TECHNICAL
BOOK**

2023 COLLECTION

EXPANDED

05
ROAD





60
GRAVEL

71
E-BIKES

122
MTB

137
CITY-FITNESS

RIDING CONDITIONS CLASSIFICATION

SYMBOL	CATEGORY
	RIDING ON PAVED ROADS This type of use includes bicycles and their components which can be used on paved roads where the tyres are intended to maintain ground contact. In this category: Road, TT/Triathlon, E-Road, E-Urban, Spillo
	RIDING ON PAVED AND UNPAVED ROADS WITH DROPS OF LESS THAN 15 cm This type of use includes bicycles and their components which can be used in category 1 or unpaved roads (tracks) with moderate gradients. In this type of use, contact with irregular terrain and loss of tyre contact with the ground may occur. Jumps and drops are intended to be less than or equal to 15 cm. In this category: Gravel, cyclocross, e-Gravel, e-tourer bikes, C-Sport
	RIDING ON ROUGH TERRAIN WITH DROPS OF LESS THAN 61 cm This type of use includes bicycles and their components which can be used in categories 1 and 2 or paths, roads and terrain that require technical expertise. Jumps and drops are intended to be less than or equal to 61 cm. In this category: Cross country, e-Mtb hardtail
	RIDING ON ROUGH TERRAIN WITH DROPS OF LESS THAN 122 cm This type of use includes bicycles and their components which can be used in categories 1, 2 and 3 or steep downhill gradients on rough terrain at a speed of less than 40 km/h or a combination of these conditions. Jumps and drops are intended to be less than or equal to 122 cm. In this category: e-Mtb full suspension

Riding categories according to ASTM - American Society for Testing and Materials.

ROAD

RACING

ALL ROUNDER | AERO

ENDURANCE

CYCLOCROSS

TT/TRIATHLON



RACING

SPECIALISSIMA

SPRINT

OLTRE

OLTRE XR4

OLTRE XR3

ARIA

SPECIALISSIMA | SUPER RECORD EPS 12SP | YSBY4



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	-SC: CK16/Mermaid Scale -SB: Black Carbon UD/Mermaid Scale -SJ: Greenish Blue/Mermaid Scale
FRAME	Specialissima Disc carbon, TC21, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	FSA NO.55R 1.5"/ACR/Bianchi Matt black, lower 1.5"- top 1.5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon - FC21 - 1.5"x1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Campagnolo Super Record 12sp
REAR DERAILLEUR	Campagnolo Super Record EPS 12sp
FRONT DERAILLEUR	Campagnolo Super Record EPS 12sp
BATTERY / MOUNT	Campagnolo EPS V4 12s Power Unit
CHARGER / PWR CABLE	Campagnolo EPS battery charger kit for EPS V3/V4 12sp Power Unit
CRANKSET	Campagnolo Super Record ultra-torque CT TI Carbon 12s 170-172,5-175mm, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41
CHAIN	Campagnolo Super Record 12sp - 114 links

CASSETTE / FREEWHEEL	Campagnolo Super Record 12sp, 11-29T
BRAKE	Campagnolo, Included in the shifter
BRAKE LEVER	included
DISC ROTOR	Campagnolo 03 AFS 160mm rotor
RIM/WHEELSET	Fulcrum Wind, full carbon disc brake 700X19c, profile 40mm, clincher and tubeless system, black finish, front 12X100 - rear 12X142 Campy
TIRE	Pirelli P ZERO™ Race, 26-622, 127TPI
STEM	Reparto Corse, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse Compact, UD Weave Carbon material, 'diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug
SEATPOST	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SADDLE	Reparto Corse, SP-RK-165-MTC/WE/Di2, material UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27,2mm diam., finish UD Carbon w/Clear Coat with black decal, Di2 Battery compatible
	Fi'zi:k Fi'zi:k Antares R1, cover MicroTex thermowelded, Composite carbon co-injected Nylon WingFlex, rail carbon braided 7x9cover, Integrated Clip System, 275x142mm

SPECIALISSIMA | SRAM RED ETAP AXS 12SP | YSBY8



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	-SC: CK16/Mermaid Scale -SB: Black Carbon UD/Mermaid Scale -SJ: Greenish Blue/Mermaid Scale	CASSETTE / FREEWHEEL	Sram Red XG-1290 D1, 12sp, 10-11-12-13-14-15-16-17-19-21-24-28T
FRAME	Specialissima Disc carbon, TC21, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm sizes 47-50-53-55-57-59-61cm	BRAKE	included in the shifter
BOLTS / HARDWARE	Bolts large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo	DISC ROTOR	Sram Rotor centerlock centerline x Road 160mm black rounded
SEATPOST CLAMP	included in the frame	RIM/WHEELSET	Vision SC40 full carbon disc brake 700X19c, clincher and TLR system, front 12X100 - rear 12X142, Centerlock, XDR
HEADSET	FSA NO.55R 1.5"/ACR/Bianchi Matt black, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube	TIRE	Pirelli P ZERO™ Race, 26-622, 127TPI
FORK	Full Carbon - FC21 - 1.5"x1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100	STEM	Reparto Corse, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6°, Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
SHIFTER	Sram Red eTap AXS D1 Hydraulic Disc Brake	HANDLEBAR	Reparto Corse Compact, UD Weave Carbon material, diam. 31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
REAR DERAILEUR	Sram Red eTap AXS D1 12sp	GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139
FRONT DERAILEUR	Sram Red eTap AXS D1 braze on	SEATPOST	Reparto Corse, SP-RK-165-MTC/WE/Di2, material UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27,2mm diam., finish UD Carbon w/Clear Coat with black decal, Di2 Battery compatible
BATTERY / MOUNT CHARGER / PWR CABLE	Sram EP Powerpack 2 battery Included in the battery	SADDLE	Fi'zi:k Fi'zi:k Antares R1, 275x142mm
CRANKSET	Sram Red D1 12sp double 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET	Sram Press fit Road 86,5x41		
CHAIN	Sram Red D1 12sp		

SPECIALISSIMA | DURA ACE Di2 12SP | YSBY5



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	-SC: CK16/Mermaid Scale -SB: Black Carbon UD/Mermaid Scale -SJ: Greenish Blue/Mermaid Scale
FRAME	Specialissima Disc carbon, TC21, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	FSA NO.55R 1.5"/ACR, lower 1.5" - top 1.5", 36°-45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon - FC21 - 1.5"x1.5" 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Shimano Durace Di2 hydraulic disc brake for road
REAR DERAILLEUR	Durace Di2, 12sp, RD-R9250, 34T Max Low Sprocket
FRONT DERAILLEUR	Durace Di2 12sp, brazed-on type, down swing, top gear 46-55T, for rear 12-speed
BATTERY / MOUNT	Shimano Battery, BT-DN300
CHARGER / PWR CABLE	Shimano Charging cable, EW-EC300, 1700mm
CRANKSET	Shimano Durace 12sp, DURA-ACE hollowtech 2, for rear 12- speed, 170-172-175mm, 50x34T , Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB92-41B , press fit type for road, right & left adapter, bearing, inner cover
CHAIN	Shimano Durace 12sp for HG 12- speed, w/quick link

CASSETTE / FREEWHEEL	Shimano Durace 12sp, 11-12-13-14-15-16-17-19-21-24-27-30T
BRAKE	Shimano BR-R9270 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano RT-MT900 center lock type w/Ice Tech, 160mm front and rear
RIM/WHEELSET	Vision SC40 full carbon disc brake 700X19c, clincher and TLR system, front 12X100 - rear 12X142
TIRE	Pirelli P ZERO™ Race , 26-622, 127TPI
STEM	Reparto Corse, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse Compact, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
GRIP / TAPE	Velo Black soft Microfiber tapes + EVA- 139
SEATPOST	Reparto Corse, SP-RK-165-MTC/WE/Di2, material UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27,2mm diam., finish UD Carbon w/Clear Coat with black decal, Di2 Battery compatible
SADDLE	Fi'zi:k Fi'zi:k Antares R1 ,275x142mm

SPECIALISSIMA | ULTEGRA Di2 12SP | YSBY6



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	-SC: CK16/Mermaid Scale -SB: Black Carbon UD/Mermaid Scale -SJ: Greenish Blue/Mermaid Scale
FRAME	Specialissima Disc carbon, TC21, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo
SEATPOST CLAMP	included in the frame
HEADSET	FSA NO.55R 1.5"/ACR, lower 1.5" - top 1.5", 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for Disc ACR stem/handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon - FC21 - 1.5"x1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake for road
REAR DERAILLEUR	Shimano Ultegra Di2 12sp, W/TL-EW300, 34T Max Low Sprocket
FRONT DERAILLEUR	Shimano Ultegra Di2 12sp, brazed-on type, down swing, top gear 50-54T, for rear 12-speed
BATTERY / MOUNT	Shimano Battery, BT-DN300, built-in type
CHARGER / PWR CABLE	Shimano Charging cable, EW-EC300, 1700mm
CRANKSET	Shimano Ultegra 12sp, hollowtech 2, for rear 12-speed, 170-172-175mm, 50x34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Shimano Ultegra 12sp, 112link for HG 12- speed, w/quick link

CASSETTE / FREEWHEEL	Shimano Ultegra 12sp, 11-12-13-14-15-16-17-19-21-24-27-30T
BRAKE	Shimano BR-R8170 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano RT-MT800 center lock type w/Ice Tech, 160mm front rear
RIM/WHEELSET	Fulcrum Racing 400 disc brake, R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle
TIRE	Pirelli P ZERO™ Race , 26-622, 127TPI
STEM	Reparto Corse, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
HANDLEBAR	Reparto Corse Compact, UD Weave Carbon material, 'diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
GRIP / TAPE	Velo Black soft Microfiber tapes+ EVA - 139
SEATPOST	Reparto Corse, SP-RK-165-MTC/WE/Di2, material UD Carbon Monocoque, clamp type 2-Bolt Head "MTC", Setback 25 mm, Length 350mm, 27,2mm diam., finish UD Carbon w/Clear Coat with black decal, Di2 Battery compatible
SADDLE	Fi'zi:k Fi'zi:k Antares R1, 275x142mm

SPECIALISSIMA | FRAMESET | XR/XSB04



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	SC: CK16/Mermaid Scale SB: Black Carbon UD/Mermaid Scale SJ: Greenish Blue/Mermaid Scale	HEADSET	FSA NO.55R 1.5"/ACR/Bianchi Matt black , lower 1.5" - top 1.5" , 36° - 45° ACB bearing, w/Carbon custom cone spacer specific for ACR stem/handlebar, for 52mm/52mm OD head tube, w/TH-881/CR-1 compresor (code H0068V0145EJXW)
FRAME	SPECIALISSIMA carbon, TC21, headset 1.5" - 1.5", Seatpost 27,2mm, mechanical/electronic, BB-PressFit 86,5x41, disc brake internal cable, flat mount, thru axle 12 x 142mm sizes 47-50-53-55-57-59-61cm	FORK	Full Carbon - FC21 - 1.5"x1.5" 1.5" integrated head, Brake internal cable, flat mount, thru axle 12x100
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo	HANDELBAR	Reparto Corse Compact HB-RK-222S/CCH/Di2, UD Weave Carbon material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm, clear coat finish with black decal Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
SEATPOST CLAMP	included in the frame	STEM	Reparto Corse by FSA, material 3D Forged/CNC AL6061, clamp. 31.8mm / steerer diam. 28.6mm / angle -6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm

SPRINT | 105 DI2 12SP | YSBR6



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	ID: CK16 Glossy SW: Black/ CK16 Full Glossy
FRAME	Sprint carbon monocoque, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, Disc brake flat mount, thru axle 12 x 142 sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover (H2166B) for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head, Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano 105 Di2 12sp hydraulic disc brake
REAR DERAILEUR	Shimano 105 Di2 12 sp
FRONT DERAILEUR	Shimano 105 Di2 12 sp - top gear 50-52T
CRANKSET	Shimano hollowtech 2, 170-172,5-175mm, 50x34T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter
CHAIN	Shimano 105 Di2 12 sp

CASSETTE / FREEWHEEL	Shimano 105 Di2 12sp
BRAKE	Shimano hydraulic disc brake
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock, with Ice Technology, S 160mm w/lock ring
RIM/WHEELSET	Velomann alloy, C19 disc brake, 30mm rim profile, hub team TC j-bend, spoke round 2mm black color, clincher 622x19C, w/rim tape, front HH12 - rear HH12/142
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI
STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8"; 70-90-100-110-120, Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	Velo w/Bianchi embossed logo; color: Black
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 27,2mm, Length: 300mm-44cm ; 350mm-47/61cm
SADDLE	Velomann, lenght/wide 278x144mm

SPRINT | ULTEGRA 11SP | YRBR4



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	ID: CK16 Glossy SW: Black/ CK16 Full Glossy
FRAME	Sprint carbon monocoque, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, Disc brake flat mount, thru axle 12 x 142 sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra hydraulic disc brake for road
REAR DERAILLEUR	Shimano Ultegra 11 sp RD-R8000, compatible with low gear 28-34T for double
FRONT DERAILLEUR	Shimano Ultegra 11 spm, FD-R8000, CS angle: 61-66 for 46/53T cl: 43,5mm
CRANKSET	Shimano Ultegra 11sp, FC-R8000, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road
CHAIN	KMC X11-1 EPT, 11sp, 110 link, EPT finish

CASSETTE / FREEWHEEL	Shimano 105 11sp, CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
RIM/WHEELSET	Velomann alloy, C19 disc brake, 30mm rim profile, hub team TC j-bend, spoke round 2mm black color, clincher 622x19C, w/rim tape, front HH12 - rear HH12/142
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI
STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8"; 70-90-100-110-120, Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	Velo VLT-1001 w/Bianchi embossed logo; color: Black
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 27,2mm, Length: 300mm-44cm ; 350mm-47/61cm
SADDLE	Velomann, steel rails, lenght/wide 278x144mm

SPRINT | 105 11SP | YSBR5



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	ID: CK16 Glossy SW: Black/ CK16 Full Glossy
FRAME	Sprint carbon monocoque, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, Disc brake flat mount, thru axle 12 x 142 sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano 105 11sp Hydraulic disc brake
REAR DERAILLEUR	Shimano 105 11sp, RD-R7000
FRONT DERAILLEUR	Shimano 105 11sp, FD-R7000-L, for rear 11sp, down-swing, brazed-on type, cs-angle: 61-66, for top gear: 46-53T, CL : 43.5mm
CRANKSET	Shimano 105 11sp, FC-R7000, for rear 11-speed, hollowtech 2 , 170-172.5-175mm, 50x34T w/o CG, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing
CHAIN	KMC X11-1 EPT, 11sp

CASSETTE / FREEWHEEL	Shimano 105 11sp, CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R7070 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
RIM/WHEELSET	Velomann alloy, C19 disc brake, 30mm rim profile, hub team TC j-bend, spoke round 2mm black color, clincher 622x19C, w/rim tape, front HH12 - rear HH12/142
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI
STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8"; 70-90-100-110-120, Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale, color: Black
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 27,2mm, Length: 300mm-44cm ; 350mm-47/61cm
SADDLE	Velomann, steel rails, lenght/wide 278x144mm

SPRINT | 105 11SP | YSBR3



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	ID - CK16 full glossy SW: Black/Graphite Glossy
FRAME	Sprint carbon monocoque, bbset pressfit 86,5x41, compatible mechanical and electronic; sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	Included in the frame
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon 1.4" > 1.1/8"
SHIFTER	Shimano 105 11sp
REAR DERAILLEUR	Shimano 105 11sp RD-R7000
FRONT DERAILLEUR	Shimano 105 11sp, cs-angle: 61-66, for top gear: 46-53T, CL : 43.5mm
CRANKSET	Shimano FC-RS510, 165-170-172-175mm, 50x34T, crank Length: 165mm-44cm, 170mm- 47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano, press fit for road, right & left adapter
CHAIN	KMC X11-1 EPT, 11sp

CASSETTE / FREEWHEEL	Shimano 105 11sp, 11-12-13-14-16-18-20-22-25- 28-32T
BRAKE	Shimano BR-R561-L, CS49, 12.5mm sunken nut, 27.5mm pivot bolt
BRAKE LEVER	included
RIM/WHEELSET	Shimano WH-RS100, F:20h/R:24h, for 11/10 speed, OLD:100/130R-QR:163mm
TIRE	Vittoria Zaffiro Pro V 700 x 25c, 26TPI
STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8"; 70-90-100-110-120, Ext: 70mm-44cm, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59/61cm
HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31.8mm, reach 80mm, drop 130mm, Sizes: 40- 42-44, Size: 400mm-44/53cm, 420mm- 55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale, color black
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 27,2mm, Length: 300mm-44cm; 350mm-47/61cm
SADDLE	Velomann, steel rails, lenght/wide 278x144mm

OLTRE RC | SRAM RED ETAP 12SP | YSB20



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XR: Graphite-carbon CK16-alu silver full matt XY: Graphite-carbon White-alu silver full matt XA: Graphite-carbon Blue/violet-alu silver full matt
FRAME	Oltre RC carbon aero shape, electronic drivetrain only, headset 1.1/4"-1.1/4", BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for disc brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4" diam.46.9xdiam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4" diam.46.8xdiam.34x7
FORK	Full Carbon aero, Disc brakes, integrated head 1.1/4", flat mount caliper, thru axle 12x100mm
SHIFTER	Sram Red eTap AXS D1 12sp Hydraulic Disc Brake
REAR DERAILEUR	Sram Red eTap AXS D1 12sp
FRONT DERAILEUR	Sram Red eTap AXS D1
CRANKSET	Sram Red D1 12sp Power Meter double, 48/35, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram Red D1 12sp

CASSETTE / FREEWHEEL	included in the shifter
BRAKE	Sram Rotor centerlock centerline x Road 160mm black rounded
DISC ROTOR	Pirelli Pzero™ Race SL TLR , 28-622, 120 tpi - TLR, Techwall
RIM/WHEELSET	Integrated aero handlebar , Carbon, drop 125mm, reach 80mm Ext: 90x400-47/50cm; 100x420-53cm; 110x420-55/57cm; 120x440-59cm
TIRE	included in the stem
STEM	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm
HANDLEBAR	Oltre Full Carbon Aero special dimension seatpost, 20mm offset length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
GRIP / TAPE	Bianchi RC 139 carbon Air
SEATPOST	included in the shifter
SADDLE	Sram Rotor centerlock centerline x Road 160mm black rounded

OLTRE RC | SUPER RECORD EPS 12SP | YSB22



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XR: Graphite-carbon CK16-alu silver full matt XY: Graphite-carbon White-alu silver full matt XA: Graphite-carbon Blue/violet-alu silver full matt
FRAME	Oltre RC carbon aero shape, electronic drivetrain only, headset 1.1/4"-1.1/4", BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for disc brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4" diam.46.9xdiam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4" diam.46.8xdiam.34x7
FORK	Full Carbon aero, Disc brakes, integrated head 1.1/4", flat mount caliper, thru axle 12x100mm
SHIFTER	Campagnolo Super Record EPS 12sp
REAR DERAILEUR	Campagnolo Super Record EPS 12sp
FRONT DERAILEUR	Campagnolo Super Record EPS 12sp
CRANKSET	Campagnolo Super Record ultra-torque CT TI Carbon 12sp, 36-52T w/Stages Powermeter left crank, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41
CHAIN	Campagnolo Super Record 12sp

CASSETTE / FREEWHEEL	Campagnolo Super Record 12sp 11-29T
BRAKE	Included in the shifter
DISC ROTOR	Campagnolo 03 AFS 160mm rotor
RIM/WHEELSET	Reparto Corse Carbon SPB 50mm profile, 700x21c, Reparto Corse Carbon SPB 65mm profile, 700x21c, N3W body + adapt. AC21-N3W
TIRE	Pirelli Pzero™ Race SL TLR, 28-622, 120 tpi
STEM	Integrated Aero handlebar, material Carbon, drop 125mm, reach 80mm, Di2 compatible Ext: 90x400-47/50cm; 100x420-53cm; 110x420-55/57cm; 120x440-59cm
HANDLEBAR	included in the stem
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm
SEATPOST	Oltre Full Carbon Aero special dimension seatpost, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
SADDLE	Bianchi RC139 carbon air

OLTRE RC | DURACE DI2 12SP | YSB21



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XR: Graphite-carbon CK16-alu silver full matt XY: Graphite-carbon White-alu silver full matt XA: Graphite-carbon Blue/violet-alu silver full matt
FRAME	Oltre RC carbon aero shape, electronic drivetrain only, headset 1.1/4"-1.1/4", BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for disc brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4" diam.46.9xdiam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4" diam.46.8xdiam.34x7
FORK	Full Carbon aero, Disc brakes, integrated head 1.1/4", flat mount caliper, thru axle 12x100mm
SHIFTER	Shimano Duraace Di2 12sp hydraulic disc
REAR DERAILEUR	Shimano Duraace Di2 12sp RD-R9250, DURA-ACE Di2 12sp
FRONT DERAILEUR	Shimano Duraace Di2 12sp FD-R9250, DURA-ACE Di2, brazed-on type, down swing, top gear 46-55T, for rear 12-speed
CRANKSET	Shimano Duraace 12sp FC-R9200-P, DURA-ACE power meter, hollowtech 2, for rear 12- speed, 52x36T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm
BOTTOM BRACKET	Shimano SM-BB92-41B, press fit
CHAIN	Shimano Duraace 12sp, CN-M9100

CASSETTE / FREEWHEEL	Shimano Duraace 12sp, CS-R9200 DURA-ACE 12sp, 11-12-13-14-15-16-17-19-21-24-27-30T
BRAKE	Shimano Hydraulic disc brake, included in the shifter
DISC ROTOR	Shimano RT-MT900 center lock type w/Ice Tech, 160mm front and rear
RIM/WHEELSET	Reparto Corse Carbon SPB 50mm profile, 700x21c, Reparto Corse Carbon SPB 65mm profile, 700x21c, HG body
TIRE	Pirelli Pzero™ Race SL TLR, 28-622, 120 tpi
STEM	Integrated Aero handlebar, material Carbon, drop 125mm, reach 80mm, Di2 compatible Ext: 90x400-47/50cm; 100x420-53cm; 110x420-55/57cm; 120x440-59cm
HANDLEBAR	included in the stem
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm
SEATPOST	Oltre Full Carbon Aero special dimension seatpost, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
SADDLE	Bianchi RC139 carbon air

OLTRE RC | FRAMEKIT | XSB05



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XR: Graphite-carbon CK16-alu silver full matt XY: Graphite-carbon White-alu silver full matt XA: Graphite-carbon Blue/violet-alu silver full matt
FRAME	Oltre RC carbon aero shape, electronic drivetrain only, headset 1.1/4"-1.1/4",BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for brakes, thru axle 12x142mm, compatible with 700x30 tire sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4" diam.46.9 x diam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4" diam.46.8 x diam.34x7
FORK	Full Carbon aero, brakes, integrated head 1.1/4", flat mount caliper, thru axle 12x100mm, compatible with 700x30 tire

C2306182

STEM	Integrated handlebar Integrated Aero bar, material Carbon, drop 125mm, reach 80mm, Di2 compatible Ext: 90/400 ; 100/420 ; 110/420; 120/440
HANDLEBAR	included in the stem

OLTRE PRO | SRAM RED ETAP AXS 12SP | YSB05



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XJ: Graphite CK16 full matt XK: Graphite White full matt XE: Graphite matt Black glossy
FRAME	Oltre PRO carbon w/Bianchi CV System aero shape, electronic drivetrain only, headset 1.1/4"-1.1/4", BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for disc brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4" diam.46.9xdiam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4" diam.46.8xdiam.34x7
FORK	Full Carbon aero w/Bianchi CV System, Disc brakes, integrated head 1.1/4", flat mount caliper, thru axle 12x100mm
SHIFTER	Sram Red eTap AXS D1 12sp Hydraulic Disc Brake, d eTap AXS D1 12sp Hydraulic Disc Brake
REAR DERAILLEUR	Sram Red eTap AXS D1 12sp
FRONT DERAILLEUR	Sram Red eTap AXS D1 braze on
CRANKSET	Sram Red D1 12sp double, 46/33, crank length: 170mm-47/53cm, 172.5mm-55/59cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram Red D1 12sp

CASSETTE / FREEWHEEL	Sram Red XG-1290 D1 12sp, 10-11-12-13-14-15-16-17-19-21-24-28T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock centerline x Road 160mm
RIM/WHEELSET	Reparto Corse Carbon 50mm profile, 700x21c, XDR body
TIRE	Pirelli Pzero™ Race SL TLR, 28-622, 120 tpi
STEM	Integrated Aero handlebar, material Carbon, drop 125mm, reach 80mm, Di2 compatible Ext: 90x400-47/50cm; 100x420-53cm; 110x420-55/57cm; 120x440-59cm
HANDLEBAR	included in the stem
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm
SEATPOST	Oltre Full Carbon Aero special dimension seatpost, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
SADDLE	Bianchi RC139 carbon

OLTRE PRO | DURACE DI2 12SP | YSB07



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XJ: Graphite CK16 full matt XK: Graphite White full matt XE: Graphite matt Black glossy
FRAME	Oltre PRO carbon w/Bianchi CV System aero shape, electronic drivetrain only, headset 1.1/4"-1.1/4", BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for disc brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4" diam.46.9xdiam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4" diam.46.8xdiam.34x7
FORK	Full Carbon aero w/Bianchi CV System, Disc brakes, integrated head 1.1/4", flat mount caliper, thru axle 12x100mm
SHIFTER	Shimano Durace Di2 12sp hydraulic disc brake
REAR DERAILLEUR	Shimano Durace Di2 12sp, RD-R9250, top normal shadow design, direct attachment, 34T Max Low Sprocket
FRONT DERAILLEUR	Shimano Durace Di2 12sp, FD-R9250, DURA-ACE Di2, brazed-on type, top gear 46-55T, for rear 12-speed
CRANKSET	Shimano Durace 12sp, FC-R9200, DURA-ACE hollowtech 2, for rear 12- speed, 50x34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm
BOTTOM BRACKET	Shimano SM-BB92-41B , press fit type for road, right & left adapter, bearing, inner cover
CHAIN	Shimano Durace 12sp, CN-M9100

CASSETTE / FREEWHEEL	Shimano Durace 12sp, CS-R9200, 11-12-13-14-15-16-17-19-21-24-27-30T
BRAKE	Shimano BR-R9270 Hydraulic disc brake included in the shifter
DISC ROTOR	Shimano RT-MT900 center lock type w/Ice Tech, 160mm
RIM/WHEELSET	Reparto Corse Carbon 50mm profile, 700x21c, HG body
TIRE	Pirelli Pzero™ Race SL TLR , 28-622, 120 tpi
STEM	Integrated Aero handlebar, material Carbon, drop 125mm, reach 80mm, Di2 compatible Ext: 90x400-47/50cm; 100x420-53cm; 110x420-55/57cm; 120x440-59cm
HANDLEBAR	included in the stem
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm
SEATPOST	Oltre Full Carbon Aero special dimension seatpost, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
SADDLE	Bianchi RC139 carbon

OLTRE PRO | SRAM FORCE ETAP AXS | YSB10



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XJ: Graphite CK16 full matt XK: Graphite White full matt XE: Graphite matt Black glossy
FRAME	Oltre PRO carbon w/Bianchi CV System aero shape, electronic drivetrain only, headset 1.1/4"-1.1/4", BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for disc brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4" diam.46.9xdiam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4" diam.46.8xdiam.34x7
FORK	Full Carbon aero w/Bianchi CV System, Disc brakes, integrated head 1.1/4", flat mount caliper, thru axle 12x100mm
SHIFTER	Sram Force eTap AXS D1 12sp Hydraulic Disc Brake
REAR DERAILLEUR	Sram Force eTap AXS D1 gloss 12sp
FRONT DERAILLEUR	Sram Force eTap AXS D1 glossy braze on
CRANKSET	Sram Force D1 12sp double glossy, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram Force D1 12sp

CASSETTE / FREEWHEEL	Sram Force XG-1270 D1 12sp, 10-11-12-13-14-15-17-19-21-24-28-33T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock paceline x Road 160mm black rounded
RIM/WHEELSET	Reparto Corse Carbon 50mm profile, 700x21c, XDR body
TIRE	Pirelli Pzero ™ Race SL TLR , 28-622, 120 tpi
STEM	Integrated Aero handlebar, material Carbon, drop 125mm, reach 80mm, Di2 compatible Ext: 90x400-47/50cm; 100x420-53cm; 110x420-55/57cm; 120x440-59cm
HANDLEBAR	included in the stem
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm
SEATPOST	Oltre Full Carbon Aero special dimension seatpost, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
SADDLE	Bianchi RC139 carbon

OLTRE PRO | ULTEGRA DI2 12SP | YSB08



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XJ: Graphite CK16 full matt XK: Graphite White full matt XE: Graphite matt Black glossy
FRAME	Oltre PRO carbon w/Bianchi CV System aero shape, electronic drivetrain only, headset 1.1/4"-1.1/4", BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for disc brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4" diam.46.9xdiam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4" diam.46.8xdiam.34x7
FORK	Full Carbon aero w/Bianchi CV System, Disc brakes, integrated head 1.1/4", flat mount caliper, thru axle 12x100mm
SHIFTER	Shimano Ultegra Di2 12sp hydraulic disc brake
REAR DERAILLEUR	Shimano Ultegra Di2 12sp, RD-R8150, top normal shadow design, direct attachment,34T Max Low Sprocket
FRONT DERAILLEUR	Shimano Ultegra Di2 12sp,FD-R8150, brazed-on type, top gear 50-54T, for rear 12-speed
CRANKSET	Shimano Ultegra 12sp, FC-R8100, Ultegra hollowtech 2, for rear 12- speed, 50x34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road
CHAIN	Shimano Ultegra 12sp, CN-M8100

CASSETTE / FREEWHEEL	Shimano Ultegra 12sp, CS-R8100, 11-12-13-14-15-16-17-19-21-24-27-30T
BRAKE	Shimano BR-R8170 Hydraulic disc brake included in the shifter
DISC ROTOR	Shimano RT-MT800 center lock type w/Ice Tech, 160mm front rear, with lock ring
RIM/WHEELSET	Reparto Corse Carbon 50mm profile, 700x21c, HG body
TIRE	Pirelli Pzero™ Race SL TLR , 28-622, 120 tpi
STEM	Integrated Aero handlebar, material Carbon, drop 125mm, reach 80mm, Di2 compatible Ext: 90x400-47/50cm; 100x420-53cm; 110x420-55/57cm; 120x440-59cm
HANDLEBAR	included in the stem
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm
SEATPOST	Oltre Full Carbon Aero special dimension seatpost, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
SADDLE	Bianchi RC139 carbon

OLTRE RC | FRAMEKIT | XSB06



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XR: Graphite-carbon CK16-alu silver full matt XY: Graphite-carbon White-alu silver full matt XA: Graphite-carbon Blue/violet-alu silver full matt
FRAME	Oltre PRO carbon w/Bianchi System aero shape, electronic drivetrain only, headset 1.1/4"-1.1/4",BB-PressFit 86,5x41mm, integrated seat clamp, for flat mount caliper, internal cable routing for brakes, thru axle 12x142mm, compatible with 700x30 tire sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa No. 54 - MR137 - ACB 1-1/4" diam.46.9 x diam.37x7 Fsa TH970R - MR082R - SL Alloy ACB 1-1/4" diam.46.8 x diam.34x7
FORK	Full Carbon aero w/Bianchi System, brakes, integrated head 1.1/4", flat mount caliper, thru axle 12x100mm, compatible with 700x30 tire

C2306182

STEM	Integrated handlebar Integrated Aero bar, material Carbon, drop 125mm, reach 80mm, Di2 compatible Ext: 90/400 ; 100/420 ; 110/420; 120/440
HANDLEBAR	included in the stem

OLTRE | RIVAL ETAP AXS 12SP | YSB24



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XD: CK16 Graphite full glossy XG: White Graphite full glossy XH: Dark grey metal Graphite full glossy
FRAME	Oltre , carbon, disc brakes, electronic and mechanical shifting compatible, internal cable routing 1.5-1.5 headset, BB-PressFit 86,5x41, flat mount brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa ACB 1.5" 51.8x40x8,
FORK	Full Carbon aero, disc brakes integrated head
SHIFTER	Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake
REAR DERAILLEUR	Sram RIVAL ETAP AXS D1 MAX 36T
FRONT DERAILLEUR	Sram RIVAL ETAP AXS D1 BRAZE
CRANKSET	Sram RIVAL D1 DUB 170 - 172,5, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram RIVAL D1 12Sp,

CASSETTE / FREEWHEEL	Sram CS XG 1250 D1 10-36T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock paceline x Road 160mm black rounded
RIM/WHEELSET	Velomann Carbon 50mm profile, 700x21c, HG body
TIRE	Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding
STEM	Velomann Aero stem, material alloy, Oversize, 1.1/8", size: 90-47/50cm, 100-53cm, 110-55/57cm, 120mm-59cm w/Oltre custom top cap stem cover w/magnet
HANDLEBAR	Velomann Aero Compact handlebar, alloy diam. 31,8mm, reach 70mm, drop 120mm, Size: 400mm-47/53cm, 420mm-55/59cm
GRIP / TAPE	Velomann Oltre Full Carbon Aero special dimension, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
SEATPOST	Velomann Oltre Full Carbon Aero special dimension, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
SADDLE	Velomann Mitora saddle

OLTRE | ULTEGRA DI2 12SP | YSB23



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XD: CK16 Graphite full glossy XG: White Graphite full glossy XH: Dark grey metal Graphite full glossy
FRAME	Oltre , carbon, disc brakes, electronic and mechanical shifting compatible, internal cable routing 1.5-1.5 headset, BB-PressFit 86,5x41, flat mount brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa ACB 1.5" 51.8x40x8,
FORK	Full Carbon aero, disc brakes integrated head
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake for road
REAR DERAILLEUR	Shimano Ultegra Di2 12sp, RD-R8150, top normal shadow design, direct attachment, W/TL-EW300, 34T Max Low Sprocket
FRONT DERAILLEUR	Shimano Ultegra Di2 12sp, FD-R8150, brazed-on type, down swing, top gear 50-54T
CRANKSET	Shimano Ultegra 12sp, FC-R8100, Ultegra hollowtech 2, for rear 12- speed, 170-172mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm
BOTTOM BRACKET	Shimano, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Shimano Ultegra 12sp

CASSETTE / FREEWHEEL	Shimano Ultegra 12sp, CS-R8100, 11-12-13-14-15-16-17-19-21-24-27-30T
BRAKE	Shimano BR-R8170 Hydraulic disc brake included in the shifter
DISC ROTOR	Shimano center lock type w/Ice Tech, 160mm front rear, with lock ring
RIM/WHEELSET	Velomann Carbon 55mm profile, 700x21c, HG body
TIRE	Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding
STEM	Velomann Aero stem, material alloy, Oversize, 1.1/8", size: 90-47/50cm, 100-53cm, 110-55/57cm, 120mm-59cm, w/Oltre custom top cap stem cover w/magnet
HANDLEBAR	Velomann Aero Compact handlebar, alloy diam. 31.8mm, reach 70mm, drop 120mm, Size: 400mm-47/53cm, 420mm-55/59cm
GRIP / TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug
SEATPOST	Velomann Oltre Full Carbon Aero special dimension, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
SADDLE	Velomann Mitora saddle

OLTRE | 105 DI2 12SP | YSB26



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XD: CK16 Graphite full glossy XG: White Graphite full glossy XH: Dark grey metal Graphite full glossy
FRAME	Oltre , carbon, disc brakes, electronic and mechanical shifting compatible, internal cable routing 1.5-1.5 headset, BB-PressFit 86,5x41, flat mount brakes, thru axle 12x142mm sizes 47-50-53-55-57-59cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa ACB 1.5" 51.8x40x8,
FORK	Full Carbon aero, disc brakes integrated head
SHIFTER	Shimano 105 Di2 hydraulic disc brake for road
REAR DERAILLEUR	Shimano 105 12sp,RD-R7150, top normal shadow design, direct attachment, W/TL-EW300
FRONT DERAILLEUR	Shimano 105 Di2 12sp FD-R7150, 105 Di2, brazed-on type, down swing, top gear 50-52T, for rear 12-speed
CRANKSET	Shimano 105 12sp, FC-R7100, Ultegra hollowtech 2, 50x34T w/o BB parts, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Shimano 105 12sp

CASSETTE / FREEWHEEL	Shimano 105 12sp, 11-12-13-14-15-17-19-21-24-27-30-34T
BRAKE	Shimano BR-R7170 Hydraulic disc brake included in the shifter
DISC ROTOR	Shimano rotor for disc brake center lock , with Ice Technology, S 160mm
RIM/WHEELSET	Velomann Carbon 55mm profile, 700x21c, HG body
TIRE	Pirelli P7, 700 x 28c, 60TPI, Nylon breaker, Folding, full Black colour
STEM	Velomann Aero stem, material alloy, Oversize, 1.1/8", size: 90-47/50cm, 100-53cm, 110-55/57cm, 120mm-59cm w/Oltre custom top cap stem cover w/magnet
HANDLEBAR	Velomann Aero Compact handlebar, alloy diam. 31,8mm, reach 70mm, drop 120mm, Size: 400mm-47/53cm, 420mm-55/59cm
GRIP / TAPE	Black soft Microfiber tapes*EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug
SEATPOST	Velomann Oltre Full Carbon Aero special dimension, 20mm offset, length: 280mm-47cm, 300mm-50/53cm, 350mm-55/59cm
SADDLE	Velomann Mitora saddle

OLTRE XR4 | RED ETAP AXS 12SP | YRB09



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW:Frozen White/CK16 shade+ Metal Mirror Logo Full Glossy
FRAME	OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5" - top 1.5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Sram Red eTap AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose Red eTap AXS D1 12sp Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts
REAR DERAILLEUR	Sram Red eTap AXS D1, 12sp
FRONT DERAILLEUR	Sram Red eTap AXS D1 braze on
CHARGER/PWRCABLE	Included in the battery
CRANKSET	Sram Red D1 12sp double 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram Red D1 12sp

CASSETTE/FREEWHEEL	Sram Red XG-1290 D1, 10-11-12-13-14-15-16-17-19-21-24-28T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock centerline x Road 160mm black rounded, Lock ring ASMBH20
FRONT HUB	Reparto Corse DR835F-CL 24HX14G, Hub shell : AL6082-T6, Axle material: AL 7075-T6, Ball bearing, centerlock, Anodized black, with rotor locking
REAR HUB	Reparto Corse DR835XDR-CL 24HX14G; Hub shell : AL6082-T6, Axle material: AL 7075-T6, 4 Ball bearing, centerlock, Anodized black, with rotor locking, XDR
RIM/WHEELSET	Vision SC55
TIRE	Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker
STEM	Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, RC'21 graphics, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
HANDLEBAR	included in the stem
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380mm-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp Fi'zi:k Argo Vento R1 140mm ; shell nylon carbon reinforced WingFlex , rail carbon braided 7x10, Length 260mm x Width 140mm
SADDLE	

OLTRE XR4 | DURA ACE DI2 12SP | YRB15



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW: White/CK16 shade+ Soft Black Logo Full Glossy	CASSETTE / FREEWHEEL	Shimano Dura Ace 11-30T
FRAME	Oltre XR4 Disc carbon w/Bianchi CV, mechanical/electronic shifting compatible, headset 1.5", PressFit BB 86,5x41mm, Disc brake internal cable routing, flat mount, thru axle 12x142mm, sizes 47-50-53-55-57-59-61cm	BRAKE	Shimano Hydraulic disc brake, included in the shifter
BOLTS / HARDWARE	AL7075-T6 large button head bolts, Torx M5*14mm x 4pcs, celeste color with Bianchi logo	BRAKE LEVER	included w/shifters
SEATPOST CLAMP	included in the frame	DISC ROTOR	Shimano RT-MT900 center lock, diam.160mm
HEADSET	Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1.5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube	RIM/WHEELSET	Vision SC55
FORK	Bianchi Full Carbon w/Bianchi CV, Disc, Disc Brake internal cable, thru axle 12x100mm	TIRE	Pirelli P ZERO Race, 26-622, 127TPI, Aramid breaker
SHIFTER	Shimano Durace Di2 hydraulic disc brake	STEM	Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, RC'21 graphics, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
REAR DERAILEUR	Shimano, Durace Di2 12sp	HANDLEBAR	included in the stem
FRONT DERAILEUR	Shimano, Durace Di2 12sp	GRIP / TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plugBlack soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
ELECTRIC CABLE	Shimano Electric wire, EW-SD300, for external routing, 500mm (FD)Electric wire, Shimano EW-SD300, for external routing, 1200mm (RD)	SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380-61cm, Setback: 25mm/+10mm
CHARGER / PWR CABLE	Shimano Charging cable, EW-EC300, 1700mm	SADDLE	Fi'zi:k Argo Vento R1, nylon carbon reinforced shell w/WingFlex, carbon braided 7x10 rail, 260x140mm
CRANKSET	Shimano Durace 50x34T, hollowtech II, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm		
BOTTOM BRACKET CHAIN	Shimano SM-BB92-41B, PressFit Road Shimano Dura Ace		

OLTRE XR4 | ULTEGRA DI2 12SP | YRB17



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW: White/CK16 shade+ Soft Black Logo Full Glossy OLTRE XR4 Bianchi CV Aero carbon	BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing
FRAME	_mechanical/electronic, headset 1.5", BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm	CHAIN	Shimano CN-M8100, 112link for HG 12- speed
SEATPOST CLAMP	included in the frame	CASSETTE/FREEWHEEL	Shimano CS-R8100,Ultegra 12sp, 11-12-13-14-15-16-17-19-21-24-27-30T
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1.5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube	BRAKE	Shimano BR-R8170 Hydraulic disc brake, included in the shifter
FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100	BRAKE LEVER	included
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake for road Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(L), BR-R8170(F), for 160mm rotor, resin pad(w/fin), hose SM-BH90 1000mm Disc-brake assembled set/J-kit direct, Ultegra, ST-R8170(R), BR-R8170(R), w/o adapter for 20mm Mount Thickness, resin (w/fin), hose SM-BH90 1700mm Mount adapter for rear road disc brake mount, SM-MA-R160D/D, fixing bolt X2, snap retainer X1, washer X2 Small parts for SM-BH90	DISC ROTOR	Shimano RT-MT800 center lock type w/Ice Tech, 160mm front rear, with lock ring (2pcs)
REAR DERAILLEUR	Shimano RD-R8150, Ultegra Di2 12-speed, top normal shadow design, direct attachment, W/TL-EW300, 34T Max Low Sprocket	RIM/WHEELSET	Fulcrum Racing 400 disc brake R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, HG11, color black+CK16
FRONT DERAILLEUR	Shimano FD-R8150, Ultegra Di2, brazed-on type, down swing, top gear 50-54T, for rear 12sp	TIRE	Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker
ELECTRIC CABLE	Shimano Electric wire, EW-SD300, for external routing, 500mm (FD) Shimano Electric wire, EW-SD300, for external routing, 1200mm (RD)	STEM	Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
CHARGER/PWRCABLE	Shimano Charging cable, EW-EC300, 1700mm	HANDLEBAR	included in the stem
CRANKSET	Shimano FC-R8100, Ultegra hollowtech 2, for rear 12-speed, 170-172-175mm, 50x34T w/o BB parts, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm	GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
		SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380/61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
		SADDLE	Fi'zi:k Argo Vento R3 140mm, shell nylon carbon reinforced WingFlex , rail new K:iium, Length 260mm x Width 140mm

OLTRE XR4 | RIVAL ETAP AXS 12SP | YRB12



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW: White/CK16 shade+ Soft Black Logo Full Glossy
FRAME	OLTRE XR4 Bianchi CV Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1.5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube
FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
SHIFTER	Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, front caliper, left control, 20mm Flat Mount, 1000mm hose RIVAL ETAP AXS D1 Hydraulic Disc Brake, Stealth-a-majig disconnected, rear caliper, right control, 20mm Flat Mount, 1700mm hose, no frame mounting bolts
REAR DERAILLEUR	Sram RIVAL ETAP AXS D1 MAX 36T
FRONT DERAILLEUR	Sram RIVAL ETAP AXS D1 BRAZE
CHARGER/PWRCABLE	Included in the battery
CRANKSET	Sram RIVAL D1 DUB 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram RIVAL D1 12SP

CASSETTE/FREEWHEEL	Sram CS XG 1250 D1 10-36T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock centerline Road 160mm
RIM/WHEELSET	Fulcrum Racing 400 disc brake R400 aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, XDR
TIRE	Pirelli P ZERO Race , 26-622, 127TPI, Aramid breaker
STEM	Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, RC'21 graphics, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
HANDLEBAR	included in the stem
GRIP/TAPE	Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste color and VLP-56 BK plug Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black color and VLP-56 BK plug
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59, 380-61cm, Setback (25mm/+10mm), EL271 alloy 6061 clamp
SADDLE	Fi'zi:k Argo Vento R1 140mm ; shell nylon carbon reinforced WingFlex , rail carbon braided 7x10, Length 260mm x Width 140mm

OLTRE XR4 | FRAMESET | XRB021



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW: White/CK16 shade+ Soft Black Logo Full Glossy
FRAME	OLTRE XR.4 Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	- Bolts AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo - Nut stainless steel front brake 35mm M6 - Nut stainless steel rear brake 18mm M6 - Washer stainless steel front brake 13x3,5
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1.5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube

FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
HANDLEBAR	Reparto Corse Metron 5D ACR Disc Integrated Aero bar, Bar/stem Integrated, material UD Weave Carbon, drop 125mm, reach 80mm, Di2 compatible, Ext: 100x400mm-47/50cm, 110x420mm-53/55cm, 120x420mm-57/59cm, 130x440mm-61cm
STEM	Reparto Corse by FSA Energy SCR Compact, HB-RD-257S/PSH/Di2, Double Butted and tapered AL7050 material, diam.31.8mm, drop 125mm, reach 80mm, 4° Outward Bend, C - C Width (mm) 40/42/44cm, Size:400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380-61cm, Setback: 25mm/+10mm

OLTRE XR4 | FRAMESET | XRB02X



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW: White/CK16 shade+ Soft Black Logo Full Glossy	FORK	Full Carbon aero 1.5" integrated head, Disc Brake internal cable, flat mount, thru axle 12x100
FRAME	OLTRE XR.4 Aero carbon _mechanical/electronic, headset 1.5" , BB-PressFit 86,5x41, Disc brake internal cable, flat mount, thru axle 12 x 142mm, sizes 47-50-53-55-57-59-61cm	STEM	Reparto Corse NS ACR ST-OS-160, material 3D Forged/CNC AL6061, bolt CrMo, clamp. 31.8mm / steerer diam. 28.6mm / angle -6° , Di2 compatible, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59cm, 130mm-61cm
BOLTS / HARDWARE	AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo - Nut stainless steel front brake 35mm M6 - Nut stainless steel rear brake 18mm M6 - Washer stainless steel front brake 13x3,5	SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm, 300mm-50/53cm, 350mm-55/59cm, 380-61cm, Setback: 25mm/+10mm
SEATPOST CLAMP	included in the frame		
HEADSET	Fsa Orbit custom 5D ACR top cover UD Carbon, lower 1.5"- top 1.5", 36°- 45° ACB bearing, w/Carbon custom cone spacer specific for Metron DISC integrated handlebar, for 52mm/52mm OD head tube		

OLTRE XR3 | ULTEGRA DI2 12SP | YRB18



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW:Frozen White/CK16 shade+ Metal Mirror Logo Full Glossy	CASSETTE / FREEWHEEL	Shimano Ultegra 12sp, CS-R8100, 11-12-13-14-15-16-17-19-21-24-27-30T
FRAME	OLTRE XR3 carbon, mechanical/electronic, seat stay section UTSS SS, HT with integrated fork, carbon dropout shape, BB-PressFit 86,5x41 Disc brake flat mount, thru axle 12 x 142 sizes 47-50-53-55-57-59-61cm	BRAKE	Shimano BR-R8170 Hydraulic disc brake, included in the shifter
SEATPOST CLAMP	included in the frame	BRAKE LEVER	included
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	DISC ROTOR	Shimano RT-MT800 center lock type w/Ice Tech, 160mm front rear, with lock ring
FORK	Full Carbon Aero Road 1.5"x1.1/8" integrated head , Disc brake flat mount, thru axle 12x100	RIM/WHEELSET	Fulcrum Racing 400 disc brake, aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, HG11
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake for road	TIRE	Pirelli P7, 700 x 28c, 60TPI
REAR DERAILLEUR	Shimano Ultegra Di2 12sp, RD-R8150, 34T Max Low Sprocket	STEM	Reparto Corse 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", size 90/100/110/120, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm
FRONT DERAILLEUR	Shimano Ultegra Di2 12sp, FD-R8150, top gear 50-54Td adapter for FD-R9150-F, SM-AD91,L-size (34.9mm)	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Sizes: 40-42-44, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
BATTERY / MOUNT	Shimano Battery, BT-DN300, built-in type	GRIP / TAPE	La Spirale, color: Black
CHARGER / PWR CABLE	Shimano Charging cable, EW-EC300, 1700mm	SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm; 300mm-50/53cm; 350mm-55/59; 380mm-61cm
CRANKSET	Shimano Ultegra 12sp, FC-R8100, Ultegra hollowtech 2, 170-172-175mm, 50x34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm	SADDLE	Fi'zi:k Antares R7, cover microtex microfiber black /CK, shell nylon carbon reinforced WingFlex, rail S alloy, lenght/wide 274x142mm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter		
CHAIN	Shimano Ultegra 12sp, CN-M8100, 112link for HG 12- speed		

OLTRE XR3 | CHORUS 12SP | YSBK4



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW:Frozen White/CK16 shade+ Metal Mirror Logo Full Glossy
FRAME	OLTRE XR3 carbon, mechanical/electronic, seat stay section UTSS SS, HT with integrated fork, carbon dropout shape, BB-PressFit 86,5x41 Disc brake flat mount, thru axle 12 x 142 sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy
FORK	Full Carbon Aero Road 1.5"x1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Campagnolo CHORUS 12sp EP + 160 caliper + screws w oil
REAR DERAILEUR	Campagnolo CHORUS 12sp
FRONT DERAILEUR	Campagnolo Chorus 12sp
CRANKSET	Campagnolo Chorus ultra-torque CT Carbon 12s 170-172,5-175mm 34-50T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Campagnolo Ultra Torque OS-Fit integrated cups 86,5x41
CHAIN	Campagnolo Chorus 12sp - 114 links

CASSETTE / FREEWHEEL	Campagnolo Chorus 12sp 11-29T
BRAKE	Included in the shifter
BRAKE LEVER	included
DISC ROTOR	Campagnolo AFS 160mm rotor
RIM/WHEELSET	Fulcrum Racing 400 disc brake, aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, bearing standard industrial, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle, center lock AFS, N3W
TIRE	Pirelli P7, 700 x 28c, 60TPI
STEM	Reparto Corse 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", size 90/100/110/120, Ext: 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm
HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Sizes: 40-42-44, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale, color: Black
SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm; 300mm-50/53cm; 350mm-55/59; 380mm-61cm
SADDLE	Fi'zi:k Antares R7, cover microtex microfiber black /CK, shell nylon carbon reinforced WingFlex, rail S alloy, lenght/wide 274x142mm

OLTRE XR3 | ULTEGRA 11SP | YRBK7



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XB: Graphite Race/Grey shade Matt + Metal Mirror Logo Glossy XC: Graphite Race/CK16 shade + White Logo Full Glossy XW:Frozen White/CK16 shade+ Metal Mirror Logo Full Glossy	CASSETTE / FREEWHEEL	Shimano Ultegra 11sp, CS-R8000, 11-12-13-14-15-17-19-21-24-27-30T
FRAME	OLTRE XR3 carbon, mechanical/electronic, seat stay section UTSS SS, HT with integrated fork, carbon dropout shape, BB-PressFit 86,5x41 Disc brake flat mount, thru axle 12 x 142 sizes 47-50-53-55-57-59-61cm	BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
SEATPOST CLAMP	included in the frame	BRAKE LEVER	included
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm (for 46/56mm Head Tubes); Standard 15mm top cover alloy	DISC ROTOR	Shimano SM-RT800 center look 160mm, S 160mm
FORK	Full Carbon Aero Road 1.5"x1.1/8" integrated head , Disc brake flat mount, thru axle 12x100	RIM/WHEELSET	Fulcrum Racing 400 disc brake, aluminium asymmetric 622x19c, hub alloy, 2 WAY FIT tubeless ready, Height 34mm, 24 straight pull steel spokes, front hub 12mm x 100mm - rear hub 12 mm x 142mm
SHIFTER	Shimano Ultegra hydraulic disc brake for road	TIRE	Pirelli P7, 700 x 28c, 60TPI, Nylon breaker
REAR DERAILLEUR	Shimano Ultegra 11sp, RD-R8000, compatible with low gear 25-30T for double	STEM	Reparto Corse 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1 1/8", size 90/100/110/120, Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm
FRONT DERAILLEUR	Shimano Ultegra 11sp, FD-R8000, band type (34.9mm), CS angle: 61-66 for 46/53T cl: 43,5mm	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Sizes: 40-42-44, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
CRANKSET	Shimano Ultegra 11sp, FC-R8000, Ultegra hollowtech 2, 170-172-175mm, 50x34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm	GRIP / TAPE	La Spirale, color: Black
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road	SEATPOST	Reparto Corse Full Carbon Aero special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 250mm-47cm; 300mm-50/53cm; 350mm-55/59; 380mm-61cm
CHAIN	Shimano Ultegra 11sp, CN-HG701-11, 110 links	SADDLE	Fi'zi:k Antares R7, cover microtex microfiber black /CK, shell nylon carbon reinforced WingFlex, rail S alloy, lenght/wide 274x142mm

ARIA | ULTEGRA DI2 12SP | YSB38



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	PX: :Summertime dream/Black
FRAME	Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142 sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover (H2166B) for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head, Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake for road
REAR DERAILLEUR	Shimano Ultegra Di2 12sp, RD-R8150, W/TL-EW300, 34T Max Low Sprocket
FRONT DERAILLEUR	Shimano Ultegra Di2 12sp, FD-R8150, Ultegra Di2, top gear 50-54T, for rear 12-speed
BATTERY / MOUNT	Shimano Battery, BT-DN300
CHARGER / PWR CABLE	Shimano Charging cable, EW-EC300, 1700mm
CRANKSET	Shimano Ultegra 12sp, FC-R8100, Ultegra hollowtech 2, for rear 12- speed, 165-170-172-175mm, 50x34T, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B
CHAIN	Shimano Ultegra 12sp, CN-M8100, 112link for HG 12- speed

CASSETTE / FREEWHEEL	Shimano Ultegra 12sp, CS-R8100, 11-12-13-14-15-16-17-19-21-24-27-30T
BRAKE	Shimano BR-R8170 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano RT-MT800 center lock type w/Ice Tech, 160mm front rear, with lock ring
RIM/WHEELSET	Fulcrum Racing 818 disc brake, Aluminium C19 2WF-R Tubeless ready 622x19c, hub alloy J-type, sleeve joint rim, height 34mm, 24 spokes steel ED black round, center lock AFS, front HH12 - rear HH12/142, HG11
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI
STEM	Reparto Corse 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1.1/8", size 90/100/110/120, Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm
HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Sizes: 40-42-44, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale, color: Black
SEATPOST	Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; Length: 250mm-44; 300mm-47/50cm; 350mm-53/61
SADDLE	Selle Royal Seta S1, 1285 URN, steel rails, length/wide 278x144mm

ARIA | RIVAL ETAP AXS 12SP | YSB39



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	2R - Black/ Graphite Full Glossy 5K - CK16/ Black Full Glossy
FRAME	Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142 sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head, Disc brake flat mount, thru axle 12x100
SHIFTER	Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake
REAR DERAILLEUR	Sram RIVAL ETAP AXS D1 MAX 36T
FRONT DERAILLEUR	Sram RIVAL ETAP AXS D1 BRAZE
BATTERY / MOUNT	Sram EP Powerpack 2 battery
CHARGER / PWR CABLE	Included in the battery
CRANKSET	Sram RIVAL D1 DUB 165 - 170 - 172,5 - 175, 46/33, Crank Length: 165mm-44cm; 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram RIVAL D1 12S 116 LINK

CASSETTE / FREEWHEEL	Sram CS XG 1250 D1 10-36T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock centerline Road 160mm black rounded
RIM/WHEELSET	Fulcrum Racing 818 disc brake, Aluminium C19 2WF-R Tubeless ready 622x19c, height 34mm, 24 spokes steel ED black round, thru axle, center lock AFS, front HH12 - rear HH12/142
TIRE	Rubino IV G2.0 graphene, 700x28, 60TPI, Folding, black
STEM	Reparto Corse 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1 1/8", size 90/100/110/120, Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm
HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Sizes: 40-42-44, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale, color: Black
SEATPOST	Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; Length: 250mm-44; 300mm-47/50cm; 350mm-53/61
SADDLE	Selle Royal Seta S1, 1285 URN, steel rails, length/wide 278x144mm

ARIA | 105 DI2 12SP | YSB37



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	2R - Black/ Graphite Full Glossy 5K - CK16/ Black Full Glossy PX: :Summertime dream/Black
FRAME	Aria aéro carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aéro shape DT-ST, Disc brake flat mount, thru axle 12 x 142 sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover (H2166B) for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head, Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano 105 DI2 12sp hydraulic disc brake
REAR DERAILLEUR	Shimano 105 DI2 12 sp
FRONT DERAILLEUR	Shimano 105 DI2 12 sp - top gear 50-52T
CRANKSET	Shimano hollowtech 2, 170-172,5-175mm, 50x34T, Crank Length: 165mm-44cm, 170mm-47/53cm, 172.5mm-55/59cm, 175-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road
CHAIN	Shimano 105 DI2 12 sp

CASSETTE / FREEWHEEL	Shimano 105 DI2 12sp
BRAKE	Shimano hydraulic disc brake
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock, S 160mm w/lock ring (2pcs)
RIM/WHEELSET	Fulcrum Racing 818 disc brake, Aluminium C19 2WF-R Tubeless ready 622x19c, height 34mm, 24 spokes steel ED black round, thru axle, center lock AFS, front HH12 - rear HH12/142, HG11
TIRE	Vittoria Zaffiro Pro V 700 x 28c, 26TPI
STEM	Reparto Corse 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1 1/8", size 90/100/110/120, Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm
HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Sizes: 40-42-44, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale, color= Black
SEATPOST	Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; Length: 250mm-44; 300mm-47/50cm; 350mm-53/61
SADDLE	Selle Royal Seta S1, steel rails, lenght/wide 278x144mm

ARIA | ULTEGRA 11SP | YRB9D



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	2R - Black/ Graphite Full Glossy 5K - CK16/ Black Full Glossy PX: :Summertime dream/Black
FRAME	Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142 sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra hydraulic disc brake for road
REAR DERAILLEUR	Shimano Ultegra 11sp, RD-R8000, Ultegra SS 11-speed, compatible with low gear 25-30T for double
FRONT DERAILLEUR	Shimano Ultegra 11sp, FD-R8000 Ultegra for rear 11-speed, down swing, brazed-on type, CS angle: 61-66 for 46/53T cl: 43,5mm
CRANKSET	Shimano Ultegra 11sp, FC-R8000, Ultegra hollowtech 2, for rear 11- speed, 165-170-172-175mm, 50x34T, crank length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road
CHAIN	KMC X11-1 EPT, 11sp, 110 link

CASSETTE / FREEWHEEL	Shimano 105 11sp, CS-R7000, 11-12-13-14-15-17-19-21-24-27-30T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT800 center lock 160mm
RIM/WHEELSET	Fulcrum Racing 818 disc brake, Aluminium C19 2WF-R Tubeless ready 622x19c, height 34mm, 24 spokes steel ED black round, thru axle, center lock AFS, front HH12 - rear HH12/142
TIRE	Rubino IV G2.0 graphene, 700x28, 60TPI, Folding, black
STEM	Reparto Corse 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1 1/8", size 90/100/110/120, Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm
HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Sizes: 40-42-44, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale, color: Black
SEATPOST	Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; Length: 250mm-44; 300mm-47/50cm; 350mm-53/61
SADDLE	Selle Royal Seta S1, 1285 URN, steel rails, length/wide 278x144mm

ARIA | 105 11SP | YSB8D



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	2R - Black/ Graphite Full Glossy 5K - CK16/ Black Full Glossy
FRAME	Aria aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, thru axle 12 x 142 sizes 44-47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head, Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano 105 11sp Hydraulic disc brake
REAR DERAILLEUR	Shimano 105, 11sp, RD-R7000
FRONT DERAILLEUR	Shimano 105, 11sp, FD-R7000-L, cs-angle: 61-66, for top gear: 46-53T, CL : 43.5mm
CRANKSET	Shimano 105, 11sp, FC-R7000, hollowtech 2, 165-170-172.5-175mm, 50x34T, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road
CHAIN	KMC X11-1 EPT, 11sp, 110 link, EPT finish

CASSETTE / FREEWHEEL	Shimano 105, 11sp, CS-R7000, 11-12-13-14-15-17-19-21-24-27-30T
BRAKE	Shimano BR-RS505 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock, S 160mm
RIM/WHEELSET	Fulcrum Racing 818 disc brake, Aluminium C19 2WF-R Tubeless ready 622x19c, height 34mm, 24 spokes steel ED black round, thru axle, center lock AFS, front HH12 - rear HH12/142, HG11
TIRE	Vittoria Zaffiro Pro V 700 x 28c, 26TPI
STEM	Reparto Corse 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1 1/8", size 90/100/110/120, Ext: 70mm-44, 90mm-47/50cm, 100mm-53cm, 110mm-55/57cm, 120mm-59-61cm
HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Sizes: 40-42-44, Size: 400mm-47/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale, color= Black
SEATPOST	Reparto Corse Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; Length: 250mm-44; 300mm-47/50cm; 350mm-53/61
SADDLE	Selle Royal Seta S1, steel rails, length/wide 278x144mm

ENDURANCE

INFINITO

INFINITO XE

VIA NIRONE 7

INFINITO | ULTEGRA DI2 12SP | YSBZ5



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	IB_ soft black/black full matt IC_Celeste CK16/Dark Torquoise full glossy
FRAME	INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 4pcs
SEATPOST CLAMP	included in the frame
HEADSET	FSA NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm
FORK	Full Carbon-CV - 28"-300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake for road
REAR DERAILEUR	Shimano Ultegra Di2 12sp, RD-R8150, W/TL-EW300, 34T Max Low Sprocket
FRONT DERAILEUR	Shimano Ultegra Di2 12sp, FD-R8150, top gear 50-54T, for rear 12-speed
BATTERY / MOUNT	Shimano Battery, BT-DN300
CHARGER / PWR CABLE	Shimano Charging cable, EW-EC300, 1700mm
CRANKSET	Shimano Ultegra 12sp, FC-R8100, Ultegra hollowtech 2, for rear 12- speed, 165-170-172-175mm, 50x34T, Crank Length: 165mm-44cm, 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road
CHAIN	Shimano Ultegra 12sp CN-M8100, 114link for HG 12- speed

CASSETTE / FREEWHEEL	Shimano Ultegra 12sp, CS-R8100, 11-12-13-14-15-17-19-21-24-27-30-34T
BRAKE	Shimano BR-R8170 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano RT-MT800 center lock type w/Ice Tech, 160mm front rear
RIM/WHEELSET	Fulcrum Racing 400 disc brake, R400 aluminium asymmetric 622x19c, Height 34mm, 24 straight pull steel spokes, front hub 12mm x 100mm - rear hub 12 mm x 142mm, thru axle
TIRE	Pirelli P7, 700 x 28c, 60TPI, Nylon breaker
STEM	Reperto Corse, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 1 piece alloy faceplate 6061, size 70-90-100-110-120mm, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
HANDLEBAR	Reperto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-47/50cm, 420mm-53/57cm, 440mm-59/61cm
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste
SEATPOST	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black
SADDLE	Reperto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm; 380mm-59/61cm
	Fi'zi:k Argo Tempo R5 150mm black wing flex, rail S alloy

INFINITO | RIVAL ETAP AXS 12SP | YSB50



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	IB_ soft black/black full matt IC_Celeste CK16/Dark Torquoise full glossy
FRAME	INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 4pcs
SEATPOST CLAMP	included in the frame
HEADSET	FSA NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm
FORK	Full Carbon-CV - 28"-300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire
SHIFTER	Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake, front caliper, 20mm Flat Mount, 1000mm hose
REAR DERAILEUR	Sram RIVAL ETAP AXS D1 MAX 36T
FRONT DERAILEUR	Sram RIVAL ETAP AXS D1 BRAZE
BATTERY / MOUNT	Sram EP Powerpack 2 battery
CHARGER / PWR CABLE	Included in the battery
CRANKSET	Sram RIVAL D1 DUB 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Sram Press fit Road 86,5x41
CHAIN	Sram RIVAL D1 12S 116 LINK

CASSETTE / FREEWHEEL	Sram CS XG 1250 D1 10-36T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock centerline Road 160mm black rounded
RIM/WHEELSET	Fulcrum Racing 818 disc brake, Aluminium C19 2WF-R Tubeless ready 622x19c, height 34mm, 24 spokes steel ED black round, thru axle, center lock AFS, front HH12 - rear HH12/142
TIRE	Pirelli P7, 700 x 28c, 60TPI, Nylon breaker
STEM	Reparto Corse, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 1 piece alloy faceplate 6061, size 70-90-100-110-120mm, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
HANDLEBAR	Reparto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black
SEATPOST	Reparto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm; 380mm-59/61cm
SADDLE	Fi'zi:k Argo Tempo R5 150mm black wing flex, black cosmetic, nylon carbon reinforced WingFlex, rail S alloy

INFINITO | 105 DI2 12SP | YSB52



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	IB_ soft black/black full matt IC_Celeste CK16/Dark Torquoise full glossy
FRAME	INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 4pcs
SEATPOST CLAMP	included in the frame
HEADSET	FSA NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm
FORK	Full Carbon-CV - 28"-300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire
SHIFTER	Shimano 105 Di2 12sp hydraulic disc brake
REAR DERAILEUR	Shimano 105 Di2 12 sp
FRONT DERAILEUR	Shimano 105 Di2 12 sp - top gear 50-52T
CRANKSET	Shimano hollowtech 2, 170-172,5-175mm, 50x34T, crank lenght: 170mm-47/53cm, 172.5mm-55/59cm, 175-61cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road
CHAIN	Shimano 105 Di2 12 sp

CASSETTE / FREEWHEEL	Shimano 105 Di2 12sp
BRAKE	Shimano hydraulic disc brake
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock, S 160mm w/lock ring (2pcs)
RIM/WHEELSET	Vision Trimax 30 disc brake 700X19c, Hubs SC ,clinchier, front 12X100 - rear 12X142 HG
TIRE	Pirelli P7, 700 x 28c, 60TPI
STEM	Reperto Corse, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 1 piece alloy faceplate 6061, size 70-90-100-110-120mm, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
HANDLEBAR	Reperto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black
SEATPOST	Reperto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm; 380mm-59/61cm
SADDLE	Fi'zi:k Argo Tempo R5 150mm black wing flex, rail S alloy

INFINITO | ULTEGRA 11SP | YRB54



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	IB_ soft black/black full matt IC_Celeste CK16/Dark Torquoise full glossy	CASSETTE / FREEWHEEL	Shimano Ultegra 11sp, CS-R8000, 11-12-13-14-16-18-20-22-25-28-32T
FRAME	INFINITO Carbon-CV, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 47-50-53-55-57-59-61cm	BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 4pcs	BRAKE LEVER	included
SEATPOST CLAMP	included in the frame	DISC ROTOR	Shimano SM-RT800 center look 160mm, S 160mm, w/lock ring
HEADSET	FSA NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm	RIM/WHEELSET	Vision Trimax 30 disc brake 700X19c, Hubs SC ,clincher, front 12X100 - rear 12X142 HG
FORK	Full Carbon-CV - 28"-300mm - 1,5" Disc Brake, flat mount, thru axle 12x100, compatible with 32" tire	TIRE	Pirelli P7, 700 x 28c, 60TPI
SHIFTER	Shimano Ultegra hydraulic disc brake for road	STEM	Reparto Corse, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 1 piece alloy faceplate 6061, size 70-90-100-110-120mm, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
REAR DERAILLEUR	Shimano Ultegra, 11sp, RD-R8000, compatible with low gear 28-34T for double	HANDLEBAR	Reparto Corse Compact Flat Top, alloy 2014 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-47/50cm , 420mm-53/57cm, 440mm-59/61cm Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black/Celeste
FRONT DERAILLEUR	Shimano Ultegra, 11sp, FD-R8000, CS angle: 61-66 for 46/53T cl: 43,5mm	GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole Black Reparto Corse Full Carbon special dimension; special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 350mm-47/57cm; 380mm-59/61cm
CRANKSET	Shimano Ultegra 11sp, FC-R8000, Ultegra hollowtech 2, for rear 11- speed, 170-172-175mm, 50x34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61-63cm	SEATPOST	Fi'zi:k Argo Tempo R5 150mm black wing flex, rail S alloy
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road		
CHAIN	Shimano Ultegra 11sp, CN-HG701-11, for 11-speed, 112 links		

INFINITO | FRAMESET | XRB24



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	IB_ soft black/black full matt IC_Celeste CK16/Dark Torquoise full glossy	HEADSET	Fsa Orbit C-40-ACB ; NO.42/47/CF/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm
FRAME	INFINITO Carbon, Disc Brake, Mechanical/Electronic Di2/EPS, TC19, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle, sizes 44-47-50-53-55-57-59-61cm	FORK	Full Carbon- - 28"-300mm - 1,5" Brake, flat mount, thru axle 12x100, compatible with 32" tire
BOLTS / HARDWARE	- Bolts AL7075-T6 large button head Torx M5*14mm x 4pcs, colour celeste bianchi with Bianchi logo		

INFINITO XE | RIVAL ETAP AXS 12SP | YSB5D



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	5K_Celeste CK16/Black full glossy 5H_UD Carbon/Graphite Full glossy
FRAME	INFINITO carbon - FC20 - 11/8" - 1.5", Disc Brake, Mechanical/Electronic Di2, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm
FORK	Full Carbon - FC20 - 28" - 300mm - 1.5", dropout 12 x 100mm thru axle
SHIFTER	Sram RIVAL ETAP AXS D1 Hydraulic Disc Brake
REAR DERAILLEUR	Sram RIVAL ETAP AXS D1 MAX 36T
FRONT DERAILLEUR	Sram RIVAL ETAP AXS D1 BRAZE
BATTERY / MOUNT	Sram EP Powerpack 2 battery
CHARGER / PWR CABLE	Included in the battery
CRANKSET	Sram RIVAL D1 DUB 170 - 172,5 - 175, 46/33, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Press fit Road 86,5x41
CHAIN	Sram RIVAL D1 12S 116 LINK

CASSETTE / FREEWHEEL	Sram CS XG 1250 D1 10-36T
BRAKE	included in the shifter
DISC ROTOR	Sram Rotor centerlock centerline Road 160mm black rounded
RIM/WHEELSET	Fulcrum Racing 818 disc brake, Aluminium C19 2WF-R Tubeless ready 622x19c, height 34mm, 24 spokes steel ED black round, thru axle, center lock AFS, front HH12 - rear HH12/142
TIRE	Zaffiro Pro V 700 x 28c, 26TPI, G2.0, Folding
STEM	Velomann, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 1 piece alloy faceplate 6061, size 70-90-100-110-120mm, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale, color= Black
SEATPOST	Velomann, alloy shaft 2014, head alloy 6061, hardwares: Steel, Setback 25mm, lenght: 350mm-47/57cm; 380mm-59/61cm
SADDLE	Velomann rail steel black, open, cover PU, lenght/wide 250x148mm

INFINITO XE | 105 Di2 12SP | YSB4D



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	5K - CK16/ Black Full Glossy 5H - UD Carbon/graphite Full Glossy	CASSETTE / FREEWHEEL	Shimano 105 Di2 12sp
FRAME	INFINITO carbon - FC20 - 11/8" - 1.5", Disc Brake, Mechanical/Electronic Di2, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle sizes 47-50-53-55-57-59-61cm	BRAKE	Shimano hydraulic disc brake
SEATPOST CLAMP	included in the frame	BRAKE LEVER	included
HEADSET	FSA NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm	DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring (2pcs)
FORK	Full Carbon - FC20 - 28" - 300mm - 1.5" , dropout 12 x 100mm thru axle	RIM/WHEELSET	Fulcrum Racing 918 DB 2WF-R C19, front HH12 - REAR 12/142 HG11
SHIFTER	Shimano 105 Di2 12sp hydraulic disc brake	TIRE	Zaffiro Pro V 700 x 28c, 26TPI, G2.0, Folding
REAR DERAILEUR	Shimano 105 Di2 12 sp	STEM	Velomann, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 1 piece alloy faceplate 6061, size 70-90-100-110-120mm, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
FRONT DERAILEUR	Shimano 105 Di2 12 sp - top gear 50-52T	HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
CRANKSET	Shimano hollowtech 2, 170-172,5-175mm, 50x34T, Crank Length: 170mm-47/53cm, 172.5mm-55/59cm, 175-61cm	GRIP / TAPE	La Spirale, color= Black
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing, inner cover	SEATPOST	Velomann, alloy shaft 2014, head alloy 6061, hardwares: Steel, Setback 25mm, lenght: 350mm-47/57cm; 380mm-59/61cm
CHAIN	Shimano 105 Di2 12 sp	SADDLE	Velomann rail steel black, open, cover PU, lenght/wide 250x148mm

INFINITO XE | ULTEGRA 11SP | YRB6D



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	5K - CK16/ Black Full Glossy 5H - UD Carbon/graphite Full Glossy	CASSETTE / FREEWHEEL	Shimano Ultegra 11sp, CS-R8000, 11-12-13-14-16-18-20-22-25-28-32T
FRAME	INFINITO carbon - FC20 - 11/8" - 1.5", Disc Brake, Mechanical/Electronic Di2, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle sizes 47-50-53-55-57-59-61cm	BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
SEATPOST CLAMP	included in the frame	BRAKE LEVER	included
HEADSET	FSA NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm	DISC ROTOR	Shimano SM-RT800 center look 160mm, S 160mm
FORK	Full Carbon - FC20 - 28" - 300mm - 1.5", dropout 12 x 100mm thru axle	RIM/WHEELSET	Fulcrum Racing 918 DB 2WF-R C19, front HH12 - REAR 12/142 HG11
SHIFTER	Shimano Ultegra hydraulic disc brake for road	TIRE	Zaffiro Pro V 700 x 28c, 26TPI, G2.0, Folding
REAR DERAILLEUR	Shimano Ultegra, 11sp RD-R8000, compatible with low gear 28-34T for double	STEM	Velomann, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 1 piece alloy faceplate 6061, size 70-90-100-110-120mm, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
FRONT DERAILLEUR	Shimano, Ultegra 11sp, FD-R8000, CS angle: 61-66 for 46/53T cl: 43,5mm	HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
CRANKSET	Shimano Ultegra 11sp, FC-R8000, hollowtech 2, for rear 11- speed, 170-172-175mm, 50x34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm	GRIP / TAPE	La Spirale, color= Black
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road, right & left adapter, bearing, inner cover	SEATPOST	Velomann, alloy shaft 2014, head alloy 6061, hardwares: Steel, Setback 25mm, lenght: 350mm-47/57cm; 380mm-59/61cm
CHAIN	Shimano Ultegra 11sp, CN-HG701-11, for 11-speed, 112 links, w/o end pin, w/ampoule type connect pin X1	SADDLE	Velomann rail steel black, open, cover PU, lenght/wide 250x148mm

INFINITO XE | 105 11SP | YSB7D



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	5K - CK16/ Black Full Glossy 5H - UD Carbon/graphite Full Glossy
FRAME	INFINITO carbon - FC20 - 11/8" - 1.5", Disc Brake, Mechanical/Electronic Di2, compatible with 32" tire, BBset pressfit 86,5x41, rear dropout 12 x 142mm thru axle sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA NO.42/47CF/ACB/5D, 1-1/8 ACB Top, 1.5" ACB Btm, Matt UD Carbon top cover H2042, stack height 11,8mm
FORK	Full Carbon - FC20 - 28" - 300mm - 1.5", dropout 12 x 100mm thru axle
SHIFTER	Shimano 105 11sp Hydraulic disc brake
REAR DERAILEUR	Shimano 105 11sp, RD-R7000, GS 11-speed
FRONT DERAILEUR	Shimano 105 11sp, FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type, cs-angle: 61-66, for top gear: 46-53T, CL :43.5mm, black
CRANKSET	Shimano 105 11sp, FC-R7000, 105, for rear 11-speed, hollowtech 2, 165-170-172.5-175mm, 50x34T, Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road, right & left adapter
CHAIN	KMC X11-1 EPT, 11sp, 112 link, EPT finish

CASSETTE / FREEWHEEL	Shimano 105 11sp, CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-RS505 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock, with Ice Technology, S 160mm w/lock ring (2pcs)
RIM/WHEELSET	Fulcrum Racing 918 DB 2WF-R C19, front HH12 - REAR 12/142 HG11
TIRE	Zaffiro Pro V 700 x 28c, 26TPI, G2.0, Folding
STEM	Velomann, 3D Forged alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 1 piece alloy faceplate 6061, size 70-90-100-110-120mm, Ext: 70mm-47cm, 90mm-50cm, 100mm-53cm, 110mm-55cm, 120mm-57cm/61cm
HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale, color= Black
SEATPOST	Velomann, alloy shaft 2014, head alloy 6061, hardwares: Steel, Setback 25mm, lenght: 350mm-47/57cm; 380mm-59/61cm
SADDLE	Velomann rail steel black, open, cover PU, lenght/wide 250x148mm

VIA NIRONE 7 | 105 11SP | YSBW7



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	ND: CK16/Titanium Silver N2: Black/Titanium Silver	CASSETTE / FREEWHEEL	Shimano 105 11sp, 11-12-13-14-16-18-20-22-25-28-32T
FRAME	VIA NIRONE 7 alu TC18, hydroforming tubing, internal cable, seat post: 31.6mm sizes 44-46-50-53-55-57-59-61-63cm	BRAKE	Shimano BR-R561-L, 27mm sunken nut, 27.5mm pivot bolt, rear CS49, 10.5mm sunken nut, 12.8mm pivot bolt
BOLTS / HARDWARE	M5 x 12mm stainless black M5*P0.8*12mm +CM233-1B	BRAKE LEVER	included
SEATPOST CLAMP	Aluminium clamp, light weight, 35mm anti-crimp	RIM/WHEELSET	Shimano F:20h/R:24h, for 11/10 speed, OLD:100/130R-QR:163mm
HEADSET	FSA 1.1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube	TIRE	Vittoria Zaffiro 25-622, 700 x 25cc, 26TPI
FORK	Carbon Alu with Kevlar in front leg - 1.1/8 300mm	STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-44/46cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
SHIFTER	Shimano 105, 2x11sp	HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61/63cm
REAR DERAILEUR	Shimano 105 11sp	GRIP / TAPE	Velo w/Bianchi embossed logo; w/VLT-49 CP end plug color: Black
FRONT DERAILEUR	Shimano 105 11sp, down-swing, 34.9mm band type, CS-angle:61-66, for top gear:46-53T, CL: 43.5mm	SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm-44/46, 350mm-50/63cm
CRANKSET	Shimano 11-speed, 2-pcs FC, 50x34T Crank Length: 170mm-44/54cm, 172.5mm-55/59cm, 175mm-60/63cm	SADDLE	Velomann, steel rail, cover PVC, lenght/wide 280x145mm
BOTTOM BRACKET	included in the crankset		
CHAIN	KMC X11-1 EPT, 11sp		

VIA NIRONE 7



COLOR: ND

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

CYCLOCROSS

ZOLDER PRO

ZOLDER PRO | GRX 600 11SP | YR/YSB51



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	ZD - CK16/Purple rainbow	CASSETTE / FREEWHEEL	Shimano 105, 11sp, CS-R7000, 11-12-13-14-16-18-20-22-25-28-32T
FRAME	ZOLDER Pro carbon cyclocross disc brake flat mount, FM-JM09- 2021, press fit 86.5x41 headset 1.5" - 1 1/8", thru axle 12x142 sizes 48-50-52-54-56-58-cm	BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 31,8mm anti-crimp, finish black, no logo	BRAKE LEVER	included
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm; Standard 15mm top cover alloy	DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
FORK	Full carbon 1.5" - 1 1/8", FM-JM09 -2021 disc brake flat mount, 1.5" - 1 1/8", thru axle 12x100	RIM/WHEELSET	Velomann alloy, C19 disc brake, 30mm rim profile, hub team TC j-bend, spoke round 2mm black color, clincher 622x19C, w/rim tape, front HH12 - rear HH12/142
SHIFTER	Shimano GRX 600 11sp Hydraulic disc brake	TIRE	Vittoria Terreno Mix TNT G2.0 33-622/700x33c, nylon 120TPI
REAR DERAILLEUR	Shimano GRX 810, 11sp, RD-RX810, GRX 11-speed, top normal shadow plus design	STEM	Velomann 3D Forged alloy 2014, raise - 8°, height 38mm, Oversize, 1 1/8", size 90/100/110/120cm, Ext: 90mm-48-50cm, 100mm-52/54cm, 110mm-56cm, 120mm-58cm
FRONT DERAILLEUR	Shimano GRX 810, 11sp, FD-RX810, GRX for rear 11-speed, down-swing, down pull, braze-on type, CS-angle:61-66, for top gear:46-50T, CL:46mm	HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Sizes: 40-42-44, Size: 400mm- 48/50cm; 420mm-52/58cm , 440mm-58cm
CRANKSET	Shimano GRX 600, 11sp, FC-RX600, 2-pcs FC, 170-172.5mm, 46-30T, Crank Length: 170mm-48/52cm, 172.5mm-54/58cm	GRIP / TAPE	Velo VLT-1001 w/Bianchi embossed logo; color: Black
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing, inner cover	SEATPOST	Velomann carbon shaft UD finish, forged alloy head, 15mm offset L350mm, 27,2mm, length: 350mm-48/58cm
CHAIN	Shimano CN-HG601-11, for 11-speed, 110 links,	SADDLE	Velomann, steel rails, lenght/wide 278x144mm

ZOLDER PRO | FRAMESET | XRB26



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	ZD: CK16/Purple Rainbow Z2: Black/Purple Rainbow	HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm; Standard 15mm top cover alloy
FRAME	ZOLDER Pro carbon cyclocross disc brake flat mount, FM-JM09- 2021, press fit 86.5x41 headset 1.5" - 11/8", thru axle 12x142 sizes 48-50-52-54-56-58-cm	FORK	Full carbon 1.5" - 11/8", FM-JM09 -2021 brake flat mount, 1.5" - 11/8", thru axle 12x100
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 31,8mm anti-crimp		

TT /

TRIATHLON

AQUILA

AQUILA | ULTEGRA 11SP | YR/YSBF4



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XC: Graphite Race/Sfumature di Celeste CK16
FRAME	AQUILA Time Trial carbon, TC15, size XS - SM - MD - LG + carbon cover
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 2pcs, colour celeste bianchi with Bianchi logo
HEADSET	FSA NO.8-R, 1.1/8" 45/45 SL alloy ACB Alloy bearing
FORK	Full Carbon - TC15 - with pivot V-brake, blades straight with brake covered 1.1/8 300mm \$46mm
SHIFTER	Shimano Dura Ace bar end, SL-BSR1, Dura-Ace, 2/3x11-speed, inner: 2600x2000mm
REAR DERAILLEUR	Shimano Ultegra 11sp, RD-R8000, Ultegra SS 11-speed top normal shadow design, direct attachment, compatible with low gear 25-30T for double
FRONT DERAILLEUR	Shimano Ultegra 11sp, FD-R8000, down swing, brazed-on type, CS angle: 61-66 for 46/53T cl: 43,5mm
CRANKSET	Shimano Ultegra 11sp, FC-R8000, Ultegra double 165-170-172.5-175mm hollowtech 2, for rear 11- speed, 52x36T, Crank Length: 165mm-XS, 170mm-SM, 172.5mm-MD, 175mm-LG
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Shimano Ultegra 11sp, CN-HG701-11, for 11-speed, 110 links

CASSETTE / FREEWHEEL	Shimano Ultegra 11sp, CS-R8000, 11-12-13-14-15-17-19-21-23-25-28T
BRAKE	MrControl Fouriers Aero-860-BI Alloy Forged and CNC aluminum arms, Individual spring tension screws left and right, Standard replaceable cartridge pads
BRAKE LEVER	Shimano BL-TT79, DuraAce, for TT/Triathlon
RIM/WHEELSET	Fulcrum Racing 418, R400 front rim Aluminum, H35, welded, C17, rear and front rim Aluminum, HR30 front hub aluminium alloy body and axel, HR30 rear hub aluminium alloy body and axel
TIRE	Pirelli P ZERO™ Road, 700 x 26c, 120TPI
STEM	included in the handlebar
HANDLEBAR	Reparto Corse Aero Carbon Fully Integrated flat custom handlebar and stem, width 41mm, stem length 90mm-XS/SM, 110mm- MD, 130mm-LG, top cup included, Di2 compatible
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole, black/celeste hole color
SEATPOST	Reparto Corse Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, Length 300mm for XS-SM; 350mm for MD-LG
SADDLE	Fi'zi:k Mistica MG, nylon carbon reinforced, carriage kit, extra grip cover, rail S alloy

AQUILA | 105 11SP | YSBF5



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XC: Graphite Race/Sfumature di Celeste CK16
FRAME	AQUILA Time Trial carbon, TC15, size XS - SM - MD - LG + carbon cover
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 2pcs, colour celeste bianchi with Bianchi logo
HEADSET	FSA NO.8-R, 1.1/8" 45/45 SL alloy ACB Alloy bearing
FORK	Full Carbon - TC15 - with pivot V-brake, blades straight with brake covered 1.1/8 300mm \$46mm
SHIFTER	Shimano Dura Ace bar end, Bar end type, SL-BSR1, Dura-Ace, 2/3x11-speed, inner: 2600x2000mm w/outer
REAR DERAILLEUR	Shimano 105 11sp, RD-R7000, 105, SS 11-speed
FRONT DERAILLEUR	Shimano 105 11sp, FD-R7000-L, 105, for rear 11sp, down-swing, brazed-on type,cs-angle: 61-66, for top gear:46-53T, CL :43.5mm
CRANKSET	Shimano 105 11sp, FC-R7000, 105 double 165-170-172.5-175mm hollowtech 2, for rear 11-speed, 52x36T, Crank Length: 165mm-XS, 170mm-SM, 172.5mm-MD, 175mm-LG
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road
CHAIN	KMC X11-1 EPT, 11sp, 110 link

CASSETTE / FREEWHEEL	Shimano 105 11sp, CS-R7000, 11-12-13-14-15-17-19-21-23-25-28T
BRAKE	MrControl Fouriers Aero-860-BI Alloy Forged and CNC aluminum arms, Individual spring tension screws left and right, Standard replaceable cartridge pads, brake pad for alloy rim
BRAKE LEVER	Shimano Brake lever BL-TT79, DuraAce, for TT/Triathlon
RIM/WHEELSET	Fulcrum Racing 418, R400 front rim Aluminum, H35, welded, C17, rear and front rim Aluminum, HR30 front hub aluminium alloy body and axel, HR30 rear hub aluminium alloy body and axel
TIRE	Pirelli P ZERO™ Road, 700 x 26c, 120TPI
STEM	included in the handlebar
HANDLEBAR	Reparto Corse Aero Carbon Fully Integrated flat custom handlebar and stem, widht 41mm, stem length 90mm-XS/SM, 110mm- MD, 130mm-LG, top cup included, Di2 compatible
GRIP / TAPE	Velo Black soft Microfiber tapes+EVA-139 Shockproof 200*3cm with 4 line hole, black/celeste hole color
SEATPOST	Reparto Corse Aero Carbon custom shape with alloy head adjustable and reversible +/- 18mm, Length 300mm for XS-SM; 350mm for MD-LG
SADDLE	Fi'zi:k Mistica MG, nylon carbon reinforced, carriage kit, extra grip cover, rail S alloy

AQUILA | FRAMESET | XR/XSB28



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XC: Graphite Race/Sfumature di Celeste CK16	SEATPOST CLAMP	included in the frame
FRAME	AQUILA Time Trial carbon, TC15, size XS - SM - MD - LG + carbon cover	HEADSET	NO.8-R, 1-1/8" 45/45 SL alloy ACB Alloy bearing
BOLTS / HARDWARE	Bolts AL7075-T6 large button head Torx M5*14mm x 2pcs, colour celeste bianchi with Bianchi logo	FORK	Full Carbon - TC15 - with pivot V-brake, blades straight with brake covered 1.1/8 300mm \$46mm

GRAVEL

ARCADEX

IMPULSO PRO

IMPULSO

VIA NIRONE 7



ARCADEX | GRX 810 DI2 1X11SP | YSBX6



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	GX- CK16/Blue note GY- Gold storm/Blue note
FRAME	Arcadex CARBON 1.5" aheadset ,seat post 31.6mm, thru axle 12x142mm, flat mount disc version, Pressfit 41 , compatible with 42mm tire and mudguard Sizes: XS-S-M-L-XL
SEATPOST CLAMP	included in the frame
HEADSET	FSA SMR HS with 1-1/8" custom top cone Bianchi, H2475, Internal Headset, Integrated Alloy custom top cup 1.1/8", 1.5", 36°/45° ACB, compressor ring 1.1/8"
FORK	Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 815 Di2 11sp Hydraulic disc brake
REAR DERAILLEUR	Shimano GRX RX 817 Di2 11sp, RD-RX817,GRX, 11-SPEED
BATTERY / MOUNT	Shimano Battery, BT-DN110-1, built-in type w/recycle mark
CHARGER / PWR CABLE	Shimano Battery charger, SM-BCR2, for SM-BTR2 including charging cord for usb port
CRANKSET	Shimano GRX 810 11sp, FC-RX810-1, HOLLOWTECH 2, 170-172.5-175mm, 40T, Crank Length: 170mm-XS-S, 172.5mm-M-L, 175mm-XL
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Shimano Ultegra 11 sp, CN-HG701-11, 116 links, w/o end pin, w/ampoule type connect pin X1

CASSETTE / FREEWHEEL	Shimano XT 11sp, CS-M8000, DEORE XT, 11-SPEED, 11-13-15-17-19-21-24-28-32-37-42
BRAKE	Shimano BR-RX810 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT800 center lock 160mm
RIM/WHEELSET	Fulcrum Rapid Red 500 DB 2WF-R C23 AFS, alloy, 2-Way fit Ready, rim profile 24mm, width 28mm, 24 spokes, HH12- rear HH12/142 HG
TIRE	WTB Riddler Race 700 x 37c, Dual DNA Compound, 60tpi Casing, Aramid Bead
STEM	Reparto Corse, Alloy 6061 , 1 1/4", raise 0°, Oversize, plastic adaptor for hose cover 1 1/4", Ext: 80mm-XS -S, 100mm-M, 120mm-L/XL
HANDLEBAR	Reparto Corse 68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm=XS/S - 42cm=M/L - 44cm=XL
GRIP / TAPE	La Spirale Ribbon cork, color= Black
SEATPOST	Reparto Corse carbon shaft UD finish, forged alloy head, 15mm offset L350mm, 31,6mm, Length: 300mm/XS; 350mm/S-M-L-XL
SADDLE	Fi'zi:k Argo Terra R5 150mm black wing flex, black cosmetic

ARCADEX | EKAR 1X13SP | YSBX1



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	GX- CK16/Blue note GY- Gold storm/Blue note
FRAME	Arcadex CARBON 1.5" aheadset ,seat post 31.6mm, thru axle 12x142mm, flat mount disc version, Pressfit 41 , compatible with 42mm tire and mudguard Sizes: XS-S-M-L-XL
SEATPOST CLAMP	included in the frame
HEADSET	FSA SMR HS with 1-1/8" custom top cone Bianchi, H2475, Internal Headset, Integrated Alloy custom top cup 1.1/8", 1.5", 36°/45° ACB, compressor ring 1.1/8"
FORK	Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm
SHIFTER	Campagnolo EKAR
REAR DERAILLEUR	Campagnolo EKAR 1x13sp
CRANKSET	FSA Gossamer Pro BB386EVO 40T 1x13 Campy 13S 2-Tone Black B1 w/o BB, model No CK-6124S, Crank Length: 170mm-XS-S, 172.5mm-M-L, 175mm-XL
BOTTOM BRACKET	Fsa BB-CF86/CZ Stainless bearing for Road carbon / alloy MegaExo crankset Press-Fit 86,5x41
CHAIN	Campagnolo EKAR 1x13 - 117

CASSETTE / FREEWHEEL	Campagnolo EKAR 13s 10-44T
BRAKE	Campagnolo included in the shifter
BRAKE LEVER	included
DISC ROTOR	Campagnolo Rotor, AFS 160mm
RIM/WHEELSET	Fulcrum Rapid Red 900 DB 2WF-R C22 AFS, alloy, 2-Way fit Ready, rim profile 24mm, width 27,1mm, 28 spokes, HH12- rear HH12/142 N3W
TIRE	WTB Riddler Race 700 x 37c, Dual DNA Compound, 60tpi Casing, Aramid Bead, TCS light/fast rolling Tan sidewall
STEM	Reparto Corse, Alloy 6061 , 1 1/4", raise 0°, Oversize, plastic adaptor for hose cover 1 1/4", finish black; Ext: 80mm-XS -S, 100mm-M, 120mm-L/XL
HANDLEBAR	Reparto Corse Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm=XS/S - 42cm=M/L - 44cm=XL
GRIP / TAPE	La Spirale Ribbon cork, color= Black
SEATPOST	Reparto Corse Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm/XS; 350mm/S-M-L-XL
SADDLE	Selle Italia ModelX Superflow FeC, lenght/wide 245x145mm

ARCADEX | GRX 810 1X11SP | YSBX2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	GX- CK16/Blue note GY- Gold storm/Blue note	CASSETTE / FREEWHEEL	Shimano SLX 11sp, CS-M7000, SLX, 11sp 11-13-15-17-19-21-24-28-32-37-42T
FRAME	Arcadex CARBON 1.5" aheadset ,seat post 31.6mm, thru axle 12x142mm, flat mount disc version, Pressfit 41 , compatible with 42mm tire and mudguard Sizes: XS-S-M-L-XL	BRAKE	Shimano BR-RX810 flat mount hydraulic disc brake, included in the shifter
SEATPOST CLAMP	included in the frame	BRAKE LEVER	included
HEADSET	FSA SMR HS with 1-1/8" custom top cone Bianchi, H2475, Internal Headset, Integrated Alloy custom top cup 1.1/8", 1.5", 36°/45° ACB, compressor ring 1.1/8"	DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
FORK	Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm	RIM/WHEELSET	GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready
SHIFTER	Shimano GRX 810 11sp Hydraulic disc brake	TIRE	WTB Riddler Comp 700 x 37c, 30tpi Casing
REAR DERAILLEUR	Shimano GRX RX 812, 11sp, RD-RX812, GRX 11-speed	STEM	Reparto Corse, Alloy 6061 , 1 1/4", raise 0°, Oversize, plastic adaptor for hose cover 1 1/4", finish black; Ext: 80mm-XS -S, 100mm-M, 120mm-L/XL
CRANKSET	Shimano GRX 810 11sp, FC-RX810-1, GRX, 11-speed, HOLLOWTECH 2, 170-172.5-175mm, 40T, Crank Length: 170mm-XS-S, 172.5mm-M-L, 175mm-XL	HANDLEBAR	Reparto Corse 68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm=XS/S - 42cm=M/L - 44cm=XL
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter, bearing, inner cover	GRIP / TAPE	La Spirale Ribbon cork, color= Black
CHAIN	KMC X11-1 EPT, 11sp, 116 link	SEATPOST	Reparto Corse SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, Length: 300mm/XS; 350mm/S-M-L-XL
		SADDLE	Reparto Corse , rail steel black, open, cover PU, lenght/wide 250x148mm

ARCADEX | GRX 600 1X11SP | YSBX3



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	GX- CK16/Blue note GY- Gold storm/Blue note	CASSETTE / FREEWHEEL	Shimano SLX 11sp, CS-M7000, SLX, 11sp 11-13-15-17-19-21-24-28-32-37-42T
FRAME	Arcadex CARBON 1.5" aheadset ,seat post 31.6mm, thru axle 12x142mm, flat mount disc version, Pressfit 41 , compatible with 42mm tire and mudguard Sizes: XS-S-M-L-XL	BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
SEATPOST CLAMP	included in the frame	BRAKE LEVER	included
HEADSET	FSA SMR HS with 1-1/8" custom top cone Bianchi, H2475, Internal Headset, Integrated Alloy custom top cup 1.1/8", 1.5", 36°/45° ACB, compressor ring 1.1/8"	DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
FORK	Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm	RIM/WHEELSET	GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet, black w/o logo
SHIFTER	Shimano GRX 600 11sp Hydraulic disc brake	TIRE	WTB Riddler Comp 700 x 37c, 30tpi Casing
REAR DERAILLEUR	Shimano GRX RX 812, 11sp, RD-RX812	STEM	Reparto Corse, Alloy 6061 , 1 1/4", raise 0°, Oversize, plastic adaptor for hose cover 1 1/4", finish black; Ext: 80mm-XS -S, 100mm-M, 120mm-L/XL
CRANKSET	Shimano GRX 600, 11sp, FC-RX600, GRX, 11-speed, 2-pcs FC, 170-172.5-175mm, 40T, Crank Length: 170mm-XS-S, 172.5mm-M-L, 175mm-XL	HANDLEBAR	Reparto Corse 68A Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm=XS/S - 42cm=M/L - 44cm=XL
BOTTOM BRACKET	Shimano BB-RS500-PB, press fit for road, right & left adapter, bearing, inner cover	GRIP / TAPE	La Spirale Ribbon cork, color= Black
CHAIN	KMC X11-1 EPT, 11sp, 116 link	SEATPOST	Reparto Corse SP02.1 Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm/XS; 350mm/S-M-L-XL
		SADDLE	Reparto Corse , rail steel black, open, cover PU, lenght/wide 250x148mm

IMPULSO PRO | EKAR 1X13SP | YSB3C



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	IP: Celeste Acquamarina IT: Sage Escape	CASSETTE / FREEWHEEL	Campagnolo EKAR 13s 10-44T
FRAME	Impulso Pro carbon disc brake flat mount, FM-JM09- 2021, press fit 86.5x41 headset 1.5" - 1 1/8", thru axle 12x142mm sizes 48-50-52-54-56-58-cm	BRAKE	included in the shifter
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 31,8mm anti-crimp, finish black, no logo	BRAKE LEVER	included
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm; Standard 15mm top cover alloy	DISC ROTOR	Campagnolo Rotor AFS 160mm
FORK	Full carbon 1.5" - 1 1/8", FM-JM09 -2021 disc brake flat mount, 1.5" - 1 1/8", thru axle 12x100	RIM/WHEELSET	Fulcrum Rapid Red 900 DB 2WF-R C22 AFS, alloy, 2-Way fit Ready, rim profile 24mm, width 27,1mm, 28 spokes, HH12- rear HH12/142 N3W
SHIFTER	Campagnolo EKAR	TIRE	WTB Riddler Race 700 x 37c, Dual DNA Compound, 60tpi Casing, Aramid Bead, TCS light/fast rolling Tan sidewall
REAR DERAILLEUR	Campagnolo EKAR 1x13sp	STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 70-90-100-110-120, Ext: 70mm-48cm,90mm-50/54cm, 100mm-56cm,110mm-58cm
CRANKSET	Campagnolo EKAR 13s 170-172,5- 40T, Crank Length: 170mm- 48/52, 172.5mm-54/58cm	HANDLEBAR	Velomann Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm 47/50/53 - 42cm 55/57/59 - 44cm 61/63
BOTTOM BRACKET	Campagnolo BB86 calotte PRO-TECH Press-Fit 86,5x41	GRIP / TAPE	VLT-1001 w/Bianchi embossed logo; w/VLT-49 CP end plug w/o cork color: Black
CHAIN	Campagnolo EKAR 1x13 - 117 w/ missing link	SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, L350mm, 27,2mm, Length: 350mm-48/58cm
		SADDLE	Selle Italia ModelX Superflow FeC, lenght/wide 245x145mm

IMPULSO PRO | GRX 600 1X11SP | YSB7C



Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	IP: Celeste Acquamarina IT: Sage Escape
FRAME	Impulso Pro carbon disc brake flat mount, FM-JM09- 2021, press fit 86.5x41 headset 1.5" - 1 1/8", thru axle 12x142mm sizes 48-50-52-54-56-58-cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 31,8mm anti-crimp
HEADSET	Fsa Orbit C-40-ACB ; NO.42/ACB, Sealed 1-1/8 ACB Top, 1.5" ACB Btm; Standard 15mm top cover alloy
FORK	Full carbon 1.5" - 1 1/8", FM-JM09 -2021 disc brake flat mount, 1.5" - 1 1/8", thru axle 12x100
SHIFTER	Shimano GRX 600 11sp Hydraulic disc brake
REAR DERAILLEUR	Shimano GRX RX 812, 11sp, RD-RX812, GRX 11-speed
CRANKSET	Shimano GRX 600 11sp, FC-RX600, GRX, 11-speed, 2-pcs FC, 170-172.5, 40T, Crank Length: 170mm- 48/52, 172.5mm-54/58cm
BOTTOM BRACKET	Shimano BB-RS500-PB, press fit for road, right & left adapter, bearing, inner cover
CHAIN	Shimano CN-HG601-11, for 11-speed,116 links

CASSETTE / FREEWHEEL	Shimano SLX 11sp, CS-M7000, SLX, 11sp 11-13-15-17-19-21-24-28-32-37-42T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
RIM/WHEELSET	GD24 disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready, no eyelet, black w/o logo
TIRE	WTB Riddler Comp 700 x 37c, 30tpi Casing, Wire Bead
STEM	Reparto Corse 3D Forged alloy 6061, raise +/- 6°, height 38mm, Oversize, 1 1/8", size 70/90/100/110, Ext: 70mm-48cm, 90mm-50/54cm, 100mm-56cm, 110mm-58cm
HANDLEBAR	Velomann Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm 47/50/53 - 42cm 55/57/59 - 44cm 61/63
GRIP / TAPE	Velo VLT-1001 w/Bianchi embossed logo; color: Black
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, L350mm, 27,2mm, Length: 350mm-48/58cm
SADDLE	Selle Italia ModelX Superflow FeC , lenght/wide 245x145mm, color: black

IMPULSO | GRX 810 11SP | YSB8C



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	AG: Blue Smoke IP: Celeste Acquamarina AK: Green Salamander
FRAME	IMPULSO ALL ROAD ALU 1"1/8 aheadset ,seat post 31.6mm, thru axle 12x142mm, flat mount disc version, PF41 SHIMANO, compatible with 40mm tire and mudguard and rear carrier predisposition sizes 47-50-53-55-57-59-61-63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 35mm anti-crimp
HEADSET	FSA NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	Full Carbon 1"1/8, flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 810 11sp Hydraulic disc brake
REAR DERAILEUR	Shimano GRX 810, 11sp, RD-RX810, GRX 11-speed
FRONT DERAILEUR	Shimano GRX 810, 11sp, FD-RX810, GRX for rear 11-speed, CS-angle:61-66, for top gear:46-50T
CRANKSET	Shimano GRX 810, 11sp, FC-RX810-2, GRX, 11-speed, hollowtech 2, 170-172.5-175mm, 48-31T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit for road, right & left adapter
CHAIN	Shimano CN-HG601-11, for 11-speed,116 links

CASSETTE / FREEWHEEL	Shimano 105, 11sp, CS-HG70011, 11sp, 11-13-15-17-19-21-23-25-27-30-34T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm w/lock ring
RIM/WHEELSET	Velomann disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless read
TIRE	Kenda Alluvium 700x40, 60TPI
STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 70-90-100-110-120, Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm ,110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Velomann Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm 47/50/53 - 42cm 55/57/59 - 44cm 61/63
GRIP / TAPE	La Spirale Ribbon cork, color= Black
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, length: 350mm-47/63cm
SADDLE	Selle Italia ModelX Superflow FeC length/wide 245x145mm, color black

IMPULSO | GRX 600 11SP | YSB1C



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	AG: Blue Smoke IP: Celeste Acquamarina AK: Green Salamander
FRAME	IMPULSO ALL ROAD ALU 1"1/8 headset, seat post 31.6mm, thru axle 12x142mm, flat mount disc version, PF41 SHIMANO, compatible with 40mm tire and mudguard and rear carrier predisposition. sizes 47-50-53-55-57-59-61-63cm
SEATPOST CLAMP	MX-112C Aluminium clamp, light weight, 35mm anti-creep
HEADSET	NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	Full Carbon 1"1/8, flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 600 11sp Hydraulic disc brake
REAR DERAILLEUR	Shimano GRX 810, 11sp, RD-RX810
FRONT DERAILLEUR	Shimano GRX 810, 11sp, FD-RX810, GRX for rear 11-speed, down-swing, down pull, braze-on type, CS-angle:61-66, for top gear:46-50T, CL:46mm
CRANKSET	Shimano GRX 600, 11sp, FC-RX600, 2-pcs FC, 170-172.5-175mm, 46-30T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	Shimano SM-BB71-41B, press fit for road
CHAIN	Shimano CN-HG601-11, for 11-speed, 116 links

CASSETTE / FREEWHEEL	Shimano 105, 11sp, CS-HG70011, 11-13-15-17-19-21-23-25-27-30-34T
BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano SM-RT70 rotor for disc brake center lock , with Ice Technology, S 160mm
RIM/WHEELSET	Velomann disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready
TIRE	Kenda Alluvium 700x40, 60TPI
STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 70-90-100-110-120, Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Velomann Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120 x size 40cm and 130mm x size 42-44-46cm, size: 40cm 47/50/53 - 42cm 55/57/59 - 44cm 61/63
GRIP / TAPE	La Spirale Ribbon cork, color= Black
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31.6mm, length: 350mm-47/63cm
SADDLE	Selle Italia ModelX Superflow FeC length/wide 245x145mm, color black

VIA NIRONE 7 | GRX 400 10SP | YSB62



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	GU: CK16/Blue Peacock Full Glossy GV: Green Forest/Bronze Mirror Full Glossy
FRAME	VIA NIRONE 7 ALL ROAD alloy, TC18, hydroforming tubing, internal cable, seatpost: 31.6mm, flat mount disc brake, thru axle 12x142mm, 40mm tire clearance, rack & fender eyelets, downtube underside bottle cage bosses sizes 47-50-53-55-57-59-61-63cm
BOLTS / HARDWARE	M5 x 12mm stainless black M5*P0.8*12mm
SEATPOST CLAMP	Aluminium clamp, light weight, 35mm anti-crimp
HEADSET	FSA NO.8B/ZS4D 1.1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	Carbon 1.1/8", flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 400 10sp Hydraulic disc brake
REAR DERAILEUR	Shimano GRX 400 10sp, top normal
FRONT DERAILEUR	Shimano GRX 400 10sp, for 10-speed, down-swing, down-pull, braze-on type, cs angle: 61-66, for top gear: 46T, cl:46mm
CRANKSET	Shimano GRX, for rear 10-speed, 2-pcs fc, 170-172-175mm, 46-30T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-60/63cm
BOTTOM BRACKET	included in the crankset
CHAIN	Shimano super narrow HG 10-speed , w/end pin

CASSETTE / FREEWHEEL	Shimano 10sp, 11-13-15-17-19-21-23-26-30-34T
BRAKE	Shimano flat mount hydraulic disc brake included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano rotor for disc brake center lock , S 160mm w/lock ring
RIM/WHEELSET	Velomann disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready,
TIRE	Kenda Happy Medium 700x35
STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", Ext: 70mm-47cm, 90mm-50/53cm, 100mm-55cm, 110mm-57/59cm, 120mm-61/63cm
HANDLEBAR	Velomann Aluminum 6061, reach 70mm, flare angle 16°, drop cc 120, size: 40cm 47/50/53 - 42cm 55/57/59 - 44cm 61/63
GRIP / TAPE	Velo w/Bianchi embossed logo; color: Black
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 350mm-47/63cm
SADDLE	Velomann, hole, steel rail, cover PU soft touch, lenght/wide 280x145mm

VIA NIRONE 7



COLOR: GU

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

SHRED

E-ROAD

E-MTB

E-GRAVEL

E-TOURER

E-URBAN



E-ROAD

ARIA E-ROAD

E-IMPULSO ROAD

ARIA E-ROAD | ULTEGRA DI2 12SP | YSBN9



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLORS	1A: Celeste CK16	CASSETTE / FREEWHEEL	Shimano ,CS-R8100, ULTEGRA, 12-SPEED, 11-12-13-14-15-17-19-21-24-27-30-34T
FRAME	Aria E-Road aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, QR sytem, OLD 135mm, sizes 47-50-53-55-57-59-61cm	BRAKE	Shimano BR-R8170 Hydraulic disc brake, included in the shifter
SEATPOST CLAMP	included in the frame	BRAKE LEVER	included
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover (H2166B) for 47mm/52mm OD head tube	DISC ROTOR	Shimano, SM-RT86, S 160MM, 6-BOLT TYPE
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head , Disc brake flat mount, thru axle 12x100	RIM/WHEELSET	Vision Trimax alloy disc 6-bolt type with rear Ebikemotion motor hub
SHIFTER	Shimano Ultegra Di2 hydraulic disc brake for road	TIRE	Vittoria Rubino Pro G2.0 graphene, 700 x 28c, 150TPI, Folding
REAR DERAILLEUR	Shimano, RD-R8150, ULTEGRA, 12-SPEED, TOP NORMAL, SHADOW DESIGN, DIRECT ATTACHMENT, W/TL-EW300, 1ST GROUP	STEM	Velomann 3D Forged alloy 2014, raise - 6°, height 38mm, Oversize, 1.1/8", size 90/100/110/120cm, Ext: 90mm-48/50cm, 100mm-52/54cm, 110mm-56cm, 120mm-58cm
FRONT DERAILLEUR	Shimano, FD-R8150, ULTEGRA, FOR REAR 12-SPEED, DOWN-SWING, BRAZED-ON TYPE, CS-ANGLE:61-66, FOR TOP GEAR:50-54T, CL:43.5MM	HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Sizes: 40-42-44, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
CHARGER / PWR CABLE	Shimano, EW-EC300, 1500MM	GRIP / TAPE	La Spirale Ribbon cork + new plug carbon look with Bianchi logo color: Black
CRANKSET	Shimano Ultegra 12sp, FC-R8100, HOLLOWTECH 2, 50-34T W/O CG, W/O BB PARTS, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm	SEATPOST	Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 300mm-47/50cm, 350mm-53/61 + EL271 alloy 6061 clamp (EL27100000400)
BOTTOM BRACKET	Shimano, SM-BB72-41B, PRESS FIT TYPE FOR ROAD, RIGHT & LEFT ADAPTER, BEARING, INNER COVER	SADDLE	Velomann, steel rails, lenght/wide 278x144mm Color: Black/CK
CHAIN	Shimano, CN-M8100, 114LINKS FOR HG 12-SPEED, W/QUICK-LINK, BULK	MOTOR UNIT	Ebikemotion X35+ 250W motor unit, w/250Wh Mahle integrated battery and iWoc One Remote control

ARIA E-ROAD | ULTEGRA 11SP | YRBN8



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	1A: Celeste CK16 PZ: Summertime Dream 2A: CK16 + Black
FRAME	Aria E-Road aero carbon, mechanical/electronic, BB-PressFit 86,5x41, head tube 1.4"-1.1/8", integrated seat clamp, full carbon dropout, aero shape DT-ST, Disc brake flat mount, QR sytem, OLD 135mm, sizes 47-50-53-55-57-59-61cm
SEATPOST CLAMP	included in the frame
HEADSET	FSA Orbit C-33, NO.44E, 1-1/8 Top, 1-1/4 Btm with Chrome Steel bearing, 45°/45° ACB, alloy Standard 15mm top cover (H2166B) for 47mm/52mm OD head tube
FORK	Full Carbon Aero Road 1.4">1.1/8" integrated head , Disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra hydraulic disc brake for road
REAR DERAILLEUR	Shimano, RD-R8000, ULTEGRA, GS 11-SPEED, TOP NORMAL SHADOW DESIGN, DIRECT ATTACHMENT, COMPATIBLE WITH LOW GEAR 28-34T FOR DOUBLE
FRONT DERAILLEUR	Shimano, FD-R8000, ULTEGRA, FOR REAR 11-SPEED, DOWN-SWING, BRAZED-ON TYPE, CS-ANGLE:61-66, FOR 46/53T, CL:43.5MM, BULK
CRANKSET	Shimano Ultegra 11sp, FC-R8000, ULTEGRA, FOR REAR 11-SPEED, HOLLOWTECH 2, 50- 34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano, SM-BB72-41B, PRESS FIT TYPE FOR ROAD
CHAIN	Shimano, CN-HG701-11, FOR 11-SPEED, 110 LINKS, W/AMPOULE TYPE CONNECT PIN X1

CASSETTE / FREEWHEEL	Shimano, CS-R7000, 105, 11-SPEED, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano, SM-RT86, S 160MM, 6-BOLT TYPE
RIM/WHEELSET	Vison Trimax alloy disc 6-bolt type with rear Ebikemotion motor hub
TIRE	Vittoria Rubino IV G2.0 graphene, 700x28, 60TPI
STEM	Velomann 3D Forged alloy 2014, raise - 6°, height 38mm, Oversize, 1 1/8", size 90/100/110/120cm, Ext: 90mm-48/50cm, 100mm-52/54cm, 110mm-56cm, 120mm-58cm
HANDLEBAR	Reparto Corse Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm, Sizes: 40-42-44, Size: 400mm-44/53cm, 420mm-55/59cm, 440mm-61cm
GRIP / TAPE	La Spirale Ribbon cork + new plug carbon look with Bianchi logo
SEATPOST	Full Carbon Aero special dimension, special Clamp type with alloy head adjustable and reversible +/- 35mm; lenght: 300mm-47/50cm, 350mm-53/61
SADDLE	Velomann, steel rails, lenght/wide 278x144mm
MOTOR UNIT	Ebikemotion X35+ 250W motor unit, w/250Wh Mahle integrated battery and iWoc One Remote control

E-IMPULSO ROAD | ULTEGRA 11SP | YRBM4



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	IE: CK16 + Black
FRAME	e-Impulso Road, mechanical, bbset pressfit, head tube 1.1/8", Disc brake flat mount, QR sytem, OLD 135mm Sizes: XS-S-M-L-XL
SEATPOST CLAMP	included in the frame
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	FULL CARBON FORK 1"1/8, THRUE AXLE 12x100mm, FLAT MOUNT disc brake
SHIFTER	Shimano Ultegra hydraulic disc brake for road
REAR DERAILEUR	Shimano, RD-R8000, ULTEGRA, GS 11-SPEED, COMPATIBLE WITH LOW GEAR 28-34T FOR DOUBLE
FRONT DERAILEUR	Shimano, FD-R8000, ULTEGRA, DOWN-SWING, 34.9MM BAND, CS-ANGLE:61-66, FOR 46/53T CL:43.5MM
CRANKSET	Shimano Ultegra 11sp, FRONT CHAINWHEEL, FC-R8000, HOLLOWTECH 2, 50- 34T, Crank Length: 170mm-47/54cm, 172.5mm-55/59cm, 175mm-61cm
BOTTOM BRACKET	Shimano, SM-BB71-41B, PRESS FIT TYPE FOR ROAD
CHAIN	KMC X11-1 EPT, 11sp, 116 link

CASSETTE / FREEWHEEL	Shimano, CS-R7000, 105, 11-SPEED, 11-12-13-14-16-18-20-22-25-28-32T
BRAKE	Shimano BR-R8070 Hydraulic disc brake, included in the shifter
BRAKE LEVER	included
DISC ROTOR	Shimano, SM-RT86, S 160MM, 6-BOLT TYPE
RIM/WHEELSET	Velomann disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready
TIRE	Vittoria Zaffiro Pro V 32-622 fold full black G2.0
STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", 90-100-110-120mm, Ext: 90mm-XS, 100mm-S, 110mm-M/L, 120mm-XLcm
HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-XS/S, 420mm-M/L, 440mm-XL
GRIP / TAPE	La Spirale Ribbon cork + new plug carbon look with Bianchi logo
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm-XS/SM, 350mm-MD/LG/XL
SADDLE	Velomann, rail steel black, open, cover PU, lenght/wide 250x148mm
MOTOR UNIT	Ebikemotion X35+ 250W motor unit, w/250Wh Mahle integrated battery and iWoc One Remote control

E-MTB

E-SUV

E-OMNIA FX - TYPE

E-VERTIC FX - TYPE PRO

E-VERTIC FX - TYPE

E-OMNIA X - TYPE

E-VERTIC X - TYPE

E-SUV ADVENTURE | GX 12SP | YR/YSBQ3



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	CM: Black CK16 - Chrome Full Glossy
FRAME	E-SUV carbon - Shimano EP8 BIANCHI 150mm Full Carbon, 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 44,48,52
REAR SHOCK	Sram Deluxe Select+ RL, 185/55 TR, Hardware 8X25mm
SEATPOST CLAMP	integrated
HEADSET	FSA NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Rock Shox ZEB Select 29B" DebonAir , 150mm, Extl rebnd, Charger RC Damper , 1.1/5" Alu HT, 15x110 BOOST, 38mm stanchions, E-MTB Decal, PM 200mm disc mount, Maxle Stealth, 44mm offset
SHIFTER	Sram GX EAGLE 1x12 trigger single click for e-bike
REAR DERAILLEUR	Sram GX Eagle 12s long cage carbon
CRANKSET	Shimano, FC-EM600, 165MM, W/O CHAINRING, W/O CG,CHAIN CASE NOT COMPATIBLE SRAM chainring XSYNC2 34T
BOTTOM BRACKET	included in the motor
CHAIN	Sram NX EAGLE, 12sp, 126 link
CASSETTE / FREEWHEEL	Sram PG1230, 12sp, 11-50T
BRAKE	Shimano, BL-M6100, BR-M6120, 850MM HOSE

DISC ROTOR	Shimano ROTOR FOR DISC BRAKE, SM-RT64, DEORE, L 203MM, RT-EM600
RIM/WHEELSET	Dt Swiss Spline 27,5 rear" 35mm & 29 front 30mm, 15x110TA front, 12x148TA rear Shimano body, TL-ready rim w/eyelets including tubeless band and valve, straight pull spokes, centerlock
TIRE	Front: Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type Rear: Regolith 27,5x2.8, 60tpi EMC, DTC compound, 71-584 folding type
STEM	Velomann +/-0°, 1,1/8 x diam.35mm, 50mm-15/17/19/21"
HANDLEBAR	Velomann, width 780mm diam.35mm, rise 20mm, backsweep 9°
GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR
SEATPOST	Velomann, diam.31,6mm, internal remote cable routing w/REMOTE BELOW BAR FOR 1X DRIVETRAIN, size: 125m travel-17", 150m travel-19/21"
SADDLE	Fi'zi:k Alpaca Terra, S alloy rail, 249x145
FRONT LIGHT	Spanninga integrated front light
REAR LIGHT	Spanninga integrated rear light
MUDGUARD / STAY	Front & rear integrated mudguards
MOTOR UNIT	Shimano EP8 unit with DU-EP800 drive unit, speed sensor, w/720Wh Darfon integrated battery

E-OMNIA FX-TYPE | XT 12SP | YR/YSBA4



COLOR: 4J

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4J / blue navy-CK16 full glossy 4K / Dark graphite-grey full matt
FRAME	OMNIA FX Type alloy FS 29"- Bosch Gen4 BES3 BIANCHI 150mm Alloy , 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43,48,53 (MD; LG; XL)
REAR SHOCK	Fox Float DPS Performance, Trunion 185/55, LV, EVOL, lower hardware 8x24,88mm, 3 position Lever
SEATPOST CLAMP	integrated
HEADSET	FSA NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Fox Float 36 Rhythm 29", 160mm travel, damper grip, Sweep Adjust, black upper tubes, Rebound, Fox Float Evol spring, 1.5" tapered HT, QR:15x110, 44mm rake
SHIFTER	Shimano, SL-M6100-IR, DEORE, RIGHT,12-SPEED RAPIDFIRE PLUS 2050MM INNER
REAR DERAILLEUR	Shimano, RD-M8100, XT, SGS 12-Speed
CRANKSET	FSA CK-762/IS Forged Alu crank 165 mm, Chainguide custom 30-38T
BOTTOM BRACKET	included in the motor
CHAIN	Shimano, CN-M7100, 126LINKS FOR HG 12- SPEED
CASSETTE / FREEWHEEL	Shimano, CS-M7100-12, SLX, 12-SPEED, 10-12- 14-16-18-21-24-28-33-39-45-51T
BRAKE	Shimano, DISC BRAKE ASSEMBLED SET/J-kit, BL-MT501, BR-MT520, SM-MA-F203P/PM, RESIN PAD, 850MM HOSE

DISC ROTOR	Shimano ROTOR FOR DISC BRAKE, SM-RT64, DEORE, L 203MM, W/LOCK RING, RT-EM600, L 203MM
RIM/WHEELSET	Velomann 29", 30mm 29", Pre Ano Black, 489g, 32 hole drilling, Disc Only
TIRE	Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type
STEM	Velomann +/-0°, 1,1/8 x diam.35mm, 50mm- 15/17/19/21"
HANDLEBAR	Velomann, width 780mm diam.35mm, rise 20mm, backsweep 9°
GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body
SEATPOST	Velomann, diam.31,6mm, internal remote cable routing w/REMOTE BELOW BAR FOR 1X DRIVETRAIN, 120mm/150mm travel
SADDLE	Velomann, manganese rail, lenght 277mm x width 144mm
FRONT LIGHT	Spanninga integrated front light
REAR LIGHT	Spanninga integrated rear light
MUDGUARD / STAY	BIANCHI CUSTOM MUDGUARDS
MOTOR UNIT	Bosch Performance Line CX 250W, w/750Wh Bosch integrated battery, 85Nm

E-OMNIA FX-TYPE | GX 12SP | YR/YSBA3



COLOR: 4K

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4J / blue navy-CK16 full glossy 4K / Dark graphite-grey full matt	DISC ROTOR	Shimano, SM-RT30, L 203MM, W/LOCK RING
FRAME	OMNIA FX Type alloy FS 29"- Bosch Gen4 BES3 BIANCHI 150mm Alloy, 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43,48,53 (MD; LG; XL)	RIM/WHEELSET	Velomann 29", 30mm 29", Pre Ano Black, 489g, 32 hole drilling, Disc Only, Black Anodized, Single Eyelets
REAR SHOCK	Sram Deluxe Select+ RL, 185/55 TR, external rebound adjustment, lockout, Hardware 8X25mm	TIRE	Kenda Hellkat 29x2.6, 60tpi EMC, DTC compound, 66-622 folding type
SEATPOST CLAMP	integrated	STEM	Velomann +/-0°, 1,1/8 x diam.35mm, 50mm for 15/17/19/21"
HEADSET	FSA NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt	HANDLEBAR	Velomann, width 780mm diam.35mm, rise 20mm, backsweep 9°, double butted AL7050
FORK	Rock Shox YARI RC 29B" Solo Air, 150mm, Extl rebnd, MOTION Control Damper, 1.1/5" Alu HT, 15x110 BOOST, 35mm stanchions, E-MTB Decal, PM 180mm disc mount, Maxle Stealth, 42mm offset	GRIP / TAPE	T-One Rock T-GP34 single lock grip, TPR, plastic inner body
SHIFTER	Sram SX EAGLE 1x12 trigger single click for e- bike	SEATPOST	Velomann, diam.31,6mm, internal remote cable routing w/REMOTE BELOW BAR FOR 1X DRIVETRAIN 120mm/150mm travel
REAR DERAILLEUR	Sram GX Eagle 12s long cage carbon	SADDLE	Velomann, manganese rail, lenght 277mm x width 144mm
CRANKSET	FSA CK-762/IS Forged Alu crank 165 mm ISIS black, Chainguide custom 30-38T	FRONT LIGHT	Spanninga integrated front light
BOTTOM BRACKET	included in the motor	REAR LIGHT	Spanninga integrated rear light
CHAIN	Sram SX EAGLE, 12sp, 126 link	MUDGUARD / STAY	BIANCHI CUSTOM MUDGUARDS
CASSETTE / FREEWHEEL	Sram PG1210, 12sp, 11-50T	MOTOR UNIT	Bosch Performance Line CX 250W, w/750Wh Bosch integrated battery, 85Nm
BRAKE	Shimano, BL-MT501, BR-MT520, SM-MA- F203P/PM, RESIN PAD, 850MM HOSE		

E-VERTIC FX – TYPE PRO | GX AXS 12SP | YSBD6



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XV: Graphite Race Matt / Green Blue Glossy
FRAME	e-VERTIC FX-Type Pro FULL SUSPENDED CARBON/ALU sizes: 43-48-53 - 160 mm front travel - 65 mm rear travel - HT 1,5" tapered - Seatpost 31,6 mm - 12x148 mm dropouts - Set dropout (sx+dx) TA 148mm external derailleur + SRAM UDH
REAR SHOCK	Fox, FLOAT X2, 230, 65, 0.3 Spacer x2, CL001, ECR010, Rezi CM
SEATPOST CLAMP	MR. Control, 35,4mm CLAMP
HEADSET	Acros 1"1/8 top / 1,5" bottom - bearings Starnut, Alloy Topcap
FORK	Fox, 38, A, FLOAT, 29in, P-S, 160, Grip, 3Pos, 15QRx110, 1,5 T, 58HT, 44mm Rake
SHIFTER	Sram EC GX AXS EAGLE RH 2BUTTON MMX
REAR DERAILEUR	Sram RD GX1 AXS LUNAR WITH BATTERY COVER
CRANKSET	'Sram EAGLE 34T BOSCH GN4 DM ST EMTB B148 CK-320 FSA E-Bike Diecast Crankset - ISIS / 165mm / w/o crank bolt
BOTTOM BRACKET	included in the motor
CHAIN	Sram CN GX EAGLE 126LI PWR.LCK 12sp
CASSETTE / FREEWHEEL	Sram CS XG 1275 EAGLE 10-52T

BRAKE	MT7 (banjo 4 piston caliper) Magura Shiftmix 4 for left-front, I Spec-EV compatible Magura Shiftmix 3 for right-rear Adaptor QM44 (180 - 203)
DISC ROTOR	Magura Centerlock - 203 mm
FRONT HUB	Formula, DISC HUB, CENTER LOCK, J-BEND, THRU-AXLE, W/O QR, 15x110, 32h, 2 SB
REAR HUB	Formula, DISC HUB, CENTER LOCK, J-BEND, THRU-AXLE, W/O QR, FOR SRAM XD DRIVER 11- SPEED, 4 SB, 32h
RIM/WHEELSET	Velomann, 30mm 29", 489g, 32 hole drilling, Disc Only, PV drilled Sleeved Joint
TIRE	Vittoria e-Barzo 29x2.6 XC-Trail
STEM	Velomann, 50 mm, 35 mm, 1"1/8
HANDLEBAR	Velomann, width 780mm diam.35mm, rise 20mm, backsweep 9°, double butted AL7050
GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR
SEATPOST	Alpha1 Series - 31.6 mm - Remote RM07 I-Spec EV - 1800 mm cable length - Velomann logo 125 mm - for size M 150 mm - for size L/XL
SADDLE	Velomann, manganese rail, lenght 277mm x width 144mm
MOTOR UNIT	Bosch Performance CX BES3 motor unit, Powertube 750wh integrated battery, w/Kiox display

E-VERTIC FX - TYPE PRO | NX/GX 12SP | YSBD5



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XV: Graphite Race Matt / Green Blue Glossy
FRAME	e-VERTIC FX-Type Pro FULL SUSPENDED CARBON/ALU sizes: 430-480-530 - 160 mm front travel - 65 mm rear travel - HT 1,5" tapered - Seatpost 31,6 mm - 12x148 mm dropouts - Set dropout (sx+dx) TA 148mm external derailleur + SRAM UDH
REAR SHOCK	Rock Shox Deluxe Select +, 230/65, DebonAir Linear, Damer Type RT, Compression Tune L1, Lockout Force 380, Shaft 25x8, external rebound adjustment, Volume reducer 0 Neg 0 Pos
SEATPOST CLAMP	MR.Control, 35,4mm CLAMP
HEADSET	Acros 1"1/8 top / 1,5" bottom - bearings Starnut, Alloy Topcap
FORK	Rock Shox ZEB 29"B DebonAir, 160mm, Extl rebnd, Rush RC Damper, 15x110 BOOST, 38mm stanchions, PM 200mm disc mount, Maxle Ultimate, 44mm offset
SHIFTER	Sram SL NX MMX EAGLE
REAR DERAILEUR	Sram RD GX EAGLE LUNAR
CRANKSET	FSA Direct Mount Steel Chainring - 34T / w/HT Steel / ED / C.L. 52mm / SH12 CK-320 FSA E-Bike Diecast Crankset - ISIS / 165mm / Die cast aluminum / w/o crank bolt
BOTTOM BRACKET	included in the motor
CHAIN	Sram CN GX EAGLE 126LI PWR.LCK 12sp
CASSETTE / FREEWHEEL	Sram CS XG EAGLE 10-52T

BRAKE	MT Thirty (front banjo 4 piston caliper/ rear 0° 2 piston caliper) Magura Shiftmix 4 for left-front, I Spec-EV compatible Magura Shiftmix 3 for right-rear Adaptor QM44 (180 - 203)
DISC ROTOR	MDR-C Centerlock - 203 mm
FRONT HUB	Formula, DISC HUB, CENTER LOCK, J-BEND, THRU-AXLE, W/O QR, 15x110, 32h, 2 SB
REAR HUB	Formula, DISC HUB, CENTER LOCK, J-BEND, THRU-AXLE, W/O QR, FOR SRAM XD DRIVER 11- SPEED, 4 SB, 32h
RIM/WHEELSET	Velomann 2.0 29", 30mm 29", Pre Ano Black, 489g, 32 hole drilling, Disc Only, PV drilled Sleeved Joint
TIRE	Vittoria e-Barzo 29x2.6 XC-Trail
STEM	Velomann, 50 mm, 35 mm, 1"1/8
HANDLEBAR	Velomann, width 780mm diam.35mm, rise 20mm, backsweep 9°
GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR
SEATPOST	Alpha1 Series - 31.6 mm - Remote RM07 I-Spec EV - 1800 mm cable length - Velomann logo 125 mm - for size M 150 mm - for size L/XL
SADDLE	Velomann, manganese rail, lenght 277mm x width 144mm
MOTOR UNIT	Bosch Performance CX BES3 motor unit, Powertube 750wh integrated battery, w/Kiox display

E-VERTIC FX - TYPE PRO | SX 12SP | YSBD4



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	XV: Graphite Race Matt / Green Blue Glossy	BRAKE	Shimano, BL-M4100, BR-MT420, BLACK, SM-MA-F203P/PM, RESIN PAD, 800MM HOSE / 1700 HOSE
FRAME	e-VERTIC FX-Type Pro FULL SUSPENDED CARBON/ALU sizes: 43-48-53 - 160 mm front travel - 65 mm rear travel - HT 1,5" tapered - Seatpost 31,6 mm - 12x148 mm dropouts - Set dropout (sx+dx) TA 148mm external derailleur + SRAM UDH	DISC ROTOR	Shimano, SM-RT30, L 203MM, W/LOCK RING, FOR RESIN PAD ONLY
REAR SHOCK	Rock Shox Deluxe Select +, 230/65, DebonAir Linear, Damer Type RT, Compression Tune L1, Lockout Force 380, Shaft 25x8, external rebound adjustment, Volume reducer 0 Neg 0 Pos	FRONT HUB	Shimano, CENTER LOCK DISC 32H, FOR 15MM THRU TYPE AXLE, OLD:110MM
SEATPOST CLAMP	MR. Control, 35,4mm CLAMP	REAR HUB	Shimano, CENTER LOCK DISC(W/O LOCK RING) 12-SPEED FOR 12MM THRU TYPE AXLE, 32H OLD:148MM
HEADSET	Acros 1"1/8 top / 1,5" bottom - bearings Starnut, Alloy Topcap	RIM/WHEELSET	Velomann 2.0 29", 30mm 29", 489g, 32 hole drilling, Disc Only
FORK	Sram FS 35S TK 29F SB SA 160 EDFB FB 44 A1	TIRE	Vittoria e-Barzo 29x2.6 XC-Trail TNT
SHIFTER	Sram SX EAGLE 1x12	STEM	Velomann Ursa, 50 mm, 35 mm, 1"1/8
REAR DERAILLEUR	Sram SX EAGLE 12sp	HANDLEBAR	Velomann, width 780mm diam.35mm, rise 20mm, backsweep 9°
CRANKSET	'FSA Direct Mount Steel Chainring - 34T / w/HT Steel / ED / C.L. 52mm CK-320 FSA E-Bike Diecast Crankset - ISIS / 165mm / w/o crank bolt	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body
BOTTOM BRACKET	included in the motor	SEATPOST	Alpha1 Series - 31.6 mm - Remote RM07 I-Spec EV - 1800 mm cable length - Velomann logo 125 mm - for size M 150 mm - for size L/XL
CHAIN	Sram SX EAGLE, 12sp	SADDLE	Velomann, manganese rail, lenght 277mm x width 144mm
CASSETTE / FREEWHEEL	Sram, 12sp, 11-50T	MOTOR UNIT	Bosch Performance CX BES3 motor unit, Powertube 750wh integrated battery, w/Kiox display

E-VERTIC FX - TYPE | GX/NX 12SP | YSBA9



COLOR: V6

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	E4: Graphite Race Green / Blue Full Matt V6: Graphite Race / Sage Green Full Matt
FRAME	e-VERTIC FX/FT-Type ALU (gravity casting technology) sizes: 43, 48, 53 - 12x148 mm thru axle dropouts - Post mount 180 disc brake type - 140mm travel front & rear
REAR SHOCK	Fox Float DPS, Performance 210/55, EVOL, 3 position lever
SEATPOST CLAMP	35,4mm CLAMP
HEADSET	Acros AZX-575 1.8" top / 1.5" bottom, w/ blocklock
FORK	Fox Float 34 29", Rhythm, 140mm travel, 1.5" tapered HT, QR 15x110mm BOOST axle, 44mm rake, sweep adjust
SHIFTER	SRAM NX EAGLE 12sp single click
REAR DERAILLEUR	SRAM GX EAGLE 12s
CRANKSET	FSA Steel Chainring - 34T / C.L. 52mm FSA CK-320 E-Bike Crankset - 165mm
BOTTOM BRACKET	included in the motor
CHAIN	SRAM GX EAGLE
CASSETTE / FREEWHEEL	RAM XG-1275 Eagle Cassette, 12sp, 10-12-14-16-18-21-24-28-32-36-42-52T
BRAKE	Magura MT Thirty

DISC ROTOR	MDR-C, 203 mm
RIM/WHEELSET	Velomann X30 Tubeless Ready 29", 30-622, 32 hole
TIRE	Continental Ruban, 29x2,6", foldable
STEM	Velomann Ursa, 50 mm, 35 mm, 1"1/8
HANDLEBAR	Velomann, width 780mm, diam.35mm, rise 20mm, backsweep 9°
GRIP / TAPE	Rock T-GP34 single lock grip
SEATPOST	Velomann Alpha1 - 31.6 mm 125 mm - for size 43 150 mm - for size 48/53
SADDLE	Terra Aidon X5 - 160mm - S-Alloy rail
MOTOR UNIT	Bosch Smart System Performance Line CX Powertube 750Wh, pivot rail Display Kiox 300
DISC ROTOR	MDR-C, 203 mm
RIM/WHEELSET	Velomann X30 Tubeless Ready 29", 30-622, 32 hole

E-VERTIC FX - TYPE | SX 12SP | YSBA8



COLOR: E4

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	E4: Graphite Race Green / Blue Full Matt V6: Graphite Race / Sage Green Full Matt
FRAME	e-VERTIC FX/FT-Type ALU (gravity casting technology) sizes: 43, 48, 53 - 12x148 mm thru axle dropouts - Post mount 180 disc brake type - 140mm travel front & rear
REAR SHOCK	RockShox Deluxe Select, 210/55, DebonAir Linear, Damper Type R, Compression tune L, Lockout Force n/a, external rebound adjustment
SEATPOST CLAMP	35,4mm CLAMP
HEADSET	Acros AZX-575 1.8" top / 1.5" bottom, w/ blocklock
FORK	RockShox 35 Silver TK 29", 140mm travel, 1.5" tapered HT, Maxle Stealth 15x110mm BOOST axle, minimum 180mm rotor, maximum 220mm rotor, 44mm rake, 61mm crown, Solo Air, extl rebnd, 35mm stanchions, w/e-MTB decals
SHIFTER	SRAM SX EAGLE 12sp single click
REAR DERAILLEUR	SRAM SX EAGLE 12s
CRANKSET	FSA Steel Chainring - 34T / C.L. 52mm FSA CK-320 E-Bike Crankset - 165mm
BOTTOM BRACKET	included in the motor
CHAIN	SRAM SX EAGLE
CASSETTE / FREEWHEEL	SRAM PG-1210 Eagle Cassette, 12sp, 11-13-15-17-19-22-25-28-32-36-42-50T
BRAKE	Shimano BR-MT420

DISC ROTOR	Shimano SM-RT30, 203mm front Shimano SM-RT30, 180mm rear
RIM/WHEELSET	Velomann X30 Tubeless Ready 29", 30-622, 32 hole
TIRE	Continental Ruban, 29x2,6", foldable
STEM	Velomann Ursa, 50 mm, 35 mm, 1"1/8
HANDLEBAR	Velomann, width 780mm, diam.35mm, rise 20mm, backsweep 9°
GRIP / TAPE	Rock T-GP34 single lock grip
SEATPOST	Velomann Alpha1 - 31.6 mm 125 mm - for size 43 150 mm - for size 48/53
SADDLE	Terra Aidon X5 - 160mm - S-Alloy rail
MOTOR UNIT	Bosch Smart System Performance Line CX Powertube 750Wh, pivot rail Display Kiox 300
DISC ROTOR	Shimano SM-RT30, 203mm front Shimano SM-RT30, 180mm rear
RIM/WHEELSET	Velomann X30 Tubeless Ready 29", 30-622, 32 hole

E-OMNIA X-TYPE | SX 12SP | YR/YSPA2



COLOR: 4A

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4A / CK16-dark celeste full matt 4B / Metal orange-graphite full matt 4C / sage green-dark sage green full matt	DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING
FRAME	OMNIA X Type HT Alu 29" BIANCHI 120mm front suspended, 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43,48,53 (MD; LG; XL)]	RIM/WHEELSET	Velomann 29", 30mm 29", Pre Ano Black, 489g, 32 hole drilling, Disc Only, Single Eyelets
SEATPOST CLAMP	integrated	TIRE	Kenda Booster 29x2.6, 30tpi DTC
HEADSET	FSA NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt	STEM	Velomann +/-0°, 1,1/8 x diam.31,8mm, 55mm-15/17/19/21"
FORK	Rock Shox Recon Silver RL 29B" Solo Air, 120mm, Extl rebnd, MOTION Control Damper, 1,1/5" Alu HT, 15x110 BOOST, 32mm stanchions, E-MTB Decal, PM 160mm disc mount, Maxle Stealth, 42mm offset	HANDLEBAR	Velomann, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise,DB Alloy 6061-T6
SHIFTER	Sram SX EAGLE 1x12 trigger single click for e-bike	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body
REAR DERAILLEUR	Sram SX EAGLE 12s long cage	SEATPOST	Velomann, lenght: 350mm-SM, 400mm-MD/LG, diam.31,6mm, 0mm seatback
CRANKSET	FSA CK-762/IS Forged Alu crank 165 mm ISIS black, Sram EAGLE 34T CHAINRING direct mount	SADDLE	Velomann, 140mm width, Steel rails black, PVC soft touch
BOTTOM BRACKET	included in the motor	FRONT LIGHT	Spanninga integrated front light
CHAIN	Sram SX EAGLE, 12sp, 126 link	REAR LIGHT	Spanninga integrated rear light
CASSETTE / FREEWHEEL	Sram PG1210, 12sp, 11-50T	MUDGUARD / STAY	BIANCHI CUSTOM MUDGUARDS
BRAKE	Shimano DISC BRAKE ASSEMBLED SET, BL-M4100, BR-MT410, SM-MA-F180P/P2, 800MM HOSE	MOTOR UNIT	Bosch Performance Line CX 250W, w/625Wh Bosch integrated battery, 85Nm

E-OMNIA X-TYPE | DEORE 11SP | YSBA1



COLOR: 4C

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4A / CK16-dark celeste full matt 4B / Metal orange-graphite full matt 4C / sage green-dark sage green full matt	DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING, FOR RESIN PAD ONLY
FRAME	OMNIA X Type HT Alu 29" BIANCHI 120mm front suspended, 1.5" tapered HT, seatpost diam.31,6mm, integrated seat clamp, PM 180mm dropout thru axle 12x148mm, internal cable routing inside DT, sizes 43,48,53 (MD; LG; XL)	RIM/WHEELSET	Velomann 29", 30mm 29", Pre Ano Black, 489g, 32 hole drilling, Disc Only, Single Eyelets, PV drilled Sleeved Joint
SEATPOST CLAMP	integrated	TIRE	Kenda Booster 29x2.6, 30tpi DTC
HEADSET	FSA NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt	STEM	Velomann +/-0°, 1,1/8 x diam.31,8mm, 55mm-15/17/19/21"
FORK	Suntour AIR Boost LOR DS 29" 120mm, with LOR, 1.5" tapered HT, alloy crown, Air spring w/pre-load adjust, 34mm black stanchions, PM 180mm disc mount, 15X110 TA 15AH2-110	HANDLEBAR	Velomann, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise,DB Alloy 6061-T6
SHIFTER	Shimano, SL-M5100-R, DEORE, RIGHT, 11-SPEED RAPIDFIRE PLUS 2050MM INNER, W/O OPTICAL GEAR DISPLAY	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body
REAR DERAILLEUR	Shimano, RD-M5100, DEORE,SGS 11-SPEED, TOP NORMAL	SEATPOST	Velomann, lenght: 350mm-SM, 400mm-MD/LG, diam.31,6mm, 0mm seatback
CRANKSET	FSA CK-320/IS Die cast AL crank 165 mm ISIS black, Mega Thoot 34T, BCD104, Steel, ED black	SADDLE	Velomann, 140mm width, Steel rails black, PVC soft touch
BOTTOM BRACKET	included in the motor	FRONT LIGHT	Spanninga integrated front light
CHAIN	KMC e11T EPT, 11sp, 126 link	REAR LIGHT	Spanninga integrated rear light
CASSETTE / FREEWHEEL	Shimano, CS-M5100-11, DEORE, 11-SPEED, 11-13-15-18-21-24-28-33-39-45-51T	MUDGUARD / STAY	BIANCHI CUSTOM MUDGUARDS
BRAKE	Shimano, BL-MT401, BR-MT410, RESIN PAD, 800MM HOSE	MOTOR UNIT	Bosch Performance Line CX 250W, w/500Wh Bosch integrated battery, 85Nm

E-OMNIA X-TYPE



COLOR: 4B

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

E-VERTIC X-TYPE | DEORE 10SP | YR/YSBA6



COLOR: TF

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	TC: Graphite Race / CK16 Full Glossy TF: Graphite Race / Performance Red Full Glossy TH: Graphite Race / Grey Full Glossy
FRAME	e-VERTIC X-Type ALU (gravity casting tecnology) sizes: 430-480-530
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black Seatclamp Rubber Cover Omnia
HEADSET	Headset 1,5" top / 1,5" bottom - bearings - integrated cable routing Starnut, Alloy Topcap, black screw
FORK	SR Suntour XCM34 Coil BOOST NLO DS 29" 120mm
SHIFTER	SHIFT LEVER, SL-M4100-R, DEORE, RIGHT, 10- SPEED RAPIDFIRE PLUS 2400MM INNER, W/O OPTICAL GEAR DISPLAY,
REAR DERAILLEUR	REAR DERAILLEUR, RD-M5120, DEORE, SGS 10/11- SPEED, TOP NORMAL, SHADOW PLUS DESIGN, DIRECT ATTACHMENT(DIRECT MOUNT COMPATIBLE),
CRANKSET	Mega Thoot 34T, BCD104, Steel, ED black, w/o Logo FSA W0146 1x Steel Spider BCD104/Steel/ED/ Chainline FSA Chainring nut ML084 FSA Chainring bolt ML163 CK-320 FSA E-Bike Diecast Crankset - ISIS / 170mm / Die cast aluminum / Black / Painting / w/o crank bolt ISIS Bolt - CrMo/M15(pair)
BOTTOM BRACKET	included in the motor
CHAIN	Chain e10S NPBK 1/2" x 11/128" 126link
CASSETTE / FREEWHEEL	CASSETTE SPROCKET, CS-M4100-10, DEORE, 10- SPEED, 11-13-15-18-21-24-28-32-37-46T,

BRAKE	DISC BRAKE ASSEMBLED SET, BL-MT200(L), BR- MT200(F), BLACK, SM-MA-F180P/P2, RESIN PAD(W/O FIN), 1000MM HOSE
DISC ROTOR	ROTOR FOR DISC BRAKE, SM-RT10, M 180MM, W/LOCK RING(INTERNAL AND EXTERNAL SERRATION, BLACK), FOR RESIN PAD ONLY,
RIM/WHEELSET	Velomann E-Sport Tubeless Ready 29", 25-622, 32 hole black, Black Anodized, w/ Velomann stickers
TIRE	Phantom dry 29x2.3, 60tpi, 2C-MTB
STEM	Velomann Viper0, 60 mm, 31,8 mm, 1"1/8, w/Velomann laser logo
HANDLEBAR	Velomann Rise MTB479A, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise,DB Alloy 6061-T6, sandblast anodized w/laser graphics, JD-MTB479A
GRIP / TAPE	Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp- black color
SEATPOST	Velomann SP-7019, lenght 350mm for 15,17" size and 400mm for 19,21", diam.31,6mm, 0mm seatback, Al2014 shaft + alloy head
SADDLE	Model X Superflow
FRONT LIGHT	FRANCE ONE w/refl. w/o batteries, adjustable clamp
REAR LIGHT	LUXOFLEX w/refl. w/batteries, adjustable clamp, French approved
MOTOR UNIT	Drive unit Performance Line CX 25 km/h Powertube 625 Horizontal

E-VERTIC X-TYPE | X7/X5 9SP | YR/YSBA5



COLOR: TH

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	TC: Graphite Race / CK16 Full Glossy TF: Graphite Race / Performance Red Full Glossy TH: Graphite Race / Grey Full Glossy
FRAME	e-VERTIC X-Type ALU sizes: 43, 48, 53 - 12x148 mm thru axle dropouts - Post mount 180 disc brake type - 100mm travel front
SEATPOST CLAMP	Custom integrated clamp + cover
HEADSET	Acros AZF-575 1.8" top / 1.5" bottom
FORK	Suntour NVX 30 DS 29", 100mm travel, 1.1/8" HT, QR 9x100, minimum 160mm rotor, maximum 180mm rotor, 30mm stanchions, Coil w/ preload adjuster
SHIFTER	SRAM X5, 9sp
REAR DERAILEUR	SRAM X7, 9sp
CRANKSET	FSA Steel Chainring - 38T / C.L. 50mm FSA CK-200 E-Bike Crankset - 170mm
BOTTOM BRACKET	included in the motor
CHAIN	KMC e9S NPBK
CASSETTE / FREEWHEEL	SRAM PG-920, 9sp, 11-13-15-17-20-23-26-30-34T
BRAKE	Shimano BR-MT200

DISC ROTOR	Shimano SM-RT10, 180mm
RIM/WHEELSET	Velomann E-Sport Tubeless Ready 29", 25-622, 32 hole
TIRE	Phantom dry 29x2.3, 60tpi
STEM	Velomann Viper0, 60 mm, 31.8 mm, 1"1/8
HANDLEBAR	Velomann, width 740mm diam.31.8mm, rise 15mm, backsweep 9°
GRIP / TAPE	Rock T-GP34 single lock grip
SEATPOST	Velomann 31.6mm 350 mm for size 43, 48 400 mm for size 53
SADDLE	Selle Italia Model X Superflow
MOTOR UNIT	Bosch Performance Line Powertube 625Wh Display Purion
DISC ROTOR	Shimano SM-RT10, 180mm
RIM/WHEELSET	Velomann E-Sport Tubeless Ready 29", 25-622, 32 hole

E-VERTIC X-TYPE



COLOR: TC

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

T-TRONIK REBEL 9.1 | XT/DEORE | YRBZ1



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	E9: Black/ CK16 Full Glossy 3P: Black/ Dark Graphite Full Glossy
FRAME	T-Tronik Rebel 140mm alu 6061 triple butted, 1.5" tapered HT, seatpost diam. 31,6mm, seat clamp diam. 34,9mm, PM 160mm dropout thru axle 12x148mm, internal cable routing, sizes 38-43-48-53cm
REAR SHOCK	Rock Shox Deluxe Select+ RL
SEATPOST CLAMP	MX-112C, alloy, diam. 34,9mm
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap
FORK	Rock Shox Yari RC 29B" Solo Air, 150mm
SHIFTER	Shimano Deore SL-M6100-IR 1x12sp
REAR DERAILEUR	XT Shadow + Design 12sp, top normal, direct attachment, for 10-51T max
CRANKSET	Fsa Forged Alu crank length:165 mm
BOTTOM BRACKET	included in the motor
CHAIN	Shimano CN-M6100, 12sp
CASSETTE / FREEWHEEL	FREEWHEEL Shimano CS-M7100-12, 12sp, 10-
BRAKE	Shimano BL-M6100

DISC ROTOR	Shimano SM-RT64 CL, diam. 203mm
FRONT HUB	HB-MT400-B for Center Lock, 32holes, thru axle 15X110mm
REAR HUB	SHIMANO FH-MT410-B FOR CENTER LOCK, 12X148MM BOOST, 12SP SHIMANO MICROSPLINE BODY
RIM/WHEELSET	WTB KOM Trail i30 TCS 2.0 29"
TIRE	Kenda Hellkat 29x2.6, 60TPI EMC, DTC compound, 66-622 folding type
STEM	Tec Obvius, 0°, 1.1/8", diam. 31.8mm, ext: 55mm
HANDLEBAR	Tec Obvius rise, AL6061-T6 double butted, width 780mm, diam. 31.8mm, 15mm rise, 9° backsweep
GRIP / TAPE	T-One Rock T-GP34
SEATPOST	Dropper post, diam. 31,6mm, internal remote cable routing w/remote, travel: 100mm-15", 125mm-17", 150mm-19/21"
SADDLE	Selle Royal Velomann Seta S1, manganese rail, 277x144mm
MOTOR UNIT	Shimano EP8 motor unit w/DU-EP800 drive unit, 34T chainring, speed sensor w/630Wh integrated battery

T-TRONIK REBEL 9.2 | NS/SX EAGLE 1X12SP | YRBZ3



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	E9: Black/ CK16 Full Glossy 3P: Black/ Dark Graphite Full Glossy
FRAME	T-Tronik Rebel 140mm alu 6061 triple butted, 1.5" tapered HT, seatpost diam. 31,6mm, seat clamp diam. 34,9mm, PM 160mm dropout thru axle 12x148mm, internal cable routing, sizes 38-43-48-53cm
REAR SHOCK	Rock Shox Deluxe Select+ RL
SEATPOST CLAMP	MX-112C, alloy, diam. 34,9mm
HEADSET	Fsa Orbit 1.5 ZS #57 w/internal alloy cups, ACB bearings 1.1/8" Upper, 1.5" Lower, w/8mm cap
FORK	Rock Shox Recon Silver RL 29B" Solo Air, 140mm
SHIFTER	Sram SX EAGLE 1x12 trigger single click for e-bike
REAR DERAILLEUR	Sram NX Eagle 12sp
CRANKSET	Fsa Forged Alu, crank length:165 mm w/34T Eagle chainring
BOTTOM BRACKET	included in the motor
CHAIN	SRAM SX EAGLE 12SP
CASSETTE / FREEWHEEL	Sram PG1210 12sp, 11-50T
BRAKE	Sram Guide T, 4 pistons calipers, w/40P front & rear adapter

DISC ROTOR	Sram Centerline diam. 200mm
RIM/WHEELSET	WTB ST Light i30 TCS 2.0 29"
TIRE	Kenda Hellkat 29x2.6, 60TPI EMC, DTC compound, 66-622 folding type
STEM	Tec Obvius, 0°, 1.1/8", diam. 31.8mm, ext: 55mm
HANDLEBAR	Tec Obvius rise, AL6061-T6 double butted, width 780mm, diam. 31.8mm, 15mm rise, 9° backsweep
GRIP / TAPE	T-One Rock T-GP34
SEATPOST	Dropper post, diam. 31,6mm, internal remote cable routing w/remote, travel: 100mm-15", 125mm-17", 150mm-19/21"
SADDLE	Velomann, steel rails, PVC soft touch cover, 140mm width
MOTOR UNIT	SHIMANO EP8 MOTOR UNIT W/DU-EP800 DRIVE UNIT, SPEED SENSOR W/ DARFON 630WH INTEGRATED BATTERY

E-GRAVEL

E-ARCADEX

E-ARCADEX TOURER

E-IMPULSO GRAVEL

E-ARCADEX | EKAR 1X13SP | YSB1H



COLOR: DX

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4S: Glacier Full Glossy DX: Desert Full Matt GL Forest Full Glossy
FRAME	e-Arcadex Carbon sizes: 47, 51, 55, 58, 61 - 12x142 mm thru axle - Flat mount 140 disc brake type - Fender compatible
SEATPOST CLAMP	Integrated clamp d31,8mm
HEADSET	FSA SMR HS for internal cable routing
FORK	Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm
SHIFTER	Campagnolo EKAR 1x13sp
REAR DERAILLEUR	Campagnolo EKAR 1x13sp
CRANKSET	FSA E-bike KFX Crankset 165mm for size 47, 51 170mm for size 55, 58 175mm for size 61 FSA Megatooth Chainring - 42T / C.L. 50mm
BOTTOM BRACKET	Included in the motor
CHAIN	Campagnolo chain EKAR 13sp
CASSETTE / FREEWHEEL	Campagnolo EKAR 13s 9-42

BRAKE	Campagnolo EKAR
BRAKE LEVER	Campagnolo EKAR
DISC ROTOR	Campagnolo AFS 160mm
RIM/WHEELSET	Velomann Sport Disc 700C, 23-622, 32hole
TIRE	Pirelli Cinturato Adventure, 40-622, 60tpi, Foldable
STEM	Velomann ST-OS-188 80mm for size 47, 51 100mm for size 55 120mm for size 58, 61
HANDLEBAR	Velomann, reach 70mm, flare 16°, drop 120mm for size 400 and 130mm for size 420-440 400mm for size 47, 51 420mm for size 55, 58 440mm for size 61
GRIP / TAPE	Ribbon cork, black
SEATPOST	Limotec Alpha3 Series, 40mm suspension + 80mm travel, 31.6 mm
SADDLE	Velomann 2315HRN, steel rail, 250x148mm
MOTOR UNIT	Bosch Performance Line CX Powertube 500Wh Display Kiox
BRAKE LEVER	Campagnolo EKAR
DISC ROTOR	Campagnolo AFS 160mm

E-ARCADEX | EKAR 1X13SP | YSB1H



COLOR: GL

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice



COLOR: 4S

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

E-ARCADEX TOURER | GRX 600 1X11SP | YSB3H



COLOR: GL

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4S: Glacier Full Glossy DX: Desert Full Matt GL Forest Full Glossy
FRAME	e-Arcadex Carbon sizes: 47, 51, 55, 58, 61 - 12x142 mm thru axle - Flat mount 140 disc brake type - Fender compatible
SEATPOST CLAMP	Integrated clamp d31,8mm
HEADSET	FSA SMR HS for internal cable routing
FORK	Full Carbon 1.5" flat mount, disc brake, thru axle 12x100mm
SHIFTER	Shimano GRX 600, 11sp
REAR DERAILLEUR	Shimano GRX, RD-RX812, 11sp
CRANKSET	FSA E-bike Crankset 165mm for size 47, 51 170mm for size 55, 58 175mm for size 61 FSA Megatooth Chainring - 42T / C.L. 50mm
BOTTOM BRACKET	Included in the motor
CHAIN	KMC e11 EPT Anti-Rust
CASSETTE / FREEWHEEL	Shimano DEORE, CS-M5100-11, 11sp, 11-13-15-17-19-21-24-28-32-37-42T
BRAKE	Shimano BR-RX400

BRAKE LEVER	Shimano BL-RX600
DISC ROTOR	Shimano RT-MT800, 160mm
RIM/WHEELSET	Velomann Sport Disc 700C, 23-622, 32hole
TIRE	Continental Terra Trail, 40-622, foldable
STEM	Velomann ST-OS-188 80mm for size 47, 51 100mm for size 55 120mm for size 58, 61
HANDLEBAR	Velomann, reach 70mm, flare 16°, drop 120mm for size 400 and 130mm for size 420-440 400mm for size 47, 51 420mm for size 55, 58 440mm for size 61
GRIP / TAPE	Ribbon cork, black
SEATPOST	Velomann 31.6mm 300 mm for size 47, 51 350 mm for size 55, 58, 61
SADDLE	Velomann 2315HRN, steel rail, 250x148mm
FRONT LIGHT	Supernova Mini2 - 235 lumen, 100 lux
REAR LIGHT	SKS Xeltec integrated in the mudguard
REAR CARRIER	SKS Infinity GT3
MOTOR UNIT	Bosch Performance Line CX Powertube 500Wh Display Kiox

E-ARCADEX TOURER | GRX 600 1X11SP | YSB3H



COLOR: DX

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice



COLOR: DX

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

E-IMPULSO GRAVEL | GRX 600 1X11SP | YR/YSBM6



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	IG: Black Titanium	CASSETTE / FREEWHEEL	Shimano, CS-M7000, SLX, 11-SPEED, 11-13-15-17-19-21-24-28-32-37-42
FRAME	e-Impulso Gravel , mechanical, bbset pressfit, head tube 1.1/8", Disc brake flat mount, QR sytem, OLD 135mm Sizes: XS-S-M-L-XL	BRAKE	Shimano BR-RX400 flat mount hydraulic disc brake, included in the shifter
SEATPOST CLAMP	included in the frame	BRAKE LEVER	included
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube	DISC ROTOR	Shimano, SM-RT86, S 160MM, 6-BOLT TYPE
FORK	FULL CARBON FORK 1"1/8, THRUE AXLE 12x100mm, FLAT MOUNT disc brake	RIM/WHEELSET	Velomann disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready
SHIFTER	Shimano GRX 600 11sp Hydraulic disc brake	TIRE	Vittoria Zaffiro Pro V 32-622 fold full black G2.0
REAR DERAILLEUR	Shimano, RD-RX812, GRX, 11-SPEED, TOP NORMAL, SHADOW PLUS DESIGN	STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1.1/8", 90-100-110-120mm, Ext: 90mm-XS, 100mm-S, 110mm-M/L, 120mm-XLcm
CRANKSET	Shimano, FC-RX600, GRX, FOR REAR 11-SPEED, 2-PCS FC, 40T, Crank Length: 170mm- XS/S, 172.5mm-M/L, 175mm-XL	HANDLEBAR	Velomann Compact, Flat Top, alloy 6061 diam. 31,8mm, reach 80mm, drop 130mm, Size: 400mm-XS/S, 420mm-M/L, 440mm-XL
BOTTOM BRACKET	Shimano, BB-RS500-PB, PRESS FIT TYPE FOR ROAD,RIGHT & LEFT ADAPTER	GRIP / TAPE	La Spirale Ribbon cork + new plug carbon look with Bianchi logo
CHAIN	KMC X11-1 EPT, 11sp, 116 link	SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm-XS/SM, 350mm-MD/LG/XL
		SADDLE	Velomann, rail steel black, open, cover PU, lenght/wide 250x148mm
		MOTOR UNIT	Ebikemotion X35+ 250W motor unit, w/250Wh Mahle integrated battery and iWoc One Remote control

E-TOURER

E-OMNIA T - TYPE

E-VERTIC FT - TYPE

E-VERTIC T - TYPE

T-TRONIK T - TYPE

IMPULSO E-ALLROAD TOURER

E-OMNIA T-TYPE | NEXUS 5SP | YR/YSBE6



COLOR: 4D

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4D / CK16-dark celeste full matt 4E / Metal Brown-Graphite full matt 4F / Metal grey-graphite full matt	DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING, FOR RESIN PAD ONLY
FRAME	E-OMNIA T-Type ALU, sizes: MD, LG, XL (43,48,53), 12x148mm Thru-axle, Ready to fix the chainguard, Post mount 160 disc brake type, Ready to fix rear kyckstand, custom rear carrier integrated in the frame design, BatteryWall Bosch OmniaX/T/FX	FRONT HUB	Shimano, HB-MT400-B, CENTER LOCK DISC 32H, FOR 15MM THRU TYPE AXLE(W/O AXLE), OLD:110MM
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black	REAR HUB	Shimano, SG-C7000-5D, NEXUS, 5-SPEED, FOR CENTER LOCK DISC BRAKE, 32H 135X187MM
HEADSET	FSA NO.55R/558 1.5" Custom Anod Black w/o top cover and with only starnut	RIM/WHEELSET	EBIKE MAXX 29" - ETRTO 622 x 25C 32hole, height 19mm, double wall, single eyelet, wide angle, 6,5mm valve
FORK	Rock Shox Recon Silver RL 29B" Solo Air, 120mm, Extl rebnd, MOTION Control Damper, 1.1/5" Alu HT, 15x110 BOOST, 32mm stanchions, E-MTB Decal, PM 160mm disc mount, Maxle Stealth, 42mm offset	TIRE	Vittoria e-Randonneur, 50-622, rigid, black refl G2.0
SHIFTER	Shimano, SL-C7000-5, NEXUS, REVO SHIFTER, 5-SPEED, 2500MM BLACK OUTER, FOR CJ-C7000-5	STEM	Velomann 35,3D FORGED 0°>90° L70MM
CRANKSET	FSA CK-320/IS Die cast AL crank 170mm ISIS black , FSA ML054 ISIS Bolt CrMo/M15, 39T, 4B, BCD 104 - Bosch GEN4 Unified BL 45,5 mm, for a Motor Offset of 0 mm	HANDLEBAR	Velomann 31.8/680mm, RISE 20MM, SWEEP 15° MATT BLACK w/Velomann laser logo
BOTTOM BRACKET	included in the motor	GRIP / TAPE	Hermans Grip
CHAIN	Belt Gates Carbon Drive, 118T, black 1298 mm Length, 11 mm Pitch, 12 mm Width, 11M-118T-12CT	SEATPOST	Velomann 31.6*350 MATT BK, suspension seatpost
CASSETTE / FREEWHEEL	CDX Rear Sprocket, 28T, Shimano Nexus 5 Mech. Hub 6-Lobe "Unified" Sprocket for 45,5 mm Beltline, CT1128YMN-U	SADDLE	Velomann, black 8067 cover, black steel rail, no clamp, 285x187mm, 399gr.
BRAKE	Shimano, BL-MT401, BR-MT410, SM-MA-F180P/P2, RESIN PAD, 950MM HOSE, 1700MM HOSE	PEDALS	VP aluminum body, axle 7mm boron steel, EPB system size 116x103mm with reflector
BRAKE LEVER	Included in the brake set	FRONT LIGHT	Integrated custom front and side lights made w/Spanninga
		REAR LIGHT	Spanninga integrated rear lights
		REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
		KICKSTAND	Velomann interasse 40mm - capacità 35kg.
		MUDGUARD / STAY	SKS PET Mudguards A65 R /28"
		MOTOR UNIT	Bosch Performance Line CX motor unit w/625Wh Bosch PowerTube integrated battery

E-OMNIA T-TYPE STEP-THROUGH | NEXUS 5SP | YR/YSBE7



COLOR: 4F

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4D / CK16-dark celeste full matt 4E / Metal Brown-Graphite full matt 4F / Metal grey-graphite full matt
FRAME	E-OMNIA T-Type Step Through , sizes: MD, LG, XL (43,48,53), 12x148mm Thru-axle, Ready to fix the chainguard, Post mount 160 disc brake type, Ready to fix rear kickstand, custom rear carrier integrated in the frame design, BatteryWall Bosch OmniaX/T/FX
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black
HEADSET	FSA NO.55R/558 1.5" Custom Anod Black w/o top cover and with only starnut
FORK	Rock Shox Recon Silver RL 29B" Solo Air, 120mm, Extl rebnd, MOTION Control Damper, 1.1/5" Alu HT, 15x110 BOOST, 32mm stanchions, E-MTB Decal, PM 160mm disc mount, Maxle Stealth, 42mm offset
SHIFTER	Shimano, SL-C7000-5, NEXUS, REVO SHIFTER, 5-SPEED, 2500MM BLACK OUTER, FOR CJ-C7000-5
CRANKSET	FSA CK-320/IS Die cast AL crank 170mm ISIS black , FSA ML054 ISIS Bolt CrMo/M15, 39T, 4B, BCD 104 - Bosch GEN4 Unified BL 45,5 mm, for a Motor Offset of 0 mm
BOTTOM BRACKET	included in the motor
CHAIN	Belt Gates Carbon Drive, 118T, black 1298 mm Length, 11 mm Pitch, 12 mm Width, 11M-118T-12CT
CASSETTE / FREEWHEEL	CDX Rear Sprocket, 28T, Shimano Nexus 5 Mech. Hub 6-Lobe "Unified" Sprocket for 45,5 mm Beltline, CT1128YMN-U
BRAKE	Shimano, BL-MT401, BR-MT410, SM-MA-F180P/P2, RESIN PAD, 950MM HOSE, 1700MM HOSE
BRAKE LEVER	Included in the brake set

DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING, FOR RESIN PAD ONLY
FRONT HUB	Shimano, HB-MT400-B, CENTER LOCK DISC 32H, FOR 15MM THRU TYPE AXLE(W/O AXLE), OLD:110MM
REAR HUB	Shimano, SG-C7000-5D, NEXUS, 5-SPEED, FOR CENTER LOCK DISC BRAKE, 32H 135X187MM
RIM/WHEELSET	EBIKE MAXX 29" - ETRTO 622 x 25C 32hole, height 19mm, double wall, single eyelet, wide angle, 6,5mm valve
TIRE	Vittoria e-Randonneur, 50-622, rigid, black refl G2.0
STEM	Velomann 35,3D FORGED 0°>90° L70MM
HANDLEBAR	Velomann 31.8/680mm, RISE 20MM, SWEEP 15° MATT BLACK w/Velomann laser logo
GRIP / TAPE	Hermans Grip
SEATPOST	Velomann 31.6*350 MATT BK, suspension seatpost
SADDLE	Velomann, black 8067 cover, black steel rail, no clamp, 285x187mm, 399gr.
PEDALS	VP aluminum body, axle 7mm boron steel, EPB system size 116x103mm with reflector
FRONT LIGHT	Integrated custom front and side lights made w/Spanninga
REAR LIGHT	Spanninga integrated rear lights
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann interasse 40mm - capacità 35kg.
MUDGUARD / STAY	SKS PET Mudguards A65 R /28"
MOTOR UNIT	Bosch Performance Line CX motor unit w/625Wh Bosch PowerTube integrated battery

E-OMNIA T-TYPE | XT 12SP | YR/YSBE4



COLOR: 4E

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4D / CK16-dark celeste full matt 4E / Metal Brown-Graphite full matt 4F / Metal grey-graphite full matt
FRAME	E-OMNIA T-Type ALU, sizes: MD, LG, XL (43,48,53), 12x148mm Thru-axle, Ready to fix the chainguard, Post mount 160 disc brake type, Ready to fix rear kyckstand, custom rear carrier integrated in the frame design, BatteryWall Bosch OmniaX/T/FX
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black
HEADSET	FSA NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Suntour XCM34-Boost NLO DS 15AH2-110 29" travel 120mm, COIL w/Preload adjuster, AC4C, 34 STKM, CR platin, 1.5"to1-1/8" tapered, STKM, OLD diam.15-110, 15AH2-110,alloy, max rotor 203, post mount 160mm direct
SHIFTER	Shimano, SL-M6100-R, DEORE, 12-SPEED RAPIDFIRE PLUS 2400MM INNER
REAR DERAILLEUR	Shimano, RD-M8100, XT, SGS 12-Speed, Top Normal
CRANKSET	FSA CK-320/IS Die cast AL crank 170mm ISIS black, FSA ML054 ISIS Bolt CrMo/M15, CL 53mm, MegaTooth 38T, 36-38T
BOTTOM BRACKET	included in the motor
CHAIN	Shimano, CN-M6100, 128LINKS FOR HG 12-SPEED
CASSETTE / FREEWHEEL	Shimano, CS-M6100-12, DEORE, 12-SPEED, 10-12-14-16-18-21-24-28-33-39-45-51T
BRAKE	Shimano, BL-MT401, BR-MT410, SM-MA-F180P/P2, RESIN PAD, 950MM HOSE
BRAKE LEVER	Included in the brake set

DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING, FOR RESIN PAD ONLY
FRONT HUB	Shimano, HB-MT400-B, CENTER LOCK DISC 32H, FOR 15MM THRU TYPE AXLE, OLD:110MM
REAR HUB	Shimano, FH-MT410-B, CENTER LOCK DISC 12-SPEED FOR 12MM THRU TYPE AXLE, 32H OLD:148MM
RIM/WHEELSET	EBIKE MAXX 29" - ETRTO 622 x 25C 32hole, height 19mm, double wall, single eyelet, wide angle, 6,5mm valve
TIRE	Vittoria e-Randonneur, 50-622, rigid, black refl G2.0
STEM	Velomann 35,3D FORGED 0°>90° L70MM
HANDLEBAR	Velomann 31.8/680mm, RISE 20MM, SWEEP 15°
GRIP / TAPE	Grip 130 black-black DD40BL
SEATPOST	Velomann SP-368-OV 31.6"350 MATT BK w/Velomann logo
SADDLE	Velomann, black steel rail, no clamp, 285x187mm, 399gr.
PEDALS	VP aluminum body, axle 7mm boron steel, EPB system size 116x103mm with reflector
FRONT LIGHT	Integrated custom front and side lights made w/Spanninga
REAR LIGHT	Spanninga integrated rear lights
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann interasse 40mm - capacità 35kg.
MUDGUARD / STAY	SKS PET Mudguards A65 R /28"
MOTOR UNIT	Bosch Performance Line CX motor unit w/625Wh Bosch PowerTube integrated battery

E-OMNIA T-TYPE STEP-THROUGH | XT 12SP | YR/YSBE5



COLOR: 4D

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4D / CK16-dark celeste full matt 4E / Metal Brown-Graphite full matt 4F / Metal grey-graphite full matt
FRAME	E-OMNIA T-Type Step Through , sizes: MD, LG, XL (43,48,53), 12x148mm Thru-axle, Ready to fix the chainguard, Post mount 160 disc brake type, Ready to fix rear kickstand, custom rear carrier integrated in the frame design, BatteryWall Bosch OmniaX/T/FX
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black
HEADSET	FSA NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Suntour XCM34-Boost NLO DS 15AH2-110 29" travel 120mm, COIL w/Preload adjuster, AC4C, 34 STKM, CR platin, 1.5"to1-1/8" tapered, STKM, OLD diam.15-110, 15AH2-110,alloy, max rotor 203, post mount 160mm direct
SHIFTER	Shimano, SL-M6100-R, DEORE, 12-SPEED RAPIDFIRE PLUS 2400MM INNER
REAR DERAILLEUR	Shimano, RD-M8100, XT, SGS 12-Speed, Top Normal
CRANKSET	FSA CK-320/IS Die cast AL crank 170mm ISIS black, FSA ML054 ISIS Bolt CrMo/M15, CL 53mm, MegaTooth 38T, 36-38T
BOTTOM BRACKET	included in the motor
CHAIN	Shimano, CN-M6100, 128LINKS FOR HG 12-SPEED
CASSETTE / FREEWHEEL	Shimano, CS-M6100-12, DEORE, 12-SPEED, 10-12-14-16-18-21-24-28-33-39-45-51T
BRAKE	Shimano, BL-MT401, BR-MT410, SM-MA-F180P/P2, RESIN PAD, 950MM HOSE
BRAKE LEVER	Included in the brake set

DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING, FOR RESIN PAD ONLY
FRONT HUB	Shimano, HB-MT400-B, CENTER LOCK DISC 32H, FOR 15MM THRU TYPE AXLE, OLD:110MM
REAR HUB	Shimano, FH-MT410-B, CENTER LOCK DISC 12-SPEED FOR 12MM THRU TYPE AXLE, 32H OLD:148MM
RIM/WHEELSET	EBIKE MAXX 29" - ETRTO 622 x 25C 32hole, height 19mm, double wall, single eyelet, wide angle, 6,5mm valve
TIRE	Vittoria e-Randonneur, 50-622, rigid, black refl G2.0
STEM	Velomann 35,3D FORGED 0°>90° L70MM
HANDLEBAR	Velomann 31.8/680mm, RISE 20MM, SWEEP 15°
GRIP / TAPE	Grip 130 black-black DD40BL
SEATPOST	Velomann SP-368-OV 31.6*350 MATT BK w/Velomann logo
SADDLE	Velomann, black steel rail, no clamp, 285x187mm, 399gr.
PEDALS	VP aluminum body, axle 7mm boron steel, EPB system size 116x103mm with reflector
FRONT LIGHT	Integrated custom front and side lights made w/Spanninga
REAR LIGHT	Spanninga integrated rear lights
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann interasse 40mm - capacità 35kg.
MUDGUARD / STAY	SKS PET Mudguards A65 R /28"
MOTOR UNIT	Bosch Performance Line CX motor unit w/625Wh Bosch PowerTube integrated battery

E-OMNIA T-TYPE | DEORE 10SP | YRBE2



COLOR: 4F

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4D / CK16-dark celeste full matt 4E / Metal Brown-Graphite full matt 4F / Metal grey-graphite full matt
FRAME	E-OMNIA T-Type ALU, sizes: MD, LG, XL [43,48,53], 12x148mm Thru-axle, Ready to fix the chainguard, Post mount 160 disc brake type, Ready to fix rear kickstand, custom rear carrier integrated in the frame design, BatteryWall Bosch OmniaX/T/FX
SEATPOST CLAMP	SeatPost SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black
HEADSET	FSA NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Suntour XCM34-Boost NLO DS 15AH2-110 29" travel 120mm, COIL w/Preload adjuster, AC4C, 34 STKM, CR platin, 1.5"to1-1/8" tapered, STKM, OLD diam.15-110, 15AH2-110, alloy, max rotor 203, post mount 160mm direct
SHIFTER	Shimano Deore, SL-M4100-R, 10-SPEED RAPIDFIRE PLUS 2050MM INNER
REAR DERAILLEUR	Shimano, RD-M5120, DEORE, SGS 10/11-SPEED, TOP NORMAL
CRANKSET	FSA crank 170mm ISIS black, CL 53mm, MegaTooth 38T
BOTTOM BRACKET	included in the motor
CHAIN	KMC e10S NPBK Anti-Rust 1/2" x 11/128" 122link EPT
CASSETTE / FREEWHEEL	Shimano, CS-M4100-10, DEORE, 10-SPEED, 11-13-15-18-21-24-28-32-37-42T
BRAKE	Shimano, BL-MT200, BR-MT200, SM-MA-F180P/P2, RESIN PAD, 1000MM HOSEIBLE WITH J-KIT/NON J-KIT BL,
BRAKE LEVER	Included in the brake set

DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING, FOR RESIN PAD ONLY
FRONT HUB	Shimano, HB-MT400-B, CENTER LOCK DISC 32H, FOR 15MM THRU TYPE AXLE, OLD:110MM
REAR HUB	Shimano, FH-MT400-B, CENTER LOCK DISC 8-11-SPEED FOR 12MM THRU TYPE AXLE, 32H OLD:148MM
RIM/WHEELSET	EBIKE MAXX 29" - ETRTO 622 x 25C 32hole, height 19mm, double wall, single eyelet, wide angle, 6,5mm valve
TIRE	WTB Slick 2.2 29" 54/54 27tpi Casing
STEM	Velomann TDS-681 20° W/O SP connec 31,8
HANDLEBAR	Velomann Rise, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise,DB Alloy 6061-T6
GRIP / TAPE	Grip 130 black-black
SEATPOST	Velomann, lenght: 350mm-SM, 400mm-MD/LG, diam.31,6mm, 0mm seatback, Al2014 shaft
SADDLE	Velomann, black cover 8067 size 270x162mm, 385gr.
PEDALS	VPE-527 ED black aluminum body, axle 7mm boron steel, EPB system size 116x103mm with reflector
FRONT LIGHT	Integrated custom front and side lights made w/Spanninga
REAR LIGHT	Spanninga integrated rear lights
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann interasse 40mm - capacità 35kg.
MUDGUARD / STAY	SKS PET Mudguards A65 R /28"
MOTOR UNIT	Bosch Performance Line CX motor unit w/500Wh Bosch PowerTube integrated battery

E-OMNIA T-TYPE STEP-THROUGH | DEORE 10SP | YRBE3



COLOR: 4E

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4D / CK16-dark celeste full matt 4E / Metal Brown-Graphite full matt 4F / Metal grey-graphite full matt
FRAME	E-OMNIA T-Type Step-through ALU, sizes: MD, LG, XL [43,48,53], 12x148mm Thru-axle, Ready to fix the chainguard, Post mount 160 disc brake type, Ready to fix rear kickstand, custom rear carrier integrated in the frame design, BatteryWall Bosch OmniaX/T/FX
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black
HEADSET	FSA NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
FORK	Suntour XCM34-Boost NLO DS 15AH2-110 29" travel 120mm, COIL w/Preload adjuster, AC4C, 34 STKM, CR platin, 1.5"to1-1/8" tapered, STKM, OLD diam.15-110, 15AH2-110,alloy, max rotor 203, post mount 160mm direct
SHIFTER	Shimano Deore, SL-M4100-R, 10-SPEED RAPIDFIRE PLUS 2050MM INNER
REAR DERAILLEUR	Shimano, RD-M5120, DEORE, SGS 10/11-SPEED, TOP NORMAL
CRANKSET	FSA crank 170mm ISIS black, CL 53mm, MegaTooth 38T
BOTTOM BRACKET	included in the motor
CHAIN	KMC e10S NPBK Anti-Rust 1/2" x 11/128" 122link EPT
CASSETTE / FREEWHEEL	Shimano, CS-M4100-10, DEORE, 10-SPEED, 11-13-15-18-21-24-28-32-37-42T
BRAKE	Shimano, BL-MT200, BR-MT200, SM-MA-F180P/P2, RESIN PAD, 1000MM HOSEIBLE WITH J-KIT/NON J-KIT BL,
BRAKE LEVER	Included in the brake set

DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING, FOR RESIN PAD ONLY
FRONT HUB	Shimano, HB-MT400-B, CENTER LOCK DISC 32H, FOR 15MM THRU TYPE AXLE, OLD:110MM
REAR HUB	Shimano, FH-MT400-B, CENTER LOCK DISC 8-11-SPEED FOR 12MM THRU TYPE AXLE, 32H OLD:148MM
RIM/WHEELSET	EBIKE MAXX 29" - ETRTO 622 x 25C 32hole, height 19mm, double wall, single eyelet, wide angle, 6,5mm valve
TIRE	WTB Slick 2.2 29" 54/54 27tpi Casing
STEM	Velomann TDS-681 20° W/O SP connec 31,8
HANDLEBAR	Velomann Rise, width 740mm, diam.31,8mm, 9° backsweep, 15mm rise,DB Alloy 6061-T6
GRIP / TAPE	Grip 130 black-black
SEATPOST	Velomann, lenght: 350mm-SM, 400mm-MD/LG, diam.31,6mm, 0mm seatback, Al2014 shaft
SADDLE	Velomann, black cover 8067 size 270x162mm, 385gr.
PEDALS	VPE-527 ED black aluminum body, axle 7mm boron steel, EPB system size 116x103mm with reflector
FRONT LIGHT	Integrated custom front and side lights made w/Spanninga
REAR LIGHT	Spanninga integrated rear lights
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann interasse 40mm - capacità 35kg.
MUDGUARD / STAY	SKS PET Mudguards A65 R /28"
MOTOR UNIT	Bosch Performance Line CX motor unit w/500Wh Bosch PowerTube integrated battery

E-VERTIC FT-TYPE | SX 12SP | YSBC5



COLOR: 4V

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4V - Gold Stone / Graphite Race Full Matt 5V - Emerald Green / Graphite Race Full Matt RV - Brown / Graphite Race Full
FRAME	e-VERTIC FT-Type FULL SUSPENDED ALU sizes: MD-LG-XL - 140 mm front travel - 140 mm rear travel - HT 1.5" straight - for integrated cable routing - 12x148 mm dropouts
REAR SHOCK	RockShox Deluxe Select, 210/55, DebonAir Linear, Damper Type R, Compression tune L, Lockout Force n/a, external rebound adjustment, Volume reducer 0 Neg 1 Pos
SEATPOST CLAMP	Custom 35.4mm
HEADSET	Acros AZX-670 1.5" tapered for internal cable routing
FORK	RockShox Recon Silver RL, 140mm travel, 1.5" tapered HT, 15x110mm BOOST axle, minimum 180mm rotor, maximum 220mm rotor, 44mm rake, 59mm crown, Solo Air, extl rebnd, 35mm stanchions
SPACERS	Integrated in the headset
SHIFTER	Sram SX Eagle 12sp single click for e-bike
REAR DERAILEUR	Sram SX Eagle 12sp
CRANKSET	Sram X-Sync 2 Eagle, 34T FSA CK-320, 170mm
BOTTOM BRACKET	included in the motor
CHAIN	Sram SX Eagle
CASSETTE / FREEWHEEL	Sram PG1210, 12sp, 11-50T

BRAKE	Shimano BR-MT420, 4 piston caliper
DISC ROTOR	Shimano SM-RT30, front 203mm, rear 180mm
FRONT HUB	Shimano HB-MT400, 15x110, 32h
REAR HUB	Shimano, FH-MT400, 12x148, 32h
RIM/WHEELSET	Velomann Tubeless Ready 29", 25-622, 32 hole
TIRE	Schwalbe Supermoto 62-622 (29x2.4")
STEM	Velomann, 50 mm length, diam.35 mm
HANDLEBAR	Velomann, width 780mm, diam.35mm, rise 18mm, backsweep 8°
GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, aluminium clamp
SEATPOST	Velomann, lenght 350mm for MD size and 400mm for LG/XL sizes, diam. 31.6mm, 0mm seatback
SADDLE	Velomann, size 260x160mm
PEDALS	Fasten NW-91K, w/reflector
FRONT LIGHT	Lezyne E115, 115LUX 310LUMEN
REAR LIGHT	Trelock Cob Line integrated in the mudguard
KICKSTAND	Bianchi Custom KING EVO XL
MUDGUARD / STAY	Racktime Alumee 72mm, max load 15kg
MOTOR UNIT	Bosch Performance Line CX, Powertube 750Wh, Kiox 300 display

E-VERTIC T-TYPE | DEORE 10SP | YSBC2



COLOR:EG

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	E8: Gold Stone / Graphite Race Full Glossy EG: Emerald Green / Graphite Race Full Glossy SV: Grey / Graphite Race Full Glossy
FRAME	e-VERTIC X/T-Type ALU (gravity casting technology) sizes: 43, 48, 53
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black Seatclamp Rubber Cover Omnia
HEADSET	Headset 1,5" top / 1,5" bottom - bearings - integrated cable routing Starnut, Alloy Topcap, black screw
FORK	NVX30 NLO DS 29", travel 100mm, COIL w/Preload adjuster, AC4C, 30 STKM, CR plating, Pitch 130 mm, 1-1/8"(TS), STKM, OLD 9-100, alloy, max rotor 180, post mount 160mm direct. Matt black leg, with decal, fender mount long
SHIFTER	SHIFT LEVER, SL-M4100-R, DEORE, RIGHT, 10-SPEED RAPIDFIRE PLUS 2400MM INNER, W/ OPTICAL GEAR DISPLAY,
REAR DERAILLEUR	REAR DERAILLEUR, RD-M4120, DEORE, SGS 10/11-SPEED, TOP NORMAL,SHADOW DESIGN, DIRECT ATTACHMENT(DIRECT MOUNT COMPATIBLE),
CRANKSET	FSA E-Bike Diecast Crankset - CK220 Gen 3 / 170mm / Die cast aluminum / Black / Painting / w/o crank bolt FSA Direct Mount Steel Chainring - 38T / w/HT Steel / ED / C.L. 50mm Bosch Gen3 Bolt - Bosch Gen3 crank bolt Black(pair)
BOTTOM BRACKET	included in the motor
CHAIN	Chain e10S NPBK 1/2" x 11/128" 122link
CASSETTE / FREEWHEEL	CASSETTE SPROCKET, CS-M4100-10, DEORE, 10-SPEED, 11-13-15-18-21-24-28-32-37-42T
BRAKE	DISC BRAKE ASSEMBLED SET, BL-MT200(L), BR-MT200(F), BLACK, SM-MA-F180P/P2, RESIN PAD(W/O FIN), 1000MM HOSE
BRAKE LEVER	Included in the brake set
DISC ROTOR	ROTOR FOR DISC BRAKE, SM-RT10, M 180MM, W/LOCK RING(INTERNAL AND EXTERNAL SERRATION, BLACK)

FRONT HUB	FRONT HUB, HB-TX505,32H OLD:100MM AXLE:108MM, FOR CENTER LOCK ROTOR(W/O LOCK RING), QR:133MM W/O ROTOR MOUNTCOVER,
REAR HUB	ROTOR(W/O LOCK RING), 32H 8/9/10-SPEED,OLD:135MM,AXLE:146MM,QR:170MM,W/O ROTOR MOUNTCOVER,
RIM/WHEELSET	EBIKE 650 TR 28" - ETRTO 622 x 23C, 32hole, height 18mm, double wall, single eyelet, 6,5mm valve, black anodized without sticker, only ETRTO
TIRE	55-622 CONTACT Urban black/black reflex wire SL Velomann Python aluminium adjustable, integrated cable routing, Barbore 31,8 mm, Extension 90 mm, Matt Black, w/Velomann laser logo
STEM	Velomann Noirette Plus, 31.8*630 / Rise 34mm / Back Sweep 41°MATT BLACK w/Velomann laser logo
HANDLEBAR	GRIPset Oxy DD29BR/BL 130mm/130mm black-black,d.22mm (Right & Left)
GRIP / TAPE	Velomann HARMONY LT2 31.6*350 travel 50mm, SHINY BK W/ Velomann LOGO suspension seatpost Velomann 8016HRO , black cover 8067 size 270x162mm, 385gr.
SEATPOST	VPE-889P one piecePP body inlaid Grip tread, axle 7mm boron steel, EPB system, size 112x83,3mm, reflector included.
SADDLE	BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4
PEDALS	RearLight MudGuard Ebike6-12V Trelock LS-421 RT Stan-it, 28", Max load 25Kg, black, IMM mounting
FRONT LIGHT	Bianchi Custom modello KING EVO XL w/o screw Alumee 62mm, 28", AL 6063-T4, black
REAR LIGHT	Bosch Performance Line 25 km/h Powertube 500 Horizontal
REAR CARRIER / PLATE	
KICKSTAND	
MUDGUARD / STAY	
MOTOR UNIT	

E-VERTIC T-TYPE STEP-THROUGH | DEORE 10SP | YSBC4



COLOR: E8

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	E8: Gold Stone / Graphite Race Full Glossy EG: Emerald Green / Graphite Race Full Glossy SV: Grey / Graphite Race Full Glossy	FRONT HUB	FRONT HUB, HB-TX505,32H OLD:100MM AXLE:108MM, FOR CENTER LOCK ROTOR(W/O LOCK RING), QR:133MM W/O ROTOR MOUNTCOVER,
FRAME	e-VERTIC T-Type Step-through ALU (gravity casting technology) - sizes: 43, 48, 53	REAR HUB	FREEHUB, FH-TX505-8, FOR CENTER LOCK ROTOR(W/O LOCK RING), 32H 8/9/10-SPEED, OLD:135MM, AXLE:146MM, QR:170MM, W/O ROTOR MOUNTCOVER,
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black Seatclamp Rubber Cover Omnia	RIM/WHEELSET	EBIKE 650 TR 28" - ETRTO 622 x 23C, 32hole, height 18mm, double wall, single eyelet, 6,5mm valve, black anodized without sticker, only ETRTO
HEADSET	Headset 1,5" top / 1,5" bottom - bearings - integrated cable routing (310.52.575) Starnut, Alloy Topcap, black screw	TIRE	55-622 CONTACT Urban black/black reflex wire SL
FORK	NVX30 NLO DS 29", travel 100mm, COIL w/Preload adjuster, AC4C, 30 STKM, CR plating, Pitch 130 mm, 1-1/8"(TS), STKM, OLD 9-100, alloy, max rotor 180, post mount 160mm direct. Matt black leg, with decal, fender mount long	STEM	Velomann Python aluminium adjustable, integrated cable routing, Barbore 31,8 mm, Extension 90 mm, Matt Black, w/Velomann laser logo
SHIFTER	SHIFT LEVER, SL-M4100-R, DEORE, RIGHT, 10-SPEED RAPIDFIRE PLUS 2400MM INNER, W/ OPTICAL GEAR DISPLAY,	HANDLEBAR	Velomann Noirette Plus WS AL6061, 31.8*630 / Rise 34mm / Back Sweep 41° MATT BLACK w/Velomann laser logo
REAR DERAILLEUR	REAR DERAILLEUR, RD-M4120, DEORE, SGS 10/11-SPEED, TOP NORMAL, SHADOW DESIGN, DIRECT ATTACHMENT(DIRECT MOUNT COMPATIBLE),	GRIP / TAPE	GRIPset Oxy DD29BR/BL 130mm/130mm black-black, d.22mm (Right & Left)
CRANKSET	FSA E-Bike Diecast Crankset - CK220 Gen 3 / 170mm / Die cast aluminum / Black / Painting / w/o crank bolt FSA Direct Mount Steel Chainring - 38T / w/HT Steel / ED / C.L. 50mm Bosch Gen3 Bolt - Bosch Gen3 crank bolt Black(pair) included in the motor	SEATPOST	Velomann HARMONY LT2 31.6*350 travel 50mm, SHINY BK W/ Velomann LOGO suspension seatpost
BOTTOM BRACKET CHAIN	Chain e10S NPBK 1/2" x 11/128" 122link	SADDLE	Velomann 8016HRO , black cover 8067 size 270x162mm, 385gr.
CASSETTE / FREEWHEEL	CASSETTE SPROCKET, CS-M4100-10, DEORE, 10-SPEED, 11-13-15-18-21-24-28-32-37-42T	PEDALS	VPE-889P one piece PP body inlaid Grip tread, axle 7mm boron steel, EPB system, size 112x83,3mm reflector included.
BRAKE	DISC BRAKE ASSEMBLED SET, BL-MT200(L), BR-MT200(F), BLACK, SM-MA-F180P/P2, RESIN PAD(W/O FIN), 1000MM HOSE	FRONT LIGHT	BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4
BRAKE LEVER	Included in the brake set	REAR LIGHT	RearLight MudGuard Ebike6-12V Trelock LS-421
DISC ROTOR	ROTOR FOR DISC BRAKE, SM-RT10, M 180MM, W/LOCK RING(INTERNAL AND EXTERNAL SERRATION, BLACK), FOR RESIN PAD ONLY,	REAR CARRIER / PLATE	RT Stan-it, 28", Max load 25Kg, black, IMM mounting
		KICKSTAND	Bianchi Custom modello KING EVO XL w/o screw
		MUDGUARD / STAY	Alumee 62mm, 28", AL 6063-T4, black
		MOTOR UNIT	Bosch Performance Line 25 km/h Powertube 500 Horizontal

E-VERTIC T-TYPE | X5 9SP | YSBC1



COLOR: SV

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	E8: Gold Stone / Graphite Race Full Glossy EG: Emerald Green / Graphite Race Full Glossy SV: Grey / Graphite Race Full Glossy
FRAME	e-VERTIC X/T-Type ALU (gravity casting tecnology) - sizes: 43, 48, 53
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black Seatclamp Rubber Cover Omnia
HEADSET	Headset 1,5" top / 1,5" bottom - bearings - integrated cable routing Starnut, Alloy Topcap, black screw
FORK	NVX30 NLO DS 29", travel 100mm, COIL w/Preload adjuster, AC4C, 30 STKM, CR plating, Pitch 130 mm, 1-1/8"(TS), STKM, OLD 9-100, alloy, max rotor 180, post mount 160mm direct. Matt black leg, with decal, fender mount long
SHIFTER	X5 TRIGGER REAR 9-SPD BLK 2200MM CABLE
REAR DERAILLEUR	RD X7 SHORT CAGE ALUMINUM 9SPD BLK
CRANKSET	FSA E-Bike Diecast Crankset - CK220 Gen 3 / 170mm / Die cast aluminum / Black / Painting / w/o crank bolt (FSA Direct Mount Steel Chainring - 38T / w/HT Steel / ED / C.L. 50mm Bosch Gen3 Bolt - Bosch Gen3 crank bolt Black(pair)
BOTTOM BRACKET	included in the motor
CHAIN	Chain e9S NPBK 1/2" x 11/128" 120link
CASSETTE / FREEWHEEL	CS PG 920 11-34 9SPEED
BRAKE	DISC BRAKE ASSEMBLED SET, BL-MT200(L), BR-MT200(F), BLACK, SM-MA-F180P/P2, RESIN PAD(W/O FIN), 1000MM HOSE
BRAKE LEVER	Included in the brake set
DISC ROTOR	ROTOR FOR DISC BRAKE, SM-RT10, M 180MM, W/LOCK RING(INTERNAL AND EXTERNAL SERRATION, BLACK), FOR RESIN PAD ONLY,

FRONT HUB	FRONT HUB, HB-TX505,32H OLD:100MM AXLE:108MM, FOR CENTER LOCK ROTOR(W/O LOCK RING), QR:133MM W/O ROTOR MOUNTCOVER,
REAR HUB	FREEHUB, FH-TX505-8,FOR CENTER LOCK ROTOR(W/O LOCK RING), 32H 8/9/10-SPEED,OLD:135MM,AXLE:146MM,QR:170MM,W/O ROTOR MOUNTCOVER,
RIM/WHEELSET	EBIKE 650 TR 28" - ETRTO 622 x 23C, 32hole, height 18mm, double wall, single eyelet, 6,5mm valve, black anodized without sticker, only ETRTO
TIRE	55-622 CONTACT Urban black/black reflex wire SL
STEM	Velomann Python aluminium adjustable, integrated cable routing, Barbore 31,8 mm, Extension 90 mm, Matt Black, w/Velomann laser logo
HANDLEBAR	Velomann Noirette Plus, 31.8*630 / Rise 34mm / Back Sweep 41°MATT BLACK w/Velomann laser logo
GRIP / TAPE	GRIPset Oxy DD29BR/BL 130mm/130mm black-black,d.22mm
SEATPOST	Velomann HARMONY LT2 31.6*350 travel 50mm, SHINY BK W/ Velomann LOGO suspension seatpost
SADDLE	Velomann 8016HRO , black cover 8067 size 270x162mm, 385gr.
PEDALS	VPE-889P one piecePP body inlaid Grip tread, axle 7mm boron steel, EPB system, size 112x83,3mm, reflector included.
FRONT LIGHT	BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4
REAR LIGHT	RearLight MudGuard Ebike6-12V Trelock LS-421
REAR CARRIER / PLATE	RT Stan-it, 28", Max load 25Kg, black, IMM mounting
KICKSTAND	Bianchi Custom modello KING EVO XL w/o screw
MUDGUARD / STAY	Alumee 62mm, 28", AL 6063-T4, black
MOTOR UNIT	Bosch Active Line Plus 25 km/h Powertube 400 Horizontal

E-VERTIC T-TYPE STEP-THROUGH | X5 9SP | YSBC3



COLOR: EG

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	E8: Gold Stone / Graphite Race Full Glossy EG: Emerald Green / Graphite Race Full Glossy SV: Grey / Graphite Race Full Glossy
FRAME	e-VERTIC T-Type Step-through ALU (gravity casting technology) sizes: 43, 48, 53
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black Seatclamp Rubber Cover Omnia
HEADSET	Headset 1,5" top / 1,5" bottom - bearings - integrated cable routing (310.52.575) Starnut, Alloy Topcap, black screw
FORK	NVX30 NLO DS 29", travel 100mm, COIL w/Preload adjuster, AC4C, 30 STKM, CR plating, Pitch 130 mm, 1-1/8"(TS), STKM, OLD 9-100, alloy, max rotor 180, post mount 160mm direct. Matt black leg, with decal, fender mount long
SHIFTER	X5 TRIGGER REAR 9-SPD BLK 2200MM CABLE
REAR DERAILEUR	RD X7 SHORT CAGE ALUMINUM 9SPD BLK
CRANKSET	FSA E-Bike Diecast Crankset - CK220 Gen 3 / 170mm / Die cast aluminum / Black / Painting / w/o crank bolt FSA Direct Mount Steel Chainring - 38T / w/HT Steel / ED / C.L. 50mm Bosch Gen3 Bolt - Bosch Gen3 crank bolt Black(pair)
BOTTOM BRACKET CHAIN	included in the motor Chain e9S NPBK 1/2" x 11/128" 120link
CASSETTE / FREEWHEEL	CS PG 920 11-34 9SPEED
BRAKE	DISC BRAKE ASSEMBLED SET, BL-MT200(L), BR-MT200(F), BLACK, SM-MA-F180P/P2, RESIN PAD(W/O FIN), 1000MM HOSE
BRAKE LEVER	Included in the brake set
DISC ROTOR	ROTOR FOR DISC BRAKE, SM-RT10, M 180MM, W/LOCK RING(INTERNAL AND EXTERNAL SERRATION, BLACK), FOR RESIN PAD ONLY,

FRONT HUB	FRONT HUB, HB-TX505,32H OLD:100MM AXLE:108MM, FOR CENTER LOCK ROTOR(W/O LOCK RING), QR:133MM W/O ROTOR MOUNTCOVER,
REAR HUB	FREEHUB, FH-TX505-8, FOR CENTER LOCK ROTOR(W/O LOCK RING), 32H 8/9/10-SPEED, OLD:135MM, AXLE:146MM, QR:170MM, W/O ROTOR MOUNTCOVER,
RIM/WHEELSET	EBIKE 650 TR 28" - ETRTO 622 x 23C, 32hole, height 18mm, double wall, single eyelet, 6,5mm valve, black anodized without sticker, only ETRTO
TIRE	55-622 CONTACT Urban black/black reflex wire SL
STEM	Velomann Python aluminium adjustable, integrated cable routing, Barbore 31,8 mm, Extension 90 mm, Matt Black, w/Velomann laser logo
HANDLEBAR	Velomann Noirette Plus WS AL6061, 31.8*630 / Rise 34mm / Back Sweep 41° MATT BLACK w/Velomann laser logo
GRIP / TAPE	GRIPset Oxy DD29BR/BL 130mm/130mm black-black, d.22mm
SEATPOST	Velomann HARMONY LT2 31.6*350 travel 50mm, SHINY BK W/ Velomann LOGO suspension seatpost
SADDLE	Velomann 8016HRO , black cover 8067 size 270x162mm, 385gr.
PEDALS	VPE-889P one piece PP body inlaid Grip tread, axle 7mm boron steel, EPB system, size 112x83,3mm, reflector included.
FRONT LIGHT	BLS Front incl HIGO MICRO A cable 785mm Female connector 3290000 BLS cable 250mm w/MALE connector and connector for Bosch Gen4
REAR LIGHT	RearLight MudGuard Ebike6-12V Trelock LS-421
REAR CARRIER / PLATE	RT Stan-it, 28", Max load 25Kg, black, IMM mounting
KICKSTAND	Bianchi Custom modello KING EVO XL w/o screw
MUDGUARD / STAY	Alumee 62mm, 28", AL 6063-T4, black
MOTOR UNIT	Bosch Active Line Plus 25 km/h Powertube 400 Horizontal

T-TRONIK T-TYPE | SUNRACE 9SP | YR/YSBT8



COLOR: TY

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	2T: Green + Dark Graphite / Full Matt TY: Urban Grey + Dark Graphite / Full Matt
FRAME	T-Tronik T-Type Frame 28" Tourer, Suspended fork geometry, Alu PG 6061 32/37 Max shell, disc brake, O.L.D.135mm, D/T battery, size: 47/51
SEATPOST CLAMP	Promax diam.34,9mm
HEADSET	FSA 1.1/8" 44H-N10P
FORK	Suntour SF15-NEX-E25-DS-700C-63 PostMount disc brake, 1.1/8", travel 63mm, compatible with fender, OLD 100mm, Quick release type
SHIFTER	Sram X5 1x9sp
REAR DERAILLEUR	Sram X7, Short cage, 1x9sp
CRANKSET	Shimano FC-E6100, 170MM CHAINRING, SM-CRE61, 38T, FOR CHAIN LINE 46.5MM
BOTTOM BRACKET	included in the motor
CHAIN	KMC E9s EPT
CASSETTE/FREEWHEEL	Sunrace 9SP
BRAKE	Shimano BL-MT200
DISC ROTOR	Shimano, SM-RT10, S 160MM, W/LOCK RING, FOR RESIN PAD ONLY

RIM/WHEELSET	Velomann 29", 23-622, 32 hole black
TIRE	Chaoyang E-Liner City 700x45C, 60tpi
STEM	Velomann, 28,6 mm steerer ID Clamp, 31,8 mm bar bore
HANDLEBAR	Velomann 31.8/680mm, RISE 20MM, SWEEP 15°
GRIP/TAPE	Herrmans GRIPset Oxy DD29BR/BL 130mm/130mm black-black,d.22mm
SEATPOST	Velomann, lenght 350mm for SM size and 400mm for MD, diam.31,6mm, 0mm seatback, Al2014 shaft + alloy head
SADDLE	Selle Royal, Essenza
PEDALS	VP black aluminum, w/reflector
FRONT LIGHT	Herrmans Mr GO
REAR LIGHT	Axa Juno
MOTOR UNIT	Shimano E6100 w/417Wh Phyllion integrated battery

T-TRONIK T-TYPE STEP-THROUGH | SUNRACE 9SP | YR/YSBT9



COLOR: 2T

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.
Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	2T: Green + Dark Graphite / Full Matt TY: Urban Grey + Dark Graphite / Full Matt	DISC ROTOR	Shimano, SM-RT10, S 160MM, W/LOCK RING, FOR RESIN PAD ONLY
FRAME	T-Tronik T-Type Frame 28" Tourer Step-through, Suspended fork geometry, Alu PG 6061 32/37 Max shell, disc brake, O.L.D.135mm, D/T battery, size: 43/47	RIM/WHEELSET	Velomann 29", 23-622, 32 hole black
SEATPOST CLAMP	Promax diam.34,9mm	TIRE	Chaoyang E-Liner City 700x45C, 60tpi
HEADSET	FSA 1.1/8" 44H-N10P	STEM	Velomann, 28,6 mm steerer ID Clamp, 31,8 mm bar bore
FORK	Suntour SF15-NEX-E25-DS-700C-63 PostMount disc brake, 1.1/8", travel 63mm, compatible with fender, OLD 100mm, Quick release type	HANDLEBAR	Velomann 31.8/680mm, RISE 20MM, SWEEP 15°
SHIFTER	Sram X5 1x9sp	GRIP/TAPE	Herrmans GRIPset Oxy DD29BR/BL 130mm/130mm black-black,d.22mm
REAR DERAILLEUR	Sram X7, Short cage, 1x9sp	SEATPOST	Velomann, lenght 350mm, diam.31,6mm, 0mm seatback, Al2014 shaft + alloy head
CRANKSET	Shimano FC-E6100, 170MM CHAINRING, SM-CRE61, 38T, FOR CHAIN LINE 46.5MM	SADDLE	Selle Royal, Essenza
BOTTOM BRACKET	included in the motor	PEDALS	VP black aluminum, w/reflector
CHAIN	KMC E9s EPT	FRONT LIGHT	Herrmans Mr GO
CASSETTE/FREEWHEEL	Sunrace 9sp	REAR LIGHT	Axa Juno
BRAKE	Shimano BL-MT200	MOTOR UNIT	Shimano E6100 w/417Wh Phyllion integrated battery

E-IMPULSO TOURER | EBM DEORE 11SP | YSBM7



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	IG: Black Titanium
FRAME	e-Impulso Tourer, mechanical, bbset pressfit, head tube 1.1/8", Disc brake flat mount, QR sytem, OLD 135mm Sizes: XS-S-M-L-XL
SEATPOST CLAMP	included in the frame
HEADSET	FSA NO.8B/ZS4D 1-1/8" semi-integrated lower part + integrated upper part, w/H2166B 15mm Top cover tapered 46mm/50 OD head tube
FORK	FULL CARBON FORK 1"1/8, THRU AXLE 12x100mm, FLAT MOUNT disc brake
SHIFTER	Shimano, SL-M5100-R, DEORE, RIGHT, 11-SPEED RAPIDFIRE PLUS 2050MM INNER
REAR DERAILLEUR	Shimano, RD-M5100, DEORE,SGS 11-SPEED
CRANKSET	FSA, Omega MegaExo diam.19 1, CK-4003T/WT Die cast aluminum, 170mm, 1x11, 40T, Crank Length: 170mm-XS/S/M/L/XL
BOTTOM BRACKET	FSA, BB-AL86, diam.19
CHAIN	KMC e11T-EPT, 11sp, 126 link
CASSETTE / FREEWHEEL	Shimano, CS-M5100-11, DEORE, 11-SPEED, 11-13-15-17-19-21-24-28-32-37-42T
BRAKE	Shimano DISC BRAKE ASSEMBLED SET/J-kit, BL-MT200, BR-UR300, FOR 160MM ROTOR, RESIN PAD, 1000MM HOSE

BRAKE LEVER	included
DISC ROTOR	Shimano, SM-RT26, S 160MM, 6-BOLT TYPE, FOR RESIN PAD ONLY
RIM/WHEELSET	Velomann disc 700c 622-21, profile 24mm, sleeve join, 32hole, tubeless ready
TIRE	Kenda FLINTRIDGE 700x35, 60TPI, black colour, K1152
STEM	Velomann, Alloy 6061, raise +/- 7°, height 38mm, Oversize, 1 1/8", 80mm, Ext: 80mm-XS/S/M/L/XL
HANDLEBAR	Velomann, width 680mm, Ø31,8mm, rise 15mm, backsweep 9°
GRIP / TAPE	GRIP Rib Lock DD35B 130mm white-black,d.22mm, incl. Black lockring
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm, Length: 300mm-XS/SM, 350mm-MD/LG/XL
SADDLE	Velomann, rail steel black, open, cover PU, lenght/wide 250x148mm
FRONT LIGHT	EBIKE POWER PRO STVZO E115, 115lux 310 lumen, auto day/night sensor
REAR LIGHT	FENDER STVZO, bright 11 lumen tail light, color black/red, fender mounting
MUDGUARD / STAY	PET A 46R/28"
MOTOR UNIT	Ebikemotion X35+ 250W motor unit, w/250Wh Mahle integrated battery and iWoc One Remote control

E-URBAN

E-OMNIA C-TYPE

E -VERTIC C-TYPE

T-TRONIK C-TYPE

E-OMNIA C-TYPE | NEXUS 5SP | YR/YSBE9



COLOR: 4G

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4G / CK16-Dark celeste full matt 4H / Metal Brown-Graphite full matt 4I / Metal grey-graphite full matt	DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING, FOR RESIN PAD ONLY
FRAME	E-OMNIA C-Type, StepThru chain drive ALU, 3 size: SM, MD, LG (45-50-55), IG 135mm, Ready to fix the chainguard, Post mount 180mm disc brake type, Ready to fix rear kickstand, custom rear carrier integrated in the frame, BatteryWall Bosch OmniaC, Set dropout (sx+dx) QR 135mm external derailleur	FRONT HUB	Shimano, HB-MT400-B, CENTER LOCK DISC 32H, FOR 15MM THRU TYPE AXLE, OLD:110MM, W/O LOCK RING
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black	REAR HUB	Shimano, SG-C7000-5D, NEXUS, 5-SPEED, FOR CENTER LOCK DISC BRAKE, 32H 135X187MM
HEADSET	FSA NO.55R/558 1.5" Custom Anod Black w/o top cover and with only starnut	RIM/WHEELSET	EBIKE MAXX 29" - ETRTO 622 x 25C 32hole, height 19mm, double wall, single eyelet, wide angle, 6,5mm valve
FORK	Suntour travel 100mm, COIL w/Preload adjuster AC4C, 34 STKM, CR platin, 1.5"to1-1/8" tapered, STKM, OLD diam.15-110, 15AH2-110, alloy, max rotor 203, post mount 160mm direct	TIRE	Vittoria e-Randonneur, 50-622, rigid, black refl G2.0
SHIFTER	Shimano, SL-C7000-5, NEXUS, REVO SHIFTER, 5-SPEED, 2500MM BLACK OUTER	STEM	Velomann 0°-90° L70MM
CRANKSET	FSA Metropolis, Alloy E-bike ISIS Crank, ISIS / 170mm / Solid Forged, Chainline 50mm, MegaTooth 38T	HANDLEBAR	Velomann, 31.8*630 / Rise 34mm / Back Sweep 41°
BOTTOM BRACKET	included in the motor	GRIP / TAPE	Grip 130 black-black
CHAIN	CDX Belt Gates Carbon Drive, 118T, black 1298 mm Length, 11 mm Pitch, 12 mm Width, 11M-118T-12CT	SEATPOST	Velomann, lenght: 350mm-SM, 400mm-MD/LG, diam.31,6mm, 0mm seatback
CASSETTE / FREEWHEEL	Gates Belt Drive, 28T, Shimano Nexus 5 Mech. Hub 6-Lobe "Unified" Sprocket for 45,5 mm Beltline	SADDLE	Velomann, Rail Elastomer, black 8067 cover, black steel rail, no clamp, 256x220, 612gr.
BRAKE	Shimano, BL-MT200, BR-MT200, SM-MA-F180P/P2, RESIN PAD, 1000MM HOSE, 1700MM HOSE	PEDALS	VP, axle 7mm boron steel, EPB system, size 112x83,3mm, reflector included.
BRAKE LEVER	Included in the brake set	FRONT LIGHT	Integrated custom front and side lights made w/Spanninga
		REAR LIGHT	Spanninga integrated rear lights
		REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
		KICKSTAND	Velomann interasse 40mm - capacità 35kg.
		MUDGUARD / STAY	SKS PET Mudguards A65 R /28"
		MOTOR UNIT	Bosch Performance Line CX motor unit w/625Wh Bosch PowerTube integrated battery

E-OMNIA C-TYPE | DEORE 10SP | YR/YSBE8



COLOR: 4I

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4G / CK16-Dark celeste full matt 4H / Metal Brown-Graphite full matt 4I / Metal grey-graphite full matt
FRAME	E-OMNIA C-Type, StepThru chain drive ALU, 3 size: SM, MD, LG (45-50-55), IG 135mm, Ready to fix the chainguard, Post mount 180mm disc brake type, Ready to fix rear kickstand, custom rear carrier integrated in the frame, BatteryWall Bosch OmniaC, Set dropout (sx+dx) QR 135mm external derailleur
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black
HEADSET	FSA NO.55R/558 1.5" Custom Anod Black w/o top cover and with only starnut
FORK	Suntour travel 100mm, COIL w/Preload adjuster AC4C, 34 STKM, CR platin, 1.5"to1-1/8" tapered, STKM, OLD diam.15-110, 15AH2-110, alloy, max rotor 203, post mount 160mm direct
SHIFTER	Shimano Deore, 10-SPEED RAPIDFIRE PLUS 2050MM INNER, W/O OPTICAL GEAR DISPLAY
REAR DERAILLEUR	Shimano, RD-M5120, DEORE, SGS 10/11-SPEED, TOP NORMAL, SHADOW PLUS DESIGN, DIRECT ATTACHMENT
CRANKSET	FSA Metropolis, Alloy E-bike ISIS Crank, ISIS / 170mm / Solid Forged, Chainline 50mm, MegaTooth 38T
BOTTOM BRACKET	included in the motor
CHAIN	KMC e10S Anti-Rust 1/2" x 11/128" 122link EPT
CASSETTE / FREEWHEEL	Shimano, CS-M4100-10, DEORE, 10-SPEED, 11-13-15-18-21-24-28-32-37-42T
BRAKE	Shimano, BL-MT200, BR-MT200, SM-MA-F180P/P2, RESIN PAD, 1000MM HOSE, 1700MM HOSE
BRAKE LEVER	Included in the brake set

DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING, FOR RESIN PAD ONLY,
FRONT HUB	Shimano, HB-MT400-B, CENTER LOCK DISC 32H, FOR 15MM THRU TYPE AXLE, OLD:110MM
REAR HUB	Formula, 32hole, 14G, O.L.D. 135mm AXEL145mm, for Shimano 8/9/10speed with Quick release QR22
RIM/WHEELSET	EBIKE MAXX 29" - ETRTO 622 x 25C 32hole, height 19mm, double wall, single eyelet, wide angle, 6,5mm valve
TIRE	Vittoria e-Randonneur, 50-622, rigid, black refl G2.0
STEM	Velomann 0°>90° L70MM
HANDLEBAR	Velomann, 31.8*630 / Rise 34mm / Back Sweep 41°
GRIP / TAPE	Grip 130 black-black
SEATPOST	Velomann, lenght: 350mm-SM, 400mm-MD/LG, diam.31,6mm, 0mm seatback
SADDLE	Velomann, Rail Elastomer, black 8067 cover, black steel rail, no clamp, 256x220, 612gr.
PEDALS	VP, axle 7mm boron steel, EPB system, size 112x83,3mm, reflector included.
FRONT LIGHT	Integrated custom front and side lights made w/Spanninga
REAR LIGHT	Spanninga integrated rear lights
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann interasse 40mm - capacità 35kg.
MUDGUARD / STAY	SKS PET Mudguards A65 R /28"
MOTOR UNIT	Bosch Performance Line CX motor unit w/625Wh Bosch PowerTube integrated battery

E-OMNIA C-TYPE | DEORE 10SP | YR/YSBE1



COLOR: 4H

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	4G / CK16-Dark celeste full matt 4H / Metal Brown-Graphite full matt 4I / Metal grey-graphite full matt
FRAME	E-OMNIA C-Type, Step Through StepThru chain drive ALU, 2 size: SM, MD, LG (45-50-55), QR 135mm
REAR SHOCK	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black
SEATPOST CLAMP	FSA NO.55R/558 1.5" Anod Black w/FSA logo w/TH-874-1 Stainless bolt
HEADSET	Suntour 29" travel 100mm, COIL w/Preload adjuster, AC4C, 34 STKM, CR platin, 1.5"to1-1/8" tapered(CTS), STKM, OLD diam.15-110, 15AH2-110, alloy, max rotor 203, post mount 160mm direct
FORK	Shimano Deore SHIFT LEVER, SL-M4100-R, DEORE, 10-SPEED RAPIDFIRE PLUS 2050MM INNER
SHIFTER	Shimano, RD-M5120, DEORE, SGS 10/11-SPEED, TOP NORMAL
REAR DERAILLEUR	FSA Metropolis, AL-8/IS FSA Alloy E-bike ISIS Crank, ISIS / 170mm, Chainline 50mm, MegaTooth 38T
CRANKSET	included in the motor
BOTTOM BRACKET	KMC e10S NPBK Anti-Rust 1/2" x 11/128" 122link EPT
CHAIN	Shimano, CS-M4100-10, DEORE, 10-SPEED, 11-13-15-18-21-24-28-32-37-42T
CASSETTE / FREEWHEEL	Shimano, BL-MT200, BR-MT200, SM-MA-F180P/P2, RESIN PAD, 1000MM HOSE
BRAKE	Included in the brake set
DISC ROTOR	Shimano, SM-RT10, M 180MM, W/LOCK RING FOR RESIN PAD ONLY

FRONT HUB	Shimano, HB-MT400-B, CENTER LOCK DISC 32H, FOR 15MM THRU TYPE AXLE, OLD:110MM
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, O.L.D. 135mm AXEL145mm, for Shimano 8/9/10speed
RIM/WHEELSET	EBIKE MAXX 29" - ETRTO 622 x 25C 32hole, height 19mm, double wall, single eyelet, wide angle, 6,5mm valve
TIRE	WTB Slick 2.2 29" 54/54 27tpi Casing, Wire Bead
STEM	Velomann TDS-681 20° W/O SP connec 31,8
HANDLEBAR	Velomann, 31.8*630 / Rise 34mm / Back Sweep 41°MATT BLACK
GRIP / TAPE	GRPset VEXK black 125
SEATPOST	Velomann, lenght: 350mm-SM, 400mm-MD/LG, diam.31,6mm, 0mm seatback, Al2014 shaft
SADDLE	Velomann, steel rail, black cover 8067, 254x183mm, 420gr
PEDALS	VP, axle 7mm boron steel, size 112x83,3mm, reflector included
FRONT LIGHT	Integrated custom front and side lights made w/Spanninga
REAR LIGHT	Spanninga integrated rear lights
REAR CARRIER / PLATE	custom rear carrier integrated into the frame design
KICKSTAND	Velomann interasse 40mm - capacità 35kg.
MUDGUARD / STAY	SKS PET Mudguards A65 R /28"
MOTOR UNIT	Bosch Performance Line CX motor unit w/500Wh Bosch PowerTube integrated battery

E-VERTIC C-TYPE | DEORE 10SP | YR/YSBB5



COLOR: T6

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	T5: Champagne / Graphite Race Full Matt T6: Blue Grey / Graphite Race Full Matt
FRAME	e-VERTIC C-Type ALU (gravity casting tecnology) sizes: 43, 48, 53
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black Seatclamp Rubber Cover Omnia
HEADSET	Headset 1,5" top / 1,5" bottom - bearings - integrated cable routing Starnut, Alloy Topcap, black screw
FORK	NVX30 NLO DS 29", travel 100mm, COIL w/Preload adjuster, AC4C, 30 STKM, CR plating, Pitch 130 mm, 1-1/8"(TS), STKM, OLD 9-100, alloy, max rotor 180, post mount 160mm direct. Matt black leg, with decal, fender mount long
SHIFTER	SHIFT LEVER, SL-M4100-R, DEORE, RIGHT, 10-SPEED RAPIDFIRE PLUS 2400MM INNER, W/ OPTICAL GEAR DISPLAY,
REAR DERAILEUR	REAR DERAILEUR, RD-M4120, DEORE, SGS 10/11-SPEED, TOP NORMAL, SHADOW DESIGN, DIRECT ATTACHMENT(DIRECT MOUNT COMPATIBLE),
CRANKSET	FSA E-Bike Diecast Crankset - CK220 Gen 3 / 170mm / Die cast aluminum / Black / Painting / w/o crank bolt FSA Direct Mount Steel Chainring - 38T / w/HT Steel / ED / C.L. 50mm Bosch Gen3 Bolt - Bosch Gen3 crank bolt Black(pair)
BOTTOM BRACKET	included in the motor
CHAIN	Chain e10S NPBK 1/2" x 11/128" 122link
CASSETTE / FREEWHEEL	CASSETTE SPROCKET, CS-M4100-10, DEORE, 10-SPEED, 11-13-15-18-21-24-28-32-37-42T
BRAKE	DISC BRAKE ASSEMBLED SET, BL-MT200(L), BR-MT200(F), BLACK, SM-MA-F180P/P2, RESIN PAD(W/O FIN), 1000MM HOSE
BRAKE LEVER	Included in the brake set
DISC ROTOR	ROTOR FOR DISC BRAKE, SM-RT10, M 180MM, W/LOCK RING(INTERNAL AND EXTERNAL SERRATION, BLACK), FOR RESIN PAD ONLY,

FRONT HUB	FRONT HUB, HB-TX505,32H OLD:100MM AXLE:108MM, FOR CENTER LOCK ROTOR(W/O LOCK RING), QR:133MM W/O ROTOR MOUNTCOVER,
REAR HUB	FREEHUB, FH-TX505-8, FOR CENTER LOCK ROTOR(W/O LOCK RING), 32H 8/9/10-SPEED, OLD:135MM, AXLE:146MM, QR:170MM, W/O ROTOR MOUNTCOVER,
RIM/WHEELSET	EBIKE 650 TR 28" - ETRTO 622 x 23C, 32hole, height 18mm, double wall, single eyelet, 6,5mm valve, black anodized without sticker, only ETRTO
TIRE	50-622 CONTACT Urban black/black reflex wire SL
STEM	Velomann Python aluminium adjustable, integrated cable routing, Barbore 31,8 mm, Extension 90 mm, Matt Black, w/Velomann laser logo
HANDLEBAR	Velomann Noirette Plus 31.8*630 / Rise 34mm / Back Sweep 41° MATT BLACK w/Velomann laser logo
GRIP / TAPE	GRIPset Oxy DD29BR/BL 130mm/130mm black-black, d.22mm
SEATPOST	Velomann HARMONY LT2 31.6*350 travel 50mm, SHINY BK W/ Velomann LOGO suspension seatpost
SADDLE	Velomann 8016HRO , black cover 8067 size 270x162mm, 385gr.
PEDALS	VPE-889P one piece PP body inlaid Grip tread, axle 7mm boron steel, EPB system, size 112x83,3mm, reflector included.
FRONT LIGHT	BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4
REAR LIGHT	RearLight MudGuard Ebike6-12V Trelock LS-421
REAR CARRIER / PLATE	RT Stan-it, 28", Max load 25Kg, black, IMM mounting
KICKSTAND	Bianchi Custom modello KING EVO XL w/o screw
MUDGUARD / STAY	Alumee 62mm, 28", AL 6063-T4, black
MOTOR UNIT	Bosch Performance Line 25 km/h Powertube 500 Horizontal

E-VERTIC C-TYPE | X5 9SP | YR/YSBB4



COLOR: T5

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	T5: Champagne / Graphite Race Full Matt T6: Blue Grey / Graphite Race Full Matt
FRAME	e-VERTIC C-Type ALU (gravity casting tecnology) sizes: 43, 48, 53
SEATPOST CLAMP	SeatpLock SET AL bk T-Tronik + Omnia Screw M5x40, CH, hex, black Seatclamp Rubber Cover Omnia
HEADSET	Headset 1,5" top / 1,5" bottom - bearings - integrated cable routing Starnut Black screw
FORK	NVX30 DS 29", 100mm, COIL w/Preload adjuster, AC4C, 30 mm stanchions, STKM, Cr-plating, Pitch 130 mm, Steerer 1-1/8"(TS), STKM, O.L.D. 9-100, Post 160 Direct
SHIFTER	X5 TRIGGER REAR 9-SPD BLK 2200MM CABLE (00.7015.178.000)
REAR DERAILLEUR	RD X7 SHORT CAGE ALUMINUM 9SPD BLK
CRANKSET	FSA E-Bike Diecast Crankset - CK220 Gen 3 / 170mm / Die cast aluminum / Black / Painting / w/o crank bolt FSA Direct Mount Steel Chainring - 38T / w/HT Steel / ED / C.L. 50mm Bosch Gen3 Bolt - Bosch Gen3 crank bolt Black(pair)
BOTTOM BRACKET	included in the motor
CHAIN	Chain e9S NPBK 1/2" x 11/128" 120link
CASSETTE / FREEWHEEL	CS PG 920 11-34 9SPEED
BRAKE	DISC BRAKE ASSEMBLED SET, BL-MT200(L), BR- MT200(F), BLACK, SM-MA-F180P/P2, RESIN PAD(W/O FIN), 1000MM HOSE
BRAKE LEVER	Included in the brake set
DISC ROTOR	ROTOR FOR DISC BRAKE, SM-RT10, M 180MM, W/LOCK RING(INTERNAL AND EXTERNAL SERRATION, BLACK), FOR RESIN PAD ONLY,

FRONT HUB	FRONT HUB, HB-TX505,32H OLD:100MM AXLE:108MM, FOR CENTER LOCK ROTOR(W/O LOCK RING), QR:133MM W/O ROTOR MOUNTCOVER,
REAR HUB	FREEHUB, FH-TX505-8,FOR CENTER LOCK ROTOR(W/O LOCK RING), 32H 8/9/10- SPEED,OLD:135MM,AXLE:146MM,QR:170MM,W/O ROTOR MOUNTCOVER,
RIM/WHEELSET	EBIKE 650 TR 28" - ETRTO 622 x 23C, 32hole, height 18mm, double wall, single eyelet, 6,5mm valve, black anodized (M651.622.32.06-8) without sticker, only ETRTO
TIRE	E-Liner City 700x45C, 60tpi, Rhino Skin / SPS
STEM	Velomann Promax MA-596, 28,6 mm steerer ID Clamp, 31,8 mm barbare w/Velomann laser logo
HANDLEBAR	Velomann WIEN 31.8/680mm, RISE 20MM, SWEEP 15° MATT BLACK w/Velomann laser logo
GRIP / TAPE	GRIPset Oxy DD29BR/BL 130mm/130mm black- black,d.22mm
SEATPOST	Velomann SP-7019, lenght 350mm for SM size and 400mm for MD, LG, diam.31,6mm, 0mm seatback, Al2014 shaft + alloy head, w/Velomann Logo
SADDLE	Velomann 8214DC, steel rail, black cover 8067, 254x183mm, 420gr.
PEDALS	VPE-889P one piecePP body inlaid Grip tread, axle 7mm boron steel, EPB system, size 112x83,3mm, reflector included.
FRONT LIGHT	BLS Front incl HIGO MICRO A cable 785mm Female connector BLS cable 250mm w/MALE connector and connector for Bosch Gen4
REAR LIGHT	RearLight MudGuard Ebike6-12V Trelock LS-421
REAR CARRIER / PLATE	RT Stan-it, 28", Max load 25Kg, black, IMM mounting
KICKSTAND	Bianchi Custom modello KING EVO XL w/o screw
MUDGUARD / STAY	Alumee 62mm, 28", AL 6063-T4, black
MOTOR UNIT	Bosch Active Line Plus 25 km/h Powertube 400 Horizontal

T-TRONIK C-TYPE | SUNRACE 9SP | YR/YSB1T



COLOR: T6

THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	GT: Blue Stone + Dark Graphite JT: Iridescent Bronze + Dark Graphite D7: Celeste / Dark Graphite Full Matt
FRAME	T-Tronik C-Type Frame 28" Urban, Suspended fork geometry, Alu PG 6061 32/37 Max shell, disc brake, O.L.D.135mm, D/T battery, size: 43/47
SEATPOST CLAMP	Promax diam.34,9mm
HEADSET	FSA 1.1/8" 44H-N10P
FORK	Suntour SF15-NEX-E25-DS-700C-63 PostMount disc brake, 1.1/8", travel 63mm, compatible with fender, OLD 100mm, Quick release type
SHIFTER	Sram X5 1x9sp
REAR DERAILLEUR	Sram X7, Short cage, 1x9sp
CRANKSET	FSA SMN E-Bike Forged Crankset, 170mm CHAINRING, SM-CRE61, 38T, FOR CHAIN LINE 46.5MM
BOTTOM BRACKET	included in the motor
CHAIN	KMC E9s EPT
CASSETTE/FREEWHEEL	Sunrace 9sp
BRAKE	Shimano BL-MT200

DISC ROTOR	Shimano, SM-RT10, S 160MM, W/LOCK RING, FOR RESIN PAD ONLY
RIM/WHEELSET	Velomann 29", 23-622, 32 hole black
TIRE	Chaoyang E-Liner City 700x45C, 60tpi
STEM	Velomann, 28,6 mm steerer ID Clamp, 31,8 mm bar bore
HANDLEBAR	Velomann 31.8/680mm, RISE 20MM, SWEEP 15°
GRIP/TAPE	Herrmans GRIPset Oxy DD29BR/BL 130mm/130mm black-black,d.22mm
SEATPOST	Velomann, lenght 350mm, diam. 31,6mm, 0mm seatback, Al2014 shaft + alloy head
SADDLE	Selle Royal, Essenza
PEDALS	VP black aluminum, w/reflector
FRONT LIGHT	Herrmans Mr GO
REAR LIGHT	Axa Juno
MOTOR UNIT	Shimano E6100 w/417Wh Phyllion integrated battery



COLOR: JT



COLOR: D7

METHANOL CV FS

METHANOL CV RS

NITRON

MAGMA

DUEL

MTB

METHANOL 9.1 CV FS | SRAM XX EAGLE AXS 1X12SP | YSBS7



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	MX: Celeste CK16/Black full glossy	CASSETTE / FREEWHEEL	Sram XG-1299 EAGLE RAINBOW 12s, 10,12,14,16,18,21,24,28,32,36,42,52T
FRAME	Methanol 9.1 CV FS FS 100mm 29" full carbon, high modulus monocoque w/CV, 1.5" tapered HT, BB92, only 1x drivetrain compatibility, PM 160mm carbon dropout, 12x148 BOOST, internal cable routing, seatpost diam.31,6mm, shock lenght/travel 190/40mm, w/eyelets 20mm x diam.8mm, sizes 15,17,19,21" UDH compatible drop out	BRAKE	Shimano XTR M9100 F & M9110 R assembled set w/J-Kit for rear only, w/180mm P/P adaptor for front, rear Flat Mount
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm	DISC ROTOR	Shimano RT-MT900 center lock type w/Ice Tech, 180mm front and 160mm rear
REAR SHOCK	FOX FLOAT DPS Remote - Factory - Kashima - SV EVOL - DPS; LSR, 2 Pos Remote PTU - Cable up - Metric - 190/40 - Neutral Decal	RIM/WHEELSET	DT Swiss XRC 1501 Spline One 29" Carbon 30mm, 15x110TA, 12x148TA rear XD body, 240s hub centerlock, TL-ready rim w/o eyelets including tubeless band and valve, 30mm inner width
SEATPOST CLAMP	MR.Control CL-FJ21-1-35.4, 35,4mm CLAMP	TIRE	Kenda Booster Pro - 29x2.20
HEADSET	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A	STEM	FSA KFX, ST-OS-105/CSI, -12°, size 60mm for 15", 70mm for 17", 80mm for 19 and 90mm for 21", 1,1/8 x diam.31,8mm, stack height 35mm, 3D forged/machined AL2014
FORK	FOX 34 Step-Cast - 29" - Factory - 100mm - FIT4 - Kabolt:15x110 - 1.5T - 44mm Rake + w/ remote bottom left dual-cable for 1xdrivetrain	HANDLEBAR	FSA KFX ICR flat, HB-MK-108-OS760/CCH/Di2, width 760mm, diam.31.8mm, backsweep 9°, upsweep 4°, UD carbon, UD carbon finish
SHIFTER	Sram XX1 EAGLE AXS 12sp discrete clamp	GRIP / TAPE	T-One T-GP43X, Silicone grips, Rounded Pattern, Length: 130mm, Weight: 70g / pair
REAR DERAILLEUR	Sram XX1 EAGLE AXS 12sp	SEATPOST	FSA KFX SBO Di2 compatible SP-RK-154-MTC/Di2, lengh: 350mm- 15", 400mm-17/19/21", diam.31,6mm, 0mm seatback, UD carbon monocoque
BATTERY AND BATTERY CHARGER AXS	Sram EP POWERPACK 1 BATTERY	SADDLE	Fi'zi:k Taiga, S-alloy rails
CRANKSET	Sram XX1 EAGLE DUB 34T, arm lenght 170mm for 15" and 175mm for 17,19,21", 52mm chainline 148 BOOST compatible		
BOTTOM BRACKET	Sram DUB PRESSFIT BB92 (41x92)		
CHAIN	Sram PC-XX1 EAGLE 12s, 120links w/PowerLock		

METHANOL 9.2 CV FS | SHIMANO XTR/XT 1X12SP | YSBP6



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	MX: Celeste CK16/Black full glossy
FRAME	Methanol 9.2 CV FS 100mm 29" full carbon, high modulus monocoque w/CV, 1.5" tapered HT, BB92, only 1x drivetrain compatibility, PM 160mm carbon dropout, 12x148 BOOST, internal cable routing, seatpost diam.31,6mm, shock length/travel 190/40mm w/eyelets 20mm x diam.8mm, sizes 15,17,19,21" UDH compatible drop out
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon-Ti white logo
REAR SHOCK	Sram Sid Luxe Select + RLR, 190/40mm, Debonair, w/eyelets 20mm x diam.8mm
SEATPOST CLAMP	MR.Control CL-FJ21-1-35.4, 35,4mm CLAMP
HEADSET	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A
FORK	Rock Shox SID SL SELECT 29", CHARGER RL, Solo Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, PM 160mm disc mount, 44mm offset,
SHIFTER	Shimano XT, 1x12 w/o Optical Gear Display, SL-M8100R w/2050mm inner
REAR DERAILLEUR	Shimano XTR Shadow+ Design 12s, RD-M9100SGS top normal,for 10-51T max
CRANKSET	XTR FC-M9120-1, 34T, arm lenght: 170mm- 15", 175mm-17/19/21", 168mm Q- Factor, 52mm chainline
BOTTOM BRACKET	Shimano SM-BB94-41A for BB92
CHAIN	Shimano CN-M8100, 12sp, 118 link

CASSETTE / FREEWHEEL	Shimano CS-M8100-12, 11sp, 10-51T
BRAKE	Shimano XT M8100 F & M8110 R assembled set w/J-Kit for rear only, w/180mm P/P adaptor for front, resin pad
DISC ROTOR	Shimano RT-MT800 center lock type w/Ice Tech, 180mm front and 160mm rear
RIM/WHEELSET	DT Swiss XR 1700 Spline 29" 25mm, 15x110TA front, 12x148TA rear Shimano 12speed body, 350 hub w/Ratchet System, center lock, TL-ready rim w/o eyelets including tubeless band and valve, straight pull spokes, 25mm inner width
TIRE	kenda Booster Pro - 29x2.20, Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
STEM	Reparto Corse, +/-7°, size 60mm for 15", 70mm for 17", 80mm for 19 and 90mm for 21", 1,1/8 x diam.31.8mm, 3D forged AL7050-T6 w/forged alloy 4-bolt faceplate
HANDLEBAR	Reparto Corse MTB11AF.2 FLAT, width 740mm, diam.31,8mm, backsweep 9°, double butted AL2014-T6, anodized sand blast Black w/ glossy black graphics
GRIP / TAPE	T-One T-GP43X, Silicone grips, Rounded Pattern, length: 130mm, Weight: 70g / pair
SEATPOST	Reparto Corse Carbon SB0, L350mm for 15" and 400mm for 17,19,21", diam.31.6mm, 0mm seatback
SADDLE	Fi'zi:k Taiga, S-alloy rails

METHANOL 9.3 CV FS | SHIMANO XT/SLX 1X12SP | YSBS9



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	MX: Celeste CK16/Black full glossy
FRAME	Methanol 9.3 CV FS 100mm 29" full carbon, high modulus monocoque w/CV, 1.5" tapered HT, BB92, only 1x drivetrain compatibility, PM 160mm carbon dropout, 12x148 BOOST, internal cable routing, seatpost diam.31.6mm, shock length/travel 190/40mm w/eyelets 20mm x diam.8mm, sizes 15,17,19,21" UDH compatible drop out
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm, w/Bianchi & Carbon
REAR SHOCK	Sram Sid Luxe Select + RLR, 190/40mm, Debonair, w/eyelets 20mm x diam.8mm
SEATPOST CLAMP	MR.Control, 35,4mm CLAMP
HEADSET	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A [H0415G0000E101]
FORK	Rock Shox SID SL SELECT 29", CHARGER RL, Solo Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offset
SHIFTER	Shimano SLX, w/o Optical Gear Display, w/2050mm inner
REAR DERAILLEUR	Shimano XT 12sp, RD-M8100-SGS top normal, direct attachment, for 10-51T max
CRANKSET	Shimano, 32T, arms lengths: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE
BOTTOM BRACKET	Shimano Pressfit 41x92mm
CHAIN	ShimanoCN-M7100, 12sp, 118 link

CASSETTE / FREEWHEEL	Shimano, 12sp, 10-51T
BRAKE	Shimano M6100 w/rear J-Kit only
DISC ROTOR	Shimano RT-54, centerlock type, 180mm front and 160mm rear
RIM/WHEELSET	Reparto corse KOM light i25 29" Rim, 32 hole Pre Anodized Black PV Vinylx6 pcs, 622x25
TIRE	Kenda Booster Pro - 29x2.20
STEM	Reparto Corse, +/-7°, size 60mm for 15", 70mm for 17", 80mm for 19 and 90mm for 21", 1,1/8 x diam.31.8mm
HANDLEBAR	Reparto Corse, width 740mm, diam.31,8mm, backsweep 9°, double butted AL2014-T6
GRIP / TAPE	T-One T-GP43X, Rounded Pattern, Length: 130mm, Weight: 70g
SEATPOST	Reparto Corse, length: 350mm-15", 400mm-17/19/21", diam.31.6mm, 0mm seatback
SADDLE	Fi'zi:k Taiga, S-alloy rails

METHANOL 9.1 CV RS | STRAM XX EAGLE AXS 1X12SP | YSB73



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	MY: CK16/Black full glossy
FRAME	Methanol CV RS 29" full carbon with Countervail, high modulus monocoque, 1.5" tapered HT, Pressfit BB92 (41x92), 1x drivetrains only, 27,2mm seatpost, PM 160mm carbon dropout 12x148 BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/Bianchi & Carbon-Ti white logo
SEATPOST CLAMP	31,8mm w/Bianchi logo
HEADSET	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A
FORK	FOX 32 Step-Cast - 29" - Factory - 100mm - FIT4 - Matte Black - Neutral Logo - Kabolt:15x110 - 1.5T - 44mm Rake w/new remote bottom left single-cable for 1xdrivetrain
SHIFTER	Sram XX1 EAGLE AXS 12sp MMX
REAR DERAILLEUR	Sram XX1 EAGLE AXS 12sp
BATTERY	Sram EP POWERPACK 1 BATTERY
CRANKSET	Sram XX1 EAGLE DUB 34T, arm lenght 170mm for 15" and 175mm for 17,19,21", carbon arms, 52mm chainline 148 BOOST compatible, direct mount, CNC-machined rings
BOTTOM BRACKET	Sram DUB PRESSFIT BB92 (41x92)
CHAIN	Sram PC-XX1 EAGLE 12s, 120links w/PowerLock

CASSETTE / FREEWHEEL	Sram XG-1299 EAGLE RAINBOW 12s, 10,12,14,16,18,21,24,28,32,36,42,52T
BRAKE	Sram Level Ultimate, aluminium caliper, carbon lever, 20mm bracket for front 180mm, direct rear + matchmakerX clamp + hinge clamp right
DISC ROTOR	Sram Centerline X 180mm front, 160mm rear, 2-pieces black 6 hole
RIM/WHEELSET	DT Swiss XRC 1501 Spline One 29" Carbon 30mm, 15x110TA, 12x148TA rear XD body, 240s hub 6-BOLTS, TL-ready rim w/o eyelets including tubeless band and valve, straight pull spokes, 30mm inner width
TIRE	Kenda Booster Pro - 29x2.20
STEM	FSA KFX, ST-OS-105/CSI, -12°, size: 70mm-15", 80mm-17", 90mm-19/21", 1.1/8 x diam.31,8mm, stack height 35mm
HANDLEBAR	FSA KFX ICR flat, HB-MK-108-OS760/CCH/Di2, width 760mm, diam.31.8mm, backsweep 9°, upsweep 4°
GRIP / TAPE	T-One T-GP43X, Silicone grips, Rounded Pattern, Length: 130mm, Weight: 70g / pair
SEATPOST	FSA KFX SB0 Di2 compatible SP-RK-154-MTC/Di2, L350mm for 15"and L400mm for 17,19,21", diam.27,2mm, 0mm seatback
SADDLE	Fi'zi:k Taiga, S-alloy rails

METHANOL 9.2 CV RS | SHIMANO XTR 1X12SP | YSB74



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	MY: CK16/Black full glossy
FRAME	Methanol CV RS 29" full carbon with Countervail, high modulus monocoque, 1.5" tapered HT, Pressfit BB92 (41x92), 1x drivetrains only, 27,2mm seatpost, PM 160mm carbon dropout 12x148 BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15"> 2 pcs-17,19,21">4pcs), w/Bianchi & Carbon-Ti white logo
SEATPOST CLAMP	31,8mm w/Bianchi logo
HEADSET	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A
FORK	FOX 32 Step-Cast - 29" - Factory - 100mm - FIT4 - Kabolt:15x110 - 1.5T - 44mm Rake w/new remote bottom left single-cable for 1xdrivetrain
SHIFTER	Shimano XTR 1x12 w/o Optical Gear Display, I-spec EV, SL- M9100IR w/2050mm inner
REAR DERAILLEUR	Shimano XTR 12sp, RD-M9100SGS top normal, direct attachment, for 10-51T max
CRANKSET	Shimano XTR, 34T, arm lengths: 170mm-15", 175mm-17/19/21", 162mm Q- Factor, 52mm chainline
BOTTOM BRACKET	Shimano SM-BB94-41A for BB92
CHAIN	Shimano, 12sp, 118 link w/quick link

CASSETTE / FREEWHEEL	Shimano, 12sp, 10-12-14-16-18-21-24-28-33-39-45-51T
BRAKE	Shimano XTR M9100 F/R assembled set w/J-Kit for rear only, w/180mm P/P adaptor for front, resin pad
DISC ROTOR	Shimano RT-MT900 center lock type w/Ice Tech, 180mm front and 160mm rear
RIM/WHEELSET	DT Swiss XR 1700 Spline 29" 25mm, 15x110TA front, 12x148TA rear Shimano 12speed body, 350 hub w/Ratchet System
TIRE	Kenda Booster Pro - 29x2.20
STEM	FSA SL-K, ST-OS-104C, +/-12°, size: 70mm-15", 80mm-17", 90mm-19/21", 1.1/8 x diam.31,8mm, stack height 34mm, 3D Forged/CNC AL2014
HANDLEBAR	FSA SL-K flat, HB-XC-135-OS740/CSI, width 740mm, diam.31.8mm, backsweep 9°, upsweep 4°
GRIP / TAPE	T-One T-GP43X, Silicone grips, Rounded Pattern, Length: 130mm, Weight: 70g / pair
SEATPOST	FSA SL-K S80, length: 350mm-15"mm, 400mm-17/19/21", diam.27,2mm, 0mm seatback
SADDLE	Fi'zi:k Taiga, S-alloy rails

METHANOL 9.3 CV RS | SHIMANO XT 1X12SP | YSBR1



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	MY: CK16/Black full glossy
FRAME	TM19 Methanol CV RS 29" full carbon with Countervail, high modulus monocoque, 1.5" tapered HT, Pressfit BB92 (41x92), 1x drivetrains only, 27,2mm seatpost, PM 160mm carbon dropout 12x148 BOOST, internal cable routing Di2 compatible, sizes 15,17,19,21"
BOLTS / HARDWARE	Carbon-Ti bolts AL7075-T6, large button head, Torx M5*14mm (15" > 2 pcs-17,19,21">4pcs), w/Bianchi & Carbon-Ti white logo
SEATPOST CLAMP	31,8mm w/Bianchi logo
HEADSET	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A
FORK	Rock Shox SID SL SELECT 29", CHARGER RL, Solo Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offset
SHIFTER	Shimano XT 1x12sp, w/o Optical Gear Display, I-spec EV, SL- M8100R w/2050mm inner
REAR DERAILLEUR	Shimano XT 12sp, RD-M8100-SGS top normal, direct attachment, for 10-51T max
CRANKSET	Shimano XT, 32T, arms lenghts: 170mm-15", 175mm-17/19/21", black, 52mm
BOTTOM BRACKET	Shimano Pressfit 41x92mm BB-MT800-PA
CHAIN	Shimano, 12sp, 118 link

CASSETTE / FREEWHEEL	Shimano, 11sp, 10-51T
BRAKE	Shimano XT M8100 F/R assembled set w/J-Kit for rear only, w/180mm P/P adaptor for front, resin pad w/o fin
DISC ROTOR	Shimano RT70, centerlock type, 180mm front and 160mm rear
RIM/WHEELSET	DT Swiss XR 1700 Spline 29" 25mm, 15x110TA front, 12x148TA rear Shimano 12speed body, 350 hub w/Ratchet System
TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
STEM	Reparto Corse, +/-7°, size: 70mm-15", 80mm-17", 90mm-19/21", 1.1/8 x diam.31.8mm
HANDLEBAR	Reparto Corse, width 740mm, diam.31,8mm, backsweep 9°
GRIP / TAPE	T-One T-GP43X, Silicone grips, Rounded Pattern, Length: 130mm, Weight: 70g / pair
SEATPOST	Reparto Corse, lenght: 350mm-15", 400mm-17/19/21", diam.27.2mm, 0mm seatback
SADDLE	Fi'zi:k Taiga, S-alloy rails

NITRON 9.2 | SHIMANO XT/SLX 1X12SP | YSBP4



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	NH: CK16 / Black Full Glossy NM: Soft Black / Grey NF: White/Black full glossy	CASSETTE / FREEWHEEL	Shimano CS-M7100-12, 12sp, 10-51T
FRAME	Nitron 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam.27,2mm, high direct mount, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"	BRAKE	Shimano M6100 w/rear J-Kit only, resin pad, w/SM-MA-F180P/P2 adapter only for front
BOLTS / HARDWARE	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)	DISC ROTOR	Shimano SM-RT54 CL 180mm front & 160mm rear, CenterLock
SEATPOST CLAMP	Promax MX-112C diam.31,8mm	RIM/WHEELSET	Velomann KOM light i25, 29" Rim, 32 hole Pre Anodized Black PV Vinylx6 pcs, 622x25
HEADSET	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A	TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
FORK	Rock Shox SID SL 29", damper Rush RL, Debon Air 100mm w/Tall oneLoc remote left, 1.5 alu HT, 15X110mm Maxle Stealth, 32mm stanchions, magnesium lowers, PM 160mm disc mount, 44mm offset	STEM	Velomann +/-7°, 1,1/8 x diam.31.8mm, size: 70mm-15", 80mm-17", 90mm-19/21"
SHIFTER	Shimano SLX 1x12 I-spec EV, w/o Optical Gear Display, w/2050mm inner	HANDLEBAR	Velomann Flat top, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
REAR DERAILLEUR	Shimano XT Shadow + Design 12s, RD-M8100-SGS top normal, direct attachment, for 10-51T max	GRIP / TAPE	T-One Rock T-GP34 single lock grip, TPR, plastic inner body, aluminium clamp
CRANKSET	Shimano XT, 32T, arms lengths: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE	SEATPOST	Velomann, lenght: 350mm-15", 400mm-17/19/21", diam.27.2mm, 0mm seatback
BOTTOM BRACKET	Shimano Pressfit 41x92mm BB-MT800-PA	SADDLE	Velomann, manganese rail, lenght 277mm x width 144mm
CHAIN	Shimano CN-M7100, 12sp, 120 link		

NITRON 9.3 | SHIMANO XT/SLX 1X12SP | YSBP5



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	NH: CK16 / Black Full Glossy NM: Soft Black / Grey NF: White/Black full glossy	CASSETTE / FREEWHEEL	Shimano, 12sp, 10-51T
FRAME	Nitron 9.3, 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam.27,2mm, high direct mount, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"	BRAKE	Shimano M4100 w/rear J-Kit only, w/SM-MA-F180P/P2 adapter only for front
BOLTS / HARDWARE	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)	DISC ROTOR	Shimano SM-RT10 CL 180mm front & 160mm rear
SEATPOST CLAMP	Promax MX-112C diam.31,8mm, elegant, stylish, light & strong seat clamp w/angled cut for carbon frames	RIM/WHEELSET	Velomann KOM light i25 29" Rim, 32 hole Pre Anodized Black PV Vinylx6 pcs, 622x25
HEADSET	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A	TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
FORK	Rock Shox Judy Gold RL 29" Solo Air 100mm w/Tall oneLoc remote left, 1.5 Tapered HT, 15x110mm BOOST Maxle stealth, 30mm stanchions, magnesium lowers, PM 160mm disc mount, 51mm offset	STEM	Velomann +/-7°, 1,1/8 x diam.31.8mm, size: 70mm-15", 80mm-17", 90mm-19/21"
SHIFTER	Shimano SLX 1x12 I-spec EV, w/o Optical Gear Display, w/2050mm inner	HANDLEBAR	Velomann Flat top, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
REAR DERAILLEUR	Shimano XT Shadow + Design 12sp, RD-M8100-SGS top normal, direct attachment, for 10-51T max	GRIP / TAPE	T-One Rock T-GP34 single lock grip, TPR, plastic inner body, aluminium clamp
CRANKSET	Shimano, 32T, arms lengths: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE	SEATPOST	Velomann, lenght: 350mm-15", 400mm-17/19/21", diam.27.2mm, 0mm seatback
BOTTOM BRACKET	Shimano Pressfit 41x92mm	SADDLE	Velomann, manganese rail, lenght 277mm x width 144mm
CHAIN	Shimano 12sp, 120 link		

NITRON 9.4 | SHIMANO XT/DEORE 1X12SP | YSB07



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	NH: CK16 / Black Full Glossy NM: Soft Black / Grey NF: White/Black full glossy	CASSETTE / FREEWHEEL	Shimano, 12sp, 10-51T
FRAME	Nitron 9.4, 29" full carbon monocoque, 1.5" tapered HT, BB92, seatpost diam.27,2mm, high direct mount, PM 160mm carbon dropout 12x148mm BOOST Thru axle, internal cable routing, sizes 15-17-19-21"	BRAKE	Shimano MT200 w/rear J-Kit only, Shimano logo, resin pad, w/SM-MA-F180P/P2 adapter only for front
BOLTS / HARDWARE	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)	DISC ROTOR	Shimano SM-RT10 CL 180mm front & 160mm rear, CenterLock
SEATPOST CLAMP	Promax MX-112C diam.31,8mm, elegant, stylish, light & strong seat clamp w/angled cut for carbon frames	RIM/WHEELSET	Velomann KOM light i25 29" Rim, 32 hole Pre Anodized Black PV Vinylx6 pcs, 622x25
HEADSET	FSA Orbit C-40, NO.42/ACB-A, Anod.Black 1 1/8-1.5 w/ H2001 4.3mm w/FSA logo, NO.42/ACB-A	TIRE	Kenda Booster Pro - 29x2.20, Tubeless Race compound, Tubeless race, 120Tpi, folding, ETRTO 56-622
FORK	Rock Shox Judy Silver TK 29" Solo Air 100mm w/Poploc remote left, 1.5 Tapered HT, 15x110mm BOOST Maxle stealth, 30mm stanchions, magnesium lowers, PM 160mm disc mount, 51mm offset	STEM	Velomann +/-7°, 1,1/8 x diam.31.8mm, size: 70mm-15", 80mm-17", 90mm-19/21"
SHIFTER	Shimano Deore 1x12sp, clamp band	HANDLEBAR	Velomann Flat top, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
REAR DERAILLEUR	Shimano XT 12sp, for 10-51T max	GRIP / TAPE	T-One Rock T-GP34 single lock grip , TPR, plastic inner body, aluminium clamp
CRANKSET	Shimano, 32T, arms lenghts: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE	SEATPOST	Velomann, lenght: 350mm-15", 400mm-17/19/21", diam.27.2mm, 0mm seatback
BOTTOM BRACKET	Shimano Pressfit 41x92mm	SADDLE	Velomann, manganese rail, lenght 277mm x width 144mm
CHAIN	Shimano, 12sp, 120 link		

MAGMA 9 S BOOST | SHIMANO DEORE 1X12SP | YSBI1



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	6K: CK16/ Black-White Full Glossy 6B: Black/ CK16-White Full Glossy
FRAME	MAGMA 9 S 29" alu 2019, 1.1/8" HT, BSA 68mm, seatpost diam.27,2mm, HDM bottom pull or side-swing, PM 160mm disc lower mounting dropouts BOOST 9x141mm QR, ST w/o V-Brake studs, internal cable routing, sizes 15-17-19-21"
BOLTS / HARDWARE	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)
SEATPOST CLAMP	Promax 339QX diam.31,8mm, CNC & Fine polished surface, hand friendly alloy clamp & lever
HEADSET	FSA #10 steel cups ID diam.44mm w/16.2mm top cover, retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm
FORK	Rock Shox Judy Silver TK 29" Solo Air, 100mm w/poploc remote left, 1.1/8" Alu HT, 9mm QR axle, 30mm stanchions, magnesium lowers, PM 160mm disc mount, 51mm offset
SHIFTER	Shimano Deore SL-M6100-R 1x12
REAR DERAILEUR	Shimano Deore 12sp
CRANKSET	Shimano, 32T, arms lenghts: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE
BOTTOM BRACKET	included in the crankset
CHAIN	Shimano, 12sp, 122 link

CASSETTE / FREEWHEEL	Shimano, 12sp, 10-51T
BRAKE	Shimano MT200KIT assembled set BRMT200KIT(L&R) w/o adapters w/J-kit only for rear, resin pad, w/o rotor
DISC ROTOR	Shimano 160mm front & rear, CenterLock w/CL ring
RIM/WHEELSET	Velomann, 622x25c, pin joint, 32h
TIRE	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
STEM	Velomann +/-7°, 1.1/8 x diam.31.8mm, 80mm-15/17", 90mm-19/21"
HANDLEBAR	Velomann, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm length
SEATPOST	Velomann, diam.27,2mm, 0mm seatback, lenght: 350mm-15/17/19/21"
SADDLE	Velomann, 140mm width, Steel rails black, PVC soft touch

MAGMA 9 BOOST | SHIMANO DEORE 1X11SP | YSBR9



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	6K: CK16/ Black-White Full Glossy 6B: Black/ CK16-White Full Glossy
FRAME	MAGMA 29" alu 2019, 1,1/8" HT, BSA 68mm, seatpost diam.27,2mm, HDM bottom pull or side-swing, PM 160mm disc lower mounting dropouts BOOST 9x141mm QR, ST w/o V-Brake studs, internal cable routing, sizes 15-17-19-21"
BOLTS / HARDWARE	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)
SEATPOST CLAMP	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp & lever
HEADSET	FSA #10 steel cups ID diam.44mm w/16.2mm top cover, retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm
FORK	Rock Shox Judy TK 29" 100mm w/Remote Lockout,1,1/8" steel HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, magnesium lowers w/PM 160mm disc mount, 9mm QR
SHIFTER	Shimano Deore SL-M5100-R 1x11
REAR DERAILLEUR	Shimano Deore RD-M5100 1x11sp, 11-51T Max
CRANKSET	Shimano, 32T, arms lengths: 170mm-15", 175mm-17/19/21", 52mm CHAINLINE
BOTTOM BRACKET	included in the crankset
CHAIN	KMC X11 EPT, 11sp, 122 link, EPT finish

CASSETTE / FREEWHEEL	Shimano, 11sp, 11-51T, 11-13-15-18-21-24-28-33-39-45-51T
BRAKE	Shimano MT200KIT assembled set BRMT200KIT(L&R) w/o adapters w/J-kit only for rear, resin pad, w/o rotor
DISC ROTOR	Shimano SM-RT10, 160mm front & rear
RIM/WHEELSET	Velomann, 622x25c, pin joint, 32h, anodized, no eyelet, Presta valve hole
TIRE	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
STEM	Velomann +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21"
HANDLEBAR	Velomann Flat top, width 720mm, diam.31,8mm, 9° backsweep, DB Alloy 6061-T6
GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm length
SEATPOST	Velomann, diam.27,2mm, 0mm seatback, length: 350mm-15/17/19/21"
SADDLE	Velomann , 140mm width, Steel rails black, PVC soft touch

MAGMA 9.2 | SHIMANO ALIVIO MIX 2X9SP | YSBW2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	6K: CK16/ Black-White Full Glossy MB: Black Frame/ Silver-Yellow Dec Matt	BOTTOM BRACKET	Shimano BB-UN101 , Axle LL123 (122,5mm) w/o fixing bolt
FRAME	MAGMA 29" alu 2019, 1,1/8" HT, BSA 68mm, seatpost diam.27,2mm, low clamp diam.31,8mm bottom pull or side-swing, PM 160mm disc lower mounting dropouts 9x135mm QR, ST w/o V-Brake studs, internal cable routing, sizes 15-17-19-21"	CHAIN	KMC HV900 (Z9) 9s, 1/2"x11/128", 118link
BOLTS / HARDWARE	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)	CASSETTE / FREEWHEEL	Shimano HG200-9s, 11-13-15-17-20-23-26-30-36T
SEATPOST CLAMP	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp & lever	BRAKE	Shimano MT200KIT assembled set BRMT200KIT(L&R) w/o adapters w/J-kit only for rear, resin pad, w/o rotor
HEADSET	FSA #10 steel cups ID diam.44mm w/16.2mm top cover (H2079B), retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm	DISC ROTOR	Shimano SM-RT10, 160mm front & rear, CenterLock w/CL ring
FORK	Suntour XCM HLO DS 29" 100mm, with HLO Hydraulic lockout, 1-1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR	RIM/WHEELSET	Velomann, 622x25c, pin joint, 32h, anodized, no eyelet, Presta valve hole
SHIFTER	Shimano Alivio SL-M3100 2x9 RapidFire Plus, w/1800-2050mm inner	TIRE	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
REAR DERAILLEUR	Shimano Alivio 9s, RDM3100 SGS top-normal, direct attachment, Shadow Design for 11-36T max	STEM	Velomann +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21"
FRONT DERAILLEUR	Shimano FD-M2020-TS low clamp diam.31,8mm, 2x9s, dual pull, for CS angle 64/69°, for 36T w/14T capacity, CL 48.8/51.8mm	HANDLEBAR	Velomann rise, width 720mm, diam.31,8mm, rise 15mm, backsweep 9°
CRANKSET	Shimano , 36/22T w/o chainguard, arms lenght: 170mm-15/17", 175mm-19/21", 9s compatibility for HG chain	GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm length
		SEATPOST	Velomann, diam.27,2mm, 0mm seatback, lenght 350mm for 15-17-19-21"
		SADDLE	Velomann, 140mm width, Steel rails black, PVC soft touch 7723

DUEL | SHIMANO ALIVIO MIX 2X9SP | YSBC8



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	DA:CK16/Azzurra Blue DB: Serial Black/Azzurra Blue
FRAME	Duel 29" alu 2017, curved TT PG, 1,1/8" HT, BSA 68mm, seatpost diam.27,2mm, seat tube diam.31,8mm, FD top pull, INTL 160mm disc mounting dropouts 9x135mm QR, ST w/V-Brake studs, external cable routing under TT, sizes 15-17-19-21"
BOLTS / HARDWARE	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)
SEATPOST CLAMP	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp & lever
HEADSET	FSA #10 steel cups ID diam.44mm w/16.2mm top cover (H2079B), retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm
FORK	Suntour XCM HLO DS 27,5" 100mm, with HLO Hydraulic Lockout, 1-1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR
SHIFTER	Shimano Alivio SL-M3100 2x9 RapidFire Plus, w/1800-2050mm inner
REAR DERAILLEUR	Shimano Alivio 9s, RDM3100 SGS top-normal, direct attachment, Shadow Design for 11-36T max
FRONT DERAILLEUR	Shimano FD-M2020-TS low clamp diam.31,8mm, 2x9s, dual pull, for CS angle 64/69°, for 36T w/14T capacity, CL 48.8/51.8mm
CRANKSET	Shimano, 36/22T w/o chainguard, arms lenght: 170mm-15/17", 175mm-19/21", 9s compatibility for HG chain, for square LL123 BB

BOTTOM BRACKET	Shimano BB-UN101 , Axle LL123 (122,5mm) w/o fixing bolt
CHAIN	KMC HV900 (Z9) 9s, 1/2"X11/128", 116link
CASSETTE / FREEWHEEL	Shimano HG200-9s, 11-13-15-17-20-23-26-30-36T
BRAKE	Shimano MT200KIT assembled set BRM200KIT(L&R) w/rear adapter adapter for IS 160mm, resin pad, w/o rotor
DISC ROTOR	Shimano SM-RT10, 160mm front & rear, CenterLock w/CL ring, for resin pad only
RIM/WHEELSET	Velomann DP2.5, 584x25c, pin joint, 32h, anodized, no eyelet, Presta valve hole
TIRE	Kenda Booster - 29x2.20, DTC compound, 30Tpi, wire, ETRTO 56-622
STEM	Velomann +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21"
HANDLEBAR	Velomann rise, width 720mm, diam.31,8mm, rise 15mm, backsweep 9°
GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm length
SEATPOST	Velomann, diam.27,2mm, 0mm seatback, lenght: 300mm-15", 350mm-17/19/21"
SADDLE	Velomann, 140mm width, Steel rails black, PVC soft touch 7723

DUEL | SHIMANO ALIVIO MIX 2X9SP | YSBC7



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	DA:CK16/Azzurra Blue DB: Serial Black/Azzurra Blue
FRAME	Duel 27,5" alu 2013, curved TT PG, 1,1/8" HT, BSA 68mm, seatpost diam.27,2mm, seat tube diam.31,8mm, FD top pull, INTL 160mm disc mounting dropouts 9x135mm QR, ST w/V-Brake studs, external cable routing under TT, sizes 15-17-19-21"
BOLTS / HARDWARE	Stainless bolts for waterbottle bosses (15">2pcs, 17,19,21">4pcs)
SEATPOST CLAMP	Promax 339QX diam.31,8mm, "zero" friction & perfect match skewer, CNC & Fine polished surface, hand friendly alloy clamp & lever
HEADSET	FSA #10 steel cups ID diam.44mm w/16.2mm top cover (H2079B), retained bearings MR013, top & bottom depth 9mm, stack height 22.2mm
FORK	Suntour XCM HLO DS 27,5" 100mm, with HLO Hydraulic Lockout, 1-1/8" steer HT, alloy crown, coil spring w/pre-load adjust, steel 30mm stanchions, alloy lowers w/PM 160mm disc mount, 9mm QR
SHIFTER	Shimano Alivio SL-M3100 2x9 RapidFire Plus, w/1800-2050mm inner
REAR DERAILLEUR	Shimano Alivio 9s, RDM3100 SGS top-normal, direct attachment, Shadow Design for 11-36T max
FRONT DERAILLEUR	Shimano FD-M2020-TS low clamp diam.31,8mm, 2x9s, dual pull, for CS angle 64/69°, for 36T w/14T capacity, CL 48.8/51.8mm
CRANKSET	Shimano, 36/22T w/o chainguard, arms lenght: 170mm-15/17", 175mm-19/21", 9s compatibility for HG chain, for square LL123 BB

BOTTOM BRACKET	Shimano BB-UN101 , Axle LL123 (122,5mm) w/o fixing bolt
CHAIN	KMC HV900 (Z9) 9s, 1/2"x11/128", 116link
CASSETTE / FREEWHEEL	Shimano HG200-9s, 11-13-15-17-20-23-26-30-36T
BRAKE	Shimano MT200KIT assembled set BRM200KIT(L&R) w/rear adapter adapter for IS 160mm, resin pad, w/o rotor
DISC ROTOR	Shimano SM-RT10, 160mm front & rear, CenterLock w/CL ring, for resin pad only
RIM/WHEELSET	Velomann, 584x25c, pin joint, 32h, anodized, no eyelet, Presta valve hole
TIRE	Kenda Booster - 27,5x2.2, DTC compound, 30Tpi, wire, ETRTO 56-584
STEM	Velomann +/-7°, 1,1/8 x diam.31.8mm, 80mm for 15,17" and 90mm for 19-21"
HANDLEBAR	Velomann rise, width 720mm, diam.31,8mm, rise 15mm, backsweep 9°
GRIP / TAPE	T-one T-GP48B, one piece grip, TPR material, 130mm length
SEATPOST	Velomann, diam.27,2mm, 0mm seatback, lenght: 300mm-15", 350mm-17/19/21"
SADDLE	Velomann, 140mm width, Steel rails black, PVC soft touch 7723

CITY-FITNES

C-SPORT

SPILLO DELUXE



C-SPORT | ALIVIO 2X9SP | YSB55



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	CC: CK16 / Dark Turquoise Full Glossy C9: Rocks Sand / Black Matt / Glossy
FRAME	C-SPORT alu disc frame, 700C OLD 135mm, No Pivot, DISC version, integrated cable routing, SMOOTH WELDING, 1"1/8 aheadset, Seat tube 31.6mm, SIZE:43cm/47cm/51cm/55cm/59cm
SEATPOST CLAMP	MX-112C 34.9mm alloy AN Black (14.4gr)
HEADSET	FSA NO.8B/ZS4D 1-1/8" SEMI-INTEGRATED LOWER PART + INTEGRATED UPPER PART, W/H2166B 15MM TOP COVER FOR TAPERED 46MM/50MM OD HEAD TUBE
FORK	FF28"AL DISC118, ALU FORK 28" 700c, 1-1/8" Alloy steerer, alu blades, integrated 50mm, offset 45mm, Postmount disc brake version, 700x40c max tire size
SHIFTER	Shimano, SL-M3100-2L, Alivio, Left, 2-Speed Rapidfire Plus Mono, 1800mm Inner, W/O Optical Gear Display
REAR DERAILLEUR	Shimano, RD-T4000-SGS, Alivio, 9-Speed, Top-Normal, Direct Attachment
FRONT DERAILLEUR	Shimano, FD-T3000-2-TS3, Acera, for 2x9, Top-Swing, Dual-Pull, 34.9mm Band, CS-Angle:63-68, For Top Gear:46T, CL:48.8mm
CRANKSET	Shimano, FC-MT210-2, For Rear 9-Speed, 2-Pcs FC, 170mm and 175mm, 46-30T W/CG, W/BB Parts (BSA), crank lenght: 170mm(43-47CM) / 175mm(51-55-59CM)
BOTTOM BRACKET	Included in the crankset
CHAIN	KMC Z-99 1/2"x11/128"x114LINKS, FOR 9-SPEED

CASSETTE / FREEWHEEL	Shimano, CS-HG200-9
BRAKE	Shimano Altus, Disc Brake Assembled Set, BL-MT200(L), BR-MT200(F), Black, For Post Mount, Resin Pad, 750mm(43/47/51CM), 800mm(55/59CM)
BRAKE LEVER	Shimano Included in the brake set
FRONT HUB	Formula CL-1420 Center lock, 32hole, 14G, O.L.D. 100mm AXEL 108mm with QR22
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, O.L.D. 135mm AXEL145mm, for Shimano 8/9/10speed with QR22
RIM/WHEELSET	Velomann disc version, alloy, 700c 622x19 32H, pair spoke 2x16 (500g), pin joint, tubeless ready, EN standard
TIRE	Kenda K1067 - Kwick Tendril , 700x38c ,TPI60, black color + Kshield 3mm antipunctures
STEM	Velomann 3D forged 6061 Alloy, 12° 31,8mm 28,6mm, SB black and ED black bolts, size: 70mm-43cm, 100mm-47cm/51cm, 120mm-55cm/59cm
HANDLEBAR	Velomann Alloy 6061 DB, 620mm, flat bar, 9° bend, 31,8mm
GRIP / TAPE	Velo Ergonomic Double density VLG-1824-D2 kraton Bianchi color Celeste / Gel Black 131,6mm closed end
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm
SADDLE	Velomann, 269mm x 146mm, 285gr, steel rail, black-ck semi PU cover 7823#
PEDALS	VP VPE-899 One piece PP body, TPE tread axle 7mm boron steel EPB system size 111x84mm with reflector

C-SPORT | ACERA 24SP | YSBD3



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	CC: CK16 / Dark Turquoise Full Glossy C9: Rocks Sand / Black Matt / Gloss
FRAME	C-SPORT alu disc frame, 700C OLD 135mm, No Pivot, DISC version, integrated cable routing, SMOOTH WELDING, 1.1/8 aheadset, Seat tube 31.6mm, SIZE:43cm/47cm/51cm/55cm/59cm
SEATPOST CLAMP	MX-112C 34.9mm alloy AN Black (14.4gr)
HEADSET	FSA NO.8B/ZS4D 1-1/8" SEMI-INTEGRATED LOWER PART + INTEGRATED UPPER PART, W/H2166B 15MM TOP COVER FOR TAPERED 46MM/50MM OD HEAD TUBE
FORK	FF28"AL DISC118, ALU FORK 28" 700c, 1.1/8" Alloy steerer, alu blades, integrated 50mm, offset 45mm, Postmount disc brake version, 700x40c max tire size
SHIFTER	Shimano Disc Brake Assembled Set, ST-EF505(L), BR-MT200(F), W/O ADAPTER, RESIN PAD, 750MM HOSE
REAR DERAILLEUR	Shimano , RD-M3020-8, ACERA, SGS 7/8-SPEED, DIRECT ATTACHMENT
FRONT DERAILLEUR	Shimano FD-TY600-L3, TOURNEY, FOR 3X6/7/8, TOP-SWING, DUAL-PULL, BAND TYPE, CS-ANGLE:63-66, FOR 42T, CL:47.5/50MM
CRANKSET	Shimano, FC-TY301, For Rear 6/7/8-Speed, 42x34x24T W/CG, Chain Case Compatible, Black, Bulk 170mm/ 175mm
BOTTOM BRACKET	Shimano, BB-UN101, Spindle:Square Type, Shell:BSA 68mm,Spindle:122.5mm(D-NL), W/Fixing Bolt
CHAIN	KMC Z-8.1 1/2"x3/32"x116L, FOR 8-SPEED

CASSETTE / FREEWHEEL	Shimano, CS-HG200-8, 8-Speed, 12-14-16-18-21-24-28-32
BRAKE	Shimano INCLUDED IN L/SHIFTER
BRAKE LEVER	Shimano ùIncluded in the brake set
FRONT HUB	Formula CL-1420 Center lock, 32hole, 14G, O.L.D. 100mm AXEL 108mm with QR22
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, O.L.D. 135mm AXEL145mm, for Shimano 8/9/10speed with QR22
RIM/WHEELSET	Velomann disc version, alloy, 700c 622x19 32H, pair spoke 2x16 (500g), pin joint, tubeless ready, EN standard
TIRE	Kenda K1067 - Kwick Tendril , 700x38c ,TPI60
STEM	Velomann 3D forged 6061 Alloy, 12° 31,8mm 28,6mm, SB black and ED black bolts, 70mm x size 43cm - 100mm x size 47cm/51cm -120mm x size 55cm/59cm
HANDLEBAR	Velomann Alloy 6061 DB, 620mm, flat bar, 9° bend, 31,8mm
GRIP / TAPE	Velo Ergonomic Double density VLG-1824-D2 kraton Bianchi color Celeste / Gel Black 131,6mm closed end
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm
SADDLE	Velomann, 269mm x 146mm, 285gr, steel rail, black-ck semi PU cover
PEDALS	FDP VPE-899 One piece PP body, TPE tread axle 7mm boron steel EPB system size 111x84mm with reflector

C-SPORT STEP THROUGH | ACERA 24SP | YSBD9



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	CC: CK16 / Dark Turquoise Full Glossy C9: Rocks Sand / Black Matt / Glossy
FRAME	C-SPORT Step Through alu disc frame, 700C OLD 135mm, No Pivot, DISC version, integrated cable routing, SMOOTH WELDING, 1.1/8 aheadset, Seat tube 31.6mm, SIZE:43cm/47cm/51cm/55cm
SEATPOST CLAMP	MX-112C 34.9mm alloy AN Black (14.4gr)
HEADSET	FSA NO.8B/ZS4D 1-1/8" SEMI-INTEGRATED LOWER PART + INTEGRATED UPPER PART, W/H2166B 15MM TOP COVER FOR TAPERED 46MM/50MM OD HEAD TUBE
FORK	FF28"AL DISC118, ALU FORK 28" 700c, 1.1/8" Alloy steerer, alu blades, integrated 50mm, offset 45mm, Postmount disc brake version, 700x40c max tire size
SHIFTER	Shimano Disc Brake Assembled Set, ST- EF505(L), BR-MT200(F), W/O ADAPTER, RESIN PAD, 750MM HOSE
REAR DERAILEUR	Shimano , RD-M3020-8, ACERA, SGS 7/8- SPEED, DIRECT ATTACHMENT
FRONT DERAILEUR	Shimano FD-TY600-L3, TOURNEY, FOR 3X6/7/8, TOP-SWING, DUAL-PULL, BAND TYPE, CS- ANGLE:63-66, FOR 42T, CL:47.5/50MM
CRANKSET	Shimano, FC-TY301, For Rear 6/7/8-Speed, 42x34x24T W/CG, Chain Case Compatible, Black, Bulk 170mm/ 175mm
BOTTOM BRACKET	Shimano, BB-UN101, Spindle:Square Type, Shell:BSA 68mm,Spindle:122.5mm(D-NL), W/Fixing Bolt
CHAIN	KMC Z-8.1 1/2"x3/32"x116L, FOR 8-SPEED

CASSETTE / FREEWHEEL	Shimano, CS-HG200-8, 8-Speed, 12-14-16-18- 21-24-28-32
BRAKE	Shimano INCLUDED IN L/SHIFTER
BRAKE LEVER	Shimano ùIncluded in the brake set
FRONT HUB	Formula CL-1420 Center lock, 32hole, 14G, O.L.D. 100mm AXEL 108mm with QR22
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, O.L.D. 135mm AXEL145mm, for Shimano 8/9/10speed with QR22
RIM/WHEELSET	Velomann disc version, alloy, 700c 622x19 32H, pair spoke 2x16 (500g), pin joint, tubeless ready, EN standard
TIRE	Kenda K1067 - Kwick Tendril , 700x38c ,TPI60
STEM	Velomann 3D forged 6061 Alloy, 12° 31,8mm 28,6mm, SB black and ED black bolts, 70mm x size 43cm - 100mm x size 47cm/51cm -120mm x size 55cm/59cm
HANDLEBAR	Velomann Alloy 6061 DB, 620mm, flat bar, 9° bend, 31,8mm
GRIP / TAPE	Velo Ergonomic Double density VLG-1824-D2 kraton Bianchi color Celeste / Gel Black 131,6mm closed end
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm
SADDLE	Velomann, 269mm x 146mm, 285gr, steel rail, black-ck semi PU cover
PEDALS	FDP VPE-899 One piece PP body, TPE tread axle 7mm boron steel EPB system size 111x84mm with reflector

C-SPORT CROSS | ACERA 24SP | YSBB2



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	CC: CK16 / Dark Turquoise Full Glossy C9: Rocks Sand / Black Matt / Glossy	CASSETTE / FREEWHEEL	Shimano, CS-HG200-8, 8-Speed, 12-14-16-18-21-24-28-32
FRAME	C-SPORT CROSS alu disc frame, 700C OLD 135mm, No Pivot, DISC version, integrated cable routing, SMOOTH WELDING, 1.1/8 semintegrated Aheadset. Seat tube 31.6mm, SIZE: 43cm/47cm/51cm/55cm	BRAKE	Shimano INCLUDED IN L/SHIFTER
SEATPOST CLAMP	MX-112C 34.9mm alloy AN Black (14.4gr)	BRAKE LEVER	Shimano Included in the brake set
HEADSET	FSA NO.8B/ZS4D 1-1/8" SEMI-INTEGRATED LOWER PART + INTEGRATED UPPER PART, W/H2166B 15MM TOP COVER FOR TAPERED 46MM/50MM OD HEAD TUBE	FRONT HUB	Formula CL-1420 Center lock, 32hole, 14G, O.L.D. 100mm AXEL 108mm with QR22
FORK	Suntour SF16-NEX-HLO-DS-700C, 1.1/8" STEEL THREADLESS STEERER, STEEL CP STANCHION, ALLOY BLADES, DISC VERSION, FOR 700C W/SR SUNTOUR DECAL, 63MM TRAVEL, HYDRAULIC LOCK, POSTMOUNT	REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, O.L.D. 135mm AXEL 145mm, for Shimano 8/9/10speed with QR22
SHIFTER	Shimano Disc Brake Assembled Set, ST-EF505(L), BR-MT200(F), W/O ADAPTER, RESIN PAD, 750MM HOSE	RIM/WHEELSET	Velomann disc version, alloy, 700c 622x19 32H, pair spoke 2x16 (500g), pin joint, tubeless ready, EN standard
REAR DERAILLEUR	Shimano, RD-M3020-8, ACERA, SGS 7/8-SPEED, DIRECT ATTACHMENT	TIRE	Kenda 700x40,
FRONT DERAILLEUR	Shimano FD-TY600-L3, TOURNEY, FOR 3X6/7/8, TOP-SWING, DUAL-PULL, BAND TYPE, CS-ANGLE: 63-66, FOR 42T, CL: 47.5/50MM	STEM	Velomann 3D forged 6061 Alloy, 12° 31,8mm 28,6mm, SB black and ED black bolts, size: 70mm-43cm, 100mm-47cm/51cm, 120mm-55cm/59cm
CRANKSET	Shimano, FC-TY301, For Rear 6/7/8-Speed, 42x34x24T W/CG, Chain Case Compatible, Black, Bulk 170mm/ 175mm	HANDLEBAR	Velomann Alloy 6061 DB, 620mm, flat bar, 9° bend, 31,8mm
BOTTOM BRACKET	Shimano, BB-UN101, Spindle: Square Type, Shell: BSA 68mm, Spindle: 122.5mm (D-NL), W/Fixing Bolt	GRIP / TAPE	Velo Ergonomic Double density VLG-1824-D2 kraton Bianchi color Celeste / Gel Black 131,6mm closed end
CHAIN	KMC Z-72 1/2"x3/32"x116L, FOR 8-SPEED	SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm
		SADDLE	Velomann, 269mm x 146mm, 285gr, steel rail, black-ck semi PU cover 7823#
		PEDALS	VP VPE-899 One piece PP body, TPE tread axle 7mm boron steel EPB system size 111x84mm with reflector

C-SPORT CROSS STEP THROUGH | ACERA 24SP | YSBB3



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	CC: CK16 / Dark Turquoise Full Glossy C9: Rocks Sand / Black Matt / Glossy
FRAME	C-SPORT CROSS Step Through alu disc frame, 700C OLD 135mm, No Pivot, DISC version, integrated cable routing, SMOOTH WELDING, 1.1/8 semintegrated Aheadset. Seat tube 31.6mm, SIZE:43cm/47cm/51cm
SEATPOST CLAMP	MX-112C 34.9mm alloy AN Black [14.4gr]
HEADSET	FSA NO.8B/ZS4D 1-1/8" SEMI-INTEGRATED LOWER PART + INTEGRATED UPPER PART, W/H2166B 15MM TOP COVER FOR TAPERED 46MM/50MM OD HEAD TUBE
FORK	Suntour SF16-NEX-HLO-DS-700C, 1.1/8" STEEL THREADLESS STEERER, STEEL CP STANCHION, ALLOY BLADES, DISC VERSION, FOR 700C W/SR SUNTOUR DECAL, 63MM TRAVEL, HYDRAULIC LOCK, POSTMOUNT
SHIFTER	Shimano Disc Brake Assembled Set, ST-EF505(L), BR-MT200(F), W/O ADAPTER, RESIN PAD, 750MM HOSE
REAR DERAILLEUR	Shimano, RD-M3020-8, ACERA, SGS 7/8-SPEED, DIRECT ATTACHMENT
FRONT DERAILLEUR	Shimano FD-TY600-L3, TOURNEY, FOR 3X6/7/8, TOP-SWING, DUAL-PULL, BAND TYPE, CS-ANGLE:63-66, FOR 42T, CL:47.5/50MM
CRANKSET	Shimano, FC-TY301, For Rear 6/7/8-Speed, 42x34x24T W/CG, Chain Case Compatible, Black, Bulk 170mm/ 175mm
BOTTOM BRACKET	Shimano, BB-UN101, Spindle:Square Type, Shell:BSA 68mm, Spindle:122.5mm(D-NL), W/Fixing Bolt
CHAIN	KMC Z-72 1/2"x3/32"x116L, FOR 8-SPEED

CASSETTE / FREEWHEEL	Shimano, CS-HG200-8, 8-Speed, 12-14-16-18-21-24-28-32
BRAKE	Shimano INCLUDED IN L/SHIFTER
BRAKE LEVER	Shimano Included in the brake set
FRONT HUB	Formula CL-1420 Center lock, 32hole, 14G, O.L.D. 100mm AXEL 108mm with QR22
REAR HUB	Formula CL-1422 Center lock, 32hole, 14G, O.L.D. 135mm AXEL145mm, for Shimano 8/9/10speed with QR22
RIM/WHEELSET	Velomann disc version, alloy, 700c 622x19 32H, pair spoke 2x16 (500g), pin joint, tubeless ready, EN standard
TIRE	Kenda 700x40
STEM	Velomann 3D forged 6061 Alloy, 12° 31,8mm 28,6mm, SB black and ED black bolts, size: 70mm-43cm, 100mm-47cm/51cm, 120mm-55cm/59cm
HANDLEBAR	Velomann Alloy 6061 DB, 620mm, flat bar, 9° bend, 31,8mm
GRIP / TAPE	Velo Ergonomic Double density VLG-1824-D2 kraton Bianchi color Celeste / Gel Black 131,6mm closed end
SEATPOST	Velomann Alloy shaft AL6061, alloy head, 15mm offset, 31,6mm
SADDLE	Velomann, 269mm x 146mm, 285gr, steel rail, black-ck semi PU cover 7823#
PEDALS	VP VPE-899 One piece PP body, TPE tread axle 7mm boron steel EPB system size 111x84mm with reflector

SPILLO DELUXE | TOURNEY 21SP | YEB5L



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	LK: Celeste Vintage
FRAME	Spillo Rubino Deluxe 28"Rigid Alloy 6061 1.1/8" 470mm/510mm/550mm O.L.D.135mm
SEATPOST CLAMP	Alloy Silver Dia:31.8mm Quick-Release, Silver
HEADSET	1.1/8"X26T Steel Silver
FORK	28"Road 1.1/8"
SHIFTER	Shimano 7-Speed Ez-Fire plus, 2F-alloy, for V-Brake, black, Index Wire/2050mm Left Shifter 3-Speed Ez-Fire plus, 2F-alloy, for V-Brake, black, Index Wire/1800mm
REAR DERAILLEUR	Shimano, RD-TY500, Tourney, 6/7-speed, direct attachment type, w/wheel type cable guide, bulk
FRONT DERAILLEUR	Shimano, FD-TY510-TS3, Tourney, top-swing, dual-pull, for rear 6/7speed, band type (w/31.8mm adapter), CS angle:63-66 for 48T.CL:47.5/50mm
CRANKSET	Crankset TCXE6-VZ[A4P6] 48X38X28 black/steel silver/steel silver
BOTTOM BRACKET	CH 52-68 diagonal cotterless/bolt L:127mm 4pcs w/bolt ENM
CHAIN	KMC Z51 1/2"x 3/32" 7-speed

CASSETTE / FREEWHEEL	Shimano AMFTZ5007428 7-speed 14-28 w/thread
BRAKE	V-brake set HJ- 621ADX-SV silver Al. L:103mm 90/2 pipes ENM w/ ID 5mm Pipe cap
BRAKE LEVER	included in the shifter
FRONT HUB	KT-A15F Alloy silver 36H, silver QR, MQSP141NSI A:109-B:126-C:149 M9X100X108
REAR HUB	KT-A1ER Alloy Lathing natural/36H /quick-release 135X145 Threaded FW:40,5mm
RIM/WHEELSET	28/622X19 Freeway D-Wall Al balck 36H D:6.5 HBP
TIRE	700X35C 37-622 C-1880 Xpedium
STEM	MTS-C299N-5 (C297) Adjustable Alloy High polished Silver E:90 DIA:25.4 L:180mm
HANDLEBAR	HL-NR-AL-16 High polished an. Silver alloy W:590 R:26 DIA:25.4 BS:33 DG silver
SEATPOST	SP-242 Alloy silver L:350mm DIA:27.2mm
SADDLE	Selle Royal RIO renna Brown (8073), RVS, silver steel rail, w/clamp
PEDALS	body/PP-Black 2#, 9/16" Boron, BS Ball-Type EN
FRONT LIGHT	Spanninga JOS Illico
REAR LIGHT	SPARK RED
KICKSTAND	CD-122 Alloy, 20"-28" adjustable, Silver/esge black allen bolt dacromet
MUDGUARD / STAY	28" RAPIDO BIA2822-00177 46mm Silver foil,1Nose rear mudflap aid sliding bridge zinc coated

SPILLO DELUXE STEP THROUGH | TOURNEY 21SP | YEB5M



THE IMAGE SHOWN IS INDICATIVE ONLY. Components and graphic details may differ from the actual model.

Based on component availability, Bianchi reserves the right to make changes on specifications without notice

COLOR	LK: Celeste Vintage
FRAME	Spillo Rubino Deluxe 28"Rigid Step Through Alloy 6061 1.1/8" 430mm/470mm/510mm O.L.D.135mm
SEATPOST CLAMP	Alloy Silver Dia:31.8mm Quick-Release, Silver
HEADSET	1.1/8"X26T Steel Silver
FORK	28"Road 1.1/8"
SHIFTER	Shimano 7-Speed Ez-Fire plus, 2F-alloy, for V-Brake, black, Index Wire/2050mm Left Shifter 3-Speed Ez-Fire plus, 2F-alloy, for V-Brake, black, Index Wire/1800mm
REAR DERAILEUR	Shimano, RD-TY500, Tourney, 6/7-speed, direct attachment type, w/wheel type cable guide, bulk
FRONT DERAILEUR	Shimano, FD-TY510-TS3, Tourney, top-swing, dual-pull, for rear 6/7speed, band type (w/31.8mm adapter), CS angle:63-66 for 48T.CL:47.5/50mm
CRANKSET	Crankset TCXE6-VZ[A4P6] 48X38X28 black/steel silver/steel silver
BOTTOM BRACKET	CH 52-68 diagonal cotterless/bolt L:127mm 4pcs w/bolt ENM
CHAIN	KMC Z51 1/2"x 3/32" 7-speed

CASSETTE / FREEWHEEL	Shimano AMFTZ5007428 7-speed 14-28 w/thread
BRAKE	V-brake set HJ- 621ADX-SV silver Al. L:103mm 90/2 pipes ENM w/ ID 5mm Pipe cap
BRAKE LEVER	included in the shifter
FRONT HUB	KT-A15F Alloy silver 36H, silver QR, MQSP141NSI A:109-B:126-C:149 M9X100X108
REAR HUB	KT-A1ER Alloy Lathing natural/36H /quick-release 135X145 Threaded FW:40,5mm
RIM/WHEELSET	28/622X19 Freeway D-Wall Al balck 36H D:6.5 HBP
TIRE	700X35C 37-622 C-1880 Xpedium
STEM	MTS-C299N-5 (C297) Adjustable Alloy High polished Silver E:90 DIA:25.4 L:180mm
HANDLEBAR	HL-NR-AL-16 High polished an. Silver alloy W:590 R:26 DIA:25.4 BS:33 DG silver
SEATPOST	SP-242 Alloy silver L:350mm DIA:27.2mm
SADDLE	Selle Royal RIO renna Brown (8073), RVS, silver steel rail, w/clamp
PEDALS	body/PP-Black 2#, 9/16" Boron, BS Ball-Type EN
FRONT LIGHT	Spanninga JOS Illico
REAR LIGHT	SPARK RED
KICKSTAND	CD-122 Alloy, 20"-28" adjustable, Silver/esge black allen bolt dacromet
MUDGUARD / STAY	28" RAPIDO BIA2822-00177 46mm Silver foil,1Nose rear mudflap aid sliding bridge zinc coated

#RIDEBIANCHI



BIANCHI

MEMBER OF



F.I.V. E BIANCHI S.P.A

VIA DELLE BATTAGLIE, 5 24047 TREVIGLIO / BG - T +39 0363 3161 - F + 39 0363 075045

bianchi@bianchi.com